

Bridgeton Sanitary Landfill
Daily Air Monitoring Results

| Date/Time | Sample Location | H2S ppm | Benzene ppm | Odor Dilution | Comments and Odor Desc | Site Name |
|-----------------|-----------------|---------|-------------|---------------|------------------------|--|
| 4/18/2016 12:01 | | 0.00343 | 0.00 | 2.00 | No Odor | 12800 Boenker Drive - Parking Lot |
| 4/18/2016 12:05 | G | 0.00412 | 0.00 | 2.00 | No Odor | Materialogic |
| 4/18/2016 12:08 | M | 0.00376 | 0.00 | 2.00 | No Odor | Forshaw Parking Lot |
| 4/18/2016 12:14 | F | 0.00340 | 0.00 | 2.00 | No Odor | Ram's Area |
| 4/18/2016 12:20 | | 0.00329 | 0.00 | 2.00 | No Odor | Pattonville #3 |
| 4/18/2016 12:25 | N | 0.00361 | 0.00 | 2.00 | No Odor | Eise Park |
| 4/18/2016 12:28 | | 0.00376 | 0.00 | 2.00 | No Odor | Thomas Patrick & CCM Rd. |
| 4/19/2016 9:21 | L | 0.00000 | 0.00 | 2.00 | No Landfill Odor | MDNR Trailer |
| 4/19/2016 9:29 | A | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Metro Paving |
| 4/19/2016 9:32 | B | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Jimmy John's |
| 4/19/2016 9:36 | C | 0.00000 | 0.00 | 2.00 | No Landfill Odor | AAA Trucking |
| 4/19/2016 9:41 | K | 0.00000 | 0.00 | 2.00 | No Landfill Odor | NW Auto Body |
| 4/19/2016 9:44 | J | 0.00305 | 0.00 | 2.00 | No Landfill Odor | 12755 St Charles Rock Rd (in right-of-way) |
| 4/19/2016 9:49 | I | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 3715 Pennridge |
| 4/19/2016 9:52 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12800 Boenker Drive - Parking Lot |
| 4/19/2016 9:56 | G | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Materialogic |
| 4/19/2016 9:59 | M | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Forshaw Parking Lot |
| 4/19/2016 10:03 | F | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Ram's Area |
| 4/19/2016 10:09 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Pattonville Fire District House #3 |
| 4/19/2016 10:16 | N | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Eise Park |
| 4/19/2016 10:21 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Thomas Patrick & CCM Rd. |
| 4/19/2016 11:52 | A | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Metro Paving |
| 4/19/2016 11:55 | B | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Jimmy John's |
| 4/19/2016 11:58 | C | 0.00000 | 0.00 | 2.00 | No Landfill Odor | AAA Trucking |
| 4/19/2016 12:03 | K | 0.00000 | 0.00 | 2.00 | No Landfill Odor | NW Auto Body |
| 4/19/2016 12:06 | L | 0.00000 | 0.00 | 2.00 | No Landfill Odor | MDNR Trailer |
| 4/19/2016 12:11 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12800 Boenker Drive - Parking Lot |
| 4/19/2016 12:15 | G | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Materialogic |
| 4/19/2016 12:17 | M | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Forshaw Parking Lot |
| 4/19/2016 12:21 | F | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Ram's Area |
| 4/19/2016 12:29 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Pattonville Fire District House #3 |
| 4/19/2016 12:39 | N | 0.00335 | 0.00 | 2.00 | No Landfill Odor | Eise Park |
| 4/19/2016 12:45 | | 0.00421 | 0.00 | 2.00 | No Landfill Odor | Thomas Patrick & CCM Rd. |
| 4/19/2016 12:54 | I | 0.00347 | 0.00 | 2.00 | No Landfill Odor | 3715 Pennridge |
| 4/19/2016 12:57 | J | 0.00322 | 0.00 | 2.00 | No Landfill Odor | 12755 St Charles Rock Rd (in right-of-way) |

Bridgeton Sanitary Landfill
Daily Air Monitoring Results

| Date/Time | Sample Location | H2S ppm | Benzene ppm | Odor Dilution | Comments and Odor Desc | Site Name |
|-----------------|-----------------|---------|-------------|---------------|---|---|
| 4/20/2016 9:12 | L | 0.00368 | 0.00 | 2.00 | No Landfill Odor | MDNR Trailer |
| 4/20/2016 9:23 | A | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Metro Paving |
| 4/20/2016 9:27 | B | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Jimmy John's |
| 4/20/2016 9:31 | C | 0.00000 | 0.00 | 2.00 | No Landfill Odor | AAA Trucking |
| 4/20/2016 9:36 | K | 0.00000 | 0.00 | 2.00 | No Landfill Odor | NW Auto Body |
| 4/20/2016 9:39 | J | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12755 St Charles Rock Rd (in right-of-way) |
| 4/20/2016 9:43 | I | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 3715 Penridge |
| 4/20/2016 9:47 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12800 Boenker Drive - Parking Lot |
| 4/20/2016 9:50 | G | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Materialogic |
| 4/20/2016 9:53 | M | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Forshaw Parking Lot |
| 4/20/2016 9:58 | F | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Ram's Area |
| 4/20/2016 10:02 | | 0.00304 | 0.00 | 2.00 | Slight Landfill Odor - Champ, manure | Maryland Heights Expressway @ Riverport Dr. |
| 4/20/2016 10:06 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Pattonville Fire District House #3 |
| 4/20/2016 10:12 | N | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Eise Park |
| 4/20/2016 10:16 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Thomas Patrick & CCM Rd. |
| 4/20/2016 12:09 | A | 0.00314 | 0.00 | 2.00 | No Landfill Odor | Metro Paving |
| 4/20/2016 12:12 | B | 0.00301 | 0.00 | 2.00 | No Landfill Odor | Jimmy John's |
| 4/20/2016 12:17 | C | 0.00323 | 0.00 | 2.00 | No Landfill Odor | AAA Trucking |
| 4/20/2016 12:21 | K | 0.00303 | 0.00 | 2.00 | No Landfill Odor | NW Auto Body |
| 4/20/2016 12:24 | L | 0.00000 | 0.00 | 2.00 | No Landfill Odor | MDNR Trailer |
| 4/20/2016 12:28 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12800 Boenker Drive - Parking Lot |
| 4/20/2016 12:32 | G | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Materialogic |
| 4/20/2016 12:34 | M | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Forshaw Parking Lot |
| 4/20/2016 12:39 | F | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Ram's Area |
| 4/20/2016 12:45 | | 0.00000 | 0.00 | 2.00 | Faint Odor - asphalt, Fred Weber, intermittent | Pattonville Fire District House #3 |
| 4/20/2016 12:53 | N | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Eise Park |
| 4/20/2016 12:58 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Thomas Patrick & CCM Rd. |
| 4/20/2016 13:06 | I | 0.00300 | 0.00 | 2.00 | No Landfill Odor | 3715 Penridge |
| 4/20/2016 13:09 | J | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12755 St Charles Rock Rd (in right-of-way) |
| 4/21/2016 8:10 | M | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Forshaw Parking Lot |
| 4/21/2016 8:15 | F | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Ram's Area |
| 4/21/2016 8:22 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Pattonville Fire District House #3 |
| 4/21/2016 8:33 | N | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Eise Park |
| 4/21/2016 8:38 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Thomas Patrick & CCM Rd. |

Bridgeton Sanitary Landfill
Daily Air Monitoring Results

| Date/Time | Sample Location | H2S ppm | Benzene ppm | Odor Dilution | Comments and Odor Desc | Site Name |
|-----------------|-----------------|---------|-------------|---------------|--|---|
| 4/21/2016 8:47 | I | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 3715 Pennridge |
| 4/21/2016 8:50 | J | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12755 St Charles Rock Rd (in right-of-way) |
| 4/21/2016 8:54 | A | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Metro Paving |
| 4/21/2016 8:56 | B | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Jimmy John's |
| 4/21/2016 9:00 | C | 0.00000 | 0.00 | 2.00 | No Landfill Odor | AAA Trucking |
| 4/21/2016 9:04 | K | 0.00000 | 0.00 | 2.00 | Faint Landfill Odor - Bridgeton | NW Auto Body |
| 4/21/2016 9:07 | L | 0.00000 | 0.00 | 2.00 | Faint Landfill Odor - Bridgeton, intermittent | MDNR Trailer |
| 4/21/2016 9:11 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12800 Boenker Drive - Parking Lot |
| 4/21/2016 9:13 | G | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Materialogic |
| 4/21/2016 11:10 | B | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Jimmy John's |
| 4/21/2016 11:14 | C | 0.00000 | 0.00 | 2.00 | No Landfill Odor | AAA Trucking |
| 4/21/2016 11:21 | K | 0.00000 | 0.00 | 2.00 | No Landfill Odor | NW Auto Body |
| 4/21/2016 11:23 | L | 0.00000 | 0.00 | 2.00 | Slight Landfill Odor - Bridgeton | MDNR Trailer |
| 4/21/2016 11:48 | M | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Forshaw Parking Lot |
| 4/21/2016 11:52 | F | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Ram's Area |
| 4/21/2016 12:00 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Pattonville Fire District House #3 |