

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
8/7/2012	1,867				5,689
8/8/2012	1,886				5,802
8/9/2012	1,885				5,603
8/10/2012	1,897				5,679
8/11/2012	1,886				5,483
8/12/2012	1,770				4,770
8/13/2012	1,790				5,460
8/14/2012	1,800				5,650
8/15/2012	1,771				5,223
8/16/2012	1,766				5,860
8/17/2012	1,738				5,702
8/18/2012	1,791				5,687
8/19/2012	1,753				5,433
8/20/2012	1,731				5,481
8/21/2012	1,773				5,592
8/22/2012	1,835				5,482
8/23/2012	1,869				5,723
8/24/2012	1,976				5,998
8/25/2012	1,967				5,922
8/26/2012	2,009				5,934
8/27/2012	1,960				5,871
8/28/2012	1,993				5,990
8/29/2012	2,208				6,109
8/30/2012	2,192				6,094
8/31/2012	2,169				6,243
9/1/2012	2,209				6,260
9/2/2012	2,159				6,143
9/3/2012	2,144				6,294
9/4/2012	2,156				6,248
9/5/2012	2,174				6,149
9/6/2012	2,144				6,322
9/7/2012	2,170				6,527
9/8/2012	2,192				6,143
9/9/2012	2,178				6,313
9/10/2012	2,154				6,296
9/11/2012	2,203				6,202
9/12/2012	2,175				6,331
9/13/2012	2,199				5,838
9/14/2012	2,194				5,847
9/15/2012	2,093				6,743
9/16/2012	1,980				6,087
9/17/2012	1,934				6,384
9/18/2012	2,003				6,599
9/19/2012	1,902				6,337
9/20/2012	1,859				6,493
9/21/2012	2,139				6,142

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
9/22/2012	2,133				5,909
9/23/2012	2,167				5,739
9/24/2012	1,316				6,102
9/25/2012	2,217				6,968
9/26/2012	2,158				6,611
9/27/2012	2,194				6,499
9/28/2012	2,314				5,232
9/29/2012	2,306				6,506
9/30/2012	2,313				6,173
10/1/2012	2,212				6,715
10/2/2012	2,242				6,215
10/3/2012	1,930				9,113
10/4/2012	1,890				7,242
10/5/2012	1,836				7,508
10/6/2012	1,729				7,300
10/7/2012	1,719				7,878
10/8/2012	1,625				7,353
10/9/2012	1,715				7,134
10/10/2012	1,516				5,843
10/11/2012	1,397				6,344
10/12/2012	1,324				6,671
10/13/2012	1,856				6,868
10/14/2012	2,102				6,141
10/15/2012	1,975				6,575
10/16/2012	2,040				6,880
10/17/2012	1,885				7,103
10/18/2012	1,892				5,049
10/19/2012	1,855				5,650
10/20/2012	1,785				6,745
10/21/2012	1,990				5,150
10/22/2012	1,337				4,366
10/23/2012	1,436				6,948
10/24/2012	1,310				4,995
10/25/2012	1,623				7,360
10/26/2012	1,334				6,446
10/27/2012	1,645				6,045
10/28/2012	1,472				5,919
10/29/2012	1,270				6,170
10/30/2012	1,460				6,652
10/31/2012	1,261				5,795
11/1/2012	1,071				5,616
11/2/2012	1,050				5,670
11/3/2012	988				5,821
11/4/2012	1,188				6,144
11/5/2012	1,147				5,524
11/6/2012	1,040				5,645

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
11/7/2012	1,200				5,690
11/8/2012	1,456				6,254
11/9/2012	1,547				6,355
11/10/2012	1,732				6,547
11/11/2012	1,483				6,419
11/12/2012	1,484				5,734
11/13/2012	1,601				6,084
11/14/2012	1,526				5,583
11/15/2012	1,576				5,749
11/16/2012	1,669				5,556
11/17/2012	1,735				5,673
11/18/2012	1,747				5,712
11/19/2012	1,705				5,713
11/20/2012	1,701				5,927
11/21/2012	1,685				6,205
11/22/2012	1,762				6,013
11/23/2012	1,655				5,556
11/24/2012	1,512				5,575
11/25/2012	1,312				5,300
11/26/2012	1,289				4,906
11/27/2012	1,134				4,992
11/28/2012	1,185				4,859
11/29/2012	1,153				5,343
11/30/2012	1,240				5,500
12/1/2012	1,307				5,677
12/2/2012	1,323				5,788
12/3/2012	1,409				5,836
12/4/2012	1,478				5,614
12/5/2012	1,425				5,466
12/6/2012	1,118				5,911
12/7/2012	1,230				6,110
12/8/2012	1,220				5,920
12/9/2012	1,075				6,135
12/10/2012	1,308				5,407
12/11/2012	1,289				4,776
12/12/2012	1,440				6,919
12/13/2012	1,644				5,707
12/14/2012	1,620				5,254
12/15/2012	1,607				5,532
12/16/2012	1,451				5,313
12/17/2012	1,612				5,409
12/18/2012	1,597				5,110
12/19/2012	1,782				5,617
12/20/2012	1,602				5,596
12/21/2012	1,551				5,416
12/22/2012	1,550				5,466

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
12/23/2012	1,969				5,780
12/24/2012	2,059				5,631
12/25/2012	1,895				5,409
12/26/2012	1,956				5,319
12/27/2012	1,662				5,392
12/28/2012	1,543				5,307
12/29/2012	1,664				5,499
12/30/2012	1,523				5,476
12/31/2012	1,442				5,647
1/1/2013	1,418				5,251
1/2/2013	1,378				5,329
1/3/2013	1,468				5,578
1/4/2013	1,393				5,109
1/5/2013	1,321				5,089
1/6/2013	1,358				4,852
1/7/2013	1,265			1,211	5,971
1/8/2013	1,247			1,247	5,913
1/9/2013	1,203			1,234	6,429
1/10/2013	1,243			1,301	6,971
1/11/2013	1,302				4,713
1/12/2013					4,388
1/13/2013	1,221			1,474	6,936
1/14/2013	1,394			1,434	5,732
1/15/2013	1,401			1,422	6,068
1/16/2013	1,316			1,388	5,826
1/17/2013	1,514			1,484	10,800
1/18/2013	1,413			1,389	5,584
1/19/2013					4,064
1/20/2013					1,888
1/21/2013	1,411			1,282	3,445
1/22/2013	1,894				9,289
1/23/2013	730				4,330
1/24/2013	1,271				4,677
1/25/2013	3,900				7,369
1/26/2013	3,901				7,401
1/27/2013	3,901				7,243
1/28/2013	3,900				7,714
1/29/2013	1,074				1,771
1/30/2013	806				4,365
1/31/2013	820				5,140
2/1/2013	#REF!				#REF!
2/2/2013	#REF!				#REF!
2/3/2013	#REF!				#REF!
2/4/2013	#REF!				#REF!
2/5/2013	#REF!				#REF!
2/6/2013	#REF!				#REF!

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
2/7/2013	#REF!				#REF!
2/8/2013	#REF!				#REF!
2/9/2013	#REF!				#REF!
2/10/2013	#REF!				#REF!
2/11/2013	#REF!				#REF!
2/12/2013	#REF!				#REF!
2/13/2013	#REF!				#REF!
2/14/2013	#REF!				#REF!
2/15/2013	#REF!				#REF!
2/16/2013	#REF!				#REF!
2/17/2013	#REF!				#REF!
2/18/2013	#REF!				#REF!
2/19/2013	#REF!				#REF!
2/20/2013	#REF!				#REF!
2/21/2013	#REF!				#REF!
2/22/2013	#REF!				#REF!
2/23/2013	#REF!				#REF!
2/24/2013	#REF!				#REF!
2/25/2013	#REF!				#REF!
2/26/2013	#REF!				#REF!
2/27/2013	#REF!				#REF!
2/28/2013	#REF!				#REF!
3/1/2013	848				4,966
3/2/2013	906				5,401
3/3/2013	874				5,764
3/4/2013	913				5,937
3/5/2013	976				5,998
3/6/2013	1,012				5,709
3/7/2013	879				5,761
3/8/2013	957				5,863
3/9/2013	915				6,015
3/10/2013	1,073				6,065
3/11/2013	1,178				6,339
3/12/2013	1,202				6,508
3/13/2013	1,332				6,412
3/14/2013	768				5,932
3/15/2013	1,284				6,842
3/16/2013	1,381				6,091
3/17/2013	1,842				6,368
3/18/2013	2,009				6,496
3/19/2013	1,578				6,137
3/20/2013	1,167				6,301
3/21/2013	1,383				5,569
3/22/2013	1,339				6,219
3/23/2013	1,247				7,066
3/24/2013	1,099				6,216

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
3/25/2013	1,177				6,288
3/26/2013	1,112				6,610
3/27/2013	1,167				6,604
3/28/2013	1,322				6,873
3/29/2013	1,898				7,246
3/30/2013	1,238				6,562
3/31/2013	1,970				6,837
4/1/2013	1,994				7,033
4/2/2013	1,655				6,746
4/3/2013	1,728				7,112
4/4/2013	2,008				7,501
4/5/2013	2,196				7,231
4/6/2013	1,889				6,641
4/7/2013					
4/8/2013	1,877				7,153
4/9/2013	2,156				7,006
4/10/2013	1,279				5,894
4/11/2013	1,335				5,615
4/12/2013	1,441				5,503
4/13/2013	1,259				6,107
4/14/2013	2,558				6,544
4/15/2013	2,135				6,014
4/16/2013	2,005				5,351
4/17/2013	2,413				5,756
4/18/2013	1,808				5,954
4/19/2013	2,032				6,331
4/20/2013	1,753				6,329
4/21/2013	1,773				6,496
4/22/2013	2,011				7,205
4/23/2013	1,660				6,462
4/24/2013	1,675				6,334
4/25/2013	1,687				6,286
4/26/2013	1,620				6,042
4/27/2013	1,029				6,145
4/28/2013	1,345				6,588
4/29/2013	1,982				7,050
4/30/2013	2,124				7,278
5/1/2013	2,168				5,377
5/2/2013	1,752				4,897
5/3/2013	1,779				5,096
5/4/2013	1,810				4,956
5/5/2013	1,707				4,995
5/6/2013	1,730				5,088
5/7/2013	2,235				5,642
5/8/2013	2,176				5,452
5/9/2013	2,110				5,095

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
5/10/2013	1,527				4,757
5/11/2013	1,642				4,851
5/12/2013	1,900				5,128
5/13/2013	1,810				5,017
5/14/2013	2,121				5,358
5/15/2013	1,920				5,158
5/16/2013	2,242				5,300
5/17/2013	2,121				5,351
5/18/2013	2,141				5,340
5/19/2013	2,375				5,636
5/20/2013	1,881				5,153
5/21/2013	2,112				5,357
5/22/2013	2,337				5,540
5/23/2013	2,214				5,453
5/24/2013	1,873				5,008
5/25/2013	2,007				5,219
5/26/2013	2,488				5,676
5/27/2013	2,601				5,787
5/28/2013	2,034				5,297
5/29/2013	2,321				5,545
5/30/2013	2,828				6,099
5/31/2013	2,741				5,928
6/1/2013	2,873				7,501
6/2/2013	2,245				7,431
6/3/2013	2,364				7,609
6/4/2013	2,713				7,654
6/5/2013	1,922			586	7,821
6/6/2013	1,918			529	7,735
6/7/2013	1,809			734	7,519
6/8/2013	2,592			596	8,285
6/9/2013	2,038			864	7,835
6/10/2013	1,589			1,079	7,982
6/11/2013	1,457			1,028	7,730
6/12/2013	2,110			1,056	8,363
6/13/2013	1,653			488	7,435
6/14/2013	1,214			1,119	7,511
6/15/2013	1,269			872	7,394
6/16/2013	2,105			745	7,960
6/17/2013	1,664			1,051	6,877
6/18/2013	1,496			1,141	7,643
6/19/2013	1,004			1,409	7,691
6/20/2013	1,196			1,184	7,757
6/21/2013	1,891			1,177	8,175
6/22/2013	2,301			1,380	7,545
6/23/2013	2,987			1,293	8,089
6/24/2013	3,046			1,443	7,986

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
6/25/2013	3,046			1,382	8,317
6/26/2013	2,725			1,391	7,919
6/27/2013	2,605			1,334	7,568
6/28/2013	2,817			1,326	7,996
6/29/2013	2,566			1,386	7,646
6/30/2013	2,911			1,432	8,037
7/1/2013	2,891			1,271	7,456
7/2/2013	2,708			1,514	7,531
7/3/2013	2,610				6,120
7/4/2013	2,901				6,397
7/5/2013	2,884			1,501	7,899
7/6/2013	2,544			1,535	7,970
7/7/2013	2,328			1,364	7,038
7/8/2013	2,392			1,580	7,768
7/9/2013	2,279			1,504	7,764
7/10/2013	2,004			1,570	7,534
7/11/2013	2,041			1,398	7,426
7/12/2013	2,195			1,516	7,632
7/13/2013	2,701			1,265	7,601
7/14/2013	2,188			1,305	6,818
7/15/2013	2,027			1,204	7,185
7/16/2013	1,383				5,123
7/17/2013	1,416			1,023	9,730
7/18/2013	1,066			1,003	9,310
7/19/2013	1,142				5,129
7/20/2013	957			900	8,774
7/21/2013	1,343			833	8,965
7/22/2013	1,512			1,007	9,467
7/23/2013	1,597			1,102	9,311
7/24/2013	1,609			1,047	9,588
7/25/2013	1,551			805	9,586
7/26/2013	1,612			936	9,631
7/27/2013	1,177			759	8,826
7/28/2013	949			846	8,930
7/29/2013	1,241			894	9,471
7/30/2013	801			939	8,705
7/31/2013	1,052			935	9,013
8/1/2013	1,210			962	9,344
8/2/2013	1,184			1,017	9,047
8/3/2013	1,218			1,014	9,092
8/4/2013	1,148			975	9,059
8/5/2013	1,138			946	9,093
8/6/2013	1,266			928	10,186
8/7/2013	1,286			1,103	10,379
8/8/2013	1,381			990	10,055
8/9/2013	1,158			1,074	10,174



Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
8/10/2013	1,348			1,043	10,339
8/11/2013	1,288			1,122	10,354
8/12/2013	1,201			1,080	10,105
8/13/2013	1,022			1,061	9,747
8/14/2013	1,101			1,174	9,310
8/15/2013	1,172			976	9,867
8/16/2013	1,141			845	9,588
8/17/2013	1,190			903	9,902
8/18/2013	1,318			902	10,194
8/19/2013	1,111			1,055	10,156
8/20/2013	1,346			1,043	10,180
8/21/2013	960			1,048	9,514
8/22/2013	1,372			888	9,937
8/23/2013	1,268			977	9,647
8/24/2013	1,272			1,083	9,597
8/25/2013	1,335			1,286	10,244
8/26/2013	1,302			1,080	9,738
8/27/2013	1,263			1,071	9,719
8/28/2013	1,230			1,089	9,300
8/29/2013	1,277			989	10,041
8/30/2013	1,071			947	9,340
8/31/2013	1,093			1,062	9,099
9/1/2013	1,001			1,252	10,258
9/2/2013	975			1,205	10,164
9/3/2013	760			1,150	9,848
9/4/2013	615			1,211	9,570
9/5/2013	572			1,130	9,591
9/6/2013	700			1,055	9,295
9/7/2013	737			1,092	9,528
9/8/2013	772			1,065	9,352
9/9/2013	713			1,098	9,747
9/10/2013	855			1,060	9,243
9/11/2013	841			1,088	9,332
9/12/2013	749			1,110	9,676
9/13/2013	749			1,115	9,479
9/14/2013	741			1,123	9,128
9/15/2013	788			1,073	9,225
9/16/2013	749			1,122	8,898
9/17/2013	917			1,102	9,334
9/18/2013	801			1,082	9,312
9/19/2013	772			1,058	9,528
9/20/2013	821	3,561		1,135	8,768
9/21/2013	855	2,122		1,139	6,507
9/22/2013	705	3,790		1,140	7,435
9/23/2013	701	3,769		1,122	7,061
9/24/2013	637	3,997	1,742	1,485	7,861

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
9/25/2013	849	1,744	2,449	1,533	6,575
9/26/2013	1,724	2,171	1,224	1,573	6,692
9/27/2013	1,209	2,145	1,348	1,453	6,155
9/28/2013	1,327	1,939	1,283	1,427	5,976
9/29/2013	2,833	2,030	1,249	1,512	7,624
9/30/2013	1,270	1,841	1,427	1,471	6,009
10/1/2013	1,207	1,303	1,966	1,379	5,855
10/2/2013	1,025	1,530	2,137	1,242	5,934
10/3/2013	1,003	1,524	2,075	1,222	5,824
10/4/2013	1,004	1,535	2,110	1,320	5,969
10/5/2013	980	1,515	2,053	1,300	5,848
10/6/2013	971	1,344	1,990	1,296	5,601
10/7/2013	1,013	1,570	1,929	1,101	5,613
10/8/2013	1,081	1,307	2,196	922	5,506
10/9/2013	1,382	1,427	1,915	1,048	5,772
10/10/2013	966	1,688	1,591	901	5,146
10/11/2013	900	1,870	1,900	1,222	5,892
10/12/2013	851	1,981	1,684	1,046	5,562
10/13/2013	826	1,755	1,915	528	5,024
10/14/2013	1,005	1,744	1,651	594	4,994
10/15/2013	1,030	1,805	1,393	1,330	5,558
10/16/2013	1,045	1,781	910	1,407	5,143
10/17/2013	1,005	1,259	1,776	1,239	5,279
10/18/2013	950	1,705	1,816	1,274	5,745
10/19/2013	960	1,544	1,944	1,057	5,505
10/20/2013	950	1,620	1,796	544	4,910
10/21/2013	850	1,680	1,970	1,454	5,954
10/22/2013	760	1,780	1,720	1,066	5,326
10/23/2013	900	1,700	900	1,120	4,620
10/24/2013	900	1,720	1,850	952	5,422
10/25/2013	946	1,758	1,888	1,114	5,706
10/26/2013	949	1,884	1,150	1,092	5,075
10/27/2013	1,007	1,735	1,702	1,092	5,536
10/28/2013	834	1,822	1,669	1,087	5,412
10/29/2013	1,004	1,722	1,865	854	5,445
10/30/2013	927	1,861	1,473	984	5,245
10/31/2013	970	1,741	1,941	998	5,650
11/1/2013	947	1,629	1,922	948	5,446
11/2/2013	964	1,642	1,890	971	5,467
11/3/2013	959	1,627	1,942	846	5,374
11/4/2013	848	1,731	1,780	1,170	5,529
11/5/2013	860	1,784	1,826	1,171	5,641
11/6/2013	1,440	2,110	1,987	770	6,307
11/7/2013	979	1,666	1,886	797	5,328
11/8/2013	1,337	1,764	1,808	662	5,571
11/9/2013	753	1,734	1,879	1,239	5,605

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
11/10/2013	751	1,724	1,861	1,218	5,554
11/11/2013	732	1,787	1,850	1,206	5,575
11/12/2013	731	1,567	1,756	1,224	5,278
11/13/2013	820	1,471	1,406	1,214	4,911
11/14/2013	870	1,637	1,712	1,201	5,420
11/15/2013	750	1,889	1,535	1,097	5,271
11/16/2013	931	1,941	1,761	1,031	5,664
11/17/2013	933	1,967	1,842	1,021	5,763
11/18/2013	800	1,995	1,342	1,074	5,211
11/19/2013	1,110	1,660	1,930	1,054	5,754
11/20/2013	1,040	1,670	1,580	1,030	5,320
11/21/2013	1,170	1,750	1,680	830	5,430
11/22/2013	1,103	1,684	1,532	766	5,085
11/23/2013	1,088	1,634	1,559	1,083	5,364
11/24/2013	1,017	1,522	1,587	1,068	5,194
11/25/2013	1,046	1,677	1,618	1,057	5,398
11/26/2013	706	1,256	2,460	1,024	5,446
11/27/2013	784	1,420	2,328	1,029	5,561
11/28/2013	660	1,601	2,423	934	5,618
11/29/2013	550	1,561	2,465	943	5,519
11/30/2013	665	1,614	2,389	1,069	5,737
12/1/2013	1,030	1,730	1,125	918	4,803
12/2/2013	872	1,202	2,437	888	5,399
12/3/2013	991	1,857	1,433	812	5,093
12/4/2013	1,022	1,170	2,425	772	5,389
12/5/2013	862	1,052	2,549	771	5,234
12/6/2013	901	1,306	2,518	775	5,500
12/7/2013	1,175	1,765	1,980	0	4,920
12/8/2013	857	1,283	2,627	938	5,705
12/9/2013	1,025	1,478	2,025	933	5,461
12/10/2013	978	1,568	1,833	1,023	5,402
12/11/2013	829	1,422	2,460	949	5,660
12/12/2013	883	1,265	2,602	908	5,658
12/13/2013	894	1,301	2,707	841	5,743
12/14/2013	1,206	1,291	2,084	821	5,402
12/15/2013	1,040	1,262	2,364	1,168	5,834
12/16/2013	1,474	1,227	1,888	916	5,505
12/17/2013	1,126	1,174	2,427	868	5,595
12/18/2013	994	1,703	2,099	1,099	5,895
12/19/2013	1,727	1,938	852	977	5,494
12/20/2013	1,880	1,560	2,522	988	6,950
12/21/2013	1,968	1,088	2,541	1,061	6,658
12/22/2013	1,610	1,298	2,420	960	6,288
12/23/2013	1,116	1,662	2,553	871	6,202
12/24/2013	1,721	1,932	2,153	808	6,614
12/25/2013	1,063	1,604	1,725	808	5,200

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
12/26/2013	2,025	1,691	1,453	835	6,004
12/27/2013	1,228	1,261	2,149	851	5,489
12/28/2013	2,029	1,362	2,203	968	6,562
12/29/2013	1,755	1,425	2,302	919	6,401
12/30/2013	2,025	1,350	2,350	950	6,675
12/31/2013	2,100	1,300	2,156	932	6,488
1/1/2014	1,850	2,467	1,270	890	6,477
1/2/2014	1,800	2,100	1,200	950	6,050
1/3/2014	2,640	1,930	1,450	1,025	7,045
1/4/2014	1,836	2,635	1,356	965	6,792
1/5/2014	1,257	2,500	1,895	863	6,515
1/6/2014	1,877	1,950	1,456	892	6,175
1/7/2014	1,789	2,426	1,852	964	7,031
1/8/2014	1,877	2,855	0	974	5,706
1/9/2014	1,654	2,756	0	964	5,374
1/10/2014	1,422	2,315	1,687	1,204	6,628
1/11/2014	1,654	2,146	1,789	1,178	6,767
1/12/2014	1,623	2,635	1,664	1,065	6,987
1/13/2014	1,110	3,300	2,040	972	7,422
1/14/2014	2,650	791	2,360	975	6,776
1/15/2014	1,600	2,808	1,750	1,035	7,193
1/16/2014	1,906	2,795	1,743	1,022	7,466
1/17/2014	1,216	2,893	1,900	945	6,954
1/18/2014	2,500	2,945	1,408	895	7,748
1/19/2014	2,203	2,756	1,623	833	7,415
1/20/2014	1,824	3,331	2,201	1,075	8,431
1/21/2014	1,914	2,620	1,375	1,437	7,346
1/22/2014	2,098	2,070	1,313	866	6,347
1/23/2014	1,907	2,690	1,120	1,003	6,720
1/24/2014	2,009	2,240	1,034	1,092	6,375
1/25/2014	1,489	2,436	1,624	950	6,499
1/26/2014	1,326	2,136	1,956	933	6,351
1/27/2014	1,851	2,364	1,514	963	6,692
1/28/2014	1,542	2,580	1,083	975	6,180
1/29/2014	1,332	2,413	1,415	906	6,066
1/30/2014	1,343	2,250	1,429	830	5,852
1/31/2014	1,425	2,154	1,587	1,142	6,308
2/1/2014	1,489	2,408	1,968	1,191	7,055
2/2/2014	1,562	2,548	1,874	1,062	7,047
2/3/2014	1,572	2,365	1,953	1,069	6,958
2/4/2014	1,469	2,312	1,914	1,084	6,778
2/5/2014	1,445	2,455	1,788	1,085	6,773
2/6/2014	1,421	2,199	1,545	1,067	6,232
2/7/2014	1,284	2,037	1,709	1,090	6,121
2/8/2014	1,378	2,459	1,832	964	6,632
2/9/2014	1,474	2,589	1,916	1,017	6,995

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
2/10/2014	1,294	2,611	1,779	973	6,658
2/11/2014	1,260	2,367	1,725	983	6,334
2/12/2014	1,315	2,422	1,821	955	6,512
2/13/2014	1,405	2,480	1,894	882	6,662
2/14/2014	1,294	2,412	1,770	900	6,377
2/15/2014	1,362	2,468	1,793	845	6,469
2/16/2014	1,309	2,432	1,703	943	6,387
2/17/2014	1,393	2,443	1,765	832	6,433
2/18/2014	1,430	2,460	1,954	869	6,714
2/19/2014	1,468	2,395	2,004	725	6,592
2/20/2014	1,345	2,423	1,878	890	6,536
2/21/2014	1,435	2,498	2,008	528	6,469
2/22/2014	1,430	2,532	2,077	432	6,471
2/23/2014	1,272	2,599	2,018	406	6,295
2/24/2014	1,450	2,424	1,973	346	6,193
2/25/2014	1,465	2,495	1,925	594	6,479
2/26/2014	1,460	2,481	1,876	798	6,615
2/27/2014	1,448	2,437	1,918	811	6,615
2/28/2014	1,525	2,192	2,006	687	6,410
3/1/2014	1,446	1,994	2,191	705	6,335
3/2/2014	1,486	1,892	2,257	792	6,427
3/3/2014	1,378	1,776	2,182	906	6,243
3/4/2014	1,488	2,000	2,168	770	6,426
3/5/2014	1,501	2,023	2,116	730	6,370
3/6/2014	1,344	2,006	2,100	650	6,100
3/7/2014	1,402	1,993	2,123	775	6,293
3/8/2014	1,391	1,912	2,100	1,131	6,535
3/9/2014	1,399	1,953	2,089	1,065	6,506
3/10/2014	1,428	2,067	2,145	951	6,592
3/11/2014	1,066	2,152	2,348	912	6,478
3/12/2014	1,586	1,486	2,289	831	6,192
3/13/2014	1,853	2,040	1,426	875	6,194
3/14/2014	1,555	1,767	2,308	830	6,460
3/15/2014	975	1,917	2,555	814	6,260
3/16/2014	1,125	2,089	2,016	788	6,018
3/17/2014	834	2,336	2,247	837	6,254
3/18/2014	1,189	2,317	2,641	808	6,955
3/19/2014	1,171	2,817	2,564	826	7,377
3/20/2014	1,632	2,586	2,452	765	7,435
3/21/2014	1,693	2,748	2,378	763	7,581
3/22/2014	1,422	2,771	2,212	775	7,180
3/23/2014	1,400	2,543	2,362	803	7,107
3/24/2014	1,573	2,375	2,390	816	7,155
3/25/2014	1,717	2,567	2,037	845	7,167
3/26/2014	1,624	2,500	2,114	814	7,051
3/27/2014	1,468	2,577	2,047	541	6,633

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
3/28/2014	1,328	2,400	2,298	571	6,597
3/29/2014	1,315	2,519	1,869	753	6,457
3/30/2014	1,451	2,955	1,752	858	7,016
3/31/2014	1,226	2,643	2,354	1,027	7,250
4/1/2014	1,391	2,468	2,170	898	6,926
4/2/2014	1,624	2,276	2,082	783	6,765
4/3/2014	1,646	2,052	2,443	705	6,847
4/4/2014	1,846	2,171	2,178	693	6,888
4/5/2014	1,875	2,170	2,370	781	7,196
4/6/2014	2,039	2,247	2,191	771	7,249
4/7/2014	1,804	2,114	2,224	927	7,068
4/8/2014	1,777	2,061	2,265	896	6,999
4/9/2014	1,854	2,085	2,216	933	7,088
4/10/2014	1,723	2,079	2,518	890	7,210
4/11/2014	2,011	2,083	1,801	871	6,767
4/12/2014	2,171	2,371	1,626	895	7,063
4/13/2014	2,222	2,358	1,780	880	7,239
4/14/2014	2,220	2,308	1,502	816	6,847
4/15/2014	2,250	2,194	1,531	733	6,709
4/16/2014	2,279	2,157	1,737	624	6,797
4/17/2014	2,260	2,482	1,732	781	7,256
4/18/2014	2,074	2,735	1,625	908	7,342
4/19/2014	2,233	2,773	1,682	856	7,544
4/20/2014	2,286	2,804	1,743	842	7,675
4/21/2014	2,189	2,875	1,801	808	7,672
4/22/2014	2,093	3,292	2,046	848	8,279
4/23/2014	1,996	3,251	2,070	814	8,131
4/24/2014	2,056	2,997	1,652	692	7,398
4/25/2014	2,384	3,324	1,632	699	8,039
4/26/2014	2,388	3,312	1,611	951	8,262
4/27/2014	2,399	3,286	1,612	909	8,206
4/28/2014	2,282	3,178	1,446	944	7,850
4/29/2014	2,088	2,993	1,361	935	7,377
4/30/2014	2,000	3,025	1,639	942	7,606
5/1/2014	1,765	2,843	2,017	947	7,572
5/2/2014	1,650	2,812	2,290	905	7,657
5/3/2014	1,903	3,084	2,058	908	7,954
5/4/2014	2,313	3,362	1,503	921	8,099
5/5/2014	2,409	3,480	1,556	831	8,276
5/6/2014	2,265	3,054	1,430	774	7,523
5/7/2014	1,641	3,309	1,943	806	7,699
5/8/2014	1,319	3,075	2,456	836	7,687
5/9/2014	1,314	3,082	2,523	788	7,706
5/10/2014	1,328	3,151	2,523	769	7,771
5/11/2014	1,341	3,150	2,595	767	7,853
5/12/2014	1,358	3,133	2,727	767	7,985

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
5/13/2014	868	2,371	2,238	707	6,185
5/14/2014	640	2,395	2,289	767	6,091
5/15/2014	1,149	2,578	2,189	792	6,708
5/16/2014	1,306	2,758	2,271	719	7,054
5/17/2014	1,441	2,953	2,305	679	7,377
5/18/2014	1,505	3,009	2,318	833	7,665
5/19/2014	1,473	2,946	2,558	760	7,736
5/20/2014	1,599	2,788	2,404	763	7,555
5/21/2014	1,479	2,772	2,647	763	7,661
5/22/2014	1,359	2,678	3,166	728	7,932
5/23/2014	1,296	2,648	3,226	692	7,861
5/24/2014	1,476	2,590	3,198	599	7,864
5/25/2014	1,338	2,490	3,002	697	7,527
5/26/2014	1,380	2,589	2,999	683	7,650
5/27/2014	1,431	2,939	3,482	659	8,510
5/28/2014	1,415	2,941	3,496	595	8,446
5/29/2014	1,401	2,964	3,567	537	8,469
5/30/2014	1,360	2,976	3,623	436	8,395
5/31/2014	1,360	3,007	3,647	356	8,370
6/1/2014	1,647	2,000	3,464	283	7,394
6/2/2014	1,922	3,194	2,700	223	8,038
6/3/2014	2,022	3,265	2,811	160	8,259
6/4/2014	1,936	3,471	2,962	151	8,521
6/5/2014	1,874	3,372	2,847	141	8,234
6/6/2014	1,890	3,400	2,711	317	8,317
6/7/2014	1,686	3,080	2,496	743	8,006
6/8/2014	1,668	3,083	2,462	673	7,886
6/9/2014	1,612	2,987	2,332	634	7,565
6/10/2014	1,636	3,003	2,424	586	7,649
6/11/2014	1,653	3,031	2,492	536	7,711
6/12/2014	1,674	3,069	2,456	538	7,737
6/13/2014	1,487	2,979	2,248	558	7,272
6/14/2014	1,762	3,184	2,590	489	8,025
6/15/2014	1,764	3,176	2,596	503	8,040
6/16/2014	1,880	3,361	2,628	436	8,306
6/17/2014	2,437	2,678	2,919	527	8,561
6/18/2014	2,154	2,853	2,771	642	8,420
6/19/2014	1,938	2,686	2,725	846	8,195
6/20/2014	1,914	2,606	2,800	863	8,182
6/21/2014	1,915	N/A	N/A	830	N/A
6/22/2014	1,886	N/A	N/A	603	N/A
6/23/2014	1,955	2,644	2,818	582	7,998
6/24/2014	1,933	2,603	2,695	742	7,974
6/25/2014	2,102	2,708	3,033	262	8,105
6/26/2014	1,954	2,914	3,540	0	8,408
6/27/2014	1,577	3,471	3,505	0	8,553

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
6/28/2014	1,971	3,462	3,501	0	8,934
6/29/2014	1,887	3,334	3,390	0	8,611
6/30/2014	2,027	3,360	3,427	0	8,814
7/1/2014	1,902	3,662	3,617	0	9,181
7/2/2014	1,599	3,221	3,406	0	8,226
7/3/2014	1,795	3,484	3,538	0	8,816
7/4/2014	1,933	3,611	3,623	0	9,167
7/5/2014	1,537	3,140	3,229	0	7,906
7/6/2014	1,960	3,497	3,527	0	8,985
7/7/2014	2,042	3,552	3,529	0	9,123
7/8/2014	2,083	3,096	3,324	0	8,503
7/9/2014	2,114	3,432	2,898	0	8,444
7/10/2014	2,103	3,474	2,906	0	8,483
7/11/2014	2,292	3,085	2,656	0	8,033
7/12/2014	2,308	3,859	3,229	0	9,396
7/13/2014	2,253	3,818	3,183	0	9,254
7/14/2014	2,059	3,509	3,045	0	8,613
7/15/2014	2,057	3,377	2,998	0	8,432
7/16/2014	2,190	3,743	3,185	0	9,118
7/17/2014	2,232	3,601	3,121	0	8,953
7/18/2014	2,294	3,853	3,303	0	9,450
7/19/2014	2,349	3,525	3,116	0	8,989
7/20/2014	2,375	3,875	3,263	0	9,514
7/21/2014	2,384	3,877	3,317	0	9,578
7/22/2014	2,440	3,913	3,344	0	9,697
7/23/2014	2,290	3,845	3,250	0	9,385
7/24/2014	2,184	3,718	3,167	0	9,069
7/25/2014	2,128	3,659	3,187	0	8,975
7/26/2014	2,094	3,229	2,848	243	8,415
7/27/2014	2,354	3,304	3,180	576	9,414
7/28/2014	1,981	3,377	3,048	222	8,629
7/29/2014	2,103	3,637	3,097	0	8,837
7/30/2014	2,197	3,723	3,081	0	9,001
7/31/2014	2,200	3,663	3,091	0	8,954
8/1/2014	2,121	3,620	3,072	0	8,814
8/2/2014	2,135	3,650	3,103	0	8,888
8/3/2014	2,235	3,484	2,952	0	8,671
8/4/2014	2,272	3,806	3,206	0	9,284
8/5/2014	2,241	3,748	3,193	32	9,215
8/6/2014	1,925	3,206	2,744	0	7,875
8/7/2014	2,040	3,496	3,135	0	8,671
8/8/2014	2,128	3,615	3,087	0	8,830
8/9/2014	2,070	3,552	3,039	0	8,661
8/10/2014	2,128	3,652	3,102	0	8,882
8/11/2014	2,153	3,674	3,096	0	8,923
8/12/2014	2,065	3,588	3,098	0	8,751



Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
8/13/2014	2,147	3,691	3,158	0	8,996
8/14/2014	2,240	3,588	3,048	0	8,877
8/15/2014	2,229	3,759	3,152	0	9,140
8/16/2014	2,080	3,589	3,095	0	8,763
8/17/2014	2,081	3,596	3,095	0	8,772
8/18/2014	2,149	3,656	3,221	0	9,026
8/19/2014	2,152	3,699	3,420	0	9,270
8/20/2014	2,107	3,713	3,340	0	9,159
8/21/2014	2,138	3,629	3,319	0	9,086
8/22/2014	2,249	3,814	3,397	0	9,460
8/23/2014	2,359	3,905	3,495	0	9,759
8/24/2014	2,275	3,458	3,256	0	8,988
8/25/2014	2,363	3,936	3,496	0	9,794
8/26/2014	2,094	3,501	3,061	0	8,656
8/27/2014	2,156	3,816	3,325	0	9,297
8/28/2014	2,073	3,863	3,170	0	9,105
8/29/2014	2,012	3,749	3,200	0	8,961
8/30/2014	1,966	3,474	3,437	0	8,877
8/31/2014	2,142	3,640	3,464	0	9,245
9/1/2014	1,954	3,154	3,383	0	8,491
9/2/2014	1,670	3,136	3,740	0	8,546
9/3/2014	1,739	3,479	3,630	34	8,882
9/4/2014	2,298	3,381	3,323	0	9,002
9/5/2014	2,320	3,467	3,321	0	9,108
9/6/2014	2,009	3,115	3,271	0	8,395
9/7/2014	2,102	3,212	3,256	0	8,569
9/8/2014	2,080	3,204	3,243	0	8,526
9/9/2014	2,037	3,526	2,960	0	8,523
9/10/2014	1,916	3,721	2,806	0	8,443
9/11/2014	1,799	3,450	2,651	0	7,900
9/12/2014	1,720	3,374	2,725	0	7,819
9/13/2014	1,782	3,477	2,740	0	7,999
9/14/2014	1,877	3,618	2,674	0	8,169
9/15/2014	1,928	3,595	2,654	0	8,176
9/16/2014	1,935	3,576	2,612	0	8,123
9/17/2014	1,927	3,503	2,704	0	8,134
9/18/2014	2,058	3,716	2,741	0	8,515
9/19/2014	2,111	3,769	2,801	0	8,681
9/20/2014	2,259	3,156	3,125	0	8,540
9/21/2014	2,119	2,785	3,156	0	8,060
9/22/2014	2,177	2,978	3,165	0	8,320
9/23/2014	2,210	3,008	3,257	0	8,476
9/24/2014	2,214	2,970	3,152	415	8,752
9/25/2014	2,215	2,981	3,049	721	8,966
9/26/2014	2,375	3,139	3,259	231	9,004
9/27/2014	2,357	3,151	3,341	0	8,850

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
9/28/2014	2,409	3,164	3,336	0	8,909
9/29/2014	2,244	3,025	3,105	467	8,841
9/30/2014	2,332	3,044	3,235	233	8,844
10/1/2014	2,322	3,027	3,331	49	8,729
10/2/2014	2,167	2,859	3,262	0	8,288
10/3/2014	1,983	2,690	3,138	0	7,810
10/4/2014	1,932	2,691	3,078	0	7,701
10/5/2014	2,042	2,772	3,205	0	8,020
10/6/2014	2,148	2,829	3,171	0	8,148
10/7/2014	2,109	2,824	3,206	0	8,140
10/8/2014	2,189	2,869	3,126	0	8,184
10/9/2014	2,043	2,727	3,124	0	7,894
10/10/2014	1,953	2,625	3,093	0	7,671
10/11/2014	1,949	2,629	3,073	0	7,652
10/12/2014	2,020	2,647	3,062	0	7,729
10/13/2014	2,023	2,580	3,064	0	7,666
10/14/2014	1,922	2,545	3,063	0	7,530
10/15/2014	1,952	2,587	3,035	0	7,574
10/16/2014	2,087	2,732	3,102	0	7,921
10/17/2014	2,066	2,665	3,099	0	7,830
10/18/2014	1,961	2,585	3,065	0	7,612
10/19/2014	1,992	2,620	3,061	0	7,673
10/20/2014	1,989	2,696	3,183	28	7,896
10/21/2014	2,078	2,712	3,091	0	7,881
10/22/2014	2,063	2,670	3,109	0	7,842
10/23/2014	2,052	2,654	3,095	0	7,800
10/24/2014	2,153	2,760	3,139	0	8,052
10/25/2014	2,288	2,840	3,202	0	8,330
10/26/2014	2,192	2,783	3,218	0	8,193
10/27/2014	2,217	2,774	3,219	0	8,210
10/28/2014	2,058	2,622	3,108	0	7,788
10/29/2014	2,003	2,584	3,076	95	7,759
10/30/2014	1,980	2,552	3,037	307	7,877
10/31/2014	1,955	2,498	3,079	0	7,532
11/1/2014	1,959	2,555	3,066	0	7,579
11/2/2014	1,944	2,496	3,135	0	7,574
11/3/2014	2,129	2,614	3,201	41	7,984
11/4/2014	2,007	2,524	3,213	0	7,744
11/5/2014	2,055	2,631	3,157	0	7,843
11/6/2014	1,950	2,488	3,148	0	7,585
11/7/2014	2,003	2,537	3,147	0	7,687
11/8/2014	2,008	2,513	3,158	0	7,680
11/9/2014	2,040	2,544	3,172	0	7,756
11/10/2014	2,074	2,810	3,151	0	8,034
11/11/2014	1,844	2,655	2,929	0	7,428
11/12/2014	1,764	2,563	2,905	0	7,232

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
11/13/2014	1,741	2,657	2,806	0	7,204
11/14/2014	1,969	2,539	2,740	0	7,247
11/15/2014	2,154	2,440	2,728	0	7,321
11/16/2014	2,090	2,419	2,772	0	7,280
11/17/2014	1,374	2,226	2,392	0	5,992
11/18/2014	1,625	2,682	2,741	0	7,048
11/19/2014	1,849	2,400	2,472	8	6,729
11/20/2014	1,640	2,603	2,968	22	7,232
11/21/2014	2,080	2,734	2,886	0	7,700
11/22/2014	2,341	2,966	3,025	0	8,333
11/23/2014	2,133	3,147	2,864	0	8,145
11/24/2014	1,821	2,859	2,537	0	7,217
11/25/2014	1,879	2,811	2,437	0	7,127
11/26/2014	1,958	2,811	2,474	0	7,244
11/27/2014	2,050	2,733	2,193	0	6,976
11/28/2014	2,354	2,838	2,234	0	7,426
11/29/2014	2,268	2,963	2,312	0	7,543
11/30/2014	2,313	3,077	2,510	0	7,901
12/1/2014	2,179	2,896	2,453	0	7,528
12/2/2014	1,956	2,689	2,411	0	7,057
12/3/2014	1,904	2,799	2,225	131	7,059
12/4/2014	1,891	2,812	2,151	158	7,012
12/5/2014	2,017	2,954	2,463	0	7,433
12/6/2014	1,951	2,877	2,485	0	7,312
12/7/2014	2,046	3,008	2,613	0	7,666
12/8/2014	2,016	2,984	2,719	61	7,780
12/9/2014	2,004	2,984	2,626	21	7,636
12/10/2014	2,001	2,970	2,507	153	7,631
12/11/2014	2,055	3,192	2,660	184	8,091
12/12/2014	2,192	3,110	2,688	202	8,192
12/13/2014	2,338	3,352	2,845	0	8,535
12/14/2014	2,333	3,279	2,783	0	8,395
12/15/2014	2,289	3,238	2,857	0	8,384
12/16/2014	2,389	3,038	2,714	0	8,141
12/17/2014	2,350	2,841	2,633	187	8,011
12/18/2014	2,504	2,997	2,575	0	8,076
12/19/2014	2,326	2,745	2,418	48	7,537
12/20/2014	2,077	2,485	2,804	0	7,366
12/21/2014	2,131	2,510	2,964	0	7,606
12/22/2014	2,008	2,440	2,838	0	7,286
12/23/2014	2,286	2,519	2,956	0	7,762
12/24/2014	2,279	2,660	3,110	0	8,049
12/25/2014	2,345	2,687	3,145	0	8,177
12/26/2014	2,400	2,682	3,102	0	8,184
12/27/2014	2,255	2,585	3,003	0	7,843
12/28/2014	2,203	2,546	3,033	0	7,782

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
12/29/2014	2,200	2,619	3,025	0	7,845
12/30/2014	2,212	2,668	2,871	0	7,751
12/31/2014	2,110	2,827	2,827	0	7,764
1/1/2015	2,181	2,607	2,844	0	7,631
1/2/2015	2,120	2,441	2,678	8	7,247
1/3/2015	2,127	2,511	2,859	0	7,498
1/4/2015	1,946	2,523	2,718	0	7,188
1/5/2015	1,729	2,421	2,336	0	6,486
1/6/2015	1,428	1,585	1,893	149	5,055
1/7/2015	1,548	2,752	2,527	0	6,827
1/8/2015	1,719	2,904	2,894	0	7,517
1/9/2015	1,429	2,810	2,505	0	6,744
1/10/2015	1,695	2,766	2,837	0	7,298
1/11/2015	1,787	3,083	2,896	0	7,766
1/12/2015	1,790	2,869	2,987	0	7,647
1/13/2015	1,832	2,662	3,031	0	7,525
1/14/2015	1,702	1,559	2,962	413	6,636
1/15/2015	1,634	2,601	2,578	48	6,861
1/16/2015	1,723	2,880	2,288	0	6,890
1/17/2015	2,130	3,170	2,085	0	7,385
1/18/2015	2,025	3,198	1,999	0	7,223
1/19/2015	2,069	3,246	1,824	0	7,139
1/20/2015	2,032	3,173	1,771	0	6,977
1/21/2015	1,815	3,121	1,876	0	6,812
1/22/2015	1,616	3,129	2,052	0	6,796
1/23/2015	1,790	3,123	1,877	0	6,790
1/24/2015	1,949	3,118	1,661	68	6,797
1/25/2015	1,728	2,868	1,409	220	6,226
1/26/2015	1,472	2,924	1,828	399	6,623
1/27/2015	1,775	3,004	2,035	0	6,813
1/28/2015	1,779	3,054	2,125	0	6,958
1/29/2015	1,787	3,059	2,073	403	7,321
1/30/2015	1,594	3,167	1,741	130	6,632
1/31/2015	1,460	3,033	1,321	0	5,814
2/1/2015	1,557	3,203	1,398	14	6,172
2/2/2015	1,269	3,257	1,660	251	6,438
2/3/2015	1,791	2,997	1,432	452	6,672
2/4/2015	1,578	2,569	1,665	502	6,314
2/5/2015	2,139	2,120	2,070	113	6,443
2/6/2015	1,974	2,609	2,126	56	6,765
2/7/2015	2,174	2,734	2,153		7,061
2/8/2015	2,317	2,786	2,552		7,655
2/9/2015	1,904	2,717	2,826		7,447

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
2/10/2015	2,356	2,466	2,568	6	7,395
2/11/2015	2,544	2,363	2,569		7,476
2/12/2015	2,245	2,181	2,452	165	7,042
2/13/2015	1,771	2,517	1,775	363	6,426
2/14/2015	1,657	2,729	1,955	365	6,706
2/15/2015	1,500	2,613	2,018	374	6,505
2/16/2015	2,368	3,104	1,261	368	7,101
2/17/2015	2,158	2,624	2,008	457	7,247
2/18/2015	2,222	2,506	1,924	736	7,387
2/19/2015	1,301	2,304	2,411	799	6,815
2/20/2015	1,597	2,653	2,418	787	7,456
2/21/2015	1,921	2,570	2,162	756	7,409
2/22/2015	2,021	2,523	2,241	744	7,528
2/23/2015	2,066	2,418	2,228	772	7,485
2/24/2015	2,067	2,714	1,872	807	7,461
2/25/2015	1,649	2,221	2,558	741	7,169
2/26/2015	1,773	2,274	2,772	684	7,503
2/27/2015	1,788	2,190	2,742	733	7,454
2/28/2015	1,713	2,168	2,662	815	7,358
6/1/2015	1,197	1,477	1,925		4,599
6/2/2015	1,208	1,425	1,933	295	4,861
6/3/2015	1,253	1,423	1,909	548	5,132
6/4/2015	1,222	1,222	1,895		4,340
6/5/2015	1,275	1,411	1,902		4,588
6/6/2015	1,313	1,398	1,905		4,617
6/7/2015	1,293	1,417	1,899		4,609
6/8/2015	1,028	1,405	1,893	773	5,100
6/9/2015	1,342	1,499	1,684	548	5,073
6/10/2015	1,562	1,571	1,523		4,656
6/11/2015	1,545	1,609	1,507		4,660
6/12/2015	1,491	1,624	1,596		4,711
6/13/2015	1,477	1,600	1,610		4,687
6/14/2015	1,421	1,570	1,610		4,600

Daily Flare Monitoring Data - Bridgeton Landfill  
June 2015

Date	Average Device Flow* (scfm)				Total Avg. Flow** (scfm)
	Utility Flare (FL-100)	Utility Flare (FL-120)	Utility Flare (FL-140)	E. Aux. Utility Flare	
6/15/2015	1,495	1,589	1,549		4,632
6/16/2015	1,433	1,629	1,600		4,663
6/17/2015	1,405	1,584	1,587		4,576
6/18/2015	1,429	1,358	1,619		4,407
6/19/2015	1,325	1,425	1,582		4,332
6/20/2015	1,406	1,458	1,561		4,426
6/21/2015	1,407	1,501	1,578		4,486
6/22/2015	1,456	1,636	1,544		4,636
6/23/2015	1,428	1,645	1,550		4,623
6/24/2015	1,340	1,606	1,533		4,479
6/25/2015	1,261	1,543	1,301		4,105
6/26/2015	1,327	1,657	1,503		4,488
6/27/2015	1,294	1,521	1,550		4,365
6/28/2015	903	1,128	1,091		3,122
6/29/2015	1,466	1,705	1,380		4,551
6/30/2015	1,470	1,665	1,554		4,688
				<b>Average</b>	<b>4,560</b>

\* Flows normalized to \*\*Blower Outlet Flowmeter - EPA Method 2 measurement verified

Flare Station Lab Data

Date	CH4	CO2	O2	N2	H2	CO (ppm)
7/17/2014	10	42	6.7	27	13	2100
8/14/2014	11	45	5.7	24	13	2100
9/11/2014	10	44	6.3	26	13	1300
10/6/2014	9.7	40	7.2	29	12	1300
11/20/2014	7.4	32	10	39	11	1200
12/9/2014	6.5	27	12	46	8.3	1000
1/21/2015	8.3	33	9.8	38	11	1200
2/10/2015	8.2	36	9.3	36	9.5	1100
3/12/2015	8.2	33	9.7	37	11	1100
4/8/2015	7.9	32	10	39	11	920
5/5/2015	8.1	33	9.5	39	11	1300
6/2/2015	8.5	33	9.3	38	11	1200

Last Blower Inlet Data  
 Flare Inlet Data  
 Begin Blower Outlet Data

Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
7/1/2014	11.9	48.5	5.4	34.2	-44.6	103	1902	3617	3662	9,181		9181
7/2/2014	12.2	49.9	5.2	32.7	-43.9	104	1599	3406	3221	8,226		8226
7/3/2014	11.6	46.2	5.8	36.4	-43.6	91	1795	3538	3484	8,816		8816
7/4/2014							1933	3623	3611	9,167		9167
7/5/2014							1537	3229	3140	7,906		7906
7/6/2014							1960	3527	3497	8,985		8985
7/7/2014	11.8	48.3	5.5	34.4	-44.2	102	2042	3529	3552	9,123		9123
7/8/2014	12	47.1	5.7	35.2	-43	95	2083	3324	3096	8,503		8503
7/9/2014	12.2	51.9	4.7	31.2	-44.5	110	2114	2898	3432	8,444		8444
7/10/2014	12.7	51	4.4	31.9	-44.8	105	2103	2906	3474	8,483		8483
7/11/2014	11.4	46.3	6.4	35.9	-44	92	2292	2656	3085	8,033		8033
7/12/2014							2308	3229	3859	9,396		9396
7/13/2014							2253	3183	3818	9,254		9254
7/14/2014	12.8	50.4	4.8	32	-43.8	110	2059	3045	3509	8,613		8613
7/15/2014	11.6	45.8	6.3	36.3	-43.5	86	2057	2998	3377	8,432		8432
7/16/2014	10.7	42.5	7.1	39.7	-46.9	99	2190	3185	3743	9,118		9118
7/17/2014	11.4	46.4	5.9	36.3	-49.5	103	2232	3121	3601	8,953		8953
7/18/2014	11.3	44.6	6.3	37.8	-48.9	102	2294	3303	3853	9,450		9450
7/19/2014							2349	3116	3525	8,989		8989
7/20/2014							2375	3263	3875	9,514		9514
7/21/2014	12.1	47.8	5.6	34.5	-49	115	2384	3317	3877	9,578		9578
7/22/2014	11.3	44.5	6.3	37.9	-49.1	99	2440	3344	3913	9,697		9697
7/23/2014	10.8	43.6	6.8	38.8	-47.1	101	2290	3250	3845	9,385		9385
7/24/2014	11.4	43.5	6.5	38.6	-46.7	93	2184	3167	3718	9,069		9069
7/25/2014	11.4	43.8	6.7	38.2	-47.2	91	2128	3187	3659	8,975		8975
7/26/2014							2094	2848	3229	8,172	243	8415
7/27/2014							2354	3180	3304	8,838	576	9414
7/28/2014	12.6	47.3	5.6	34.5	-47	102	1981	3048	3377	8,407	222	8629
7/29/2014	10.3	41.4	7.6	40.7	-47	89	2103	3097	3637	8,837		8837
7/30/2014	10.5	42.2	7	40.3	-47	97	2197	3081	3723	9,001		9001
7/31/2014	12	48.3	5.3	34.4	-47.2	107	2200	3091	3663	8,954		8954
8/1/2014	11.5	48.2	5.5	34.8	-47	111	2121	3072	3620	8,814		8814
8/2/2014							2135	3103	3650	8,888		8888
8/3/2014							2235	2952	3484	8,671		8671
8/4/2014	10.9	48.8	5.5	34.8	-47	119	2272	3206	3806	9,284		9284
8/5/2014	11.8	44.4	6	37.8	-47.4	113	2241	3193	3748	9,182	32	9215
8/6/2014	11	44.5	6.8	37.7	-46.4	98	1925	2744	3206	7,875		7875
8/7/2014	10.6	44	7	38.4	-46.8	87	2040	3135	3496	8,671		8671
8/8/2014	10.7	43	6.9	39.4	-46.4	87	2128	3087	3615	8,830		8830
8/9/2014							2070	3039	3552	8,661		8661
8/10/2014							2128	3102	3652	8,882		8882
8/11/2014	12	45.2	5.7	37.2	-47.5	101	2153	3096	3674	8,923		8923
8/12/2014	11.9	47.8	6.2	34.1	-47.5	91	2065	3098	3588	8,751		8751
8/13/2014	11.4	46.9	6.6	35.1	-46.8	93	2147	3158	3691	8,996		8996
8/14/2014	11.4	49.4	5.6	33.6	-47.7	99	2240	3048	3588	8,877		8877
8/15/2014	17.8	55.7	4.5	22	-46.9	111	2229	3152	3759	9,140		9140
8/16/2014							2080	3095	3589	8,763		8763
8/17/2014							2081	3095	3596	8,772		8772
8/18/2014	16	49.4	5.5	29.1	-47.2	99	2149	3221	3656	9,026		9026



Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
8/19/2014	11.4	51.8	5.5	31.3	-50.2	111	2152	3420	3699	9,270		9270
8/20/2014	12.2	50.5	5.2	32.1	-47.2	119	2107	3340	3713	9,159		9159
8/21/2014	17.4	55	4	23.6	-46.3	120	2138	3319	3629	9,086		9086
8/22/2014	12.6	51	3.8	32.6	-46.9	124	2249	3397	3814	9,460		9460
8/23/2014							2359	3495	3905	9,759		9759
8/24/2014							2275	3256	3458	8,988		8988
8/25/2014	11.4	57.1	5.8	25.7	-47.1	125	2363	3496	3936	9,794		9794
8/26/2014	10.4	46.2	6.6	36.8	-47.8	108	2094	3061	3501	8,656		8656
8/27/2014	10.6	45.7	6.9	36.8	-47.7	102	2156	3325	3816	9,297		9297
8/28/2014	10.7	45	7.1	37.2	-47.6	102	2073	3170	3863	9,105		9105
8/29/2014	10.8	48.4	7	33.8	-47.5	113	2012	3200	3749	8,961		8961
8/30/2014							1966	3437	3474	8,877		8877
8/31/2014							2142	3464	3640	9,245		9245
9/1/2014							1954	3383	3154	8,491		8491
9/2/2014	12.6	48.6	6.8	32	-46.8	96	1670	3740	3136	8,546		8546
9/3/2014	10.6	46.5	6.8	36.1	-46.7	107	1739	3630	3479	8,848	34	8882
9/4/2014	10.4	43.6	6.4	39.6	-47.6	105	2298	3323	3381	9,002		9002
9/5/2014	9.3	39.4	7.9	43.4	-46	103	2320	3321	3467	9,108		9108
9/6/2014							2009	3271	3115	8,395		8395
9/7/2014							2102	3256	3212	8,569		8569
9/8/2014	12.6	51.1	4.8	31.5	-47.7	115	2080	3243	3204	8,526		8526
9/9/2014	11.7	52.3	5.3	30.7	-49.2	116	2037	2960	3526	8,523		8523
9/10/2014	11	49.1	6.6	33.3	-49.6	95	1916	2806	3721	8,443		8443
9/11/2014	10.8	44.8	7.5	36.9	-49.4	80	1799	2651	3450	7,900		7900
9/12/2014	10.8	44	7.9	37.3	-49.6	77	1720	2725	3374	7,819		7819
9/13/2014							1782	2740	3477	7,999		7999
9/14/2014							1877	2674	3618	8,169		8169
9/15/2014	11.7	48.2	6.1	34	-50.2	102	1928	2654	3595	8,176		8176
9/16/2014	11.1	45	7.2	36.7	-50.4	81	1935	2612	3576	8,123		8123
9/17/2014	11.3	44.9	7.3	36.5	-49.7	81	1927	2704	3503	8,134		8134
9/18/2014	10.5	43.8	7.6	38.1	-50	85	2058	2741	3716	8,515		8515
9/19/2014	10.4	43.4	7.3	38.9	-50.3	87	2111	2801	3769	8,681		8681
9/20/2014							2259	3125	3156	8,540		8540
9/21/2014							2119	3156	2785	8,060		8060
9/22/2014	11.5	43.5	7.7	37.3	-49.5	81	2177	3165	2978	8,320		8320
9/23/2014	9.9	43.3	8	38.8	-49.7	82	2210	3257	3008	8,476		8476
9/24/2014	10	42	7.3	40.7	-50.2	107	2214	3152	2970	8,336	415	8752
9/25/2014	9.5	41.2	8.2	41.1	-49.4	98	2215	3049	2981	8,244	721	8966
9/26/2014	10.5	51.6	6.1	31.8	-49.7	115	2375	3259	3139	8,772	231	9004
9/27/2014							2357	3341	3151	8,850		8850
9/28/2014							2409	3336	3164	8,909		8909
9/29/2014	10.6	44.2	7.4	37.8	-49.1	89	2244	3105	3025	8,374	467	8841
9/30/2014	10.1	40.3	8.2	41.4	-49.5	93	2332	3235	3044	8,611	233	8844
10/1/2014	10.6	44.3	7.3	37.8	-49.2	102	2322	3331	3027	8,680	49	8729
10/2/2014	10.6	44.4	7.2	37.8	-48.6	93	2167	3262	2859	8,288		8288
10/3/2014	10.4	43.5	7.9	38.2	-49.8	79	1983	3138	2690	7,810		7810
10/4/2014							1932	3078	2691	7,701		7701
10/5/2014							2042	3205	2772	8,020		8020
10/6/2014	11.7	39.4	7.2	41.7	-49.08	96.9	2148	3171	2829	8,148		8148

Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
10/7/2014	10.7	45.9	7.3	36.1	-49.9	87	2109	3206	2824	8,140		8140
10/8/2014	10.9	50.6	6.5	32	-49.3	104	2189	3126	2869	8,184		8184
10/9/2014	4.2	59.5	6	30.3	-49.7	83.6	2043	3124	2727	7,894		7894
10/10/2014							1953	3093	2625	7,671		7671
10/11/2014							1949	3073	2629	7,652		7652
10/12/2014							2020	3062	2647	7,729		7729
10/13/2014	6.7	53.9	6.4	33	-50.37	88.4	2023	3064	2580	7,666		7666
10/14/2014							1922	3063	2545	7,530		7530
10/15/2014	10.4	43.4	8.1	38.1	-49.7	74	1952	3035	2587	7,574		7574
10/16/2014	10.8	44.3	7.4	37.5	-49.7	79	2087	3102	2732	7,921		7921
10/17/2014	10.8	45.6	6.8	36.8	-50	91	2066	3099	2665	7,830		7830
10/18/2014							1961	3065	2585	7,612		7612
10/19/2014							1992	3061	2620	7,673		7673
10/20/2014	11.4	43.6	7.9	37.1	-49.9	77	1989	3183	2696	7,868	28	7896
10/21/2014	10.9	42.9	8.4	37.8	-49.6	74	2078	3091	2712	7,881		7881
10/22/2014	10.5	42.6	8.1	38.8	-49.9	78	2063	3109	2670	7,842		7842
10/23/2014	10.3	43.4	8.2	38.1	-49.6	75	2052	3095	2654	7,800		7800
10/24/2014	10.8	45.1	7.7	36.4	-49.5	80	2153	3139	2760	8,052		8052
10/25/2014							2288	3202	2840	8,330		8330
10/26/2014							2192	3218	2783	8,193		8193
10/27/2014	10.6	43.1	7.5	38.8	-49.7	88	2217	3219	2774	8,210		8210
10/28/2014	10.4	42.6	8	39	-49.6	81	2058	3108	2622	7,788		7788
10/29/2014	10.3	43.5	7.8	38.4	-49.4	74	2003	3076	2584	7,664	95	7759
10/30/2014	9.6	41.8	8.3	40.3	-50	94	1980	3037	2552	7,569	307	7877
10/31/2014	9.9	41.1	8.7	40.3	-49.3	74	1955	3079	2498	7,532		7532
11/1/2014							1959	3066	2555	7,579		7579
11/2/2014							1944	3135	2496	7,574		7574
11/3/2014	10.2	41.5	8.4	39.9	-49.7	88	2129	3201	2614	7,944	41	7984
11/4/2014	11.5	41.2	8	39.3	-49.5	77	2007	3213	2524	7,744		7744
11/5/2014	11	41.6	8.1	39.3	-49.9	75	2055	3157	2631	7,843		7843
11/6/2014	10.6	40.7	8.5	40.2	-49.7	73	1950	3148	2488	7,585		7585
11/7/2014	10.6	43.5	8	37.9	-49.7	73	2003	3147	2537	7,687		7687
11/8/2014							2008	3158	2513	7,680		7680
11/9/2014							2040	3172	2544	7,756		7756
11/10/2014	11.1	43.6	7.8	37.5	-49.7	77	2074	3151	2810	8,034		8034
11/11/2014	9.3	40.3	9.1	41.3	-50	67	1844	2929	2655	7,428		7428
11/12/2014	9.6	39.8	8.9	41.7	-49.6	61	1764	2905	2563	7,232		7232
11/13/2014							1741	2806	2657	7,204		7204
11/14/2014	9.5	40.2	8.5	41.8	-49.5	58	1969	2740	2539	7,247		7247
11/15/2014							2154	2728	2440	7,321		7321
11/16/2014							2090	2772	2419	7,280		7280
11/17/2014	9.1	35.8	9.6	45.5	-49.9	53	1374	2392	2226	5,992		5992
11/18/2014							1625	2741	2682	7,048		7048
11/19/2014	10.2	40.4	8.4	41	-51	59	1849	2472	2400	6,720	8	6729
11/20/2014	9.6	39.5	9.1	41.8	-50	63	1640	2968	2603	7,210	22	7232
11/21/2014							2080	2886	2734	7,700		7700
11/22/2014							2341	3025	2966	8,333		8333
11/23/2014							2133	2864	3147	8,145		8145
11/24/2014	9.8	40.1	9.5	40.6	-46.4	60	1821	2537	2859	7,217		7217

Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
11/25/2014	9.8	39.9	8.9	41.4	-46.8	74	1879	2437	2811	7,127		7127
11/26/2014	9.8	39.8	9.2	41.2	-46.6	62	1958	2474	2811	7,244		7244
11/27/2014							2050	2193	2733	6,976		6976
11/28/2014	9.4	39.6	9.2	41.8	-47.3	64	2354	2234	2838	7,426		7426
11/29/2014							2268	2312	2963	7,543		7543
11/30/2014							2313	2510	3077	7,901		7901
12/1/2014	7.5	37.7	10.9	43.9	-47.19	53.7	2179	2453	2896	7,528		7528
12/2/2014							1956	2411	2689	7,057		7057
12/3/2014	9.3	31.6	10.3	48.8	-44.09	57.9	1904	2225	2799	6,928	131	7059
12/4/2014	9.5	39.6	8.8	42.1	-48.8	57	1891	2151	2812	6,855	158	7012
12/5/2014	10.3	32.6	9.7	47.4	-51.04	64.4	2017	2463	2954	7,433		7433
12/6/2014							1951	2485	2877	7,312		7312
12/7/2014							2046	2613	3008	7,666		7666
12/8/2014	9.5	29.5	11	50	-49.33	66.6	2016	2719	2984	7,718	61	7780
12/9/2014	8.3	29.9	11.4	50.4	-51.22	62.2	2004	2626	2984	7,614	21	7636
12/10/2014	8.4	30.3	10.8	50.5	-49.82	66.4	2001	2507	2970	7,478	153	7631
12/11/2014							2055	2660	3192	7,907	184	8091
12/12/2014							2192	2688	3110	7,990	202	8192
12/13/2014							2338	2845	3352	8,535		8535
12/14/2014							2333	2783	3279	8,395		8395
12/15/2014	9.3	29.5	11	50.2	-50.24	74.8	2289	2857	3238	8,384		8384
12/16/2014	7.3	26.3	12.7	53.7	-49.7	57.3	2389	2714	3038	8,141		8141
12/17/2014							2350	2633	2841	7,824	187	8011
12/18/2014							2504	2575	2997	8,076		8076
12/19/2014							2326	2418	2745	7,489	48	7537
12/20/2014							2077	2804	2485	7,366		7366
12/21/2014							2131	2964	2510	7,606		7606
12/22/2014	9.9	39.2	9	41.9	-49.5	63	2008	2838	2440	7,286		7286
12/23/2014	8.8	38.1	9.3	43.8	-45	66	2286	2956	2519	7,762		7762
12/24/2014	9.1	38.3	10.3	42.3	-49.4	70	2279	3110	2660	8,049		8049
12/25/2014							2345	3145	2687	8,177		8177
12/26/2014	8.1	32.7	10.5	48.7	-48.9	67	2400	3102	2682	8,184		8184
12/27/2014							2255	3003	2585	7,843		7843
12/28/2014							2203	3033	2546	7,782		7782
12/29/2014	8	33.8	10.3	47.9	-49.9	64	2200	3025	2619	7,845		7845
12/30/2014	7.7	32.8	10.9	48.6	-49.2	61	2212	2871	2668	7,751		7751
12/31/2014	8	32.2	10.8	49	-50.5	50	2110	2827	2827	7,764		7764
1/1/2015							2181	2844	2607	7,631		7631
1/2/2015							2120	2678	2441	7,239	8	7247
1/3/2015							2127	2859	2511	7,498		7498
1/4/2015							1946	2718	2523	7,188		7188
1/5/2015							1729	2336	2421	6,486		6486
1/6/2015							1428	1893	1585	4,907	149	5055
1/7/2015							1548	2527	2752	6,827		6827
1/8/2015							1719	2894	2904	7,517		7517
1/9/2015							1429	2505	2810	6,744		6744
1/10/2015							1695	2837	2766	7,298		7298
1/11/2015							1787	2896	3083	7,766		7766
1/12/2015	10.2	32.4	11.4	46	23.05	70	1790	2987	2869	7,647		7647


Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
1/13/2015	9.3	33	12.1	45.6	23.41	60	1832	3031	2662	7,525		7525
1/14/2015							1702	2962	1559	6,223	413	6636
1/15/2015							1634	2578	2601	6,813	48	6861
1/16/2015							1723	2288	2880	6,890		6890
1/17/2015							2130	2085	3170	7,385		7385
1/18/2015							2025	1999	3198	7,223		7223
1/19/2015	9.9	42.9	7.8	39.4	-44.39	83.2	2069	1824	3246	7,139		7139
1/20/2015	9.1	35.9	11.4	43.6	-44.02	68.8	2032	1771	3173	6,977		6977
1/21/2015	10.3	37.3	8.6	43.8	-44.27	67.4	1815	1876	3121	6,812		6812
1/22/2015	8.4	31.6	10.8	49.2	-44.14	54	1616	2052	3129	6,796		6796
1/23/2015	10.8	33.8	8.7	46.7	-44.93	66.3	1790	1877	3123	6,790		6790
1/24/2015							1949	1661	3118	6,728	68	6797
1/25/2015							1728	1409	2868	6,005	220	6226
1/26/2015	9.2	27.7	11.7	51.4	-45.24	48.6	1472	1828	2924	6,224	399	6623
1/27/2015	10.7	36.2	9.3	43.8	-44.27	67.2	1775	2035	3004	6,813		6813
1/28/2015	9.6	35.9	8.5	46	-44.44	72	1779	2125	3054	6,958		6958
1/29/2015	8.1	30.6	11.9	49.4	-43.72	59.1	1787	2073	3059	6,918	403	7321
1/30/2015	10	36.3	9	44.7	-44.44	64.1	1594	1741	3167	6,502	130	6632
1/31/2015	10.6	36.7	8.4	44.3	-43.41	55.2	1460	1321	3033	5,814		5814
2/1/2015							1557	1398	3203	6,158	14	6172
2/2/2015	9.5	28.9	11.8	49.8	-43.6	48.5	1269	1660	3257	6,186	251	6438
2/3/2015	8.7	28	13.1	50.2	-44.45	44.1	1791	1432	2997	6,220	452	6672
2/4/2015	9.6	27.1	12.1	51.2	-44.88	54.4	1578	1665	2569	5,812	502	6314
2/5/2015	9.9	32.3	10.6	47.2	-43.72	57.8	2139	2070	2120	6,330	113	6443
2/6/2015	10.1	36.2	10.9	42.8	-44.27	46	1974	2126	2609	6,709	56	6765
2/7/2015							2174	2153	2734	7,061		7061
2/8/2015	9.4	37.2	10	43.4	-43.84	87.4	2317	2552	2786	7,655		7655
2/9/2015	7.1	28.1	13.2	51.6	-44.39	49.9	1904	2826	2717	7,447		7447
2/10/2015	8.3	28.4	11.9	51.4	-44.7	51.4	2356	2568	2466	7,390	6	7395
2/11/2015	9.3	30.3	11.5	48.9	-43.66	63.7	2544	2569	2363	7,476		7476
2/12/2015	8.1	25.7	12.7	53.5	-44.76	31.4	2245	2452	2181	6,877	165	7042
2/13/2015	7	23.4	11.7	57.9	-44.93	41.4	1771	1775	2517	6,064	363	6426
2/14/2015							1657	1955	2729	6,341	365	6706
2/15/2015							1500	2018	2613	6,131	374	6505
2/16/2015							2368	1261	3104	6,733	368	7101
2/17/2015							2158	2008	2624	6,790	457	7247
2/18/2015							2222	1924	2506	6,652	736	7387
2/19/2015							1301	2411	2304	6,016	799	6815
2/20/2015	7.8	24.1	12.2	55.9	-43.78	35.8	1597	2418	2653	6,669	787	7456
2/21/2015							1921	2162	2570	6,653	756	7409
2/22/2015							2021	2241	2523	6,784	744	7528
2/23/2015	7.2	24.3	11.7	56.8	-43.6	25.9	2066	2228	2418	6,712	772	7485
2/24/2015	8	26.6	12.4	53	-45.3	64.9	2067	1872	2714	6,653	807	7461
2/25/2015	6.8	25.7	12.3	55.2	-44.87	52.5	1649	2558	2221	6,428	741	7169
2/26/2015	7.5	21.4	12.4	58.7	-44.33	34.5	1773	2772	2274	6,819	684	7503
2/27/2015	7.4	24.9	12.7	55	-45.18	25	1788	2742	2190	6,721	733	7454
2/28/2015							1713	2662	2168	6,543	815	7358
3/1/2015							1622	2580	2171	6,373	826	7199
3/2/2015	8.4	26.3	12.2	53.1	-44.27	54.3	1706	2729	2343	6,778	616	7394

Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
3/3/2015	9.5	22.7	10.9	56.9	-43.96	52.4	1585	2569	2227	6,382	783	7165
3/4/2015	8.1	27.3	11.7	52.9	-43.89	38.9	1764	2797	2301	6,861	321	7182
3/5/2015	7.5	30.1	11.7	50.7	-34.62	51.6	1819	2833	2310	6,963		6963
3/6/2015	8.3	36.2	10.4	45.1	-34.62	72.4	1721	2760	2295	6,776		6776
3/7/2015							1732	2783	2480	6,995		6995
3/8/2015							1731	2777	2504	7,012		7012
3/9/2015	7.9	36.2	9.9	46	-33.7	62.2	1736	2670	2624	7,031		7031
3/10/2015	10	36.8	9.3	43.9	-34.21	81.4	1445	2561	2771	6,777		6777
3/11/2015	10.4	35.2	9.2	45.2	-33.66	99.7	1957	2222	2983	7,163	108	7271
3/12/2015	9.1	33.9	10.1	46.9	-35.9	74.8	1459	2627	3126	7,212	18	7230
3/13/2015	9.3	33.8	9.2	47.7	-33.66	64.9	1652	1943	3031	6,627		6627
3/14/2015							1882	1687	2843	6,413	376	6788
3/15/2015							1874	1322	2952	6,148	810	6958
3/16/2015	10.5	34	9.2	46.3	-34.19	101.1	1730	1649	3141	6,520	830	7350
3/17/2015	8.6	32.5	9.8	49.1	-34.55	78.2	1989	1687	3319	6,995	299	7294
3/18/2015	8.7	37.1	8.9	45.3	-34.13	67.2	1899	1625	3268	6,792	236	7028
3/19/2015	8.3	31.4	10.5	49.8	-39.8	74	2065	1651	3341	7,056	276	7332
3/20/2015	8.7	32.7	10.4	48.2	-39.99	82.9	2305	1753	3547	7,606		7606
3/21/2015							2472	1959	3426	7,856		7856
3/22/2015							2305	2218	3393	7,916		7916
3/23/2015	9	34.5	10.2	46.3	-39.19	82.7	1998	2095	2795	6,888		6888
3/24/2015	7.7	27.7	11.8	52.8	-39.62	49.6	1616	2171	2496	6,284		6284
3/25/2015	7.6	29.4	11.7	51.3	-39.56	68	1937	2259	2545	6,741		6741
3/26/2015	8.4	32.5	10.2	48.9	-40.48	75.8	1878	1921	2440	6,239		6239
3/27/2015	7.8	35.1	10.1	47	-40.54	67.5	1777	1836	2589	6,202		6202
3/28/2015							1811	1708	2644	6,163		6163
3/29/2015							1822	1586	2198	5,606		5606
3/30/2015	8	29.6	11.4	51	-40.48	88.9	2209	1458	2371	6,038	513	6551
3/31/2015	8.3	32.6	10	49.1	-39.68	100.7	2246	1531	2257	6,034	554	6588
4/1/2015	8.5	29.7	10.9	50.9	-39.8	79.9	2018	2496	2345	6,859	18	6877
4/2/2015	10.4	35	9.4	45.2	-40.48	96	2080	2422	2384	6,886		6886
4/3/2015	9.4	28.7	10.8	51.1	-39.88	76	1844	2356	2228	6,429		6429
4/4/2015							1785	2392	2226	6,403		6403
4/5/2015							1626	2049	2151	5,826	440	6266
4/6/2015	9.6	30.4	10.5	49.5	-39.74	81.7	1632	1651	2076	5,358	587	5945
4/7/2015	9.4	32.9	9.5	48.2	-39.32	79.1	1946	1787	2341	6,075	164	6238
4/8/2015	8.6	34.1	10	47.3	-39.5	93.9	1989	2322	2419	6,730		6730
4/9/2015	9.9	32.5	9.1	48.5	-39.57	100.6	1849	2380	2351	6,580		6580
4/10/2015	10.7	34.6	8.9	45.8	-39.99	87.4	1573	1700	2033	5,305	98	5403
4/11/2015							1712	2025	2189	5,926		5926
4/12/2015							1707	2227	2262	6,197		6197
4/13/2015	8.1	31.9	10.4	49.6	-40.05	82.4	1742	1948	2263	5,952	60	6012
4/14/2015	9.3	34.8	9	46.9	-40.05	85.3	1720	1989	2266	5,975	42	6017
4/15/2015	8.6	34.1	9.7	47.6	-40.54	91	1751	2232	2153	6,136		6136
4/16/2015	9.6	33.7	9.5	47.2	-39.94	102.5	1932	2305	2329	6,565		6565
4/17/2015	10.7	33.8	9.2	46.3	-39.5	110.2	1977	2329	2454	6,761		6761
4/18/2015							1934	2355	2412	6,700		6700
4/19/2015							1841	2249	2237	6,327		6327
4/20/2015	8.5	32.5	10	49	-39.56	83.6	1702	2208	2040	5,950		5950

Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
4/21/2015	9.4	33.9	10	46.7	-39.88	93.4	1750	2258	2088	6,096		6096
4/22/2015	9	32.3	9.5	49.2	-39.82	88	1736	2222	2034	5,992		5992
4/23/2015	9.4	33.8	10.2	46.6	-40.24	100.8	1781	2268	2155	6,204		6204
4/24/2015	9.5	33.9	10.3	46.3	-39.27	91.8	1766	2214	2041	6,021		6021
4/25/2015							1887	2159	1707	5,753		5753
4/26/2015							1737	2290	2041	6,068		6068
4/27/2015	9	32.9	10.2	47.9	-40.12	98	1766	2298	2119	6,183		6183
4/28/2015	9	34.2	9	47.8	-40.42	98.1	1798	2284	2007	6,089		6089
4/29/2015	16.1	32.7	9.6	41.6	-39.45	92.9	1774	2142	2269	6,185	180	6365
4/30/2015	9.9	34	10.2	45.9	-39.15	95.8	1690	2091	2408	6,189	264	6453
5/1/2015	9.1	34.3	8.8	47.8	-39.62	107.6	1362	1604	1653	4,619	392	5011
5/2/2015							1377	1585	1638	4,600	340	4939
5/3/2015							1360	1573	1648	4,581	307	4888
5/4/2015	9.1	31.7	9.7	49.5	-40	111.8	1267	1267	1522	4,055	328	4383
5/5/2015	11.1	34.6	8.7	45.6	-40.06	111.1	1233	1427	1488	4,149	288	4437
5/6/2015	9.6	33.6	8.7	48.1	-39.63	111.8	1216	1472	1566	4,255		4255
5/7/2015	9.4	35.5	8.6	46.5	-39.88	111.9	1137	1596	1740	4,473		4473
5/8/2015	9.1	32.2	9.9	48.8	-39.51	99.5	1231	1557	1815	4,603		4603
5/9/2015							1474	1522	1336	4,331		4331
5/10/2015							1296	1268	1630	4,194		4194
5/11/2015							1036	1758	1710	4,504		4504
5/12/2015	8.8	34.8	8.9	47.5	-39.8	102	1043	1708	1767	4,517		4517
5/13/2015	11.5	35.1	8.9	44.5	-39.13	105.5	1086	1703	1706	4,495		4495
5/14/2015	12	34.9	9.7	43.4	-38.9	102.4	1266	1424	1908	4,598		4598
5/15/2015	9.3	38.6	8.2	43.9	-39.5	114	1093	1821	1851	4,765		4765
5/16/2015							1050	1848	1915	4,813		4813
5/17/2015							1085	1701	1954	4,739		4739
5/18/2015	8.7	37.3	8.6	45.4	-39.26	109.7	1125	1651	1976	4,752		4752
5/19/2015	10.5	33.5	9	47	-40.42	102	1262	1264	2142	4,669	163	4832
5/20/2015	8.9	33.1	9.7	48.3	-39.5	82	959	1745	2012	4,716		4716
5/21/2015	8.7	38.6	8.9	43.8	-40.23	98.4	1087	1637	2031	4,755		4755
5/22/2015	7.4	29.8	11.3	51.5	-39.99	82.8	1168	1606	2042	4,815		4815
5/23/2015							1152	1572	2078	4,802		4802
5/24/2015							1250	1529	2034	4,813		4813
5/25/2015							1316	1509	1998	4,823		4823
5/26/2015	9.5	36.2	9	45.3	-39.88	111.2	1270	1522	2003	4,795		4795
5/27/2015	9.3	32.6	10	48.1	-39.39	91.9	1150	1497	1964	4,610		4610
5/28/2015	9.8	34.4	8.9	46.9	-39.15	107	1278	1468	1986	4,733		4733
5/29/2015	9.6	33.2	9.8	47.4	-40.37	104.2	1302	1459	1928	4,689		4689
5/30/2015							1293	1380	1945	4,619		4619
5/31/2015							1196	1466	1945	4,607		4607
6/1/2015	8.8	33.7	10.8	46.7	20.49	115	1197	1477	1925	4,599		4599
6/2/2015	9.6	35.4	10.2	44.8	20.3	120	1208	1425	1933	4,566	295	4861
6/3/2015	9	33.8	10.1	47.1	21.04	122	1253	1423	1909	4,584	548	5133
6/4/2015	8.8	35.6	9.2	46.4	21.7	125	1222	1222	1,895	4,340		4339
6/5/2015	8.8	34	10.5	46.7	20.18	119	1275	1411	1,902	4,588		4588
6/6/2015							1313	1398	1,905	4,617		4616
6/7/2015							1293	1417	1,899	4,609		4609
6/8/2015	8.8	35.7	9.4	46.1	19.1	122	1028	1405	1,893	4,327	773	5099

Date							Flare Sta #2 FL-100	Flare Sta #3 FL-120	Flare Sta #1 FL-140	Main Flare Station Total Utility Flare Flow	E. Aux Flow (scfm)	Total Flow
	CH4	CO2	O2	Bal.	Press./Vac.	Gas Inlet Temp (°F)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	scfm
6/9/2015	8.7	31.4	11.9	48	22.62	144	1342	1499	1,684	4,525	548	5073
6/10/2015	9	35	9.3	46.7	21.04	126	1562	1571	1,523	4,656		4656
6/11/2015	10.2	38.3	8	43.5	21.9	147	1545	1609	1,507	4,660		4661
6/12/2015	13.9	35.5	8.9	41.7	22.2	132	1491	1624	1,596	4,711		4711
6/13/2015							1477	1600	1,610	4,687		4687
6/14/2015							1421	1570	1,610	4,600		4601
6/15/2015	9.5	32.9	10.3	47.3	22.13	126	1495	1589	1,549	4,632		4633
6/16/2015	9.3	31.3	10.7	48.7	23.29	126	1433	1629	1,600	4,663		4662
6/17/2015	8.8	31	10.6	49.6	22.2	126	1405	1584	1,587	4,576		4576
6/18/2015	10.1	36.2	9.1	44.6	21.9	132	1429	1358	1,619	4,407		4406
6/19/2015	9.9	35.8	9.1	45.2	23.54	121	1325	1425	1,582	4,332		4332
6/20/2015							1406	1458	1,561	4,426		4425
6/21/2015							1407	1501	1,578	4,486		4486
6/22/2015	9.5	32.2	9.8	48.5	22.07	130	1456	1636	1,544	4,636		4636
6/23/2015	9.2	31.7	9.8	49.3	22.26	133	1428	1645	1,550	4,623		4623
6/24/2015	9.3	32.4	9.8	48.5	20.18	131	1340	1606	1,533	4,479		4479
6/25/2015	8.6	32.6	10.3	48.5	20.51	126	1261	1543	1,301	4,105		4105
6/26/2015	8.8	31	10.4	49.8	22.13	116	1327	1657	1,503	4,488		4487
6/27/2015							1294	1521	1,550	4,365		4365
6/28/2015							903	1128	1,091	3,122		3122
6/29/2015	9.5	34.1	9.5	46.9	23.99	157	1466	1705	1,380	4,551		4551
6/30/2015	9.4	32.2	10.2	48.2	22.62	142	1470	1665	1,554	4,688		4689
7/1/2015												


# Inlet Gas and Temperature\*



\*Gas data collected from Laboratory Reports. Temperature data collected from GEM 2000 field readings.



# Inlet Carbon Monoxide\*




—◆— Inlet Carbon Monoxide\*

*BRIDGETON LANDFILL*

\*Data collected from Laboratory Reports.

# Total Combined Flow (scfm)\*




— Total Combined Flow (scfm)\*

*BRIDGETON LANDFILL*

\*Combined flow is based on tabulated flow data collected daily from each device.

# Candlestick Flare (FL-100) Flow (scfm)\*




— Candlestick Flare (FL-100) Flow (scfm)\*

*BRIDGETON LANDFILL*

\*Flow is based on tabulated flow data collected daily.


# Candlestick Flare (FL-120) Flow (scfm)\*



— Candlestick Flare (FL-120) Flow (scfm)\*

\*Flow is based on tabulated flow data collected daily.


# Candlestick Flare (FL-140) Flow (scfm)\*



— Candlestick Flare (FL-140) Flow (scfm)\*

\*Flow is based on tabulated flow data collected daily.


# East Auxillary Candlestick Flare Flow (scfm)\*



— East Auxillary Candlestick Flare Flow (scfm)\*

\*Flow is based on tabulated flow data collected daily.


# Combined Inlet Methane (GEM 2000)\*



— Combined Inlet Methane (GEM 2000)\*

\*Gas data collected from GEM 2000 field monitoring instrument.

# Combined Inlet Oxygen (GEM 2000)\*



— Combined Inlet Oxygen (GEM 2000)\*

\*Gas data collected from GEM 2000 field monitoring instrument.