


| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (°F) | Initial Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|---------------------|-----------------------------------|------------------------|----------|
| GIW-01 | 12/01/15 | 2.9 | 65.2 | 0.1 | 31.8 | 189.1 | -1.07 | Y | |
| GIW-01 | 12/02/15 | | | | | | | Y | |
| GIW-01 | 12/03/15 | | | | | | | Y | |
| GIW-01 | 12/04/15 | | | | | | | Y | |
| GIW-01 | 12/05/15 | | | | | | | Y | |
| GIW-01 | 12/06/15 | | | | | | | Y | |
| GIW-01 | 12/07/15 | | | | | | | Y | |
| GIW-01 | 12/08/15 | | | | | | | Y | |
| GIW-01 | 12/09/15 | 3.1 | 76.2 | 0.0 | 19.9 | 182.0 | -7.20 | Y | |
| GIW-01 | 12/10/15 | | | | | | | Y | |
| GIW-01 | 12/11/15 | | | | | | | Y | |
| GIW-01 | 12/12/15 | | | | | | | Y | |
| GIW-01 | 12/13/15 | | | | | | | Y | |
| GIW-01 | 12/14/15 | 2.7 | 66.9 | 0.0 | 30.4 | 186.3 | -10.85 | Y | |
| GIW-01 | 12/15/15 | | | | | | | Y | |
| GIW-01 | 12/16/15 | | | | | | | Y | |
| GIW-01 | 12/17/15 | | | | | | | Y | |
| GIW-01 | 12/18/15 | | | | | | | Y | |
| GIW-01 | 12/19/15 | | | | | | | Y | |
| GIW-01 | 12/20/15 | | | | | | | Y | |
| GIW-01 | 12/21/15 | | | | | | | Y | |
| GIW-01 | 12/22/15 | | | | | | | Y | |
| GIW-01 | 12/23/15 | 2.9 | 69.5 | 0.0 | 27.6 | 186.5 | -9.65 | Y | |
| GIW-01 | 12/24/15 | | | | | | | Y | |
| GIW-01 | 12/25/15 | | | | | | | Y | |
| GIW-01 | 12/26/15 | | | | | | | Y | |
| GIW-01 | 12/27/15 | | | | | | | Y | |
| GIW-01 | 12/28/15 | | | | | | | Y | |
| GIW-01 | 12/29/15 | 2.3 | 56.6 | 3.7 | 37.4 | 183.1 | -13.96 | Y | |
| GIW-01 | 12/30/15 | | | | | | | Y | |
| GIW-01 | 12/31/15 | | | | | | | Y | |
| GIW-01 | 01/01/16 | | | | | | | Y | |
| GIW-01 | 01/02/16 | | | | | | | Y | |
| GIW-01 | 01/03/16 | | | | | | | Y | |
| GIW-01 | 01/04/16 | | | | | | | Y | |
| GIW-01 | 01/05/16 | 5.7 | 47.9 | 4.9 | 41.5 | 183.0 | -14.41 | Y | |
| GIW-01 | 01/06/16 | | | | | | | Y | |
| GIW-01 | 01/07/16 | | | | | | | Y | |
| GIW-01 | 01/08/16 | | | | | | | Y | |
| GIW-01 | 01/09/16 | | | | | | | Y | |
| GIW-01 | 01/10/16 | | | | | | | Y | |
| GIW-01 | 01/11/16 | 2.8 | 46.1 | 4.9 | 46.2 | 166.6 | -16.73 | Y | |
| GIW-01 | 01/12/16 | | | | | | | Y | |
| GIW-01 | 01/13/16 | | | | | | | Y | |
| GIW-01 | 01/14/16 | | | | | | | Y | |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (°F) | Initial Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|---------------------|-----------------------------------|------------------------|----------|
| GIW-01 | 01/15/16 | | | | | | | Y | |
| GIW-01 | 01/16/16 | | | | | | | Y | |
| GIW-01 | 01/17/16 | | | | | | | Y | |
| GIW-01 | 01/18/16 | | | | | | | Y | |
| GIW-01 | 01/19/16 | | | | | | | Y | |
| GIW-01 | 01/20/16 | | | | | | | Y | |
| GIW-01 | 01/21/16 | 0.5 | 19.6 | 16.1 | 63.8 | 143.6 | -12.64 | Y | |
| GIW-01 | 01/22/16 | | | | | | | Y | |
| GIW-01 | 01/23/16 | | | | | | | Y | |
| GIW-01 | 01/24/16 | | | | | | | Y | |
| GIW-01 | 01/25/16 | | | | | | | Y | |
| GIW-01 | 01/26/16 | 0.6 | 18.6 | 18.9 | 61.9 | 147.2 | -7.94 | Y | |
| GIW-01 | 01/27/16 | | | | | | | Y | |
| GIW-01 | 01/28/16 | | | | | | | Y | |
| GIW-01 | 01/29/16 | | | | | | | Y | |
| GIW-01 | 01/30/16 | | | | | | | Y | |
| GIW-01 | 01/31/16 | | | | | | | Y | |
| GIW-01 | 02/01/16 | | | | | | | Y | |
| GIW-01 | 02/02/16 | | | | | | | Y | |
| GIW-01 | 02/03/16 | | | | | | | Y | |
| GIW-01 | 02/04/16 | 1.2 | 28.9 | 14.8 | 55.1 | 165.9 | -3.37 | Y | |
| GIW-01 | 02/05/16 | | | | | | | Y | |
| GIW-01 | 02/06/16 | | | | | | | Y | |
| GIW-01 | 02/07/16 | | | | | | | Y | |
| GIW-01 | 02/08/16 | | | | | | | Y | |
| GIW-01 | 02/09/16 | | | | | | | Y | |
| GIW-01 | 02/10/16 | | | | | | | Y | |
| GIW-01 | 02/11/16 | 5.6 | 59.4 | 0.2 | 34.8 | 186.3 | -20.45 | Y | |
| GIW-01 | 02/12/16 | | | | | | | Y | |
| GIW-01 | 02/13/16 | | | | | | | Y | |
| GIW-01 | 02/14/16 | | | | | | | Y | |
| GIW-01 | 02/15/16 | | | | | | | Y | |
| GIW-01 | 02/16/16 | 2.4 | 63.5 | 3.2 | 30.9 | 175.2 | -21.68 | Y | |
| GIW-01 | 02/17/16 | | | | | | | Y | |
| GIW-01 | 02/18/16 | | | | | | | Y | |
| GIW-01 | 02/19/16 | | | | | | | Y | |
| GIW-01 | 02/20/16 | | | | | | | Y | |
| GIW-01 | 02/21/16 | | | | | | | Y | |
| GIW-01 | 02/22/16 | 1.4 | 49.6 | 3.8 | 45.2 | 178.7 | -22.11 | Y | |
| GIW-01 | 02/23/16 | | | | | | | Y | |
| GIW-01 | 02/24/16 | | | | | | | Y | |
| GIW-01 | 02/25/16 | | | | | | | Y | |
| GIW-01 | 02/26/16 | | | | | | | Y | |
| GIW-01 | 02/27/16 | | | | | | | Y | |
| GIW-01 | 02/28/16 | | | | | | | Y | |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (°F) | Initial Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|---------------------|-----------------------------------|------------------------|---------------------------------------------------------------------|
| GIW-01 | 02/29/16 | | | | | | | Y | |
| GIW-01 | 03/01/16 | | | | | | | Y | |
| GIW-01 | 03/02/16 | | | | | | | Y | |
| GIW-01 | 03/03/16 | 2.9 | 66.9 | 0.1 | 30.1 | 186.3 | -7.49 | Y | |
| GIW-01 | 03/04/16 | | | | | | | Y | |
| GIW-01 | 03/05/16 | | | | | | | Y | |
| GIW-01 | 03/06/16 | | | | | | | Y | |
| GIW-01 | 03/07/16 | | | | | | | Y | |
| GIW-01 | 03/08/16 | | | | | | | Y | |
| GIW-01 | 03/09/16 | | | | | | | Y | |
| GIW-01 | 03/10/16 | | | | | | | Y | |
| GIW-01 | 03/11/16 | | | | | | | Y | |
| GIW-01 | 03/12/16 | | | | | | | Y | Well not monitored due to inaccessibility and equipment malfunction |
| GIW-01 | 03/13/16 | | | | | | | Y | |
| GIW-01 | 03/14/16 | | | | | | | Y | |
| GIW-01 | 03/15/16 | | | | | | | Y | |
| GIW-01 | 03/16/16 | 2.8 | 62.7 | 0.2 | 34.3 | 183.5 | -21.62 | Y | |
| GIW-01 | 03/17/16 | | | | | | | Y | |
| GIW-01 | 03/18/16 | | | | | | | Y | |
| GIW-01 | 03/19/16 | | | | | | | Y | |
| GIW-01 | 03/20/16 | | | | | | | Y | |
| GIW-01 | 03/21/16 | 2.6 | 59.5 | 1.0 | 36.9 | 177.2 | -22.47 | Y | |
| GIW-01 | 03/22/16 | | | | | | | Y | |
| GIW-01 | 03/23/16 | | | | | | | Y | |
| GIW-01 | 03/24/16 | | | | | | | Y | |
| GIW-01 | 03/25/16 | | | | | | | Y | |
| GIW-01 | 03/26/16 | | | | | | | Y | |
| GIW-01 | 03/27/16 | | | | | | | Y | |
| GIW-01 | 03/28/16 | | | | | | | Y | |
| GIW-01 | 03/29/16 | | | | | | | Y | |
| GIW-01 | 03/30/16 | | | | | | | Y | |
| GIW-01 | 03/31/16 | | | | | | | Y | |
| GIW-01 | 04/01/16 | 7.0 | 53.5 | 2.9 | 36.6 | 113.3 | -16.91 | Y | |
| GIW-01 | 04/02/16 | | | | | | | Y | |

GIW-1 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-02 | 12/01/15 | 6.1 | 31.3 | 9.5 | 53.1 | 63.1 | -2.25 | N/A | (HES Installed) |
| GIW-02 | 12/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/10/15 | 7.0 | 36.7 | 7.9 | 48.4 | 51.0 | -8.70 | N/A | (HES Installed) |
| GIW-02 | 12/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/15/15 | 5.1 | 24.0 | 11.0 | 59.9 | 63.5 | -9.09 | N/A | (HES Installed) |
| GIW-02 | 12/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/23/15 | 0.0 | 11.2 | 19.2 | 69.6 | 60.9 | -0.23 | N/A | (HES Installed) |
| GIW-02 | 12/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 12/31/15 | 0.4 | 58.4 | 1.2 | 40.0 | 31.3 | -0.47 | N/A | (HES Installed) |
| GIW-02 | 01/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/05/16 | 0.3 | 43.7 | 7.4 | 48.6 | 54.3 | -1.11 | N/A | (HES Installed) |
| GIW-02 | 01/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/14/16 | 1.0 | 59.5 | 3.5 | 36.0 | 75.5 | -3.13 | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-02 | 01/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/21/16 | 0.0 | 20.8 | 20.7 | 58.5 | 26.7 | -0.80 | N/A | (HES Installed) |
| GIW-02 | 01/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/26/16 | 6.9 | 29.2 | 10.4 | 53.5 | 54.9 | -9.09 | N/A | (HES Installed) |
| GIW-02 | 01/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 01/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/04/16 | 4.8 | 29.7 | 11.1 | 54.4 | 54.7 | -7.13 | N/A | (HES Installed) |
| GIW-02 | 02/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/11/16 | 8.5 | 35.6 | 9.9 | 46.0 | 62.2 | -8.85 | N/A | (HES Installed) |
| GIW-02 | 02/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/17/16 | 8.6 | 36.3 | 8.3 | 46.8 | 64.9 | -4.78 | N/A | (HES Installed) |
| GIW-02 | 02/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/21/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/22/16 | 7.6 | 37.4 | 8.8 | 46.2 | 71.4 | -1.48 | N/A | (HES Installed) |
| GIW-02 | 02/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 02/28/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-02 | 02/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/03/16 | 7.0 | 30.9 | 11.2 | 50.9 | 71.7 | -6.82 | N/A | (HES Installed) |
| GIW-02 | 03/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/11/16 | 5.7 | 29.8 | 11.0 | 53.5 | 71.2 | -5.76 | N/A | (HES Installed) |
| GIW-02 | 03/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/16/16 | 3.0 | 23.8 | 14.0 | 59.2 | 73.7 | -0.66 | N/A | (HES Installed) |
| GIW-02 | 03/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/21/16 | 5.0 | 25.6 | 12.3 | 57.1 | 70.0 | -0.67 | N/A | (HES Installed) |
| GIW-02 | 03/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 03/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-02 | 04/01/16 | 7.3 | 38.1 | 10.5 | 44.1 | 61.4 | -0.48 | N/A | (HES Installed) |
| GIW-02 | 04/02/16 | | | | | | | N/A | (HES Installed) |

GIW-2 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Adj. Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------------------|------------------------|-----------------|
| GIW-03 | 12/01/15 | 0.3 | 49.2 | 6.6 | 43.9 | 63.5 | -1.90 | N/A | (HES Installed) |
| GIW-03 | 12/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/10/15 | 0.2 | 24.5 | 14.0 | 61.3 | 52.0 | -11.00 | N/A | (HES Installed) |
| GIW-03 | 12/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/15/15 | 0.1 | 26.2 | 12.7 | 61.0 | 48.9 | -8.60 | N/A | (HES Installed) |
| GIW-03 | 12/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/23/15 | 0.1 | 20.8 | 16.9 | 62.2 | 61.1 | -8.67 | N/A | (HES Installed) |
| GIW-03 | 12/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 12/31/15 | 0.4 | 54.0 | 0.7 | 44.9 | 31.3 | -0.02 | N/A | (HES Installed) |
| GIW-03 | 01/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/05/16 | 0.4 | 29.1 | 8.6 | 61.9 | 51.2 | -1.15 | N/A | (HES Installed) |
| GIW-03 | 01/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/14/16 | 1.1 | 64.5 | 0.0 | 34.4 | 75.2 | -0.65 | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Adj. Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------------------|------------------------|-----------------|
| GIW-03 | 01/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/21/16 | 0.4 | 46.4 | 6.5 | 46.7 | 28.0 | -1.94 | N/A | (HES Installed) |
| GIW-03 | 01/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/26/16 | 0.2 | 47.6 | 4.8 | 47.4 | 36.0 | -1.06 | N/A | (HES Installed) |
| GIW-03 | 01/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 01/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/04/16 | 0.3 | 37.7 | 11.2 | 50.8 | 36.5 | -4.39 | N/A | (HES Installed) |
| GIW-03 | 02/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/11/16 | 0.2 | 29.9 | 13.8 | 56.1 | 46.9 | -6.94 | N/A | (HES Installed) |
| GIW-03 | 02/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/17/16 | 0.4 | 37.9 | 9.9 | 51.8 | 56.7 | -2.12 | N/A | (HES Installed) |
| GIW-03 | 02/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/21/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/22/16 | 0.3 | 18.3 | 14.7 | 66.7 | 64.1 | -7.92 | N/A | (HES Installed) |
| GIW-03 | 02/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 02/28/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Adj. Static Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------------------|------------------------|-----------------|
| GIW-03 | 02/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/03/16 | 0.1 | 10.0 | 19.2 | 70.7 | 56.1 | -11.30 | N/A | (HES Installed) |
| GIW-03 | 03/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/11/16 | 0.2 | 12.0 | 19.3 | 68.5 | 68.5 | -6.80 | N/A | (HES Installed) |
| GIW-03 | 03/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/16/16 | 0.2 | 15.3 | 18.2 | 66.3 | 75.3 | -6.86 | N/A | (HES Installed) |
| GIW-03 | 03/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/21/16 | 0.2 | 21.2 | 15.6 | 63.0 | 75.5 | -1.47 | N/A | (HES Installed) |
| GIW-03 | 03/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 03/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-03 | 04/01/16 | 1.7 | 54.0 | 3.3 | 41.0 | 60.0 | -0.48 | N/A | (HES Installed) |
| GIW-03 | 04/02/16 | | | | | | | N/A | (HES Installed) |

GIW-3 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-04 | 12/01/15 | 0.8 | 52.3 | 0.3 | 46.6 | 61.9 | -2.94 | N/A | (HES Installed) |
| GIW-04 | 12/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/10/15 | 0.2 | 12.9 | 16.6 | 70.3 | 55.0 | -11.00 | N/A | (HES Installed) |
| GIW-04 | 12/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/14/15 | 0.5 | 31.3 | 7.8 | 60.4 | 48.5 | -10.61 | N/A | (HES Installed) |
| GIW-04 | 12/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/23/15 | 0.5 | 42.3 | 6.9 | 50.3 | 59.9 | -5.74 | N/A | (HES Installed) |
| GIW-04 | 12/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 12/31/15 | 0.1 | 8.0 | 19.4 | 72.5 | 30.9 | -3.58 | N/A | (HES Installed) |
| GIW-04 | 01/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/05/16 | 0.2 | 18.8 | 18.1 | 62.9 | 50.6 | -4.14 | N/A | (HES Installed) |
| GIW-04 | 01/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/14/16 | 0.2 | 8.3 | 17.4 | 74.1 | 72.3 | -3.98 | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-04 | 01/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/21/16 | 0.6 | 14.0 | 20.8 | 64.6 | 23.1 | -4.27 | N/A | (HES Installed) |
| GIW-04 | 01/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/26/16 | 0.7 | 42.5 | 3.7 | 53.1 | 33.3 | -9.63 | N/A | (HES Installed) |
| GIW-04 | 01/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 01/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/04/16 | 0.5 | 40.1 | 2.9 | 56.5 | 30.0 | -7.86 | N/A | (HES Installed) |
| GIW-04 | 02/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/11/16 | 0.5 | 44.1 | 4.7 | 50.7 | 42.8 | -10.81 | N/A | (HES Installed) |
| GIW-04 | 02/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/17/16 | 0.5 | 18.5 | 9.9 | 71.1 | 50.0 | -6.00 | N/A | (HES Installed) |
| GIW-04 | 02/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/21/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/22/16 | 1.2 | 21.8 | 11.3 | 65.7 | 62.0 | -1.91 | N/A | (HES Installed) |
| GIW-04 | 02/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 02/28/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-04 | 02/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/03/16 | 0.3 | 31.8 | 6.1 | 61.8 | 54.4 | -19.16 | N/A | (HES Installed) |
| GIW-04 | 03/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/11/16 | 0.8 | 39.8 | 4.3 | 55.1 | 66.9 | -14.64 | N/A | (HES Installed) |
| GIW-04 | 03/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/16/16 | 0.1 | 6.0 | 20.0 | 73.9 | 77.5 | -20.51 | N/A | (HES Installed) |
| GIW-04 | 03/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/21/16 | 0.1 | 6.0 | 19.7 | 74.2 | 73.4 | -20.76 | N/A | (HES Installed) |
| GIW-04 | 03/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 03/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-04 | 04/01/16 | 0.1 | 10.2 | 17.4 | 72.3 | 61.6 | -16.11 | N/A | (HES Installed) |
| GIW-04 | 04/02/16 | | | | | | | N/A | (HES Installed) |

GIW-4 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-05 | 12/01/15 | 3.8 | 67.2 | 0.0 | 29.0 | 40.0 | -0.40 | N/A | (HES Installed) |
| GIW-05 | 12/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/09/15 | 2.8 | 58.9 | 1.6 | 36.7 | 50.0 | -4.40 | N/A | (HES Installed) |
| GIW-05 | 12/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/14/15 | 2.6 | 55.2 | 1.2 | 41.0 | 47.6 | -7.99 | N/A | (HES Installed) |
| GIW-05 | 12/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/23/15 | 2.7 | 55.9 | 0.9 | 40.5 | 59.3 | -7.68 | N/A | (HES Installed) |
| GIW-05 | 12/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/29/15 | 2.4 | 55.5 | 1.4 | 40.7 | 32.9 | -0.49 | N/A | (HES Installed) |
| GIW-05 | 12/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 12/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/05/16 | 2.5 | 61.3 | 0.0 | 36.2 | 55.8 | 8.42 | N/A | (HES Installed) |
| GIW-05 | 01/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/11/16 | 9.5 | 35.3 | 3.6 | 51.6 | 43.1 | -15.75 | N/A | (HES Installed) |
| GIW-05 | 01/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/14/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-05 | 01/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/21/16 | 2.5 | 59.1 | 0.0 | 38.4 | 25.7 | -8.90 | N/A | (HES Installed) |
| GIW-05 | 01/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/26/16 | 2.4 | 57.3 | 1.7 | 38.6 | 33.3 | -10.38 | N/A | (HES Installed) |
| GIW-05 | 01/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 01/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/04/16 | 0.8 | 43.3 | 4.5 | 51.4 | 33.4 | -11.36 | N/A | (HES Installed) |
| GIW-05 | 02/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/11/16 | 4.5 | 67.0 | 3.7 | 24.8 | 38.0 | -16.78 | N/A | (HES Installed) |
| GIW-05 | 02/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/16/16 | 1.8 | 44.8 | 1.0 | 52.4 | 42.9 | -21.62 | N/A | (HES Installed) |
| GIW-05 | 02/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/21/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/22/16 | 7.3 | 51.7 | 1.0 | 40.0 | 62.4 | -19.53 | N/A | (HES Installed) |
| GIW-05 | 02/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 02/28/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-05 | 02/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/03/16 | 3.5 | 47.8 | 0.8 | 47.9 | 42.0 | -16.71 | N/A | (HES Installed) |
| GIW-05 | 03/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/07/16 | 8.8 | 53.7 | 0.5 | 37.0 | 83.0 | -19.16 | N/A | (HES Installed) |
| GIW-05 | 03/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/16/16 | 9.2 | 53.9 | 1.4 | 35.5 | 72.4 | -19.17 | N/A | (HES Installed) |
| GIW-05 | 03/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/21/16 | 10.5 | 53.5 | 1.4 | 34.6 | 65.2 | -13.84 | N/A | (HES Installed) |
| GIW-05 | 03/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 03/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-05 | 04/01/16 | 9.3 | 52.0 | 1.7 | 37.0 | 57.2 | -8.70 | N/A | (HES Installed) |
| GIW-05 | 04/02/16 | | | | | | | N/A | (HES Installed) |

GIW-5 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-06 | 12/01/15 | 1.1 | 60.4 | 0.1 | 38.4 | 60.5 | -3.00 | N/A | (HES Installed) |
| GIW-06 | 12/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/10/15 | 1.3 | 68.0 | 0.1 | 30.6 | 50.0 | -10.30 | N/A | (HES Installed) |
| GIW-06 | 12/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/15/15 | 1.3 | 59.7 | 0.2 | 38.8 | 48.9 | -4.17 | N/A | (HES Installed) |
| GIW-06 | 12/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/23/15 | 1.5 | 61.7 | 0.1 | 36.7 | 58.2 | -10.62 | N/A | (HES Installed) |
| GIW-06 | 12/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 12/31/15 | 1.2 | 60.2 | 0.5 | 38.1 | 30.2 | -15.08 | N/A | (HES Installed) |
| GIW-06 | 01/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/05/16 | 1.1 | 33.3 | 1.1 | 64.5 | 47.3 | -15.51 | N/A | (HES Installed) |
| GIW-06 | 01/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/12/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-06 | 01/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/14/16 | 3.3 | 57.7 | 2.1 | 36.9 | 73.6 | -14.10 | N/A | (HES Installed) |
| GIW-06 | 01/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/21/16 | 5.9 | 52.3 | 0.0 | 41.8 | 26.3 | -0.07 | N/A | (HES Installed) |
| GIW-06 | 01/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/27/16 | 1.4 | 56.4 | 0.3 | 41.9 | 46.6 | -10.79 | N/A | (HES Installed) |
| GIW-06 | 01/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 01/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/04/16 | 3.8 | 47.4 | 0.9 | 47.9 | 32.0 | -11.24 | N/A | (HES Installed) |
| GIW-06 | 02/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/11/16 | 22.8 | 38.0 | 0.3 | 38.9 | 42.8 | -21.13 | N/A | (HES Installed) |
| GIW-06 | 02/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/17/16 | 1.7 | 57.6 | 0.1 | 40.6 | 51.8 | -11.02 | N/A | (HES Installed) |
| GIW-06 | 02/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/21/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/22/16 | 1.9 | 55.9 | 0.1 | 42.1 | 57.3 | -2.86 | N/A | (HES Installed) |
| GIW-06 | 02/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/24/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-06 | 02/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 02/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/02/16 | 1.7 | 57.8 | 0.4 | 40.1 | 47.6 | -13.21 | N/A | (HES Installed) |
| GIW-06 | 03/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/07/16 | 2.3 | 57.2 | 0.1 | 40.4 | 81.0 | -21.13 | N/A | (HES Installed) |
| GIW-06 | 03/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/16/16 | 2.7 | 54.4 | 1.2 | 41.7 | 75.7 | -21.07 | N/A | (HES Installed) |
| GIW-06 | 03/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/21/16 | 2.3 | 52.8 | 1.1 | 43.8 | 70.5 | -6.00 | N/A | (HES Installed) |
| GIW-06 | 03/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 03/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-06 | 04/01/16 | 2.0 | 55.1 | 0.2 | 42.7 | 58.5 | -3.11 | N/A | (HES Installed) |
| GIW-06 | 04/02/16 | | | | | | | N/A | (HES Installed) |

GIW-6 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-07 | 12/01/15 | 30.6 | 58.1 | 0.6 | 10.7 | 59.6 | -18.32 | N/A | (HES Installed) |
| GIW-07 | 12/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/10/15 | 29.8 | 62.7 | 0.6 | 6.9 | 50.0 | -10.70 | N/A | (HES Installed) |
| GIW-07 | 12/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/15/15 | 30.1 | 55.0 | 0.7 | 14.2 | 49.7 | -10.61 | N/A | (HES Installed) |
| GIW-07 | 12/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/23/15 | 30.1 | 54.3 | 0.6 | 15.0 | 58.4 | -9.65 | N/A | (HES Installed) |
| GIW-07 | 12/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 12/31/15 | 4.6 | 28.1 | 2.3 | 65.0 | 29.7 | -14.65 | N/A | (HES Installed) |
| GIW-07 | 01/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/05/16 | 1.2 | 60.9 | 0.5 | 37.4 | 50.5 | -12.82 | N/A | (HES Installed) |
| GIW-07 | 01/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/14/16 | 2.8 | 55.8 | 2.7 | 38.7 | 73.4 | -16.06 | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-07 | 01/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/21/16 | 2.6 | 38.2 | 3.4 | 55.8 | 24.8 | -7.87 | N/A | (HES Installed) |
| GIW-07 | 01/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/27/16 | 30.0 | 55.3 | 0.5 | 14.2 | 51.6 | -11.16 | N/A | (HES Installed) |
| GIW-07 | 01/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 01/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/04/16 | 29.4 | 48.8 | 1.0 | 20.8 | 32.1 | -10.32 | N/A | (HES Installed) |
| GIW-07 | 02/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/11/16 | 26.1 | 41.2 | 5.0 | 27.7 | 42.4 | -7.86 | N/A | (HES Installed) |
| GIW-07 | 02/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/17/16 | 16.1 | 58.3 | 0.0 | 25.6 | 50.2 | -1.38 | N/A | (HES Installed) |
| GIW-07 | 02/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/21/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/22/16 | 16.1 | 53.4 | 3.0 | 27.5 | 55.5 | -12.29 | N/A | (HES Installed) |
| GIW-07 | 02/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 02/28/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-07 | 02/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/02/16 | 20.5 | 44.2 | 6.7 | 28.6 | 45.9 | -7.31 | N/A | (HES Installed) |
| GIW-07 | 03/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/07/16 | 15.0 | 53.4 | 4.7 | 26.9 | 78.0 | -3.35 | N/A | (HES Installed) |
| GIW-07 | 03/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/16/16 | 15.4 | 40.3 | 8.6 | 35.7 | 77.9 | -7.35 | N/A | (HES Installed) |
| GIW-07 | 03/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/21/16 | 14.3 | 40.5 | 8.3 | 36.9 | 70.1 | -6.25 | N/A | (HES Installed) |
| GIW-07 | 03/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 03/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-07 | 04/01/16 | 10.6 | 49.6 | 6.1 | 33.7 | 59.7 | -2.38 | N/A | (HES Installed) |
| GIW-07 | 04/02/16 | | | | | | | N/A | (HES Installed) |

GIW-7 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-08 | 12/01/15 | 24.3 | 65.7 | 1.1 | 8.9 | 40.0 | -3.00 | N/A | (HES Installed) |
| GIW-08 | 12/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/09/15 | 27.3 | 61.8 | 2.6 | 8.3 | 55.0 | -2.80 | N/A | (HES Installed) |
| GIW-08 | 12/10/15 | 27.4 | 68.0 | 0.4 | 4.2 | 45.0 | -10.40 | N/A | (HES Installed) |
| GIW-08 | 12/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/15/15 | 28.2 | 59.2 | 0.1 | 12.5 | 50.5 | -7.68 | N/A | (HES Installed) |
| GIW-08 | 12/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/23/15 | 28.0 | 56.7 | 0.0 | 15.3 | 59.2 | -6.29 | N/A | (HES Installed) |
| GIW-08 | 12/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 12/31/15 | 7.7 | 15.8 | 16.9 | 59.6 | 44.8 | -6.29 | N/A | (HES Installed) |
| GIW-08 | 01/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/05/16 | 4.3 | 38.2 | 11.1 | 46.4 | 59.1 | -5.80 | N/A | (HES Installed) |
| GIW-08 | 01/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/14/16 | 3.4 | 15.0 | 12.4 | 69.2 | 81.0 | -2.77 | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-08 | 01/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/21/16 | 8.7 | 26.8 | 13.4 | 51.1 | 40.6 | -9.63 | N/A | (HES Installed) |
| GIW-08 | 01/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/27/16 | 26.5 | 54.3 | 0.1 | 19.1 | 48.0 | -10.30 | N/A | (HES Installed) |
| GIW-08 | 01/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 01/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/04/16 | 30.4 | 42.8 | 0.4 | 26.4 | 29.6 | -6.88 | N/A | (HES Installed) |
| GIW-08 | 02/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/11/16 | 24.1 | 42.0 | 0.4 | 33.5 | 43.5 | -13.76 | N/A | (HES Installed) |
| GIW-08 | 02/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/17/16 | 27.1 | 52.7 | 0.1 | 20.1 | 51.7 | -6.49 | N/A | (HES Installed) |
| GIW-08 | 02/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/21/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/22/16 | 27.0 | 50.9 | 0.1 | 22.0 | 57.9 | -13.70 | N/A | (HES Installed) |
| GIW-08 | 02/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 02/28/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-08 | 02/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/02/16 | 19.7 | 56.7 | 0.0 | 23.6 | 49.3 | -14.19 | N/A | (HES Installed) |
| GIW-08 | 03/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/07/16 | 21.6 | 45.9 | 0.3 | 32.2 | 77.9 | -12.78 | N/A | (HES Installed) |
| GIW-08 | 03/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/16/16 | 20.2 | 49.1 | 0.1 | 30.6 | 73.6 | -13.78 | N/A | (HES Installed) |
| GIW-08 | 03/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/21/16 | 19.1 | 48.6 | 0.2 | 32.1 | 68.4 | -13.66 | N/A | (HES Installed) |
| GIW-08 | 03/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 03/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-08 | 04/01/16 | 23.4 | 42.0 | 0.6 | 34.0 | 61.6 | -11.15 | N/A | (HES Installed) |
| GIW-08 | 04/02/16 | | | | | | | N/A | (HES Installed) |

GIW-8 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-09 | 12/01/15 | 3.4 | 12.4 | 16.1 | 68.1 | 66.2 | -3.12 | N/A | (HES Installed) |
| GIW-09 | 12/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/10/15 | 5.7 | 20.4 | 13.9 | 60.0 | 45.0 | -7.30 | N/A | (HES Installed) |
| GIW-09 | 12/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/15/15 | 7.6 | 17.9 | 14.1 | 60.4 | 59.1 | -2.73 | N/A | (HES Installed) |
| GIW-09 | 12/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/23/15 | 7.6 | 18.8 | 14.9 | 58.7 | 65.8 | -2.88 | N/A | (HES Installed) |
| GIW-09 | 12/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 12/31/15 | 4.7 | 28.3 | 14.8 | 52.2 | 44.5 | -7.57 | N/A | (HES Installed) |
| GIW-09 | 01/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/05/16 | 8.3 | 18.8 | 14.5 | 58.4 | 60.2 | -9.28 | N/A | (HES Installed) |
| GIW-09 | 01/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/14/16 | 2.9 | 17.2 | 12.3 | 67.6 | 81.3 | -3.06 | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-09 | 01/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/21/16 | 10.0 | 29.3 | 12.7 | 48.0 | 40.5 | -7.38 | N/A | (HES Installed) |
| GIW-09 | 01/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/27/16 | 11.7 | 31.7 | 9.9 | 46.7 | 63.0 | -4.50 | N/A | (HES Installed) |
| GIW-09 | 01/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 01/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/04/16 | 7.2 | 25.0 | 13.8 | 54.0 | 53.4 | -3.87 | N/A | (HES Installed) |
| GIW-09 | 02/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/11/16 | 9.3 | 28.7 | 11.7 | 50.3 | 57.9 | -5.47 | N/A | (HES Installed) |
| GIW-09 | 02/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/17/16 | 7.0 | 16.7 | 14.9 | 61.4 | 65.4 | -2.90 | N/A | (HES Installed) |
| GIW-09 | 02/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/21/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/22/16 | 2.5 | 26.0 | 14.2 | 57.3 | 63.1 | -1.09 | N/A | (HES Installed) |
| GIW-09 | 02/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 02/28/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-09 | 02/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/02/16 | 2.6 | 18.7 | 15.9 | 62.8 | 61.7 | -6.33 | N/A | (HES Installed) |
| GIW-09 | 03/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/07/16 | 0.4 | 14.6 | 17.4 | 67.6 | 79.0 | -1.35 | N/A | (HES Installed) |
| GIW-09 | 03/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/16/16 | 0.7 | 14.4 | 16.9 | 68.0 | 69.0 | -1.69 | N/A | (HES Installed) |
| GIW-09 | 03/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/21/16 | 1.2 | 15.1 | 16.5 | 67.2 | 69.6 | -2.47 | N/A | (HES Installed) |
| GIW-09 | 03/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 03/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-09 | 04/01/16 | 2.6 | 19.8 | 14.3 | 63.3 | 63.7 | -1.69 | N/A | (HES Installed) |
| GIW-09 | 04/02/16 | | | | | | | N/A | (HES Installed) |

GIW-9 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-10 | 12/01/15 | 0.5 | 54.9 | 0.2 | 44.4 | 60.2 | -2.15 | N/A | (HES Installed) |
| GIW-10 | 12/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/09/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/10/15 | 0.5 | 56.9 | 1.6 | 41.0 | 50.0 | -7.70 | N/A | (HES Installed) |
| GIW-10 | 12/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/14/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/15/15 | 0.3 | 51.9 | 0.7 | 47.1 | 49.0 | -8.66 | N/A | (HES Installed) |
| GIW-10 | 12/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/23/15 | 0.5 | 43.3 | 4.9 | 51.3 | 59.0 | -10.87 | N/A | (HES Installed) |
| GIW-10 | 12/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/29/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 12/31/15 | 0.3 | 37.1 | 7.3 | 55.3 | 30.2 | -13.61 | N/A | (HES Installed) |
| GIW-10 | 01/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/05/16 | 3.6 | 18.6 | 10.8 | 67.0 | 49.8 | -11.23 | N/A | (HES Installed) |
| GIW-10 | 01/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/14/16 | 0.7 | 38.3 | 6.5 | 57.5 | 71.9 | -15.87 | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-10 | 01/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/21/16 | 6.5 | 51.2 | 0.2 | 42.1 | 25.2 | -0.11 | N/A | (HES Installed) |
| GIW-10 | 01/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/26/16 | 0.4 | 21.1 | 10.4 | 68.1 | 33.4 | -12.80 | N/A | (HES Installed) |
| GIW-10 | 01/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 01/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/11/16 | 2.9 | 32.7 | 0.2 | 64.2 | 46.4 | -0.34 | N/A | (HES Installed) |
| GIW-10 | 02/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/17/16 | 0.3 | 56.0 | 0.0 | 43.7 | 52.5 | -0.11 | N/A | (HES Installed) |
| GIW-10 | 02/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/21/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/22/16 | 5.6 | 49.2 | 0.0 | 45.2 | 60.5 | -0.47 | N/A | (HES Installed) |
| GIW-10 | 02/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 02/28/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-10 | 02/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/03/16 | 6.2 | 48.9 | 0.0 | 44.9 | 44.4 | -21.62 | N/A | (HES Installed) |
| GIW-10 | 03/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/07/16 | 7.8 | 46.0 | 0.1 | 46.1 | 81.9 | -20.70 | N/A | (HES Installed) |
| GIW-10 | 03/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/16/16 | 5.6 | 48.1 | 0.1 | 46.2 | 70.0 | -22.05 | N/A | (HES Installed) |
| GIW-10 | 03/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/21/16 | 7.1 | 41.4 | 0.2 | 51.3 | 69.6 | -22.47 | N/A | (HES Installed) |
| GIW-10 | 03/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 03/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-10 | 04/01/16 | 7.6 | 49.1 | 0.0 | 43.3 | 58.2 | -16.58 | N/A | (HES Installed) |
| GIW-10 | 04/02/16 | | | | | | | N/A | (HES Installed) |

GIW-10 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-11 | 12/01/15 | 3.1 | 67.2 | 0.1 | 29.6 | 55.0 | -0.40 | N/A | (HES Installed) |
| GIW-11 | 12/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/09/15 | 2.9 | 59.9 | 2.1 | 35.1 | 50.0 | -1.80 | N/A | (HES Installed) |
| GIW-11 | 12/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/14/15 | 3.6 | 51.9 | 3.6 | 40.9 | 55.2 | -3.31 | N/A | (HES Installed) |
| GIW-11 | 12/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/23/15 | 3.1 | 56.5 | 2.4 | 38.0 | 62.2 | -2.87 | N/A | (HES Installed) |
| GIW-11 | 12/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/29/15 | 3.8 | 45.0 | 5.4 | 45.8 | 48.2 | -4.47 | N/A | (HES Installed) |
| GIW-11 | 12/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 12/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/05/16 | 2.7 | 55.8 | 4.4 | 37.1 | 61.0 | -4.42 | N/A | (HES Installed) |
| GIW-11 | 01/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/11/16 | 4.3 | 47.2 | 4.7 | 43.8 | 57.6 | -4.87 | N/A | (HES Installed) |
| GIW-11 | 01/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/14/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-11 | 01/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/21/16 | 6.3 | 38.2 | 5.4 | 50.1 | 43.8 | -4.99 | N/A | (HES Installed) |
| GIW-11 | 01/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/26/16 | 3.0 | 38.5 | 4.7 | 53.8 | 46.6 | -3.92 | N/A | (HES Installed) |
| GIW-11 | 01/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 01/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/01/16 | 4.6 | 43.8 | 3.5 | 48.1 | 63.3 | -3.35 | N/A | (HES Installed) |
| GIW-11 | 02/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/11/16 | 4.7 | 44.3 | 5.4 | 45.6 | 61.4 | -6.18 | N/A | (HES Installed) |
| GIW-11 | 02/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/16/16 | 5.0 | 41.0 | 6.1 | 47.9 | 62.0 | -6.39 | N/A | (HES Installed) |
| GIW-11 | 02/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/21/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/22/16 | 5.6 | 36.6 | 6.3 | 51.5 | 76.5 | -6.33 | N/A | (HES Installed) |
| GIW-11 | 02/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 02/28/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-11 | 02/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/03/16 | 6.4 | 43.1 | 5.0 | 45.5 | 55.0 | -2.80 | N/A | (HES Installed) |
| GIW-11 | 03/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/07/16 | 5.8 | 36.7 | 6.4 | 51.1 | 85.3 | -4.15 | N/A | (HES Installed) |
| GIW-11 | 03/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/16/16 | 5.9 | 39.8 | 5.9 | 48.4 | 70.2 | -2.80 | N/A | (HES Installed) |
| GIW-11 | 03/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/21/16 | 5.1 | 45.8 | 4.8 | 44.3 | 69.5 | -2.45 | N/A | (HES Installed) |
| GIW-11 | 03/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 03/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-11 | 04/01/16 | 6.1 | 50.5 | 3.9 | 39.5 | 59.4 | -2.05 | N/A | (HES Installed) |
| GIW-11 | 04/02/16 | | | | | | | N/A | (HES Installed) |

GIW-11 Wellhead Temperatures




| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-12 | 12/01/15 | 4.0 | 28.9 | 9.6 | 57.5 | 50.0 | -1.20 | N/A | (HES Installed) |
| GIW-12 | 12/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/09/15 | 4.5 | 23.2 | 10.5 | 61.8 | 62.0 | -2.40 | N/A | (HES Installed) |
| GIW-12 | 12/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/14/15 | 3.5 | 20.0 | 11.0 | 65.5 | 67.1 | -3.74 | N/A | (HES Installed) |
| GIW-12 | 12/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/23/15 | 3.6 | 20.6 | 11.1 | 64.7 | 74.7 | -3.54 | N/A | (HES Installed) |
| GIW-12 | 12/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/29/15 | 2.4 | 16.3 | 15.0 | 66.3 | 59.9 | -3.20 | N/A | (HES Installed) |
| GIW-12 | 12/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 12/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/05/16 | 1.8 | 31.0 | 11.3 | 55.9 | 65.6 | -3.03 | N/A | (HES Installed) |
| GIW-12 | 01/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/11/16 | 2.2 | 18.8 | 12.5 | 66.5 | 65.4 | -3.26 | N/A | (HES Installed) |
| GIW-12 | 01/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/14/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-12 | 01/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/21/16 | 7.7 | 20.9 | 9.3 | 62.1 | 53.9 | -2.95 | N/A | (HES Installed) |
| GIW-12 | 01/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/27/16 | 3.7 | 19.6 | 11.8 | 64.9 | 55.8 | -2.56 | N/A | (HES Installed) |
| GIW-12 | 01/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 01/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/01/16 | 3.7 | 24.7 | 10.6 | 61.0 | 71.2 | -2.19 | N/A | (HES Installed) |
| GIW-12 | 02/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/11/16 | 10.1 | 31.2 | 8.6 | 50.1 | 65.0 | -3.59 | N/A | (HES Installed) |
| GIW-12 | 02/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/16/16 | 5.4 | 21.9 | 11.7 | 61.0 | 67.5 | -3.72 | N/A | (HES Installed) |
| GIW-12 | 02/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/21/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/22/16 | 6.1 | 34.2 | 9.5 | 50.2 | 79.3 | -3.61 | N/A | (HES Installed) |
| GIW-12 | 02/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 02/28/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-12 | 02/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/03/16 | 8.6 | 28.4 | 8.6 | 54.4 | 60.1 | -1.58 | N/A | (HES Installed) |
| GIW-12 | 03/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/07/16 | 6.3 | 25.1 | 9.9 | 58.7 | 87.1 | -3.58 | N/A | (HES Installed) |
| GIW-12 | 03/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/16/16 | 4.6 | 23.0 | 10.9 | 61.5 | 74.5 | -2.53 | N/A | (HES Installed) |
| GIW-12 | 03/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/21/16 | 5.3 | 25.1 | 9.2 | 60.4 | 71.7 | -1.38 | N/A | (HES Installed) |
| GIW-12 | 03/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 03/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-12 | 04/01/16 | 5.7 | 32.6 | 9.2 | 52.5 | 60.5 | -1.07 | N/A | (HES Installed) |
| GIW-12 | 04/02/16 | | | | | | | N/A | (HES Installed) |

GIW-12 Wellhead Temperatures



| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-13 | 12/01/15 | 6.2 | 69.8 | 0.0 | 24.0 | 54.0 | -0.60 | N/A | (HES Installed) |
| GIW-13 | 12/02/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/03/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/04/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/05/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/06/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/07/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/08/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/09/15 | 12.5 | 65.6 | 0.0 | 21.9 | 60.0 | -4.20 | N/A | (HES Installed) |
| GIW-13 | 12/10/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/11/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/12/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/13/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/14/15 | 13.1 | 55.9 | 0.6 | 30.4 | 46.6 | -7.44 | N/A | (HES Installed) |
| GIW-13 | 12/15/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/16/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/17/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/18/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/19/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/20/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/21/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/22/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/23/15 | 11.3 | 53.2 | 0.5 | 35.0 | 58.7 | -6.52 | N/A | (HES Installed) |
| GIW-13 | 12/24/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/25/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/26/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/27/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/28/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/29/15 | 13.8 | 55.7 | 0.3 | 30.2 | 35.1 | -10.79 | N/A | (HES Installed) |
| GIW-13 | 12/30/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 12/31/15 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/05/16 | 14.7 | 47.6 | 0.6 | 37.1 | 57.0 | -12.58 | N/A | (HES Installed) |
| GIW-13 | 01/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/11/16 | 16.9 | 50.7 | 0.6 | 31.8 | 44.1 | -13.41 | N/A | (HES Installed) |
| GIW-13 | 01/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/14/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-13 | 01/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/16/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/21/16 | 16.6 | 54.1 | 0.3 | 29.0 | 32.1 | -11.17 | N/A | (HES Installed) |
| GIW-13 | 01/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/26/16 | 12.3 | 52.8 | 0.3 | 34.6 | 35.7 | -9.34 | N/A | (HES Installed) |
| GIW-13 | 01/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 01/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/01/16 | 14.8 | 48.2 | 0.3 | 36.7 | 53.7 | -7.86 | N/A | (HES Installed) |
| GIW-13 | 02/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/03/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/07/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/11/16 | 12.9 | 27.8 | 1.0 | 58.3 | 39.5 | -17.94 | N/A | (HES Installed) |
| GIW-13 | 02/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/16/16 | 14.5 | 56.8 | 0.3 | 28.4 | 43.8 | -18.24 | N/A | (HES Installed) |
| GIW-13 | 02/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/21/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/22/16 | 13.7 | 53.0 | 0.1 | 33.2 | 66.1 | -17.63 | N/A | (HES Installed) |
| GIW-13 | 02/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 02/28/16 | | | | | | | N/A | (HES Installed) |

| GIW ID# | Reading Date | CH4 (% Vol.) | CO2 (% Vol.) | Oxygen (% Vol.) | Balance (% Vol.) | Wellhead Temp. (F) | Pressure (In W.C.) | Pump Operational (Y/N) | Comments |
|---------|--------------|--------------|--------------|-----------------|------------------|--------------------|--------------------|------------------------|-----------------|
| GIW-13 | 02/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/01/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/02/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/03/16 | 9.7 | 60.1 | 0.0 | 30.2 | 45.6 | -4.83 | N/A | (HES Installed) |
| GIW-13 | 03/04/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/05/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/06/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/07/16 | 11.6 | 53.4 | 0.3 | 34.7 | 78.4 | -16.46 | N/A | (HES Installed) |
| GIW-13 | 03/08/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/09/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/10/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/11/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/12/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/13/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/14/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/15/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/16/16 | 11.0 | 57.5 | 0.1 | 31.4 | 69.5 | -9.49 | N/A | (HES Installed) |
| GIW-13 | 03/17/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/18/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/19/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/20/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/21/16 | 10.1 | 59.9 | 0.0 | 30.0 | 69.2 | -10.72 | N/A | (HES Installed) |
| GIW-13 | 03/22/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/23/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/24/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/25/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/26/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/27/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/28/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/29/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/30/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 03/31/16 | | | | | | | N/A | (HES Installed) |
| GIW-13 | 04/01/16 | 12.8 | 41.0 | 0.3 | 45.9 | 57.3 | -15.39 | N/A | (HES Installed) |
| GIW-13 | 04/02/16 | | | | | | | N/A | (HES Installed) |

GIW-13 Wellhead Temperatures

