


GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (°F)	Initial Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-01	09/22/15	3.3	67.9	0.1	28.7	189.6	-11.29	Y	
GIW-01	09/23/15							Y	
GIW-01	09/24/15							Y	
GIW-01	09/25/15							Y	
GIW-01	09/26/15							Y	
GIW-01	09/27/15							Y	
GIW-01	09/28/15							Y	
GIW-01	09/29/15							Y	
GIW-01	09/30/15							Y	
GIW-01	10/01/15							Y	
GIW-01	10/02/15	2.8	64.3	0.2	32.7	176.9	-16.22	Y	
GIW-01	10/03/15							Y	
GIW-01	10/04/15							Y	
GIW-01	10/05/15							Y	
GIW-01	10/06/15	3.2	60.4	0.2	36.2	188.5	-17.01	Y	
GIW-01	10/07/15							Y	
GIW-01	10/08/15							Y	
GIW-01	10/09/15							Y	
GIW-01	10/10/15							Y	
GIW-01	10/11/15							Y	
GIW-01	10/12/15							Y	
GIW-01	10/13/15							Y	
GIW-01	10/14/15	1.9	67.4	0.2	30.5	162.3	-15.69	Y	
GIW-01	10/15/15							Y	
GIW-01	10/16/15							Y	
GIW-01	10/17/15							Y	
GIW-01	10/18/15							Y	
GIW-01	10/19/15	3.7	66.0	0.0	30.3	188.0	-7.81	Y	
GIW-01	10/20/15							Y	
GIW-01	10/21/15							Y	
GIW-01	10/22/15							Y	
GIW-01	10/23/15							Y	
GIW-01	10/24/15							Y	
GIW-01	10/25/15							Y	
GIW-01	10/26/15							Y	
GIW-01	10/27/15							Y	
GIW-01	10/28/15							Y	
GIW-01	10/29/15							Y	
GIW-01	10/30/15	3.3	65.0	0.1	31.6	187.9	-10.67	Y	
GIW-01	10/31/15							Y	
GIW-01	11/01/15							Y	
GIW-01	11/02/15							Y	
GIW-01	11/03/15							Y	
GIW-01	11/04/15	3.1	69.0	0.1	27.8	188.5	-3.14	Y	
GIW-01	11/05/15							Y	

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (°F)	Initial Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-01	11/06/15							Y	
GIW-01	11/07/15							Y	
GIW-01	11/08/15							Y	
GIW-01	11/09/15							Y	
GIW-01	11/10/15							Y	
GIW-01	11/11/15							Y	
GIW-01	11/12/15							Y	
GIW-01	11/13/15	3.4	61.9	0.2	34.5	187.9	-8.96	Y	
GIW-01	11/14/15							Y	
GIW-01	11/15/15							Y	
GIW-01	11/16/15							Y	
GIW-01	11/17/15							Y	
GIW-01	11/18/15							Y	
GIW-01	11/19/15							Y	
GIW-01	11/20/15	3.2	69.0	0.0	27.8	189.1	-6.35	Y	
GIW-01	11/21/15							Y	
GIW-01	11/22/15							Y	
GIW-01	11/23/15	3.1	74.7	0.0	22.2	175.0	-8.40	Y	
GIW-01	11/24/15							Y	
GIW-01	11/25/15							Y	
GIW-01	11/26/15							Y	
GIW-01	11/27/15							Y	
GIW-01	11/28/15							Y	
GIW-01	11/29/15							Y	
GIW-01	11/30/15							Y	
GIW-01	12/01/15	2.9	65.2	0.1	31.8	189.1	-1.07	Y	
GIW-01	12/02/15							Y	
GIW-01	12/03/15							Y	
GIW-01	12/04/15							Y	
GIW-01	12/05/15							Y	
GIW-01	12/06/15							Y	
GIW-01	12/07/15							Y	
GIW-01	12/08/15							Y	
GIW-01	12/09/15	3.1	76.2	0.0	19.9	182.0	-7.20	Y	
GIW-01	12/10/15							Y	
GIW-01	12/11/15							Y	
GIW-01	12/12/15							Y	
GIW-01	12/13/15							Y	
GIW-01	12/14/15	2.7	66.9	0.0	30.4	186.3	-10.85	Y	
GIW-01	12/15/15							Y	
GIW-01	12/16/15							Y	
GIW-01	12/17/15							Y	
GIW-01	12/18/15							Y	
GIW-01	12/19/15							Y	
GIW-01	12/20/15							Y	

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (°F)	Initial Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-01	12/21/15							Y	
GIW-01	12/22/15							Y	
GIW-01	12/23/15	2.9	69.5	0.0	27.6	186.5	-9.65	Y	
GIW-01	12/24/15							Y	
GIW-01	12/25/15							Y	
GIW-01	12/26/15							Y	
GIW-01	12/27/15							Y	
GIW-01	12/28/15							Y	
GIW-01	12/29/15	2.3	56.6	3.7	37.4	183.1	-13.96	Y	
GIW-01	12/30/15							Y	
GIW-01	12/31/15							Y	
GIW-01	01/01/16							Y	
GIW-01	01/02/16							Y	
GIW-01	01/03/16							Y	
GIW-01	01/04/16							Y	
GIW-01	01/05/16	5.7	47.9	4.9	41.5	183.0	-14.41	Y	
GIW-01	01/06/16							Y	
GIW-01	01/07/16							Y	
GIW-01	01/08/16							Y	
GIW-01	01/09/16							Y	
GIW-01	01/10/16							Y	
GIW-01	01/11/16	2.8	46.1	4.9	46.2	166.6	-16.73	Y	
GIW-01	01/12/16							Y	
GIW-01	01/13/16							Y	
GIW-01	01/14/16							Y	
GIW-01	01/15/16							Y	
GIW-01	01/16/16							Y	
GIW-01	01/17/16							Y	
GIW-01	01/18/16							Y	
GIW-01	01/19/16							Y	
GIW-01	01/20/16							Y	
GIW-01	01/21/16	0.5	19.6	16.1	63.8	143.6	-12.64	Y	
GIW-01	01/22/16							Y	

GIW-1 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	09/22/15							N/A	(HES Installed)
GIW-02	09/23/15							N/A	(HES Installed)
GIW-02	09/24/15							N/A	(HES Installed)
GIW-02	09/25/15							N/A	(HES Installed)
GIW-02	09/26/15							N/A	(HES Installed)
GIW-02	09/27/15							N/A	(HES Installed)
GIW-02	09/28/15							N/A	(HES Installed)
GIW-02	09/29/15							N/A	(HES Installed)
GIW-02	09/30/15							N/A	(HES Installed)
GIW-02	10/01/15							N/A	(HES Installed)
GIW-02	10/02/15	7.4	55.6	1.3	35.7	55.8	-0.31	N/A	(HES Installed)
GIW-02	10/03/15							N/A	(HES Installed)
GIW-02	10/04/15							N/A	(HES Installed)
GIW-02	10/05/15							N/A	(HES Installed)
GIW-02	10/06/15	4.8	44.9	7.1	43.2	74.3	-0.50	N/A	(HES Installed)
GIW-02	10/07/15							N/A	(HES Installed)
GIW-02	10/08/15							N/A	(HES Installed)
GIW-02	10/09/15							N/A	(HES Installed)
GIW-02	10/10/15							N/A	(HES Installed)
GIW-02	10/11/15							N/A	(HES Installed)
GIW-02	10/12/15							N/A	(HES Installed)
GIW-02	10/13/15							N/A	(HES Installed)
GIW-02	10/14/15	8.4	64.2	0.1	27.3	90.7	-0.24	N/A	(HES Installed)
GIW-02	10/15/15							N/A	(HES Installed)
GIW-02	10/16/15							N/A	(HES Installed)
GIW-02	10/17/15							N/A	(HES Installed)
GIW-02	10/18/15							N/A	(HES Installed)
GIW-02	10/19/15	6.8	59.4	0.1	33.7	84.0	-0.18	N/A	(HES Installed)
GIW-02	10/20/15							N/A	(HES Installed)
GIW-02	10/21/15							N/A	(HES Installed)
GIW-02	10/22/15							N/A	(HES Installed)
GIW-02	10/23/15							N/A	(HES Installed)
GIW-02	10/24/15							N/A	(HES Installed)
GIW-02	10/25/15							N/A	(HES Installed)
GIW-02	10/26/15							N/A	(HES Installed)
GIW-02	10/27/15							N/A	(HES Installed)
GIW-02	10/28/15							N/A	(HES Installed)
GIW-02	10/29/15							N/A	(HES Installed)
GIW-02	10/30/15	9.5	60.0	0.2	30.3	65.3	-3.34	N/A	(HES Installed)
GIW-02	10/31/15							N/A	(HES Installed)
GIW-02	11/01/15							N/A	(HES Installed)
GIW-02	11/02/15							N/A	(HES Installed)
GIW-02	11/03/15							N/A	(HES Installed)
GIW-02	11/04/15	5.3	23.8	11.8	59.1	72.1	-3.48	N/A	(HES Installed)
GIW-02	11/05/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	11/06/15							N/A	(HES Installed)
GIW-02	11/07/15							N/A	(HES Installed)
GIW-02	11/08/15							N/A	(HES Installed)
GIW-02	11/09/15							N/A	(HES Installed)
GIW-02	11/10/15							N/A	(HES Installed)
GIW-02	11/11/15							N/A	(HES Installed)
GIW-02	11/12/15							N/A	(HES Installed)
GIW-02	11/13/15	5.2	21.8	12.4	60.6	67.7	-3.17	N/A	(HES Installed)
GIW-02	11/14/15							N/A	(HES Installed)
GIW-02	11/15/15							N/A	(HES Installed)
GIW-02	11/16/15							N/A	(HES Installed)
GIW-02	11/17/15							N/A	(HES Installed)
GIW-02	11/18/15							N/A	(HES Installed)
GIW-02	11/19/15							N/A	(HES Installed)
GIW-02	11/20/15	6.6	31.5	6.7	55.2	61.0	-4.52	N/A	(HES Installed)
GIW-02	11/21/15							N/A	(HES Installed)
GIW-02	11/22/15							N/A	(HES Installed)
GIW-02	11/23/15	5.0	22.8	11.4	60.8	76.8	-3.61	N/A	(HES Installed)
GIW-02	11/24/15							N/A	(HES Installed)
GIW-02	11/25/15							N/A	(HES Installed)
GIW-02	11/26/15							N/A	(HES Installed)
GIW-02	11/27/15							N/A	(HES Installed)
GIW-02	11/28/15							N/A	(HES Installed)
GIW-02	11/29/15							N/A	(HES Installed)
GIW-02	11/30/15							N/A	(HES Installed)
GIW-02	12/01/15	6.1	31.3	9.5	53.1	63.1	-2.25	N/A	(HES Installed)
GIW-02	12/02/15							N/A	(HES Installed)
GIW-02	12/03/15							N/A	(HES Installed)
GIW-02	12/04/15							N/A	(HES Installed)
GIW-02	12/05/15							N/A	(HES Installed)
GIW-02	12/06/15							N/A	(HES Installed)
GIW-02	12/07/15							N/A	(HES Installed)
GIW-02	12/08/15							N/A	(HES Installed)
GIW-02	12/09/15							N/A	(HES Installed)
GIW-02	12/10/15	7.0	36.7	7.9	48.4	51.0	-8.70	N/A	(HES Installed)
GIW-02	12/11/15							N/A	(HES Installed)
GIW-02	12/12/15							N/A	(HES Installed)
GIW-02	12/13/15							N/A	(HES Installed)
GIW-02	12/14/15							N/A	(HES Installed)
GIW-02	12/15/15	5.1	24.0	11.0	59.9	63.5	-9.09	N/A	(HES Installed)
GIW-02	12/16/15							N/A	(HES Installed)
GIW-02	12/17/15							N/A	(HES Installed)
GIW-02	12/18/15							N/A	(HES Installed)
GIW-02	12/19/15							N/A	(HES Installed)
GIW-02	12/20/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	12/21/15							N/A	(HES Installed)
GIW-02	12/22/15							N/A	(HES Installed)
GIW-02	12/23/15	0.0	11.2	19.2	69.6	60.9	-0.23	N/A	(HES Installed)
GIW-02	12/24/15							N/A	(HES Installed)
GIW-02	12/25/15							N/A	(HES Installed)
GIW-02	12/26/15							N/A	(HES Installed)
GIW-02	12/27/15							N/A	(HES Installed)
GIW-02	12/28/15							N/A	(HES Installed)
GIW-02	12/29/15							N/A	(HES Installed)
GIW-02	12/30/15							N/A	(HES Installed)
GIW-02	12/31/15	0.4	58.4	1.2	40.0	31.3	-0.47	N/A	(HES Installed)
GIW-02	01/01/16							N/A	(HES Installed)
GIW-02	01/02/16							N/A	(HES Installed)
GIW-02	01/03/16							N/A	(HES Installed)
GIW-02	01/04/16							N/A	(HES Installed)
GIW-02	01/05/16	0.3	43.7	7.4	48.6	54.3	-1.11	N/A	(HES Installed)
GIW-02	01/06/16							N/A	(HES Installed)
GIW-02	01/07/16							N/A	(HES Installed)
GIW-02	01/08/16							N/A	(HES Installed)
GIW-02	01/09/16							N/A	(HES Installed)
GIW-02	01/10/16							N/A	(HES Installed)
GIW-02	01/11/16							N/A	(HES Installed)
GIW-02	01/12/16							N/A	(HES Installed)
GIW-02	01/13/16							N/A	(HES Installed)
GIW-02	01/14/16	1.0	59.5	3.5	36.0	75.5	-3.13	N/A	(HES Installed)
GIW-02	01/15/16							N/A	(HES Installed)
GIW-02	01/16/16							N/A	(HES Installed)
GIW-02	01/17/16							N/A	(HES Installed)
GIW-02	01/18/16							N/A	(HES Installed)
GIW-02	01/19/16							N/A	(HES Installed)
GIW-02	01/20/16							N/A	(HES Installed)
GIW-02	01/21/16	0.0	20.8	20.7	58.5	26.7	-0.80	N/A	(HES Installed)
GIW-02	01/22/16							N/A	(HES Installed)

GIW-2 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Adj. Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-03	09/22/15	6.6	55.6	2.6	35.2	93.2	-0.65	N/A	(HES Installed)
GIW-03	09/23/15							N/A	(HES Installed)
GIW-03	09/24/15							N/A	(HES Installed)
GIW-03	09/25/15							N/A	(HES Installed)
GIW-03	09/26/15							N/A	(HES Installed)
GIW-03	09/27/15							N/A	(HES Installed)
GIW-03	09/28/15							N/A	(HES Installed)
GIW-03	09/29/15							N/A	(HES Installed)
GIW-03	09/30/15							N/A	(HES Installed)
GIW-03	10/01/15							N/A	(HES Installed)
GIW-03	10/02/15	0.5	51.4	2.9	45.2	56.0	-0.22	N/A	(HES Installed)
GIW-03	10/03/15							N/A	(HES Installed)
GIW-03	10/04/15							N/A	(HES Installed)
GIW-03	10/05/15							N/A	(HES Installed)
GIW-03	10/06/15	0.3	40.8	7.9	51.0	75.2	-2.88	N/A	(HES Installed)
GIW-03	10/07/15							N/A	(HES Installed)
GIW-03	10/08/15							N/A	(HES Installed)
GIW-03	10/09/15							N/A	(HES Installed)
GIW-03	10/10/15							N/A	(HES Installed)
GIW-03	10/11/15							N/A	(HES Installed)
GIW-03	10/12/15							N/A	(HES Installed)
GIW-03	10/13/15							N/A	(HES Installed)
GIW-03	10/14/15	0.2	42.7	7.3	49.8	88.7	-1.83	N/A	(HES Installed)
GIW-03	10/15/15							N/A	(HES Installed)
GIW-03	10/16/15							N/A	(HES Installed)
GIW-03	10/17/15							N/A	(HES Installed)
GIW-03	10/18/15							N/A	(HES Installed)
GIW-03	10/19/15	0.4	44.5	6.7	48.4	83.8	-1.73	N/A	(HES Installed)
GIW-03	10/20/15							N/A	(HES Installed)
GIW-03	10/21/15							N/A	(HES Installed)
GIW-03	10/22/15							N/A	(HES Installed)
GIW-03	10/23/15							N/A	(HES Installed)
GIW-03	10/24/15							N/A	(HES Installed)
GIW-03	10/25/15							N/A	(HES Installed)
GIW-03	10/26/15							N/A	(HES Installed)
GIW-03	10/27/15							N/A	(HES Installed)
GIW-03	10/28/15							N/A	(HES Installed)
GIW-03	10/29/15							N/A	(HES Installed)
GIW-03	10/30/15	0.3	43.5	6.8	49.4	65.1	-2.12	N/A	(HES Installed)
GIW-03	10/31/15							N/A	(HES Installed)
GIW-03	11/01/15							N/A	(HES Installed)
GIW-03	11/02/15							N/A	(HES Installed)
GIW-03	11/03/15							N/A	(HES Installed)
GIW-03	11/04/15	0.3	45.9	7.3	46.5	66.1	-1.78	N/A	(HES Installed)
GIW-03	11/05/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Adj. Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-03	11/06/15							N/A	(HES Installed)
GIW-03	11/07/15							N/A	(HES Installed)
GIW-03	11/08/15							N/A	(HES Installed)
GIW-03	11/09/15							N/A	(HES Installed)
GIW-03	11/10/15							N/A	(HES Installed)
GIW-03	11/11/15							N/A	(HES Installed)
GIW-03	11/12/15							N/A	(HES Installed)
GIW-03	11/13/15	0.2	41.1	8.2	50.5	68.5	-2.28	N/A	(HES Installed)
GIW-03	11/14/15							N/A	(HES Installed)
GIW-03	11/15/15							N/A	(HES Installed)
GIW-03	11/16/15							N/A	(HES Installed)
GIW-03	11/17/15							N/A	(HES Installed)
GIW-03	11/18/15							N/A	(HES Installed)
GIW-03	11/19/15							N/A	(HES Installed)
GIW-03	11/20/15	0.3	44.3	7.0	48.4	60.6	-1.33	N/A	(HES Installed)
GIW-03	11/21/15							N/A	(HES Installed)
GIW-03	11/22/15							N/A	(HES Installed)
GIW-03	11/23/15	0.2	38.4	10.2	51.2	74.8	-4.54	N/A	(HES Installed)
GIW-03	11/24/15							N/A	(HES Installed)
GIW-03	11/25/15							N/A	(HES Installed)
GIW-03	11/26/15							N/A	(HES Installed)
GIW-03	11/27/15							N/A	(HES Installed)
GIW-03	11/28/15							N/A	(HES Installed)
GIW-03	11/29/15							N/A	(HES Installed)
GIW-03	11/30/15							N/A	(HES Installed)
GIW-03	12/01/15	0.3	49.2	6.6	43.9	63.5	-1.90	N/A	(HES Installed)
GIW-03	12/02/15							N/A	(HES Installed)
GIW-03	12/03/15							N/A	(HES Installed)
GIW-03	12/04/15							N/A	(HES Installed)
GIW-03	12/05/15							N/A	(HES Installed)
GIW-03	12/06/15							N/A	(HES Installed)
GIW-03	12/07/15							N/A	(HES Installed)
GIW-03	12/08/15							N/A	(HES Installed)
GIW-03	12/09/15							N/A	(HES Installed)
GIW-03	12/10/15	0.2	24.5	14.0	61.3	52.0	-11.00	N/A	(HES Installed)
GIW-03	12/11/15							N/A	(HES Installed)
GIW-03	12/12/15							N/A	(HES Installed)
GIW-03	12/13/15							N/A	(HES Installed)
GIW-03	12/14/15							N/A	(HES Installed)
GIW-03	12/15/15	0.1	26.2	12.7	61.0	48.9	-8.60	N/A	(HES Installed)
GIW-03	12/16/15							N/A	(HES Installed)
GIW-03	12/17/15							N/A	(HES Installed)
GIW-03	12/18/15							N/A	(HES Installed)
GIW-03	12/19/15							N/A	(HES Installed)
GIW-03	12/20/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Adj. Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-03	12/21/15							N/A	(HES Installed)
GIW-03	12/22/15							N/A	(HES Installed)
GIW-04	12/23/15	0.5	42.3	6.9	50.3	59.9	-5.74	N/A	(HES Installed)
GIW-03	12/24/15							N/A	(HES Installed)
GIW-03	12/25/15							N/A	(HES Installed)
GIW-03	12/26/15							N/A	(HES Installed)
GIW-03	12/27/15							N/A	(HES Installed)
GIW-03	12/28/15							N/A	(HES Installed)
GIW-03	12/29/15							N/A	(HES Installed)
GIW-03	12/30/15							N/A	(HES Installed)
GIW-03	12/31/15	0.4	54.0	0.7	44.9	31.3	-0.02	N/A	(HES Installed)
GIW-03	01/01/16							N/A	(HES Installed)
GIW-03	01/02/16							N/A	(HES Installed)
GIW-03	01/03/16							N/A	(HES Installed)
GIW-03	01/04/16							N/A	(HES Installed)
GIW-03	01/05/16	0.4	29.1	8.6	61.9	51.2	-1.15	N/A	(HES Installed)
GIW-03	01/06/16							N/A	(HES Installed)
GIW-03	01/07/16							N/A	(HES Installed)
GIW-03	01/08/16							N/A	(HES Installed)
GIW-03	01/09/16							N/A	(HES Installed)
GIW-03	01/10/16							N/A	(HES Installed)
GIW-03	01/11/16							N/A	(HES Installed)
GIW-03	01/12/16							N/A	(HES Installed)
GIW-03	01/13/16							N/A	(HES Installed)
GIW-03	01/14/16	1.1	64.5	0.0	34.4	75.2	-0.65	N/A	(HES Installed)
GIW-03	01/15/16							N/A	(HES Installed)
GIW-03	01/16/16							N/A	(HES Installed)
GIW-03	01/17/16							N/A	(HES Installed)
GIW-03	01/18/16							N/A	(HES Installed)
GIW-03	01/19/16							N/A	(HES Installed)
GIW-03	01/20/16							N/A	(HES Installed)
GIW-03	01/21/16	0.4	46.4	6.5	46.7	28.0	-1.94	N/A	(HES Installed)
GIW-03	01/22/16							N/A	(HES Installed)

GIW-3 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	09/22/15	0.3	23.4	18.0	58.3	88.9	-1.17	N/A	(HES Installed)
GIW-04	09/23/15							N/A	(HES Installed)
GIW-04	09/24/15							N/A	(HES Installed)
GIW-04	09/25/15							N/A	(HES Installed)
GIW-04	09/26/15							N/A	(HES Installed)
GIW-04	09/27/15							N/A	(HES Installed)
GIW-04	09/28/15							N/A	(HES Installed)
GIW-04	09/29/15							N/A	(HES Installed)
GIW-04	09/30/15							N/A	(HES Installed)
GIW-04	10/01/15							N/A	(HES Installed)
GIW-04	10/02/15	1.4	52.3	0.2	46.1	55.2	-3.62	N/A	(HES Installed)
GIW-04	10/03/15							N/A	(HES Installed)
GIW-04	10/04/15							N/A	(HES Installed)
GIW-04	10/05/15							N/A	(HES Installed)
GIW-04	10/06/15	0.7	39.2	7.6	52.5	74.1	-24.36	N/A	(HES Installed)
GIW-04	10/07/15							N/A	(HES Installed)
GIW-04	10/08/15							N/A	(HES Installed)
GIW-04	10/09/15							N/A	(HES Installed)
GIW-04	10/10/15							N/A	(HES Installed)
GIW-04	10/11/15							N/A	(HES Installed)
GIW-04	10/12/15							N/A	(HES Installed)
GIW-04	10/13/15							N/A	(HES Installed)
GIW-04	10/14/15	0.5	40.1	5.7	53.7	90.9	-15.14	N/A	(HES Installed)
GIW-04	10/15/15							N/A	(HES Installed)
GIW-04	10/16/15							N/A	(HES Installed)
GIW-04	10/17/15							N/A	(HES Installed)
GIW-04	10/18/15							N/A	(HES Installed)
GIW-04	10/19/15	0.8	41.6	4.9	52.7	84.5	-13.13	N/A	(HES Installed)
GIW-04	10/20/15							N/A	(HES Installed)
GIW-04	10/21/15							N/A	(HES Installed)
GIW-04	10/22/15							N/A	(HES Installed)
GIW-04	10/23/15							N/A	(HES Installed)
GIW-04	10/24/15							N/A	(HES Installed)
GIW-04	10/25/15							N/A	(HES Installed)
GIW-04	10/26/15							N/A	(HES Installed)
GIW-04	10/27/15							N/A	(HES Installed)
GIW-04	10/28/15							N/A	(HES Installed)
GIW-04	10/29/15							N/A	(HES Installed)
GIW-04	10/30/15	0.6	43.4	3.9	52.1	63.6	-17.56	N/A	(HES Installed)
GIW-04	10/31/15							N/A	(HES Installed)
GIW-04	11/01/15							N/A	(HES Installed)
GIW-04	11/02/15							N/A	(HES Installed)
GIW-04	11/03/15							N/A	(HES Installed)
GIW-04	11/04/15	0.7	44.0	5.5	49.8	65.6	-16.18	N/A	(HES Installed)
GIW-04	11/05/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	11/06/15							N/A	(HES Installed)
GIW-04	11/07/15							N/A	(HES Installed)
GIW-04	11/08/15							N/A	(HES Installed)
GIW-04	11/09/15							N/A	(HES Installed)
GIW-04	11/10/15							N/A	(HES Installed)
GIW-04	11/11/15							N/A	(HES Installed)
GIW-04	11/12/15							N/A	(HES Installed)
GIW-04	11/13/15	0.4	37.0	7.2	55.4	68.2	-14.63	N/A	(HES Installed)
GIW-04	11/14/15							N/A	(HES Installed)
GIW-04	11/15/15							N/A	(HES Installed)
GIW-04	11/16/15							N/A	(HES Installed)
GIW-04	11/17/15							N/A	(HES Installed)
GIW-04	11/18/15							N/A	(HES Installed)
GIW-04	11/19/15							N/A	(HES Installed)
GIW-04	11/20/15	0.6	41.8	5.6	52.0	57.5	-12.39	N/A	(HES Installed)
GIW-04	11/21/15							N/A	(HES Installed)
GIW-04	11/22/15							N/A	(HES Installed)
GIW-04	11/23/15	0.6	48.2	3.7	47.5	71.2	-15.08	N/A	(HES Installed)
GIW-04	11/24/15							N/A	(HES Installed)
GIW-04	11/25/15							N/A	(HES Installed)
GIW-04	11/26/15							N/A	(HES Installed)
GIW-04	11/27/15							N/A	(HES Installed)
GIW-04	11/28/15							N/A	(HES Installed)
GIW-04	11/29/15							N/A	(HES Installed)
GIW-04	11/30/15							N/A	(HES Installed)
GIW-04	12/01/15	0.8	52.3	0.3	46.6	61.9	-2.94	N/A	(HES Installed)
GIW-04	12/02/15							N/A	(HES Installed)
GIW-04	12/03/15							N/A	(HES Installed)
GIW-04	12/04/15							N/A	(HES Installed)
GIW-04	12/05/15							N/A	(HES Installed)
GIW-04	12/06/15							N/A	(HES Installed)
GIW-04	12/07/15							N/A	(HES Installed)
GIW-04	12/08/15							N/A	(HES Installed)
GIW-04	12/09/15							N/A	(HES Installed)
GIW-04	12/10/15	0.2	12.9	16.6	70.3	55.0	-11.00	N/A	(HES Installed)
GIW-04	12/11/15							N/A	(HES Installed)
GIW-04	12/12/15							N/A	(HES Installed)
GIW-04	12/13/15							N/A	(HES Installed)
GIW-04	12/14/15	0.5	31.3	7.8	60.4	48.5	-10.61	N/A	(HES Installed)
GIW-04	12/15/15							N/A	(HES Installed)
GIW-04	12/16/15							N/A	(HES Installed)
GIW-04	12/17/15							N/A	(HES Installed)
GIW-04	12/18/15							N/A	(HES Installed)
GIW-04	12/19/15							N/A	(HES Installed)
GIW-04	12/20/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	12/21/15							N/A	(HES Installed)
GIW-04	12/22/15							N/A	(HES Installed)
GIW-04	12/23/15	0.5	42.3	6.9	50.3	59.9	-5.74	N/A	(HES Installed)
GIW-04	12/24/15							N/A	(HES Installed)
GIW-04	12/25/15							N/A	(HES Installed)
GIW-04	12/26/15							N/A	(HES Installed)
GIW-04	12/27/15							N/A	(HES Installed)
GIW-04	12/28/15							N/A	(HES Installed)
GIW-04	12/29/15							N/A	(HES Installed)
GIW-04	12/30/15							N/A	(HES Installed)
GIW-04	12/31/15	0.1	8.0	19.4	72.5	30.9	-3.58	N/A	(HES Installed)
GIW-04	01/01/16							N/A	(HES Installed)
GIW-04	01/02/16							N/A	(HES Installed)
GIW-04	01/03/16							N/A	(HES Installed)
GIW-04	01/04/16							N/A	(HES Installed)
GIW-04	01/05/16	0.2	18.8	18.1	62.9	50.6	-4.14	N/A	(HES Installed)
GIW-04	01/06/16							N/A	(HES Installed)
GIW-04	01/07/16							N/A	(HES Installed)
GIW-04	01/08/16							N/A	(HES Installed)
GIW-04	01/09/16							N/A	(HES Installed)
GIW-04	01/10/16							N/A	(HES Installed)
GIW-04	01/11/16							N/A	(HES Installed)
GIW-04	01/12/16							N/A	(HES Installed)
GIW-04	01/13/16							N/A	(HES Installed)
GIW-04	01/14/16	0.2	8.3	17.4	74.1	72.3	-3.98	N/A	(HES Installed)
GIW-04	01/15/16							N/A	(HES Installed)
GIW-04	01/16/16							N/A	(HES Installed)
GIW-04	01/17/16							N/A	(HES Installed)
GIW-04	01/18/16							N/A	(HES Installed)
GIW-04	01/19/16							N/A	(HES Installed)
GIW-04	01/20/16							N/A	(HES Installed)
GIW-04	01/21/16	0.6	14.0	20.8	64.6	23.1	-4.27	N/A	(HES Installed)
GIW-04	01/22/16							N/A	(HES Installed)

GIW-4 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-05	09/22/15	3.5	40.5	9.7	46.3	93.8	-21.55	N/A	(HES Installed)
GIW-05	09/23/15							N/A	(HES Installed)
GIW-05	09/24/15							N/A	(HES Installed)
GIW-05	09/25/15							N/A	(HES Installed)
GIW-05	09/26/15							N/A	(HES Installed)
GIW-05	09/27/15							N/A	(HES Installed)
GIW-05	09/28/15							N/A	(HES Installed)
GIW-05	09/29/15							N/A	(HES Installed)
GIW-05	09/30/15							N/A	(HES Installed)
GIW-05	10/01/15							N/A	(HES Installed)
GIW-05	10/02/15	2.6	40.4	7.5	49.5	55.7	-16.65	N/A	(HES Installed)
GIW-05	10/03/15							N/A	(HES Installed)
GIW-05	10/04/15							N/A	(HES Installed)
GIW-05	10/05/15							N/A	(HES Installed)
GIW-05	10/06/15	2.6	35.9	9.3	52.2	77.1	-23.84	N/A	(HES Installed)
GIW-05	10/07/15							N/A	(HES Installed)
GIW-05	10/08/15							N/A	(HES Installed)
GIW-05	10/09/15							N/A	(HES Installed)
GIW-05	10/10/15							N/A	(HES Installed)
GIW-05	10/11/15							N/A	(HES Installed)
GIW-05	10/12/15							N/A	(HES Installed)
GIW-05	10/13/15							N/A	(HES Installed)
GIW-05	10/14/15	3.5	34.5	10.1	51.9	88.7	-14.65	N/A	(HES Installed)
GIW-05	10/15/15							N/A	(HES Installed)
GIW-05	10/16/15							N/A	(HES Installed)
GIW-05	10/17/15							N/A	(HES Installed)
GIW-05	10/18/15							N/A	(HES Installed)
GIW-05	10/19/15	2.1	34.8	9.1	54.0	86.1	-10.62	N/A	(HES Installed)
GIW-05	10/20/15							N/A	(HES Installed)
GIW-05	10/21/15							N/A	(HES Installed)
GIW-05	10/22/15							N/A	(HES Installed)
GIW-05	10/23/15							N/A	(HES Installed)
GIW-05	10/24/15							N/A	(HES Installed)
GIW-05	10/25/15							N/A	(HES Installed)
GIW-05	10/26/15							N/A	(HES Installed)
GIW-05	10/27/15							N/A	(HES Installed)
GIW-05	10/28/15							N/A	(HES Installed)
GIW-05	10/29/15							N/A	(HES Installed)
GIW-05	10/30/15	4.2	47.2	4.5	44.1	64.1	-15.12	N/A	(HES Installed)
GIW-05	10/31/15							N/A	(HES Installed)
GIW-05	11/01/15							N/A	(HES Installed)
GIW-05	11/02/15							N/A	(HES Installed)
GIW-05	11/03/15							N/A	(HES Installed)
GIW-05	11/04/15							N/A	(HES Installed)
GIW-05	11/05/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-05	11/06/15							N/A	(HES Installed)
GIW-05	11/07/15							N/A	(HES Installed)
GIW-05	11/08/15							N/A	(HES Installed)
GIW-05	11/09/15							N/A	(HES Installed)
GIW-05	11/10/15							N/A	(HES Installed)
GIW-05	11/11/15							N/A	(HES Installed)
GIW-05	11/12/15							N/A	(HES Installed)
GIW-05	11/13/15	3.3	55.8	0.2	40.7	60.1	-7.93	N/A	(HES Installed)
GIW-05	11/14/15							N/A	(HES Installed)
GIW-05	11/15/15							N/A	(HES Installed)
GIW-05	11/16/15							N/A	(HES Installed)
GIW-05	11/17/15							N/A	(HES Installed)
GIW-05	11/18/15							N/A	(HES Installed)
GIW-05	11/19/15	4.1	55.4	1.9	38.6	61.8	-11.66	N/A	(HES Installed)
GIW-05	11/20/15							N/A	(HES Installed)
GIW-05	11/21/15							N/A	(HES Installed)
GIW-05	11/22/15							N/A	(HES Installed)
GIW-05	11/23/15	2.4	52.9	4.4	40.3	50.0	-2.10	N/A	(HES Installed)
GIW-05	11/24/15							N/A	(HES Installed)
GIW-05	11/25/15							N/A	(HES Installed)
GIW-05	11/26/15							N/A	(HES Installed)
GIW-05	11/27/15							N/A	(HES Installed)
GIW-05	11/28/15							N/A	(HES Installed)
GIW-05	11/29/15							N/A	(HES Installed)
GIW-05	11/30/15							N/A	(HES Installed)
GIW-05	12/01/15	3.8	67.2	0.0	29.0	40.0	-0.40	N/A	(HES Installed)
GIW-05	12/02/15							N/A	(HES Installed)
GIW-05	12/03/15							N/A	(HES Installed)
GIW-05	12/04/15							N/A	(HES Installed)
GIW-05	12/05/15							N/A	(HES Installed)
GIW-05	12/06/15							N/A	(HES Installed)
GIW-05	12/07/15							N/A	(HES Installed)
GIW-05	12/08/15							N/A	(HES Installed)
GIW-05	12/09/15	2.8	58.9	1.6	36.7	50.0	-4.40	N/A	(HES Installed)
GIW-05	12/10/15							N/A	(HES Installed)
GIW-05	12/11/15							N/A	(HES Installed)
GIW-05	12/12/15							N/A	(HES Installed)
GIW-05	12/13/15							N/A	(HES Installed)
GIW-05	12/14/15	2.6	55.2	1.2	41.0	47.6	-7.99	N/A	(HES Installed)
GIW-05	12/15/15							N/A	(HES Installed)
GIW-05	12/16/15							N/A	(HES Installed)
GIW-05	12/17/15							N/A	(HES Installed)
GIW-05	12/18/15							N/A	(HES Installed)
GIW-05	12/19/15							N/A	(HES Installed)
GIW-05	12/20/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-05	12/21/15							N/A	(HES Installed)
GIW-05	12/22/15							N/A	(HES Installed)
GIW-05	12/23/15	2.7	55.9	0.9	40.5	59.3	-7.68	N/A	(HES Installed)
GIW-05	12/24/15							N/A	(HES Installed)
GIW-05	12/25/15							N/A	(HES Installed)
GIW-05	12/26/15							N/A	(HES Installed)
GIW-05	12/27/15							N/A	(HES Installed)
GIW-05	12/28/15							N/A	(HES Installed)
GIW-05	12/29/15	2.4	55.5	1.4	40.7	32.9	-0.49	N/A	(HES Installed)
GIW-05	12/30/15							N/A	(HES Installed)
GIW-05	12/31/15							N/A	(HES Installed)
GIW-05	01/01/16							N/A	(HES Installed)
GIW-05	01/02/16							N/A	(HES Installed)
GIW-05	01/03/16							N/A	(HES Installed)
GIW-05	01/04/16							N/A	(HES Installed)
GIW-05	01/05/16	2.5	61.3	0.0	36.2	55.8	8.42	N/A	(HES Installed)
GIW-05	01/06/16							N/A	(HES Installed)
GIW-05	01/07/16							N/A	(HES Installed)
GIW-05	01/08/16							N/A	(HES Installed)
GIW-05	01/09/16							N/A	(HES Installed)
GIW-05	01/10/16							N/A	(HES Installed)
GIW-05	01/11/16	9.5	35.3	3.6	51.6	43.1	-15.75	N/A	(HES Installed)
GIW-05	01/12/16							N/A	(HES Installed)
GIW-05	01/13/16							N/A	(HES Installed)
GIW-05	01/14/16							N/A	(HES Installed)
GIW-05	01/15/16							N/A	(HES Installed)
GIW-05	01/16/16							N/A	(HES Installed)
GIW-05	01/17/16							N/A	(HES Installed)
GIW-05	01/18/16							N/A	(HES Installed)
GIW-05	01/19/16							N/A	(HES Installed)
GIW-05	01/20/16							N/A	(HES Installed)
GIW-05	01/21/16	2.5	59.1	0.0	38.4	25.7	-8.90	N/A	(HES Installed)
GIW-05	01/22/16							N/A	(HES Installed)

GIW-5 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-06	09/22/15	1.3	56.4	1.5	40.8	91.5	-22.34	N/A	(HES Installed)
GIW-06	09/23/15							N/A	(HES Installed)
GIW-06	09/24/15							N/A	(HES Installed)
GIW-06	09/25/15							N/A	(HES Installed)
GIW-06	09/26/15							N/A	(HES Installed)
GIW-06	09/27/15							N/A	(HES Installed)
GIW-06	09/28/15							N/A	(HES Installed)
GIW-06	09/29/15							N/A	(HES Installed)
GIW-06	09/30/15							N/A	(HES Installed)
GIW-06	10/01/15							N/A	(HES Installed)
GIW-06	10/02/15	2.1	51.7	1.2	45.0	55.6	-16.18	N/A	(HES Installed)
GIW-06	10/03/15							N/A	(HES Installed)
GIW-06	10/04/15							N/A	(HES Installed)
GIW-06	10/05/15							N/A	(HES Installed)
GIW-06	10/06/15	2.3	49.5	2.3	45.9	74.8	-24.30	N/A	(HES Installed)
GIW-06	10/07/15							N/A	(HES Installed)
GIW-06	10/08/15							N/A	(HES Installed)
GIW-06	10/09/15							N/A	(HES Installed)
GIW-06	10/10/15							N/A	(HES Installed)
GIW-06	10/11/15							N/A	(HES Installed)
GIW-06	10/12/15							N/A	(HES Installed)
GIW-06	10/13/15							N/A	(HES Installed)
GIW-06	10/14/15	1.2	61.0	0.8	37.0	86.8	-15.63	N/A	(HES Installed)
GIW-06	10/15/15							N/A	(HES Installed)
GIW-06	10/16/15							N/A	(HES Installed)
GIW-06	10/17/15							N/A	(HES Installed)
GIW-06	10/18/15							N/A	(HES Installed)
GIW-06	10/19/15	1.5	59.6	0.9	38.0	82.8	-13.61	N/A	(HES Installed)
GIW-06	10/20/15							N/A	(HES Installed)
GIW-06	10/21/15							N/A	(HES Installed)
GIW-06	10/22/15							N/A	(HES Installed)
GIW-06	10/23/15							N/A	(HES Installed)
GIW-06	10/24/15							N/A	(HES Installed)
GIW-06	10/25/15							N/A	(HES Installed)
GIW-06	10/26/15							N/A	(HES Installed)
GIW-06	10/27/15							N/A	(HES Installed)
GIW-06	10/28/15							N/A	(HES Installed)
GIW-06	10/29/15							N/A	(HES Installed)
GIW-06	10/30/15	1.4	57.6	0.5	40.5	63.5	-16.77	N/A	(HES Installed)
GIW-06	10/31/15							N/A	(HES Installed)
GIW-06	11/01/15							N/A	(HES Installed)
GIW-06	11/02/15							N/A	(HES Installed)
GIW-06	11/03/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-06	11/04/15	1.2	63.9	0.4	34.5	64.6	-15.14	N/A	(HES Installed)
GIW-06	11/05/15							N/A	(HES Installed)
GIW-06	11/06/15							N/A	(HES Installed)
GIW-06	11/07/15							N/A	(HES Installed)
GIW-06	11/08/15							N/A	(HES Installed)
GIW-06	11/09/15							N/A	(HES Installed)
GIW-06	11/10/15							N/A	(HES Installed)
GIW-06	11/11/15							N/A	(HES Installed)
GIW-06	11/12/15							N/A	(HES Installed)
GIW-06	11/13/15	1.2	56.7	1.0	41.1	65.1	-14.09	N/A	(HES Installed)
GIW-06	11/14/15							N/A	(HES Installed)
GIW-06	11/15/15							N/A	(HES Installed)
GIW-06	11/16/15							N/A	(HES Installed)
GIW-06	11/17/15							N/A	(HES Installed)
GIW-06	11/18/15							N/A	(HES Installed)
GIW-06	11/19/15							N/A	(HES Installed)
GIW-06	11/20/15	1.1	60.7	0.6	37.6	59.4	-11.36	N/A	(HES Installed)
GIW-06	11/21/15							N/A	(HES Installed)
GIW-06	11/22/15							N/A	(HES Installed)
GIW-06	11/23/15	1.2	60.2	0.3	38.3	72.2	-15.51	N/A	(HES Installed)
GIW-06	11/24/15							N/A	(HES Installed)
GIW-06	11/25/15							N/A	(HES Installed)
GIW-06	11/26/15							N/A	(HES Installed)
GIW-06	11/27/15							N/A	(HES Installed)
GIW-06	11/28/15							N/A	(HES Installed)
GIW-06	11/29/15							N/A	(HES Installed)
GIW-06	11/30/15							N/A	(HES Installed)
GIW-06	12/01/15	1.1	60.4	0.1	38.4	60.5	-3.00	N/A	(HES Installed)
GIW-06	12/02/15							N/A	(HES Installed)
GIW-06	12/03/15							N/A	(HES Installed)
GIW-06	12/04/15							N/A	(HES Installed)
GIW-06	12/05/15							N/A	(HES Installed)
GIW-06	12/06/15							N/A	(HES Installed)
GIW-06	12/07/15							N/A	(HES Installed)
GIW-06	12/08/15							N/A	(HES Installed)
GIW-06	12/09/15							N/A	(HES Installed)
GIW-06	12/10/15	1.3	68.0	0.1	30.6	50.0	-10.30	N/A	(HES Installed)
GIW-06	12/11/15							N/A	(HES Installed)
GIW-06	12/12/15							N/A	(HES Installed)
GIW-06	12/13/15							N/A	(HES Installed)
GIW-06	12/14/15							N/A	(HES Installed)
GIW-06	12/15/15	1.3	59.7	0.2	38.8	48.9	-4.17	N/A	(HES Installed)
GIW-06	12/16/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-06	12/17/15							N/A	(HES Installed)
GIW-06	12/18/15							N/A	(HES Installed)
GIW-06	12/19/15							N/A	(HES Installed)
GIW-06	12/20/15							N/A	(HES Installed)
GIW-06	12/21/15							N/A	(HES Installed)
GIW-06	12/22/15							N/A	(HES Installed)
GIW-06	12/23/15	1.5	61.7	0.1	36.7	58.2	-10.62	N/A	(HES Installed)
GIW-06	12/24/15							N/A	(HES Installed)
GIW-06	12/25/15							N/A	(HES Installed)
GIW-06	12/26/15							N/A	(HES Installed)
GIW-06	12/27/15							N/A	(HES Installed)
GIW-06	12/28/15							N/A	(HES Installed)
GIW-06	12/29/15							N/A	(HES Installed)
GIW-06	12/30/15							N/A	(HES Installed)
GIW-06	12/31/15	1.2	60.2	0.5	38.1	30.2	-15.08	N/A	(HES Installed)
GIW-06	01/01/16							N/A	(HES Installed)
GIW-06	01/02/16							N/A	(HES Installed)
GIW-06	01/03/16							N/A	(HES Installed)
GIW-06	01/04/16							N/A	(HES Installed)
GIW-06	01/05/16	1.1	33.3	1.1	64.5	47.3	-15.51	N/A	(HES Installed)
GIW-06	01/06/16							N/A	(HES Installed)
GIW-06	01/07/16							N/A	(HES Installed)
GIW-06	01/08/16							N/A	(HES Installed)
GIW-06	01/09/16							N/A	(HES Installed)
GIW-06	01/10/16							N/A	(HES Installed)
GIW-06	01/11/16							N/A	(HES Installed)
GIW-06	01/12/16							N/A	(HES Installed)
GIW-06	01/13/16							N/A	(HES Installed)
GIW-06	01/14/16	3.3	57.7	2.1	36.9	73.6	-14.10	N/A	(HES Installed)
GIW-06	01/15/16							N/A	(HES Installed)
GIW-06	01/16/16							N/A	(HES Installed)
GIW-06	01/17/16							N/A	(HES Installed)
GIW-06	01/18/16							N/A	(HES Installed)
GIW-06	01/19/16							N/A	(HES Installed)
GIW-06	01/20/16							N/A	(HES Installed)
GIW-06	01/21/16	5.9	52.3	0.0	41.8	26.3	-0.07	N/A	(HES Installed)
GIW-06	01/22/16							N/A	(HES Installed)

GIW-6 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-07	09/22/15	25.3	50.2	3.1	21.4	94.7	-23.93	N/A	(HES Installed)
GIW-07	09/23/15							N/A	(HES Installed)
GIW-07	09/24/15							N/A	(HES Installed)
GIW-07	09/25/15							N/A	(HES Installed)
GIW-07	09/26/15							N/A	(HES Installed)
GIW-07	09/27/15							N/A	(HES Installed)
GIW-07	09/28/15							N/A	(HES Installed)
GIW-07	09/29/15							N/A	(HES Installed)
GIW-07	09/30/15							N/A	(HES Installed)
GIW-07	10/01/15							N/A	(HES Installed)
GIW-07	10/02/15	4.7	52.6	0.3	42.4	55.9	-8.42	N/A	(HES Installed)
GIW-07	10/03/15							N/A	(HES Installed)
GIW-07	10/04/15							N/A	(HES Installed)
GIW-07	10/05/15							N/A	(HES Installed)
GIW-07	10/06/15	9.7	62.3	0.4	27.6	71.2	-23.50	N/A	(HES Installed)
GIW-07	10/07/15							N/A	(HES Installed)
GIW-07	10/08/15							N/A	(HES Installed)
GIW-07	10/09/15							N/A	(HES Installed)
GIW-07	10/10/15							N/A	(HES Installed)
GIW-07	10/11/15							N/A	(HES Installed)
GIW-07	10/12/15							N/A	(HES Installed)
GIW-07	10/13/15							N/A	(HES Installed)
GIW-07	10/14/15	32.4	54.6	0.7	12.3	89.5	-24.97	N/A	(HES Installed)
GIW-07	10/15/15							N/A	(HES Installed)
GIW-07	10/16/15							N/A	(HES Installed)
GIW-07	10/17/15							N/A	(HES Installed)
GIW-07	10/18/15							N/A	(HES Installed)
GIW-07	10/19/15	27.9	50.9	1.6	19.6	82.5	-23.99	N/A	(HES Installed)
GIW-07	10/20/15							N/A	(HES Installed)
GIW-07	10/21/15							N/A	(HES Installed)
GIW-07	10/22/15							N/A	(HES Installed)
GIW-07	10/23/15							N/A	(HES Installed)
GIW-07	10/24/15							N/A	(HES Installed)
GIW-07	10/25/15							N/A	(HES Installed)
GIW-07	10/26/15							N/A	(HES Installed)
GIW-07	10/27/15							N/A	(HES Installed)
GIW-07	10/28/15							N/A	(HES Installed)
GIW-07	10/29/15							N/A	(HES Installed)
GIW-07	10/30/15	35.5	51.3	0.7	12.5	65.7	-25.79	N/A	(HES Installed)
GIW-07	10/31/15							N/A	(HES Installed)
GIW-07	11/01/15							N/A	(HES Installed)
GIW-07	11/02/15							N/A	(HES Installed)
GIW-07	11/03/15							N/A	(HES Installed)
GIW-07	11/04/15	34.0	55.0	0.7	10.3	65.0	-21.98	N/A	(HES Installed)
GIW-07	11/05/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-07	11/06/15							N/A	(HES Installed)
GIW-07	11/07/15							N/A	(HES Installed)
GIW-07	11/08/15							N/A	(HES Installed)
GIW-07	11/09/15							N/A	(HES Installed)
GIW-07	11/10/15							N/A	(HES Installed)
GIW-07	11/11/15							N/A	(HES Installed)
GIW-07	11/12/15							N/A	(HES Installed)
GIW-07	11/13/15	33.3	52.6	1.3	12.8	69.2	-20.91	N/A	(HES Installed)
GIW-07	11/14/15							N/A	(HES Installed)
GIW-07	11/15/15							N/A	(HES Installed)
GIW-07	11/16/15							N/A	(HES Installed)
GIW-07	11/17/15							N/A	(HES Installed)
GIW-07	11/18/15							N/A	(HES Installed)
GIW-07	11/19/15							N/A	(HES Installed)
GIW-07	11/20/15	21.4	63.6	0.0	15.0	62.7	7.14	N/A	(HES Installed)
GIW-07	11/21/15							N/A	(HES Installed)
GIW-07	11/22/15							N/A	(HES Installed)
GIW-07	11/23/15	30.6	59.9	0.6	8.9	69.5	-21.98	N/A	(HES Installed)
GIW-07	11/24/15							N/A	(HES Installed)
GIW-07	11/25/15							N/A	(HES Installed)
GIW-07	11/26/15							N/A	(HES Installed)
GIW-07	11/27/15							N/A	(HES Installed)
GIW-07	11/28/15							N/A	(HES Installed)
GIW-07	11/29/15							N/A	(HES Installed)
GIW-07	11/30/15							N/A	(HES Installed)
GIW-07	12/01/15	30.6	58.1	0.6	10.7	59.6	-18.32	N/A	(HES Installed)
GIW-07	12/02/15							N/A	(HES Installed)
GIW-07	12/03/15							N/A	(HES Installed)
GIW-07	12/04/15							N/A	(HES Installed)
GIW-07	12/05/15							N/A	(HES Installed)
GIW-07	12/06/15							N/A	(HES Installed)
GIW-07	12/07/15							N/A	(HES Installed)
GIW-07	12/08/15							N/A	(HES Installed)
GIW-07	12/09/15							N/A	(HES Installed)
GIW-07	12/10/15	29.8	62.7	0.6	6.9	50.0	-10.70	N/A	(HES Installed)
GIW-07	12/11/15							N/A	(HES Installed)
GIW-07	12/12/15							N/A	(HES Installed)
GIW-07	12/13/15							N/A	(HES Installed)
GIW-07	12/14/15							N/A	(HES Installed)
GIW-07	12/15/15	30.1	55.0	0.7	14.2	49.7	-10.61	N/A	(HES Installed)
GIW-07	12/16/15							N/A	(HES Installed)
GIW-07	12/17/15							N/A	(HES Installed)
GIW-07	12/18/15							N/A	(HES Installed)
GIW-07	12/19/15							N/A	(HES Installed)
GIW-07	12/20/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-07	12/21/15							N/A	(HES Installed)
GIW-07	12/22/15							N/A	(HES Installed)
GIW-07	12/23/15	30.1	54.3	0.6	15.0	58.4	-9.65	N/A	(HES Installed)
GIW-07	12/24/15							N/A	(HES Installed)
GIW-07	12/25/15							N/A	(HES Installed)
GIW-07	12/26/15							N/A	(HES Installed)
GIW-07	12/27/15							N/A	(HES Installed)
GIW-07	12/28/15							N/A	(HES Installed)
GIW-07	12/29/15							N/A	(HES Installed)
GIW-07	12/30/15							N/A	(HES Installed)
GIW-07	12/31/15	4.6	28.1	2.3	65.0	29.7	-14.65	N/A	(HES Installed)
GIW-07	01/01/16							N/A	(HES Installed)
GIW-07	01/02/16							N/A	(HES Installed)
GIW-07	01/03/16							N/A	(HES Installed)
GIW-07	01/04/16							N/A	(HES Installed)
GIW-07	01/05/16	1.2	60.9	0.5	37.4	50.5	-12.82	N/A	(HES Installed)
GIW-07	01/06/16							N/A	(HES Installed)
GIW-07	01/07/16							N/A	(HES Installed)
GIW-07	01/08/16							N/A	(HES Installed)
GIW-07	01/09/16							N/A	(HES Installed)
GIW-07	01/10/16							N/A	(HES Installed)
GIW-07	01/11/16							N/A	(HES Installed)
GIW-07	01/12/16							N/A	(HES Installed)
GIW-07	01/13/16							N/A	(HES Installed)
GIW-07	01/14/16	2.8	55.8	2.7	38.7	73.4	-16.06	N/A	(HES Installed)
GIW-07	01/15/16							N/A	(HES Installed)
GIW-07	01/16/16							N/A	(HES Installed)
GIW-07	01/17/16							N/A	(HES Installed)
GIW-07	01/18/16							N/A	(HES Installed)
GIW-07	01/19/16							N/A	(HES Installed)
GIW-07	01/20/16							N/A	(HES Installed)
GIW-07	01/21/16	2.6	38.2	3.4	55.8	24.8	-7.87	N/A	(HES Installed)
GIW-07	01/22/16							N/A	(HES Installed)

GIW-7 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-08	09/22/15	14.0	44.9	3.3	37.8	93.6	-25.09	N/A	(HES Installed)
GIW-08	09/23/15							N/A	(HES Installed)
GIW-08	09/24/15							N/A	(HES Installed)
GIW-08	09/25/15							N/A	(HES Installed)
GIW-08	09/26/15							N/A	(HES Installed)
GIW-08	09/27/15							N/A	(HES Installed)
GIW-08	09/28/15							N/A	(HES Installed)
GIW-08	09/29/15							N/A	(HES Installed)
GIW-08	09/30/15							N/A	(HES Installed)
GIW-08	10/01/15							N/A	(HES Installed)
GIW-08	10/02/15	21.8	52.5	2.0	23.7	56.4	-7.87	N/A	(HES Installed)
GIW-08	10/03/15							N/A	(HES Installed)
GIW-08	10/04/15							N/A	(HES Installed)
GIW-08	10/05/15							N/A	(HES Installed)
GIW-08	10/06/15	18.6	49.7	2.8	28.9	78.8	-6.89	N/A	(HES Installed)
GIW-08	10/07/15							N/A	(HES Installed)
GIW-08	10/08/15							N/A	(HES Installed)
GIW-08	10/09/15							N/A	(HES Installed)
GIW-08	10/10/15							N/A	(HES Installed)
GIW-08	10/11/15							N/A	(HES Installed)
GIW-08	10/12/15							N/A	(HES Installed)
GIW-08	10/13/15							N/A	(HES Installed)
GIW-08	10/14/15	23.2	59.6	2.2	15.0	85.3	-4.56	N/A	(HES Installed)
GIW-08	10/15/15							N/A	(HES Installed)
GIW-08	10/16/15							N/A	(HES Installed)
GIW-08	10/17/15							N/A	(HES Installed)
GIW-08	10/18/15							N/A	(HES Installed)
GIW-08	10/19/15	17.7	57.5	2.2	22.6	85.7	-3.81	N/A	(HES Installed)
GIW-08	10/20/15							N/A	(HES Installed)
GIW-08	10/21/15							N/A	(HES Installed)
GIW-08	10/22/15							N/A	(HES Installed)
GIW-08	10/23/15							N/A	(HES Installed)
GIW-08	10/24/15							N/A	(HES Installed)
GIW-08	10/25/15							N/A	(HES Installed)
GIW-08	10/26/15							N/A	(HES Installed)
GIW-08	10/27/15							N/A	(HES Installed)
GIW-08	10/28/15							N/A	(HES Installed)
GIW-08	10/29/15							N/A	(HES Installed)
GIW-08	10/30/15	21.4	55.3	1.6	21.7	65.3	-5.00	N/A	(HES Installed)
GIW-08	10/31/15							N/A	(HES Installed)
GIW-08	11/01/15							N/A	(HES Installed)
GIW-08	11/02/15							N/A	(HES Installed)
GIW-08	11/03/15							N/A	(HES Installed)
GIW-08	11/04/15	17.6	62.4	1.9	18.1	68.5	-2.52	N/A	(HES Installed)
GIW-08	11/05/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-08	11/06/15							N/A	(HES Installed)
GIW-08	11/07/15							N/A	(HES Installed)
GIW-08	11/08/15							N/A	(HES Installed)
GIW-08	11/09/15							N/A	(HES Installed)
GIW-08	11/10/15							N/A	(HES Installed)
GIW-08	11/11/15							N/A	(HES Installed)
GIW-08	11/12/15							N/A	(HES Installed)
GIW-08	11/13/15	21.2	53.8	3.2	21.8	58.5	-3.22	N/A	(HES Installed)
GIW-08	11/14/15							N/A	(HES Installed)
GIW-08	11/15/15							N/A	(HES Installed)
GIW-08	11/16/15							N/A	(HES Installed)
GIW-08	11/17/15							N/A	(HES Installed)
GIW-08	11/18/15							N/A	(HES Installed)
GIW-08	11/19/15	24.0	58.4	1.4	16.2	61.3	-2.62	N/A	(HES Installed)
GIW-08	11/20/15							N/A	(HES Installed)
GIW-08	11/21/15							N/A	(HES Installed)
GIW-08	11/22/15							N/A	(HES Installed)
GIW-08	11/23/15	23.0	64.6	1.7	10.7	50.0	-2.70	N/A	(HES Installed)
GIW-08	11/24/15							N/A	(HES Installed)
GIW-08	11/25/15							N/A	(HES Installed)
GIW-08	11/26/15							N/A	(HES Installed)
GIW-08	11/27/15							N/A	(HES Installed)
GIW-08	11/28/15							N/A	(HES Installed)
GIW-08	11/29/15							N/A	(HES Installed)
GIW-08	11/30/15							N/A	(HES Installed)
GIW-08	12/01/15	24.3	65.7	1.1	8.9	40.0	-3.00	N/A	(HES Installed)
GIW-08	12/02/15							N/A	(HES Installed)
GIW-08	12/03/15							N/A	(HES Installed)
GIW-08	12/04/15							N/A	(HES Installed)
GIW-08	12/05/15							N/A	(HES Installed)
GIW-08	12/06/15							N/A	(HES Installed)
GIW-08	12/07/15							N/A	(HES Installed)
GIW-08	12/08/15							N/A	(HES Installed)
GIW-08	12/09/15	27.3	61.8	2.6	8.3	55.0	-2.80	N/A	(HES Installed)
GIW-08	12/10/15	27.4	68.0	0.4	4.2	45.0	-10.40	N/A	(HES Installed)
GIW-08	12/11/15							N/A	(HES Installed)
GIW-08	12/12/15							N/A	(HES Installed)
GIW-08	12/13/15							N/A	(HES Installed)
GIW-08	12/14/15							N/A	(HES Installed)
GIW-08	12/15/15	28.2	59.2	0.1	12.5	50.5	-7.68	N/A	(HES Installed)
GIW-08	12/16/15							N/A	(HES Installed)
GIW-08	12/17/15							N/A	(HES Installed)
GIW-08	12/18/15							N/A	(HES Installed)
GIW-08	12/19/15							N/A	(HES Installed)
GIW-08	12/20/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-08	12/21/15							N/A	(HES Installed)
GIW-08	12/22/15							N/A	(HES Installed)
GIW-08	12/23/15	28.0	56.7	0.0	15.3	59.2	-6.29	N/A	(HES Installed)
GIW-08	12/24/15							N/A	(HES Installed)
GIW-08	12/25/15							N/A	(HES Installed)
GIW-08	12/26/15							N/A	(HES Installed)
GIW-08	12/27/15							N/A	(HES Installed)
GIW-08	12/28/15							N/A	(HES Installed)
GIW-08	12/29/15							N/A	(HES Installed)
GIW-08	12/30/15							N/A	(HES Installed)
GIW-08	12/31/15	7.7	15.8	16.9	59.6	44.8	-6.29	N/A	(HES Installed)
GIW-08	01/01/16							N/A	(HES Installed)
GIW-08	01/02/16							N/A	(HES Installed)
GIW-08	01/03/16							N/A	(HES Installed)
GIW-08	01/04/16							N/A	(HES Installed)
GIW-08	01/05/16	4.3	38.2	11.1	46.4	59.1	-5.80	N/A	(HES Installed)
GIW-08	01/06/16							N/A	(HES Installed)
GIW-08	01/07/16							N/A	(HES Installed)
GIW-08	01/08/16							N/A	(HES Installed)
GIW-08	01/09/16							N/A	(HES Installed)
GIW-08	01/10/16							N/A	(HES Installed)
GIW-08	01/11/16							N/A	(HES Installed)
GIW-08	01/12/16							N/A	(HES Installed)
GIW-08	01/13/16							N/A	(HES Installed)
GIW-08	01/14/16	3.4	15.0	12.4	69.2	81.0	-2.77	N/A	(HES Installed)
GIW-08	01/15/16							N/A	(HES Installed)
GIW-08	01/16/16							N/A	(HES Installed)
GIW-08	01/17/16							N/A	(HES Installed)
GIW-08	01/18/16							N/A	(HES Installed)
GIW-08	01/19/16							N/A	(HES Installed)
GIW-08	01/20/16							N/A	(HES Installed)
GIW-08	01/21/16	8.7	26.8	13.4	51.1	40.6	-9.63	N/A	(HES Installed)
GIW-08	01/22/16							N/A	(HES Installed)

GIW-8 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	09/22/15	2.6	12.6	14.0	70.8	94.4	-11.36	N/A	(HES Installed)
GIW-09	09/23/15							N/A	(HES Installed)
GIW-09	09/24/15							N/A	(HES Installed)
GIW-09	09/25/15							N/A	(HES Installed)
GIW-09	09/26/15							N/A	(HES Installed)
GIW-09	09/27/15							N/A	(HES Installed)
GIW-09	09/28/15							N/A	(HES Installed)
GIW-09	09/29/15							N/A	(HES Installed)
GIW-09	09/30/15							N/A	(HES Installed)
GIW-09	10/01/15							N/A	(HES Installed)
GIW-09	10/02/15	2.3	25.6	13.3	58.8	64.1	-4.95	N/A	(HES Installed)
GIW-09	10/03/15							N/A	(HES Installed)
GIW-09	10/04/15							N/A	(HES Installed)
GIW-09	10/05/15							N/A	(HES Installed)
GIW-09	10/06/15	1.9	24.4	13.0	60.7	82.5	-9.52	N/A	(HES Installed)
GIW-09	10/07/15							N/A	(HES Installed)
GIW-09	10/08/15							N/A	(HES Installed)
GIW-09	10/09/15							N/A	(HES Installed)
GIW-09	10/10/15							N/A	(HES Installed)
GIW-09	10/11/15							N/A	(HES Installed)
GIW-09	10/12/15							N/A	(HES Installed)
GIW-09	10/13/15							N/A	(HES Installed)
GIW-09	10/14/15	3.3	11.8	14.5	70.4	87.6	-6.78	N/A	(HES Installed)
GIW-09	10/15/15							N/A	(HES Installed)
GIW-09	10/16/15							N/A	(HES Installed)
GIW-09	10/17/15							N/A	(HES Installed)
GIW-09	10/18/15							N/A	(HES Installed)
GIW-09	10/19/15	3.8	19.2	13.7	63.3	85.7	-6.35	N/A	(HES Installed)
GIW-09	10/20/15							N/A	(HES Installed)
GIW-09	10/21/15							N/A	(HES Installed)
GIW-09	10/22/15							N/A	(HES Installed)
GIW-09	10/23/15							N/A	(HES Installed)
GIW-09	10/24/15							N/A	(HES Installed)
GIW-09	10/25/15							N/A	(HES Installed)
GIW-09	10/26/15							N/A	(HES Installed)
GIW-09	10/27/15							N/A	(HES Installed)
GIW-09	10/28/15							N/A	(HES Installed)
GIW-09	10/29/15							N/A	(HES Installed)
GIW-09	10/30/15	7.8	13.7	15.2	63.3	72.2	-6.40	N/A	(HES Installed)
GIW-09	10/31/15							N/A	(HES Installed)
GIW-09	11/01/15							N/A	(HES Installed)
GIW-09	11/02/15							N/A	(HES Installed)
GIW-09	11/03/15							N/A	(HES Installed)
GIW-09	11/04/15	5.4	23.0	14.9	56.7	75.7	-5.98	N/A	(HES Installed)
GIW-09	11/05/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	11/06/15							N/A	(HES Installed)
GIW-09	11/07/15							N/A	(HES Installed)
GIW-09	11/08/15							N/A	(HES Installed)
GIW-09	11/09/15							N/A	(HES Installed)
GIW-09	11/10/15							N/A	(HES Installed)
GIW-09	11/11/15							N/A	(HES Installed)
GIW-09	11/12/15							N/A	(HES Installed)
GIW-09	11/13/15	4.1	12.7	16.6	66.6	68.0	-3.58	N/A	(HES Installed)
GIW-09	11/14/15							N/A	(HES Installed)
GIW-09	11/15/15							N/A	(HES Installed)
GIW-09	11/16/15							N/A	(HES Installed)
GIW-09	11/17/15							N/A	(HES Installed)
GIW-09	11/18/15							N/A	(HES Installed)
GIW-09	11/19/15							N/A	(HES Installed)
GIW-09	11/20/15	6.9	16.4	15.7	61.0	62.3	-3.70	N/A	(HES Installed)
GIW-09	11/21/15							N/A	(HES Installed)
GIW-09	11/22/15							N/A	(HES Installed)
GIW-09	11/23/15	3.0	13.0	16.5	67.5	78.6	-4.47	N/A	(HES Installed)
GIW-09	11/24/15							N/A	(HES Installed)
GIW-09	11/25/15							N/A	(HES Installed)
GIW-09	11/26/15							N/A	(HES Installed)
GIW-09	11/27/15							N/A	(HES Installed)
GIW-09	11/28/15							N/A	(HES Installed)
GIW-09	11/29/15							N/A	(HES Installed)
GIW-09	11/30/15							N/A	(HES Installed)
GIW-09	12/01/15	3.4	12.4	16.1	68.1	66.2	-3.12	N/A	(HES Installed)
GIW-09	12/02/15							N/A	(HES Installed)
GIW-09	12/03/15							N/A	(HES Installed)
GIW-09	12/04/15							N/A	(HES Installed)
GIW-09	12/05/15							N/A	(HES Installed)
GIW-09	12/06/15							N/A	(HES Installed)
GIW-09	12/07/15							N/A	(HES Installed)
GIW-09	12/08/15							N/A	(HES Installed)
GIW-09	12/09/15							N/A	(HES Installed)
GIW-09	12/10/15	5.7	20.4	13.9	60.0	45.0	-7.30	N/A	(HES Installed)
GIW-09	12/11/15							N/A	(HES Installed)
GIW-09	12/12/15							N/A	(HES Installed)
GIW-09	12/13/15							N/A	(HES Installed)
GIW-09	12/14/15							N/A	(HES Installed)
GIW-09	12/15/15	7.6	17.9	14.1	60.4	59.1	-2.73	N/A	(HES Installed)
GIW-09	12/16/15							N/A	(HES Installed)
GIW-09	12/17/15							N/A	(HES Installed)
GIW-09	12/18/15							N/A	(HES Installed)
GIW-09	12/19/15							N/A	(HES Installed)
GIW-09	12/20/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	12/21/15							N/A	(HES Installed)
GIW-09	12/22/15							N/A	(HES Installed)
GIW-09	12/23/15	7.6	18.8	14.9	58.7	65.8	-2.88	N/A	(HES Installed)
GIW-09	12/24/15							N/A	(HES Installed)
GIW-09	12/25/15							N/A	(HES Installed)
GIW-09	12/26/15							N/A	(HES Installed)
GIW-09	12/27/15							N/A	(HES Installed)
GIW-09	12/28/15							N/A	(HES Installed)
GIW-09	12/29/15							N/A	(HES Installed)
GIW-09	12/30/15							N/A	(HES Installed)
GIW-09	12/31/15	4.7	28.3	14.8	52.2	44.5	-7.57	N/A	(HES Installed)
GIW-09	01/01/16							N/A	(HES Installed)
GIW-09	01/02/16							N/A	(HES Installed)
GIW-09	01/03/16							N/A	(HES Installed)
GIW-09	01/04/16							N/A	(HES Installed)
GIW-09	01/05/16	8.3	18.8	14.5	58.4	60.2	-9.28	N/A	(HES Installed)
GIW-09	01/06/16							N/A	(HES Installed)
GIW-09	01/07/16							N/A	(HES Installed)
GIW-09	01/08/16							N/A	(HES Installed)
GIW-09	01/09/16							N/A	(HES Installed)
GIW-09	01/10/16							N/A	(HES Installed)
GIW-09	01/11/16							N/A	(HES Installed)
GIW-09	01/12/16							N/A	(HES Installed)
GIW-09	01/13/16							N/A	(HES Installed)
GIW-09	01/14/16	2.9	17.2	12.3	67.6	81.3	-3.06	N/A	(HES Installed)
GIW-09	01/15/16							N/A	(HES Installed)
GIW-09	01/16/16							N/A	(HES Installed)
GIW-09	01/17/16							N/A	(HES Installed)
GIW-09	01/18/16							N/A	(HES Installed)
GIW-09	01/19/16							N/A	(HES Installed)
GIW-09	01/20/16							N/A	(HES Installed)
GIW-09	01/21/16	10.0	29.3	12.7	48.0	40.5	-7.38	N/A	(HES Installed)
GIW-09	01/22/16							N/A	(HES Installed)

GIW-9 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-10	09/22/15	4.3	54.4	0.0	41.3	94.9	-3.33	N/A	(HES Installed)
GIW-10	09/23/15							N/A	(HES Installed)
GIW-10	09/24/15							N/A	(HES Installed)
GIW-10	09/25/15							N/A	(HES Installed)
GIW-10	09/26/15							N/A	(HES Installed)
GIW-10	09/27/15							N/A	(HES Installed)
GIW-10	09/28/15							N/A	(HES Installed)
GIW-10	09/29/15							N/A	(HES Installed)
GIW-10	09/30/15							N/A	(HES Installed)
GIW-10	10/01/15							N/A	(HES Installed)
GIW-10	10/02/15	4.6	52.5	0.2	42.7	55.8	-2.61	N/A	(HES Installed)
GIW-10	10/03/15							N/A	(HES Installed)
GIW-10	10/04/15							N/A	(HES Installed)
GIW-10	10/05/15							N/A	(HES Installed)
GIW-10	10/06/15	3.4	43.5	3.2	49.9	74.3	-15.69	N/A	(HES Installed)
GIW-10	10/07/15							N/A	(HES Installed)
GIW-10	10/08/15							N/A	(HES Installed)
GIW-10	10/09/15							N/A	(HES Installed)
GIW-09	10/10/15							N/A	(HES Installed)
GIW-10	10/11/15							N/A	(HES Installed)
GIW-10	10/12/15							N/A	(HES Installed)
GIW-10	10/13/15							N/A	(HES Installed)
GIW-10	10/14/15	3.6	54.3	0.0	42.1	90.7	-3.57	N/A	(HES Installed)
GIW-10	10/15/15							N/A	(HES Installed)
GIW-10	10/16/15							N/A	(HES Installed)
GIW-10	10/17/15							N/A	(HES Installed)
GIW-10	10/18/15							N/A	(HES Installed)
GIW-10	10/19/15	1.1	43.8	3.0	52.1	83.5	-9.83	N/A	(HES Installed)
GIW-10	10/20/15							N/A	(HES Installed)
GIW-10	10/21/15							N/A	(HES Installed)
GIW-10	10/22/15							N/A	(HES Installed)
GIW-10	10/23/15							N/A	(HES Installed)
GIW-10	10/24/15							N/A	(HES Installed)
GIW-10	10/25/15							N/A	(HES Installed)
GIW-10	10/26/15							N/A	(HES Installed)
GIW-10	10/27/15							N/A	(HES Installed)
GIW-10	10/28/15							N/A	(HES Installed)
GIW-10	10/29/15							N/A	(HES Installed)
GIW-10	10/30/15	5.0	54.2	0.0	40.8	65.9	-2.84	N/A	(HES Installed)
GIW-10	10/31/15							N/A	(HES Installed)
GIW-10	11/01/15							N/A	(HES Installed)
GIW-10	11/02/15							N/A	(HES Installed)
GIW-10	11/03/15							N/A	(HES Installed)
GIW-10	11/04/15	6.9	42.5	0.7	49.9	65.5	-5.98	N/A	(HES Installed)
GIW-10	11/05/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-10	11/06/15							N/A	(HES Installed)
GIW-10	11/07/15							N/A	(HES Installed)
GIW-10	11/08/15							N/A	(HES Installed)
GIW-10	11/09/15							N/A	(HES Installed)
GIW-10	11/10/15							N/A	(HES Installed)
GIW-10	11/11/15							N/A	(HES Installed)
GIW-10	11/12/15							N/A	(HES Installed)
GIW-10	11/13/15	1.4	53.9	0.4	44.3	70.1	-12.13	N/A	(HES Installed)
GIW-10	11/14/15							N/A	(HES Installed)
GIW-10	11/15/15							N/A	(HES Installed)
GIW-10	11/16/15							N/A	(HES Installed)
GIW-10	11/17/15							N/A	(HES Installed)
GIW-10	11/18/15							N/A	(HES Installed)
GIW-10	11/19/15							N/A	(HES Installed)
GIW-10	11/20/15	6.2	54.2	0.2	39.4	61.0	-3.76	N/A	(HES Installed)
GIW-10	11/21/15							N/A	(HES Installed)
GIW-10	11/22/15							N/A	(HES Installed)
GIW-10	11/23/15	0.5	54.5	0.5	44.5	70.9	-14.10	N/A	(HES Installed)
GIW-10	11/24/15							N/A	(HES Installed)
GIW-10	11/25/15							N/A	(HES Installed)
GIW-10	11/26/15							N/A	(HES Installed)
GIW-10	11/27/15							N/A	(HES Installed)
GIW-10	11/28/15							N/A	(HES Installed)
GIW-10	11/29/15							N/A	(HES Installed)
GIW-10	11/30/15							N/A	(HES Installed)
GIW-10	12/01/15	0.5	54.9	0.2	44.4	60.2	-2.15	N/A	(HES Installed)
GIW-10	12/02/15							N/A	(HES Installed)
GIW-10	12/03/15							N/A	(HES Installed)
GIW-10	12/04/15							N/A	(HES Installed)
GIW-10	12/05/15							N/A	(HES Installed)
GIW-10	12/06/15							N/A	(HES Installed)
GIW-10	12/07/15							N/A	(HES Installed)
GIW-10	12/08/15							N/A	(HES Installed)
GIW-10	12/09/15							N/A	(HES Installed)
GIW-10	12/10/15	0.5	56.9	1.6	41.0	50.0	-7.70	N/A	(HES Installed)
GIW-10	12/11/15							N/A	(HES Installed)
GIW-10	12/12/15							N/A	(HES Installed)
GIW-10	12/13/15							N/A	(HES Installed)
GIW-10	12/14/15							N/A	(HES Installed)
GIW-10	12/15/15	0.3	51.9	0.7	47.1	49.0	-8.66	N/A	(HES Installed)
GIW-10	12/16/15							N/A	(HES Installed)
GIW-10	12/17/15							N/A	(HES Installed)
GIW-10	12/18/15							N/A	(HES Installed)
GIW-10	12/19/15							N/A	(HES Installed)
GIW-10	12/20/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-10	12/21/15							N/A	(HES Installed)
GIW-10	12/22/15							N/A	(HES Installed)
GIW-10	12/23/15	0.5	43.3	4.9	51.3	59.0	-10.87	N/A	(HES Installed)
GIW-10	12/24/15							N/A	(HES Installed)
GIW-10	12/25/15							N/A	(HES Installed)
GIW-10	12/26/15							N/A	(HES Installed)
GIW-10	12/27/15							N/A	(HES Installed)
GIW-10	12/28/15							N/A	(HES Installed)
GIW-10	12/29/15							N/A	(HES Installed)
GIW-10	12/30/15							N/A	(HES Installed)
GIW-10	12/31/15	0.3	37.1	7.3	55.3	30.2	-13.61	N/A	(HES Installed)
GIW-10	01/01/16							N/A	(HES Installed)
GIW-10	01/02/16							N/A	(HES Installed)
GIW-10	01/03/16							N/A	(HES Installed)
GIW-10	01/04/16							N/A	(HES Installed)
GIW-10	01/05/16	3.6	18.6	10.8	67.0	49.8	-11.23	N/A	(HES Installed)
GIW-10	01/06/16							N/A	(HES Installed)
GIW-10	01/07/16							N/A	(HES Installed)
GIW-10	01/08/16							N/A	(HES Installed)
GIW-10	01/09/16							N/A	(HES Installed)
GIW-10	01/10/16							N/A	(HES Installed)
GIW-10	01/11/16							N/A	(HES Installed)
GIW-10	01/12/16							N/A	(HES Installed)
GIW-10	01/13/16							N/A	(HES Installed)
GIW-10	01/14/16	0.7	38.3	6.5	57.5	71.9	-15.87	N/A	(HES Installed)
GIW-10	01/15/16							N/A	(HES Installed)
GIW-10	01/16/16							N/A	(HES Installed)
GIW-10	01/17/16							N/A	(HES Installed)
GIW-10	01/18/16							N/A	(HES Installed)
GIW-10	01/19/16							N/A	(HES Installed)
GIW-10	01/20/16							N/A	(HES Installed)
GIW-10	01/21/16	6.5	51.2	0.2	42.1	25.2	-0.11	N/A	(HES Installed)
GIW-10	01/22/16							N/A	(HES Installed)

GIW-10 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-11	09/22/15	6.0	26.7	6.4	60.9	96.9	-10.87	N/A	(HES Installed)
GIW-11	09/23/15							N/A	(HES Installed)
GIW-11	09/24/15							N/A	(HES Installed)
GIW-11	09/25/15							N/A	(HES Installed)
GIW-11	09/26/15							N/A	(HES Installed)
GIW-11	09/27/15							N/A	(HES Installed)
GIW-11	09/28/15							N/A	(HES Installed)
GIW-11	09/29/15							N/A	(HES Installed)
GIW-11	09/30/15							N/A	(HES Installed)
GIW-11	10/01/15							N/A	(HES Installed)
GIW-11	10/02/15	4.2	41.7	6.5	47.6	75.9	-7.87	N/A	(HES Installed)
GIW-11	10/03/15							N/A	(HES Installed)
GIW-11	10/04/15							N/A	(HES Installed)
GIW-11	10/05/15							N/A	(HES Installed)
GIW-11	10/06/15	4.0	40.0	6.7	49.3	90.9	-5.79	N/A	(HES Installed)
GIW-11	10/07/15							N/A	(HES Installed)
GIW-11	10/08/15							N/A	(HES Installed)
GIW-11	10/09/15							N/A	(HES Installed)
GIW-11	10/10/15							N/A	(HES Installed)
GIW-11	10/11/15							N/A	(HES Installed)
GIW-11	10/12/15							N/A	(HES Installed)
GIW-11	10/13/15							N/A	(HES Installed)
GIW-11	10/14/15	3.9	49.9	4.5	41.7	89.6	-4.07	N/A	(HES Installed)
GIW-11	10/15/15							N/A	(HES Installed)
GIW-11	10/16/15							N/A	(HES Installed)
GIW-11	10/17/15							N/A	(HES Installed)
GIW-11	10/18/15							N/A	(HES Installed)
GIW-11	10/19/15	4.7	51.4	2.6	41.3	85.6	-2.86	N/A	(HES Installed)
GIW-11	10/20/15							N/A	(HES Installed)
GIW-11	10/21/15							N/A	(HES Installed)
GIW-11	10/22/15							N/A	(HES Installed)
GIW-11	10/23/15							N/A	(HES Installed)
GIW-11	10/24/15							N/A	(HES Installed)
GIW-11	10/25/15							N/A	(HES Installed)
GIW-11	10/26/15							N/A	(HES Installed)
GIW-11	10/27/15							N/A	(HES Installed)
GIW-11	10/28/15							N/A	(HES Installed)
GIW-11	10/29/15							N/A	(HES Installed)
GIW-11	10/30/15	3.8	48.8	4.4	43.0	73.0	-4.00	N/A	(HES Installed)
GIW-11	10/31/15							N/A	(HES Installed)
GIW-11	11/01/15							N/A	(HES Installed)
GIW-11	11/02/15							N/A	(HES Installed)
GIW-11	11/03/15							N/A	(HES Installed)
GIW-11	11/04/15	6.7	46.5	3.7	43.1	74.9	-1.64	N/A	(HES Installed)
GIW-11	11/05/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-11	11/06/15							N/A	(HES Installed)
GIW-11	11/07/15							N/A	(HES Installed)
GIW-11	11/08/15							N/A	(HES Installed)
GIW-11	11/09/15							N/A	(HES Installed)
GIW-11	11/10/15							N/A	(HES Installed)
GIW-11	11/11/15							N/A	(HES Installed)
GIW-11	11/12/15							N/A	(HES Installed)
GIW-11	11/13/15	3.6	49.4	4.0	43.0	68.4	-3.50	N/A	(HES Installed)
GIW-11	11/14/15							N/A	(HES Installed)
GIW-11	11/15/15							N/A	(HES Installed)
GIW-11	11/16/15							N/A	(HES Installed)
GIW-11	11/17/15							N/A	(HES Installed)
GIW-11	11/18/15							N/A	(HES Installed)
GIW-11	11/19/15	4.0	49.3	3.8	42.9	67.2	-3.46	N/A	(HES Installed)
GIW-11	11/20/15							N/A	(HES Installed)
GIW-11	11/21/15							N/A	(HES Installed)
GIW-11	11/22/15							N/A	(HES Installed)
GIW-11	11/23/15	3.7	52.7	3.8	39.8	50.0	-3.70	N/A	(HES Installed)
GIW-11	11/24/15							N/A	(HES Installed)
GIW-11	11/25/15							N/A	(HES Installed)
GIW-11	11/26/15							N/A	(HES Installed)
GIW-11	11/27/15							N/A	(HES Installed)
GIW-11	11/28/15							N/A	(HES Installed)
GIW-11	11/29/15							N/A	(HES Installed)
GIW-11	11/30/15							N/A	(HES Installed)
GIW-11	12/01/15	3.1	67.2	0.1	29.6	55.0	-0.40	N/A	(HES Installed)
GIW-11	12/02/15							N/A	(HES Installed)
GIW-11	12/03/15							N/A	(HES Installed)
GIW-11	12/04/15							N/A	(HES Installed)
GIW-11	12/05/15							N/A	(HES Installed)
GIW-11	12/06/15							N/A	(HES Installed)
GIW-11	12/07/15							N/A	(HES Installed)
GIW-11	12/08/15							N/A	(HES Installed)
GIW-11	12/09/15	2.9	59.9	2.1	35.1	50.0	-1.80	N/A	(HES Installed)
GIW-11	12/10/15							N/A	(HES Installed)
GIW-11	12/11/15							N/A	(HES Installed)
GIW-11	12/12/15							N/A	(HES Installed)
GIW-11	12/13/15							N/A	(HES Installed)
GIW-11	12/14/15	3.6	51.9	3.6	40.9	55.2	-3.31	N/A	(HES Installed)
GIW-11	12/15/15							N/A	(HES Installed)
GIW-11	12/16/15							N/A	(HES Installed)
GIW-11	12/17/15							N/A	(HES Installed)
GIW-11	12/18/15							N/A	(HES Installed)
GIW-11	12/19/15							N/A	(HES Installed)
GIW-11	12/20/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-11	12/21/15							N/A	(HES Installed)
GIW-11	12/22/15							N/A	(HES Installed)
GIW-11	12/23/15	3.1	56.5	2.4	38.0	62.2	-2.87	N/A	(HES Installed)
GIW-11	12/24/15							N/A	(HES Installed)
GIW-11	12/25/15							N/A	(HES Installed)
GIW-11	12/26/15							N/A	(HES Installed)
GIW-11	12/27/15							N/A	(HES Installed)
GIW-11	12/28/15							N/A	(HES Installed)
GIW-11	12/29/15	3.8	45.0	5.4	45.8	48.2	-4.47	N/A	(HES Installed)
GIW-11	12/30/15							N/A	(HES Installed)
GIW-11	12/31/15							N/A	(HES Installed)
GIW-11	01/01/16							N/A	(HES Installed)
GIW-11	01/02/16							N/A	(HES Installed)
GIW-11	01/03/16							N/A	(HES Installed)
GIW-11	01/04/16							N/A	(HES Installed)
GIW-11	01/05/16	2.7	55.8	4.4	37.1	61.0	-4.42	N/A	(HES Installed)
GIW-11	01/06/16							N/A	(HES Installed)
GIW-11	01/07/16							N/A	(HES Installed)
GIW-11	01/08/16							N/A	(HES Installed)
GIW-11	01/09/16							N/A	(HES Installed)
GIW-11	01/10/16							N/A	(HES Installed)
GIW-11	01/11/16	4.3	47.2	4.7	43.8	57.6	-4.87	N/A	(HES Installed)
GIW-11	01/12/16							N/A	(HES Installed)
GIW-11	01/13/16							N/A	(HES Installed)
GIW-11	01/14/16							N/A	(HES Installed)
GIW-11	01/15/16							N/A	(HES Installed)
GIW-11	01/16/16							N/A	(HES Installed)
GIW-11	01/17/16							N/A	(HES Installed)
GIW-11	01/18/16							N/A	(HES Installed)
GIW-11	01/19/16							N/A	(HES Installed)
GIW-11	01/20/16							N/A	(HES Installed)
GIW-11	01/21/16	6.3	38.2	5.4	50.1	43.8	-4.99	N/A	(HES Installed)
GIW-11	01/22/16							N/A	(HES Installed)

GIW-11 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-12	09/22/15	5.3	35.3	9.4	50.0	100.0	-10.74	N/A	(HES Installed)
GIW-12	09/23/15							N/A	(HES Installed)
GIW-12	09/24/15							N/A	(HES Installed)
GIW-12	09/25/15							N/A	(HES Installed)
GIW-12	09/26/15							N/A	(HES Installed)
GIW-12	09/27/15							N/A	(HES Installed)
GIW-12	09/28/15							N/A	(HES Installed)
GIW-12	09/29/15							N/A	(HES Installed)
GIW-12	09/30/15							N/A	(HES Installed)
GIW-12	10/01/15							N/A	(HES Installed)
GIW-12	10/02/15	4.9	19.7	11.1	64.3	84.9	-8.90	N/A	(HES Installed)
GIW-12	10/03/15							N/A	(HES Installed)
GIW-12	10/04/15							N/A	(HES Installed)
GIW-12	10/05/15							N/A	(HES Installed)
GIW-12	10/06/15	4.6	17.5	11.7	66.2	94.8	-8.72	N/A	(HES Installed)
GIW-12	10/07/15							N/A	(HES Installed)
GIW-12	10/08/15							N/A	(HES Installed)
GIW-12	10/09/15							N/A	(HES Installed)
GIW-12	10/10/15							N/A	(HES Installed)
GIW-12	10/11/15							N/A	(HES Installed)
GIW-12	10/12/15							N/A	(HES Installed)
GIW-12	10/13/15							N/A	(HES Installed)
GIW-12	10/14/15	7.0	20.9	10.9	61.2	93.8	-5.37	N/A	(HES Installed)
GIW-12	10/15/15							N/A	(HES Installed)
GIW-12	10/16/15							N/A	(HES Installed)
GIW-12	10/17/15							N/A	(HES Installed)
GIW-12	10/18/15							N/A	(HES Installed)
GIW-12	10/19/15	6.0	30.5	8.3	55.2	91.8	-3.88	N/A	(HES Installed)
GIW-12	10/20/15							N/A	(HES Installed)
GIW-12	10/21/15							N/A	(HES Installed)
GIW-12	10/22/15							N/A	(HES Installed)
GIW-12	10/23/15							N/A	(HES Installed)
GIW-12	10/24/15							N/A	(HES Installed)
GIW-12	10/25/15							N/A	(HES Installed)
GIW-12	10/26/15							N/A	(HES Installed)
GIW-12	10/27/15							N/A	(HES Installed)
GIW-12	10/28/15							N/A	(HES Installed)
GIW-12	10/29/15							N/A	(HES Installed)
GIW-12	10/30/15	5.3	21.7	11.4	61.6	82.6	-4.94	N/A	(HES Installed)
GIW-12	10/31/15							N/A	(HES Installed)
GIW-12	11/01/15							N/A	(HES Installed)
GIW-12	11/02/15							N/A	(HES Installed)
GIW-12	11/03/15							N/A	(HES Installed)
GIW-12	11/04/15	5.1	23.8	10.9	60.2	83.6	-2.87	N/A	(HES Installed)
GIW-12	11/05/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-12	11/06/15							N/A	(HES Installed)
GIW-12	11/07/15							N/A	(HES Installed)
GIW-12	11/08/15							N/A	(HES Installed)
GIW-12	11/09/15							N/A	(HES Installed)
GIW-12	11/10/15							N/A	(HES Installed)
GIW-12	11/11/15							N/A	(HES Installed)
GIW-12	11/12/15							N/A	(HES Installed)
GIW-12	11/13/15	4.8	22.8	11.5	60.9	77.0	-4.82	N/A	(HES Installed)
GIW-12	11/14/15							N/A	(HES Installed)
GIW-12	11/15/15							N/A	(HES Installed)
GIW-12	11/16/15							N/A	(HES Installed)
GIW-12	11/17/15							N/A	(HES Installed)
GIW-12	11/18/15							N/A	(HES Installed)
GIW-12	11/19/15	4.0	20.5	11.6	63.9	74.8	-3.75	N/A	(HES Installed)
GIW-12	11/20/15							N/A	(HES Installed)
GIW-12	11/21/15							N/A	(HES Installed)
GIW-12	11/22/15							N/A	(HES Installed)
GIW-12	11/23/15	3.2	20.4	11.7	64.7	60.0	-5.90	N/A	(HES Installed)
GIW-12	11/24/15							N/A	(HES Installed)
GIW-12	11/25/15							N/A	(HES Installed)
GIW-12	11/26/15							N/A	(HES Installed)
GIW-12	11/27/15							N/A	(HES Installed)
GIW-12	11/28/15							N/A	(HES Installed)
GIW-12	11/29/15							N/A	(HES Installed)
GIW-12	11/30/15							N/A	(HES Installed)
GIW-12	12/01/15	4.0	28.9	9.6	57.5	50.0	-1.20	N/A	(HES Installed)
GIW-12	12/02/15							N/A	(HES Installed)
GIW-12	12/03/15							N/A	(HES Installed)
GIW-12	12/04/15							N/A	(HES Installed)
GIW-12	12/05/15							N/A	(HES Installed)
GIW-12	12/06/15							N/A	(HES Installed)
GIW-12	12/07/15							N/A	(HES Installed)
GIW-12	12/08/15							N/A	(HES Installed)
GIW-12	12/09/15	4.5	23.2	10.5	61.8	62.0	-2.40	N/A	(HES Installed)
GIW-12	12/10/15							N/A	(HES Installed)
GIW-12	12/11/15							N/A	(HES Installed)
GIW-12	12/12/15							N/A	(HES Installed)
GIW-12	12/13/15							N/A	(HES Installed)
GIW-12	12/14/15	3.5	20.0	11.0	65.5	67.1	-3.74	N/A	(HES Installed)
GIW-12	12/15/15							N/A	(HES Installed)
GIW-12	12/16/15							N/A	(HES Installed)
GIW-12	12/17/15							N/A	(HES Installed)
GIW-12	12/18/15							N/A	(HES Installed)
GIW-12	12/19/15							N/A	(HES Installed)
GIW-12	12/20/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-12	12/21/15							N/A	(HES Installed)
GIW-12	12/22/15							N/A	(HES Installed)
GIW-12	12/23/15	3.6	20.6	11.1	64.7	74.7	-3.54	N/A	(HES Installed)
GIW-12	12/24/15							N/A	(HES Installed)
GIW-12	12/25/15							N/A	(HES Installed)
GIW-12	12/26/15							N/A	(HES Installed)
GIW-12	12/27/15							N/A	(HES Installed)
GIW-12	12/28/15							N/A	(HES Installed)
GIW-12	12/29/15	2.4	16.3	15.0	66.3	59.9	-3.20	N/A	(HES Installed)
GIW-12	12/30/15							N/A	(HES Installed)
GIW-12	12/31/15							N/A	(HES Installed)
GIW-12	01/01/16							N/A	(HES Installed)
GIW-12	01/02/16							N/A	(HES Installed)
GIW-12	01/03/16							N/A	(HES Installed)
GIW-12	01/04/16							N/A	(HES Installed)
GIW-12	01/05/16	1.8	31.0	11.3	55.9	65.6	-3.03	N/A	(HES Installed)
GIW-12	01/06/16							N/A	(HES Installed)
GIW-12	01/07/16							N/A	(HES Installed)
GIW-12	01/08/16							N/A	(HES Installed)
GIW-12	01/09/16							N/A	(HES Installed)
GIW-12	01/10/16							N/A	(HES Installed)
GIW-12	01/11/16	2.2	18.8	12.5	66.5	65.4	-3.26	N/A	(HES Installed)
GIW-12	01/12/16							N/A	(HES Installed)
GIW-12	01/13/16							N/A	(HES Installed)
GIW-12	01/14/16							N/A	(HES Installed)
GIW-12	01/15/16							N/A	(HES Installed)
GIW-12	01/16/16							N/A	(HES Installed)
GIW-12	01/17/16							N/A	(HES Installed)
GIW-12	01/18/16							N/A	(HES Installed)
GIW-12	01/19/16							N/A	(HES Installed)
GIW-12	01/20/16							N/A	(HES Installed)
GIW-12	01/21/16	7.7	20.9	9.3	62.1	53.9	-2.95	N/A	(HES Installed)
GIW-12	01/22/16							N/A	(HES Installed)

GIW-12 Wellhead Temperatures



GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-13	09/22/15	9.7	59.4	0.7	30.2	96.1	-10.74	N/A	(HES Installed)
GIW-13	09/23/15							N/A	(HES Installed)
GIW-13	09/24/15							N/A	(HES Installed)
GIW-13	09/25/15							N/A	(HES Installed)
GIW-13	09/26/15							N/A	(HES Installed)
GIW-13	09/27/15							N/A	(HES Installed)
GIW-13	09/28/15							N/A	(HES Installed)
GIW-13	09/29/15							N/A	(HES Installed)
GIW-13	09/30/15							N/A	(HES Installed)
GIW-13	10/01/15							N/A	(HES Installed)
GIW-13	10/02/15	7.4	58.8	0.6	33.2	58.1	-3.55	N/A	(HES Installed)
GIW-13	10/03/15							N/A	(HES Installed)
GIW-13	10/04/15							N/A	(HES Installed)
GIW-13	10/05/15							N/A	(HES Installed)
GIW-13	10/06/15	11.0	53.1	1.0	34.9	76.1	-10.37	N/A	(HES Installed)
GIW-13	10/07/15							N/A	(HES Installed)
GIW-13	10/08/15							N/A	(HES Installed)
GIW-13	10/09/15							N/A	(HES Installed)
GIW-13	10/10/15							N/A	(HES Installed)
GIW-13	10/11/15							N/A	(HES Installed)
GIW-13	10/12/15							N/A	(HES Installed)
GIW-13	10/13/15							N/A	(HES Installed)
GIW-13	10/14/15	12.1	57.9	0.8	29.2	85.5	-7.39	N/A	(HES Installed)
GIW-13	10/15/15							N/A	(HES Installed)
GIW-13	10/16/15							N/A	(HES Installed)
GIW-13	10/17/15							N/A	(HES Installed)
GIW-13	10/18/15							N/A	(HES Installed)
GIW-13	10/19/15	3.0	63.3	0.0	33.7	87.8	-1.46	N/A	(HES Installed)
GIW-13	10/20/15							N/A	(HES Installed)
GIW-13	10/21/15							N/A	(HES Installed)
GIW-13	10/22/15							N/A	(HES Installed)
GIW-13	10/23/15							N/A	(HES Installed)
GIW-13	10/24/15							N/A	(HES Installed)
GIW-13	10/25/15							N/A	(HES Installed)
GIW-13	10/26/15							N/A	(HES Installed)
GIW-13	10/27/15							N/A	(HES Installed)
GIW-13	10/28/15							N/A	(HES Installed)
GIW-13	10/29/15							N/A	(HES Installed)
GIW-13	10/30/15	8.5	58.2	0.4	32.9	63.8	-4.78	N/A	(HES Installed)
GIW-13	10/31/15							N/A	(HES Installed)
GIW-13	11/01/15							N/A	(HES Installed)
GIW-13	11/02/15							N/A	(HES Installed)
GIW-13	11/03/15							N/A	(HES Installed)
GIW-13	11/04/15	3.6	65.6	0.0	30.8	68.7	2.63	N/A	(HES Installed)
GIW-13	11/05/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-13	11/06/15	4.3	61.5	0.1	34.1	71.7	-7.07	N/A	(HES Installed)
GIW-13	11/07/15							N/A	(HES Installed)
GIW-13	11/08/15							N/A	(HES Installed)
GIW-13	11/09/15							N/A	(HES Installed)
GIW-13	11/10/15							N/A	(HES Installed)
GIW-13	11/11/15							N/A	(HES Installed)
GIW-13	11/12/15							N/A	(HES Installed)
GIW-13	11/13/15	6.0	62.3	0.1	31.6	63.8	-10.79	N/A	(HES Installed)
GIW-13	11/14/15							N/A	(HES Installed)
GIW-13	11/15/15							N/A	(HES Installed)
GIW-13	11/16/15							N/A	(HES Installed)
GIW-13	11/17/15							N/A	(HES Installed)
GIW-13	11/18/15							N/A	(HES Installed)
GIW-13	11/19/15	12.3	57.3	0.7	29.7	65.2	-11.72	N/A	(HES Installed)
GIW-13	11/20/15							N/A	(HES Installed)
GIW-13	11/21/15							N/A	(HES Installed)
GIW-13	11/22/15							N/A	(HES Installed)
GIW-13	11/23/15	11.7	61.6	1.3	25.4	50.0	-12.30	N/A	(HES Installed)
GIW-13	11/24/15							N/A	(HES Installed)
GIW-13	11/25/15							N/A	(HES Installed)
GIW-13	11/26/15							N/A	(HES Installed)
GIW-13	11/27/15							N/A	(HES Installed)
GIW-13	11/28/15							N/A	(HES Installed)
GIW-13	11/29/15							N/A	(HES Installed)
GIW-13	11/30/15							N/A	(HES Installed)
GIW-13	12/01/15	6.2	69.8	0.0	24.0	54.0	-0.60	N/A	(HES Installed)
GIW-13	12/02/15							N/A	(HES Installed)
GIW-13	12/03/15							N/A	(HES Installed)
GIW-13	12/04/15							N/A	(HES Installed)
GIW-13	12/05/15							N/A	(HES Installed)
GIW-13	12/06/15							N/A	(HES Installed)
GIW-13	12/07/15							N/A	(HES Installed)
GIW-13	12/08/15							N/A	(HES Installed)
GIW-13	12/09/15	12.5	65.6	0.0	21.9	60.0	-4.20	N/A	(HES Installed)
GIW-13	12/10/15							N/A	(HES Installed)
GIW-13	12/11/15							N/A	(HES Installed)
GIW-13	12/12/15							N/A	(HES Installed)
GIW-13	12/13/15							N/A	(HES Installed)
GIW-13	12/14/15	13.1	55.9	0.6	30.4	46.6	-7.44	N/A	(HES Installed)
GIW-13	12/15/15							N/A	(HES Installed)
GIW-13	12/16/15							N/A	(HES Installed)
GIW-13	12/17/15							N/A	(HES Installed)
GIW-13	12/18/15							N/A	(HES Installed)
GIW-13	12/19/15							N/A	(HES Installed)
GIW-13	12/20/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-13	12/21/15							N/A	(HES Installed)
GIW-13	12/22/15							N/A	(HES Installed)
GIW-13	12/23/15	11.3	53.2	0.5	35.0	58.7	-6.52	N/A	(HES Installed)
GIW-13	12/24/15							N/A	(HES Installed)
GIW-13	12/25/15							N/A	(HES Installed)
GIW-13	12/26/15							N/A	(HES Installed)
GIW-13	12/27/15							N/A	(HES Installed)
GIW-13	12/28/15							N/A	(HES Installed)
GIW-13	12/29/15	13.8	55.7	0.3	30.2	35.1	-10.79	N/A	(HES Installed)
GIW-13	12/30/15							N/A	(HES Installed)
GIW-13	12/31/15							N/A	(HES Installed)
GIW-13	01/01/16							N/A	(HES Installed)
GIW-13	01/02/16							N/A	(HES Installed)
GIW-13	01/03/16							N/A	(HES Installed)
GIW-13	01/04/16							N/A	(HES Installed)
GIW-13	01/05/16	14.7	47.6	0.6	37.1	57.0	-12.58	N/A	(HES Installed)
GIW-13	01/06/16							N/A	(HES Installed)
GIW-13	01/07/16							N/A	(HES Installed)
GIW-13	01/08/16							N/A	(HES Installed)
GIW-13	01/09/16							N/A	(HES Installed)
GIW-13	01/10/16							N/A	(HES Installed)
GIW-13	01/11/16	16.9	50.7	0.6	31.8	44.1	-13.41	N/A	(HES Installed)
GIW-13	01/12/16							N/A	(HES Installed)
GIW-13	01/13/16							N/A	(HES Installed)
GIW-13	01/14/16							N/A	(HES Installed)
GIW-13	01/15/16							N/A	(HES Installed)
GIW-13	01/16/16							N/A	(HES Installed)
GIW-13	01/17/16							N/A	(HES Installed)
GIW-13	01/18/16							N/A	(HES Installed)
GIW-13	01/19/16							N/A	(HES Installed)
GIW-13	01/20/16							N/A	(HES Installed)
GIW-13	01/21/16	16.6	54.1	0.3	29.0	32.1	-11.17	N/A	(HES Installed)
GIW-13	01/22/16							N/A	(HES Installed)

GIW-13 Wellhead Temperatures

