


GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (°F)	Initial Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-01	08/18/15							Y	
GIW-01	08/19/15							Y	
GIW-01	08/20/15	4.8	68.4	0.0	26.8	189.1	-11.36	Y	
GIW-01	08/21/15							Y	
GIW-01	08/22/15							Y	
GIW-01	08/23/15							Y	
GIW-01	08/24/15							Y	
GIW-01	08/25/15							Y	
GIW-01	08/26/15	2.9	63.0	0.0	34.1	177.5	-15.30	Y	
GIW-01	08/27/15							Y	
GIW-01	08/28/15							Y	
GIW-01	08/29/15							Y	
GIW-01	08/30/15							Y	
GIW-01	08/31/15							Y	
GIW-01	09/01/15							Y	
GIW-01	09/02/15							Y	
GIW-01	09/03/15	4.6	65.3	0.1	30.0	188.5	-11.46	Y	
GIW-01	09/04/15							Y	
GIW-01	09/05/15							Y	
GIW-01	09/06/15							Y	
GIW-01	09/07/15							Y	
GIW-01	09/08/15							Y	
GIW-01	09/09/15							Y	
GIW-01	09/10/15							Y	
GIW-01	09/11/15	3.2	58.3	0.3	38.2	187.4	-17.62	Y	
GIW-01	09/12/15							Y	
GIW-01	09/13/15							Y	
GIW-01	09/14/15							Y	
GIW-01	09/15/15							Y	
GIW-01	09/16/15							Y	
GIW-01	09/17/15							Y	
GIW-01	09/18/15	3.7	63.9	0.0	32.4	189.6	-12.58	Y	
GIW-01	09/19/15							Y	
GIW-01	09/20/15							Y	
GIW-01	09/21/15							Y	
GIW-01	09/22/15	3.3	67.9	0.1	28.7	189.6	-11.29	Y	
GIW-01	09/23/15							Y	
GIW-01	09/24/15							Y	
GIW-01	09/25/15							Y	
GIW-01	09/26/15							Y	
GIW-01	09/27/15							Y	
GIW-01	09/28/15							Y	
GIW-01	09/29/15							Y	
GIW-01	09/30/15							Y	
GIW-01	10/01/15							Y	

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (°F)	Initial Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-01	10/02/15	2.8	64.3	0.2	32.7	176.9	-16.22	Y	
GIW-01	10/03/15							Y	
GIW-01	10/04/15							Y	
GIW-01	10/05/15							Y	
GIW-01	10/06/15	3.2	60.4	0.2	36.2	188.5	-17.01	Y	
GIW-01	10/07/15							Y	
GIW-01	10/08/15							Y	
GIW-01	10/09/15							Y	
GIW-01	10/10/15							Y	
GIW-01	10/11/15							Y	
GIW-01	10/12/15							Y	
GIW-01	10/13/15							Y	
GIW-01	10/14/15	1.9	67.4	0.2	30.5	162.3	-15.69	Y	
GIW-01	10/15/15							Y	
GIW-01	10/16/15							Y	
GIW-01	10/17/15							Y	
GIW-01	10/18/15							Y	
GIW-01	10/19/15	3.7	66.0	0.0	30.3	188.0	-7.81	Y	
GIW-01	10/20/15							Y	
GIW-01	10/21/15							Y	
GIW-01	10/22/15							Y	
GIW-01	10/23/15							Y	
GIW-01	10/24/15							Y	
GIW-01	10/25/15							Y	
GIW-01	10/26/15							Y	
GIW-01	10/27/15							Y	
GIW-01	10/28/15							Y	
GIW-01	10/29/15							Y	
GIW-01	10/30/15	3.3	65.0	0.1	31.6	187.9	-10.67	Y	
GIW-01	10/31/15							Y	
GIW-01	11/01/15							Y	
GIW-01	11/02/15							Y	
GIW-01	11/03/15							Y	
GIW-01	11/04/15	3.1	69.0	0.1	27.8	188.5	-3.14	Y	
GIW-01	11/05/15							Y	
GIW-01	11/06/15							Y	
GIW-01	11/07/15							Y	
GIW-01	11/08/15							Y	
GIW-01	11/09/15							Y	
GIW-01	11/10/15							Y	
GIW-01	11/11/15							Y	
GIW-01	11/12/15							Y	
GIW-01	11/13/15	3.4	61.9	0.2	34.5	187.9	-8.96	Y	
GIW-01	11/14/15							Y	
GIW-01	11/15/15							Y	

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (°F)	Initial Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-01	11/16/15							Y	
GIW-01	11/17/15							Y	
GIW-01	11/18/15							Y	
GIW-01	11/19/15							Y	
GIW-01	11/20/15	3.2	69.0	0.0	27.8	189.1	-6.35	Y	
GIW-01	11/21/15							Y	
GIW-01	11/22/15							Y	
GIW-01	11/23/15	3.1	74.7	0.0	22.2	175.0	-8.40	Y	
GIW-01	11/24/15							Y	
GIW-01	11/25/15							Y	
GIW-01	11/26/15							Y	
GIW-01	11/27/15							Y	
GIW-01	11/28/15							Y	
GIW-01	11/29/15							Y	
GIW-01	11/30/15							Y	
GIW-01	12/01/15	2.9	65.2	0.1	31.8	189.1	-1.07	Y	
GIW-01	12/02/15							Y	
GIW-01	12/03/15							Y	
GIW-01	12/04/15							Y	
GIW-01	12/05/15							Y	
GIW-01	12/06/15							Y	
GIW-01	12/07/15							Y	
GIW-01	12/08/15							Y	
GIW-01	12/09/15	3.1	76.2	0.0	19.9	182.0	-7.20	Y	
GIW-01	12/10/15							Y	
GIW-01	12/11/15							Y	
GIW-01	12/12/15							Y	
GIW-01	12/13/15							Y	
GIW-01	12/14/15	2.7	66.9	0.0	30.4	186.3	-10.85	Y	
GIW-01	12/15/15							Y	
GIW-01	12/16/15							Y	
GIW-01	12/17/15							Y	
GIW-01	12/18/15							Y	

# GIW-1 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	08/18/15							N/A	(HES Installed)
GIW-02	08/19/15							N/A	(HES Installed)
GIW-02	08/20/15	1.4	64.2	0.3	34.1	81.3	-1.15	N/A	(HES Installed)
GIW-02	08/21/15							N/A	(HES Installed)
GIW-02	08/22/15							N/A	(HES Installed)
GIW-02	08/23/15							N/A	(HES Installed)
GIW-02	08/24/15							N/A	(HES Installed)
GIW-02	08/25/15							N/A	(HES Installed)
GIW-02	08/26/15							N/A	(HES Installed)
GIW-02	08/27/15	4.6	63.7	0.0	31.7	84.4	-0.63	N/A	(HES Installed)
GIW-02	08/28/15							N/A	(HES Installed)
GIW-02	08/29/15							N/A	(HES Installed)
GIW-02	08/30/15							N/A	(HES Installed)
GIW-02	08/31/15							N/A	(HES Installed)
GIW-02	09/01/15							N/A	(HES Installed)
GIW-02	09/02/15							N/A	(HES Installed)
GIW-02	09/03/15	4.2	63.2	0.0	32.6	100.4	-0.70	N/A	(HES Installed)
GIW-02	09/04/15							N/A	(HES Installed)
GIW-02	09/05/15							N/A	(HES Installed)
GIW-02	09/06/15							N/A	(HES Installed)
GIW-02	09/07/15							N/A	(HES Installed)
GIW-02	09/08/15							N/A	(HES Installed)
GIW-02	09/09/15							N/A	(HES Installed)
GIW-02	09/10/15							N/A	(HES Installed)
GIW-02	09/11/15	3.8	44.8	0.7	50.7	73.8	-0.74	N/A	(HES Installed)
GIW-02	09/12/15							N/A	(HES Installed)
GIW-02	09/13/15							N/A	(HES Installed)
GIW-02	09/14/15							N/A	(HES Installed)
GIW-02	09/15/15							N/A	(HES Installed)
GIW-02	09/16/15							N/A	(HES Installed)
GIW-02	09/17/15							N/A	(HES Installed)
GIW-02	09/18/15	6.3	58.1	2.5	33.1	80.6	-0.66	N/A	(HES Installed)
GIW-02	09/19/15							N/A	(HES Installed)
GIW-02	09/20/15							N/A	(HES Installed)
GIW-02	09/21/15							N/A	(HES Installed)
GIW-02	09/22/15							N/A	(HES Installed)
GIW-02	09/23/15							N/A	(HES Installed)
GIW-02	09/24/15							N/A	(HES Installed)
GIW-02	09/25/15							N/A	(HES Installed)
GIW-02	09/26/15							N/A	(HES Installed)
GIW-02	09/27/15							N/A	(HES Installed)
GIW-02	09/28/15							N/A	(HES Installed)
GIW-02	09/29/15							N/A	(HES Installed)
GIW-02	09/30/15							N/A	(HES Installed)
GIW-02	10/01/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	10/02/15	7.4	55.6	1.3	35.7	55.8	-0.31	N/A	(HES Installed)
GIW-02	10/03/15							N/A	(HES Installed)
GIW-02	10/04/15							N/A	(HES Installed)
GIW-02	10/05/15							N/A	(HES Installed)
GIW-02	10/06/15	4.8	44.9	7.1	43.2	74.3	-0.50	N/A	(HES Installed)
GIW-02	10/07/15							N/A	(HES Installed)
GIW-02	10/08/15							N/A	(HES Installed)
GIW-02	10/09/15							N/A	(HES Installed)
GIW-02	10/10/15							N/A	(HES Installed)
GIW-02	10/11/15							N/A	(HES Installed)
GIW-02	10/12/15							N/A	(HES Installed)
GIW-02	10/13/15							N/A	(HES Installed)
GIW-02	10/14/15	8.4	64.2	0.1	27.3	90.7	-0.24	N/A	(HES Installed)
GIW-02	10/15/15							N/A	(HES Installed)
GIW-02	10/16/15							N/A	(HES Installed)
GIW-02	10/17/15							N/A	(HES Installed)
GIW-02	10/18/15							N/A	(HES Installed)
GIW-02	10/19/15	6.8	59.4	0.1	33.7	84.0	-0.18	N/A	(HES Installed)
GIW-02	10/20/15							N/A	(HES Installed)
GIW-02	10/21/15							N/A	(HES Installed)
GIW-02	10/22/15							N/A	(HES Installed)
GIW-02	10/23/15							N/A	(HES Installed)
GIW-02	10/24/15							N/A	(HES Installed)
GIW-02	10/25/15							N/A	(HES Installed)
GIW-02	10/26/15							N/A	(HES Installed)
GIW-02	10/27/15							N/A	(HES Installed)
GIW-02	10/28/15							N/A	(HES Installed)
GIW-02	10/29/15							N/A	(HES Installed)
GIW-02	10/30/15	9.5	60.0	0.2	30.3	65.3	-3.34	N/A	(HES Installed)
GIW-02	10/31/15							N/A	(HES Installed)
GIW-02	11/01/15							N/A	(HES Installed)
GIW-02	11/02/15							N/A	(HES Installed)
GIW-02	11/03/15							N/A	(HES Installed)
GIW-02	11/04/15	5.3	23.8	11.8	59.1	72.1	-3.48	N/A	(HES Installed)
GIW-02	11/05/15							N/A	(HES Installed)
GIW-02	11/06/15							N/A	(HES Installed)
GIW-02	11/07/15							N/A	(HES Installed)
GIW-02	11/08/15							N/A	(HES Installed)
GIW-02	11/09/15							N/A	(HES Installed)
GIW-02	11/10/15							N/A	(HES Installed)
GIW-02	11/11/15							N/A	(HES Installed)
GIW-02	11/12/15							N/A	(HES Installed)
GIW-02	11/13/15	5.2	21.8	12.4	60.6	67.7	-3.17	N/A	(HES Installed)
GIW-02	11/14/15							N/A	(HES Installed)
GIW-02	11/15/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-02	11/16/15							N/A	(HES Installed)
GIW-02	11/17/15							N/A	(HES Installed)
GIW-02	11/18/15							N/A	(HES Installed)
GIW-02	11/19/15							N/A	(HES Installed)
GIW-02	11/20/15	6.6	31.5	6.7	55.2	61.0	-4.52	N/A	(HES Installed)
GIW-02	11/21/15							N/A	(HES Installed)
GIW-02	11/22/15							N/A	(HES Installed)
GIW-02	11/23/15	5.0	22.8	11.4	60.8	76.8	-3.61	N/A	(HES Installed)
GIW-02	11/24/15							N/A	(HES Installed)
GIW-02	11/25/15							N/A	(HES Installed)
GIW-02	11/26/15							N/A	(HES Installed)
GIW-02	11/27/15							N/A	(HES Installed)
GIW-02	11/28/15							N/A	(HES Installed)
GIW-02	11/29/15							N/A	(HES Installed)
GIW-02	11/30/15							N/A	(HES Installed)
GIW-02	12/01/15	6.1	31.3	9.5	53.1	63.1	-2.25	N/A	(HES Installed)
GIW-02	12/02/15							N/A	(HES Installed)
GIW-02	12/03/15							N/A	(HES Installed)
GIW-02	12/04/15							N/A	(HES Installed)
GIW-02	12/05/15							N/A	(HES Installed)
GIW-02	12/06/15							N/A	(HES Installed)
GIW-02	12/07/15							N/A	(HES Installed)
GIW-02	12/08/15							N/A	(HES Installed)
GIW-02	12/09/15							N/A	(HES Installed)
GIW-02	12/10/15	7.0	36.7	7.9	48.4	51.0	-8.70	N/A	(HES Installed)
GIW-02	12/11/15							N/A	(HES Installed)
GIW-02	12/12/15							N/A	(HES Installed)
GIW-02	12/13/15							N/A	(HES Installed)
GIW-02	12/14/15							N/A	(HES Installed)
GIW-02	12/15/15	5.1	24.0	11.0	59.9	63.5	-9.09	N/A	(HES Installed)
GIW-02	12/16/15							N/A	(HES Installed)
GIW-02	12/17/15							N/A	(HES Installed)
GIW-02	12/18/15							N/A	(HES Installed)

# GIW-2 Wellhead Temperatures






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Adj. Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-03	08/18/15							N/A	(HES Installed)
GIW-03	08/19/15							N/A	(HES Installed)
GIW-03	08/20/15	0.3	43.4	8.9	47.4	80.0	-3.01	N/A	(HES Installed)
GIW-03	08/21/15							N/A	(HES Installed)
GIW-03	08/22/15							N/A	(HES Installed)
GIW-03	08/23/15							N/A	(HES Installed)
GIW-03	08/24/15							N/A	(HES Installed)
GIW-03	08/25/15							N/A	(HES Installed)
GIW-03	08/26/15							N/A	(HES Installed)
GIW-03	08/27/15	0.5	61.6	0.0	37.9	84.0	-0.34	N/A	(HES Installed)
GIW-03	08/28/15							N/A	(HES Installed)
GIW-03	08/29/15							N/A	(HES Installed)
GIW-03	08/30/15							N/A	(HES Installed)
GIW-03	08/31/15							N/A	(HES Installed)
GIW-03	09/01/15							N/A	(HES Installed)
GIW-03	09/02/15							N/A	(HES Installed)
GIW-03	09/03/15	0.4	50.0	5.5	44.1	96.7	-0.64	N/A	(HES Installed)
GIW-03	09/04/15							N/A	(HES Installed)
GIW-03	09/05/15							N/A	(HES Installed)
GIW-03	09/06/15							N/A	(HES Installed)
GIW-03	09/07/15							N/A	(HES Installed)
GIW-03	09/08/15							N/A	(HES Installed)
GIW-03	09/09/15							N/A	(HES Installed)
GIW-03	09/10/15							N/A	(HES Installed)
GIW-03	09/11/15	0.2	54.0	5.4	40.4	73.5	-0.71	N/A	(HES Installed)
GIW-03	09/12/15							N/A	(HES Installed)
GIW-03	09/13/15							N/A	(HES Installed)
GIW-03	09/14/15							N/A	(HES Installed)
GIW-03	09/15/15							N/A	(HES Installed)
GIW-03	09/16/15							N/A	(HES Installed)
GIW-03	09/17/15							N/A	(HES Installed)
GIW-03	09/18/15	0.3	42.4	7.5	49.8	80.4	-1.50	N/A	(HES Installed)
GIW-03	09/19/15							N/A	(HES Installed)
GIW-03	09/20/15							N/A	(HES Installed)
GIW-03	09/21/15							N/A	(HES Installed)
GIW-03	09/22/15	6.6	55.6	2.6	35.2	93.2	-0.65	N/A	(HES Installed)
GIW-03	09/23/15							N/A	(HES Installed)
GIW-03	09/24/15							N/A	(HES Installed)
GIW-03	09/25/15							N/A	(HES Installed)
GIW-03	09/26/15							N/A	(HES Installed)
GIW-03	09/27/15							N/A	(HES Installed)
GIW-03	09/28/15							N/A	(HES Installed)
GIW-03	09/29/15							N/A	(HES Installed)
GIW-03	09/30/15							N/A	(HES Installed)
GIW-03	10/01/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Adj. Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-03	10/02/15	0.5	51.4	2.9	45.2	56.0	-0.22	N/A	(HES Installed)
GIW-03	10/03/15							N/A	(HES Installed)
GIW-03	10/04/15							N/A	(HES Installed)
GIW-03	10/05/15							N/A	(HES Installed)
GIW-03	10/06/15	0.3	40.8	7.9	51.0	75.2	-2.88	N/A	(HES Installed)
GIW-03	10/07/15							N/A	(HES Installed)
GIW-03	10/08/15							N/A	(HES Installed)
GIW-03	10/09/15							N/A	(HES Installed)
GIW-03	10/10/15							N/A	(HES Installed)
GIW-03	10/11/15							N/A	(HES Installed)
GIW-03	10/12/15							N/A	(HES Installed)
GIW-03	10/13/15							N/A	(HES Installed)
GIW-03	10/14/15	0.2	42.7	7.3	49.8	88.7	-1.83	N/A	(HES Installed)
GIW-03	10/15/15							N/A	(HES Installed)
GIW-03	10/16/15							N/A	(HES Installed)
GIW-03	10/17/15							N/A	(HES Installed)
GIW-03	10/18/15							N/A	(HES Installed)
GIW-03	10/19/15	0.4	44.5	6.7	48.4	83.8	-1.73	N/A	(HES Installed)
GIW-03	10/20/15							N/A	(HES Installed)
GIW-03	10/21/15							N/A	(HES Installed)
GIW-03	10/22/15							N/A	(HES Installed)
GIW-03	10/23/15							N/A	(HES Installed)
GIW-03	10/24/15							N/A	(HES Installed)
GIW-03	10/25/15							N/A	(HES Installed)
GIW-03	10/26/15							N/A	(HES Installed)
GIW-03	10/27/15							N/A	(HES Installed)
GIW-03	10/28/15							N/A	(HES Installed)
GIW-03	10/29/15							N/A	(HES Installed)
GIW-03	10/30/15	0.3	43.5	6.8	49.4	65.1	-2.12	N/A	(HES Installed)
GIW-03	10/31/15							N/A	(HES Installed)
GIW-03	11/01/15							N/A	(HES Installed)
GIW-03	11/02/15							N/A	(HES Installed)
GIW-03	11/03/15							N/A	(HES Installed)
GIW-03	11/04/15	0.3	45.9	7.3	46.5	66.1	-1.78	N/A	(HES Installed)
GIW-03	11/05/15							N/A	(HES Installed)
GIW-03	11/06/15							N/A	(HES Installed)
GIW-03	11/07/15							N/A	(HES Installed)
GIW-03	11/08/15							N/A	(HES Installed)
GIW-03	11/09/15							N/A	(HES Installed)
GIW-03	11/10/15							N/A	(HES Installed)
GIW-03	11/11/15							N/A	(HES Installed)
GIW-03	11/12/15							N/A	(HES Installed)
GIW-03	11/13/15	0.2	41.1	8.2	50.5	68.5	-2.28	N/A	(HES Installed)
GIW-03	11/14/15							N/A	(HES Installed)
GIW-03	11/15/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Adj. Static Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-03	11/16/15							N/A	(HES Installed)
GIW-03	11/17/15							N/A	(HES Installed)
GIW-03	11/18/15							N/A	(HES Installed)
GIW-03	11/19/15							N/A	(HES Installed)
GIW-03	11/20/15	0.3	44.3	7.0	48.4	60.6	-1.33	N/A	(HES Installed)
GIW-03	11/21/15							N/A	(HES Installed)
GIW-03	11/22/15							N/A	(HES Installed)
GIW-03	11/23/15	0.2	38.4	10.2	51.2	74.8	-4.54	N/A	(HES Installed)
GIW-03	11/24/15							N/A	(HES Installed)
GIW-03	11/25/15							N/A	(HES Installed)
GIW-03	11/26/15							N/A	(HES Installed)
GIW-03	11/27/15							N/A	(HES Installed)
GIW-03	11/28/15							N/A	(HES Installed)
GIW-03	11/29/15							N/A	(HES Installed)
GIW-03	11/30/15							N/A	(HES Installed)
GIW-03	12/01/15	0.3	49.2	6.6	43.9	63.5	-1.90	N/A	(HES Installed)
GIW-03	12/02/15							N/A	(HES Installed)
GIW-03	12/03/15							N/A	(HES Installed)
GIW-03	12/04/15							N/A	(HES Installed)
GIW-03	12/05/15							N/A	(HES Installed)
GIW-03	12/06/15							N/A	(HES Installed)
GIW-03	12/07/15							N/A	(HES Installed)
GIW-03	12/08/15							N/A	(HES Installed)
GIW-03	12/09/15							N/A	(HES Installed)
GIW-03	12/10/15	0.2	24.5	14.0	61.3	52.0	-11.00	N/A	(HES Installed)
GIW-03	12/11/15							N/A	(HES Installed)
GIW-03	12/12/15							N/A	(HES Installed)
GIW-03	12/13/15							N/A	(HES Installed)
GIW-03	12/14/15							N/A	(HES Installed)
GIW-03	12/15/15	0.1	26.2	12.7	61.0	48.9	-8.60	N/A	(HES Installed)
GIW-03	12/16/15							N/A	(HES Installed)
GIW-03	12/17/15							N/A	(HES Installed)
GIW-03	12/18/15							N/A	(HES Installed)

# GIW-3 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	08/18/15							N/A	(HES Installed)
GIW-04	08/19/15							N/A	(HES Installed)
GIW-04	08/20/15	0.9	54.2	0.6	44.3	74.9	-4.06	N/A	(HES Installed)
GIW-04	08/21/15							N/A	(HES Installed)
GIW-04	08/22/15							N/A	(HES Installed)
GIW-04	08/23/15							N/A	(HES Installed)
GIW-04	08/24/15							N/A	(HES Installed)
GIW-04	08/25/15							N/A	(HES Installed)
GIW-04	08/26/15							N/A	(HES Installed)
GIW-04	08/27/15	1.0	55.0	0.0	44.0	78.6	-1.96	N/A	(HES Installed)
GIW-04	08/28/15							N/A	(HES Installed)
GIW-04	08/29/15							N/A	(HES Installed)
GIW-04	08/30/15							N/A	(HES Installed)
GIW-04	08/31/15							N/A	(HES Installed)
GIW-04	09/01/15							N/A	(HES Installed)
GIW-04	09/02/15							N/A	(HES Installed)
GIW-04	09/03/15	1.0	54.7	0.0	44.3	92.7	-1.50	N/A	(HES Installed)
GIW-04	09/04/15							N/A	(HES Installed)
GIW-04	09/05/15							N/A	(HES Installed)
GIW-04	09/06/15							N/A	(HES Installed)
GIW-04	09/07/15							N/A	(HES Installed)
GIW-04	09/08/15							N/A	(HES Installed)
GIW-04	09/09/15							N/A	(HES Installed)
GIW-04	09/10/15							N/A	(HES Installed)
GIW-04	09/11/15	0.6	40.2	3.7	55.5	73.7	-8.05	N/A	(HES Installed)
GIW-04	09/12/15							N/A	(HES Installed)
GIW-04	09/13/15							N/A	(HES Installed)
GIW-04	09/14/15							N/A	(HES Installed)
GIW-04	09/15/15							N/A	(HES Installed)
GIW-04	09/16/15							N/A	(HES Installed)
GIW-04	09/17/15							N/A	(HES Installed)
GIW-04	09/18/15	1.1	39.5	12.1	47.3	80.1	-0.65	N/A	(HES Installed)
GIW-04	09/19/15							N/A	(HES Installed)
GIW-04	09/20/15							N/A	(HES Installed)
GIW-04	09/21/15							N/A	(HES Installed)
GIW-04	09/22/15	0.3	23.4	18.0	58.3	88.9	-1.17	N/A	(HES Installed)
GIW-04	09/23/15							N/A	(HES Installed)
GIW-04	09/24/15							N/A	(HES Installed)
GIW-04	09/25/15							N/A	(HES Installed)
GIW-04	09/26/15							N/A	(HES Installed)
GIW-04	09/27/15							N/A	(HES Installed)
GIW-04	09/28/15							N/A	(HES Installed)
GIW-04	09/29/15							N/A	(HES Installed)
GIW-04	09/30/15							N/A	(HES Installed)
GIW-04	10/01/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	10/02/15	1.4	52.3	0.2	46.1	55.2	-3.62	N/A	(HES Installed)
GIW-04	10/03/15							N/A	(HES Installed)
GIW-04	10/04/15							N/A	(HES Installed)
GIW-04	10/05/15							N/A	(HES Installed)
GIW-04	10/06/15	0.7	39.2	7.6	52.5	74.1	-24.36	N/A	(HES Installed)
GIW-04	10/07/15							N/A	(HES Installed)
GIW-04	10/08/15							N/A	(HES Installed)
GIW-04	10/09/15							N/A	(HES Installed)
GIW-04	10/10/15							N/A	(HES Installed)
GIW-04	10/11/15							N/A	(HES Installed)
GIW-04	10/12/15							N/A	(HES Installed)
GIW-04	10/13/15							N/A	(HES Installed)
GIW-04	10/14/15	0.5	40.1	5.7	53.7	90.9	-15.14	N/A	(HES Installed)
GIW-04	10/15/15							N/A	(HES Installed)
GIW-04	10/16/15							N/A	(HES Installed)
GIW-04	10/17/15							N/A	(HES Installed)
GIW-04	10/18/15							N/A	(HES Installed)
GIW-04	10/19/15	0.8	41.6	4.9	52.7	84.5	-13.13	N/A	(HES Installed)
GIW-04	10/20/15							N/A	(HES Installed)
GIW-04	10/21/15							N/A	(HES Installed)
GIW-04	10/22/15							N/A	(HES Installed)
GIW-04	10/23/15							N/A	(HES Installed)
GIW-04	10/24/15							N/A	(HES Installed)
GIW-04	10/25/15							N/A	(HES Installed)
GIW-04	10/26/15							N/A	(HES Installed)
GIW-04	10/27/15							N/A	(HES Installed)
GIW-04	10/28/15							N/A	(HES Installed)
GIW-04	10/29/15							N/A	(HES Installed)
GIW-04	10/30/15	0.6	43.4	3.9	52.1	63.6	-17.56	N/A	(HES Installed)
GIW-04	10/31/15							N/A	(HES Installed)
GIW-04	11/01/15							N/A	(HES Installed)
GIW-04	11/02/15							N/A	(HES Installed)
GIW-04	11/03/15							N/A	(HES Installed)
GIW-04	11/04/15	0.7	44.0	5.5	49.8	65.6	-16.18	N/A	(HES Installed)
GIW-04	11/05/15							N/A	(HES Installed)
GIW-04	11/06/15							N/A	(HES Installed)
GIW-04	11/07/15							N/A	(HES Installed)
GIW-04	11/08/15							N/A	(HES Installed)
GIW-04	11/09/15							N/A	(HES Installed)
GIW-04	11/10/15							N/A	(HES Installed)
GIW-04	11/11/15							N/A	(HES Installed)
GIW-04	11/12/15							N/A	(HES Installed)
GIW-04	11/13/15	0.4	37.0	7.2	55.4	68.2	-14.63	N/A	(HES Installed)
GIW-04	11/14/15							N/A	(HES Installed)
GIW-04	11/15/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-04	11/16/15							N/A	(HES Installed)
GIW-04	11/17/15							N/A	(HES Installed)
GIW-04	11/18/15							N/A	(HES Installed)
GIW-04	11/19/15							N/A	(HES Installed)
GIW-04	11/20/15	0.6	41.8	5.6	52.0	57.5	-12.39	N/A	(HES Installed)
GIW-04	11/21/15							N/A	(HES Installed)
GIW-04	11/22/15							N/A	(HES Installed)
GIW-04	11/23/15	0.6	48.2	3.7	47.5	71.2	-15.08	N/A	(HES Installed)
GIW-04	11/24/15							N/A	(HES Installed)
GIW-04	11/25/15							N/A	(HES Installed)
GIW-04	11/26/15							N/A	(HES Installed)
GIW-04	11/27/15							N/A	(HES Installed)
GIW-04	11/28/15							N/A	(HES Installed)
GIW-04	11/29/15							N/A	(HES Installed)
GIW-04	11/30/15							N/A	(HES Installed)
GIW-04	12/01/15	0.8	52.3	0.3	46.6	61.9	-2.94	N/A	(HES Installed)
GIW-04	12/02/15							N/A	(HES Installed)
GIW-04	12/03/15							N/A	(HES Installed)
GIW-04	12/04/15							N/A	(HES Installed)
GIW-04	12/05/15							N/A	(HES Installed)
GIW-04	12/06/15							N/A	(HES Installed)
GIW-04	12/07/15							N/A	(HES Installed)
GIW-04	12/08/15							N/A	(HES Installed)
GIW-04	12/09/15							N/A	(HES Installed)
GIW-04	12/10/15	0.2	12.9	16.6	70.3	55.0	-11.00	N/A	(HES Installed)
GIW-04	12/11/15							N/A	(HES Installed)
GIW-04	12/12/15							N/A	(HES Installed)
GIW-04	12/13/15							N/A	(HES Installed)
GIW-04	12/14/15	0.5	31.3	7.8	60.4	48.5	-10.61	N/A	(HES Installed)
GIW-04	12/15/15							N/A	(HES Installed)
GIW-04	12/16/15							N/A	(HES Installed)
GIW-04	12/17/15							N/A	(HES Installed)
GIW-04	12/18/15							N/A	(HES Installed)

# GIW-4 Wellhead Temperatures






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-05	08/18/15							N/A	(HES Installed)
GIW-05	08/19/15							N/A	(HES Installed)
GIW-05	08/20/15	2.7	54.9	3.8	38.6	81.3	-19.11	N/A	(HES Installed)
GIW-05	08/21/15							N/A	(HES Installed)
GIW-05	08/22/15							N/A	(HES Installed)
GIW-05	08/23/15							N/A	(HES Installed)
GIW-05	08/24/15							N/A	(HES Installed)
GIW-05	08/25/15							N/A	(HES Installed)
GIW-05	08/26/15	3.3	53.1	1.9	41.7	89.4	-17.07	N/A	(HES Installed)
GIW-05	08/27/15							N/A	(HES Installed)
GIW-05	08/28/15							N/A	(HES Installed)
GIW-05	08/29/15							N/A	(HES Installed)
GIW-05	08/30/15							N/A	(HES Installed)
GIW-05	08/31/15							N/A	(HES Installed)
GIW-05	09/01/15							N/A	(HES Installed)
GIW-05	09/02/15							N/A	(HES Installed)
GIW-05	09/03/15	3.4	40.4	7.4	48.8	97.9	-17.68	N/A	(HES Installed)
GIW-05	09/04/15							N/A	(HES Installed)
GIW-05	09/05/15							N/A	(HES Installed)
GIW-05	09/06/15							N/A	(HES Installed)
GIW-05	09/07/15							N/A	(HES Installed)
GIW-05	09/08/15							N/A	(HES Installed)
GIW-05	09/09/15							N/A	(HES Installed)
GIW-05	09/10/15							N/A	(HES Installed)
GIW-05	09/11/15	2.9	38.8	6.3	52.0	69.7	-19.15	N/A	(HES Installed)
GIW-05	09/12/15							N/A	(HES Installed)
GIW-05	09/13/15							N/A	(HES Installed)
GIW-05	09/14/15							N/A	(HES Installed)
GIW-05	09/15/15							N/A	(HES Installed)
GIW-05	09/16/15							N/A	(HES Installed)
GIW-05	09/17/15							N/A	(HES Installed)
GIW-05	09/18/15	3.2	61.9	0.0	34.9	81.5	0.91	N/A	(HES Installed)
GIW-05	09/19/15							N/A	(HES Installed)
GIW-05	09/20/15							N/A	(HES Installed)
GIW-05	09/21/15							N/A	(HES Installed)
GIW-05	09/22/15	3.5	40.5	9.7	46.3	93.8	-21.55	N/A	(HES Installed)
GIW-05	09/23/15							N/A	(HES Installed)
GIW-05	09/24/15							N/A	(HES Installed)
GIW-05	09/25/15							N/A	(HES Installed)
GIW-05	09/26/15							N/A	(HES Installed)
GIW-05	09/27/15							N/A	(HES Installed)
GIW-05	09/28/15							N/A	(HES Installed)
GIW-05	09/29/15							N/A	(HES Installed)
GIW-05	09/30/15							N/A	(HES Installed)
GIW-05	10/01/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-05	10/02/15	2.6	40.4	7.5	49.5	55.7	-16.65	N/A	(HES Installed)
GIW-05	10/03/15							N/A	(HES Installed)
GIW-05	10/04/15							N/A	(HES Installed)
GIW-05	10/05/15							N/A	(HES Installed)
GIW-05	10/06/15	2.6	35.9	9.3	52.2	77.1	-23.84	N/A	(HES Installed)
GIW-05	10/07/15							N/A	(HES Installed)
GIW-05	10/08/15							N/A	(HES Installed)
GIW-05	10/09/15							N/A	(HES Installed)
GIW-05	10/10/15							N/A	(HES Installed)
GIW-05	10/11/15							N/A	(HES Installed)
GIW-05	10/12/15							N/A	(HES Installed)
GIW-05	10/13/15							N/A	(HES Installed)
GIW-05	10/14/15	3.5	34.5	10.1	51.9	88.7	-14.65	N/A	(HES Installed)
GIW-05	10/15/15							N/A	(HES Installed)
GIW-05	10/16/15							N/A	(HES Installed)
GIW-05	10/17/15							N/A	(HES Installed)
GIW-05	10/18/15							N/A	(HES Installed)
GIW-05	10/19/15	2.1	34.8	9.1	54.0	86.1	-10.62	N/A	(HES Installed)
GIW-05	10/20/15							N/A	(HES Installed)
GIW-05	10/21/15							N/A	(HES Installed)
GIW-05	10/22/15							N/A	(HES Installed)
GIW-05	10/23/15							N/A	(HES Installed)
GIW-05	10/24/15							N/A	(HES Installed)
GIW-05	10/25/15							N/A	(HES Installed)
GIW-05	10/26/15							N/A	(HES Installed)
GIW-05	10/27/15							N/A	(HES Installed)
GIW-05	10/28/15							N/A	(HES Installed)
GIW-05	10/29/15							N/A	(HES Installed)
GIW-05	10/30/15	4.2	47.2	4.5	44.1	64.1	-15.12	N/A	(HES Installed)
GIW-05	10/31/15							N/A	(HES Installed)
GIW-05	11/01/15							N/A	(HES Installed)
GIW-05	11/02/15							N/A	(HES Installed)
GIW-05	11/03/15							N/A	(HES Installed)
GIW-05	11/04/15							N/A	(HES Installed)
GIW-05	11/05/15							N/A	(HES Installed)
GIW-05	11/06/15							N/A	(HES Installed)
GIW-05	11/07/15							N/A	(HES Installed)
GIW-05	11/08/15							N/A	(HES Installed)
GIW-05	11/09/15							N/A	(HES Installed)
GIW-05	11/10/15							N/A	(HES Installed)
GIW-05	11/11/15							N/A	(HES Installed)
GIW-05	11/12/15							N/A	(HES Installed)
GIW-05	11/13/15	3.3	55.8	0.2	40.7	60.1	-7.93	N/A	(HES Installed)
GIW-05	11/14/15							N/A	(HES Installed)
GIW-05	11/15/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-05	11/16/15							N/A	(HES Installed)
GIW-05	11/17/15							N/A	(HES Installed)
GIW-05	11/18/15							N/A	(HES Installed)
GIW-05	11/19/15	4.1	55.4	1.9	38.6	61.8	-11.66	N/A	(HES Installed)
GIW-05	11/20/15							N/A	(HES Installed)
GIW-05	11/21/15							N/A	(HES Installed)
GIW-05	11/22/15							N/A	(HES Installed)
GIW-05	11/23/15	2.4	52.9	4.4	40.3	50.0	-2.10	N/A	(HES Installed)
GIW-05	11/24/15							N/A	(HES Installed)
GIW-05	11/25/15							N/A	(HES Installed)
GIW-05	11/26/15							N/A	(HES Installed)
GIW-05	11/27/15							N/A	(HES Installed)
GIW-05	11/28/15							N/A	(HES Installed)
GIW-05	11/29/15							N/A	(HES Installed)
GIW-05	11/30/15							N/A	(HES Installed)
GIW-05	12/01/15	3.8	67.2	0.0	29.0	40.0	-0.40	N/A	(HES Installed)
GIW-05	12/02/15							N/A	(HES Installed)
GIW-05	12/03/15							N/A	(HES Installed)
GIW-05	12/04/15							N/A	(HES Installed)
GIW-05	12/05/15							N/A	(HES Installed)
GIW-05	12/06/15							N/A	(HES Installed)
GIW-05	12/07/15							N/A	(HES Installed)
GIW-05	12/08/15							N/A	(HES Installed)
GIW-05	12/09/15	2.8	58.9	1.6	36.7	50.0	-4.40	N/A	(HES Installed)
GIW-05	12/10/15							N/A	(HES Installed)
GIW-05	12/11/15							N/A	(HES Installed)
GIW-05	12/12/15							N/A	(HES Installed)
GIW-05	12/13/15							N/A	(HES Installed)
GIW-05	12/14/15	2.6	55.2	1.2	41.0	47.6	-7.99	N/A	(HES Installed)
GIW-05	12/15/15							N/A	(HES Installed)
GIW-05	12/16/15							N/A	(HES Installed)
GIW-05	12/17/15							N/A	(HES Installed)
GIW-05	12/18/15							N/A	(HES Installed)

# GIW-5 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-06	08/18/15							N/A	(HES Installed)
GIW-06	08/19/15							N/A	(HES Installed)
GIW-06	08/20/15	1.2	65.3	0.0	33.5	81.5	-5.98	N/A	(HES Installed)
GIW-06	08/21/15							N/A	(HES Installed)
GIW-06	08/22/15							N/A	(HES Installed)
GIW-06	08/23/15							N/A	(HES Installed)
GIW-06	08/24/15							N/A	(HES Installed)
GIW-06	08/25/15							N/A	(HES Installed)
GIW-06	08/26/15							N/A	(HES Installed)
GIW-06	08/27/15	1.4	61.0	0.0	37.6	82.9	-3.36	N/A	(HES Installed)
GIW-06	08/28/15							N/A	(HES Installed)
GIW-06	08/29/15							N/A	(HES Installed)
GIW-06	08/30/15							N/A	(HES Installed)
GIW-06	08/31/15							N/A	(HES Installed)
GIW-06	09/01/15							N/A	(HES Installed)
GIW-06	09/02/15							N/A	(HES Installed)
GIW-06	09/03/15	1.3	61.2	0.0	37.5	95.2	-3.15	N/A	(HES Installed)
GIW-06	09/04/15							N/A	(HES Installed)
GIW-06	09/05/15							N/A	(HES Installed)
GIW-06	09/06/15							N/A	(HES Installed)
GIW-06	09/07/15							N/A	(HES Installed)
GIW-06	09/08/15							N/A	(HES Installed)
GIW-06	09/09/15							N/A	(HES Installed)
GIW-06	09/10/15							N/A	(HES Installed)
GIW-06	09/11/15	0.9	60.1	0.0	39.0	73.6	23.29	N/A	(HES Installed)
GIW-06	09/12/15							N/A	(HES Installed)
GIW-06	09/13/15							N/A	(HES Installed)
GIW-06	09/14/15							N/A	(HES Installed)
GIW-06	09/15/15							N/A	(HES Installed)
GIW-06	09/16/15							N/A	(HES Installed)
GIW-06	09/17/15							N/A	(HES Installed)
GIW-06	09/18/15	1.2	64.8	0.0	34.0	80.6	-10.20	N/A	(HES Installed)
GIW-06	09/19/15							N/A	(HES Installed)
GIW-06	09/20/15							N/A	(HES Installed)
GIW-06	09/21/15							N/A	(HES Installed)
GIW-06	09/22/15	1.3	56.4	1.5	40.8	91.5	-22.34	N/A	(HES Installed)
GIW-06	09/23/15							N/A	(HES Installed)
GIW-06	09/24/15							N/A	(HES Installed)
GIW-06	09/25/15							N/A	(HES Installed)
GIW-06	09/26/15							N/A	(HES Installed)
GIW-06	09/27/15							N/A	(HES Installed)
GIW-06	09/28/15							N/A	(HES Installed)
GIW-06	09/29/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-06	09/30/15							N/A	(HES Installed)
GIW-06	10/01/15							N/A	(HES Installed)
GIW-06	10/02/15	2.1	51.7	1.2	45.0	55.6	-16.18	N/A	(HES Installed)
GIW-06	10/03/15							N/A	(HES Installed)
GIW-06	10/04/15							N/A	(HES Installed)
GIW-06	10/05/15							N/A	(HES Installed)
GIW-06	10/06/15	2.3	49.5	2.3	45.9	74.8	-24.30	N/A	(HES Installed)
GIW-06	10/07/15							N/A	(HES Installed)
GIW-06	10/08/15							N/A	(HES Installed)
GIW-06	10/09/15							N/A	(HES Installed)
GIW-06	10/10/15							N/A	(HES Installed)
GIW-06	10/11/15							N/A	(HES Installed)
GIW-06	10/12/15							N/A	(HES Installed)
GIW-06	10/13/15							N/A	(HES Installed)
GIW-06	10/14/15	1.2	61.0	0.8	37.0	86.8	-15.63	N/A	(HES Installed)
GIW-06	10/15/15							N/A	(HES Installed)
GIW-06	10/16/15							N/A	(HES Installed)
GIW-06	10/17/15							N/A	(HES Installed)
GIW-06	10/18/15							N/A	(HES Installed)
GIW-06	10/19/15	1.5	59.6	0.9	38.0	82.8	-13.61	N/A	(HES Installed)
GIW-06	10/20/15							N/A	(HES Installed)
GIW-06	10/21/15							N/A	(HES Installed)
GIW-06	10/22/15							N/A	(HES Installed)
GIW-06	10/23/15							N/A	(HES Installed)
GIW-06	10/24/15							N/A	(HES Installed)
GIW-06	10/25/15							N/A	(HES Installed)
GIW-06	10/26/15							N/A	(HES Installed)
GIW-06	10/27/15							N/A	(HES Installed)
GIW-06	10/28/15							N/A	(HES Installed)
GIW-06	10/29/15							N/A	(HES Installed)
GIW-06	10/30/15	1.4	57.6	0.5	40.5	63.5	-16.77	N/A	(HES Installed)
GIW-06	10/31/15							N/A	(HES Installed)
GIW-06	11/01/15							N/A	(HES Installed)
GIW-06	11/02/15							N/A	(HES Installed)
GIW-06	11/03/15							N/A	(HES Installed)
GIW-06	11/04/15	1.2	63.9	0.4	34.5	64.6	-15.14	N/A	(HES Installed)
GIW-06	11/05/15							N/A	(HES Installed)
GIW-06	11/06/15							N/A	(HES Installed)
GIW-06	11/07/15							N/A	(HES Installed)
GIW-06	11/08/15							N/A	(HES Installed)
GIW-06	11/09/15							N/A	(HES Installed)
GIW-06	11/10/15							N/A	(HES Installed)
GIW-06	11/11/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-06	11/12/15							N/A	(HES Installed)
GIW-06	11/13/15	1.2	56.7	1.0	41.1	65.1	-14.09	N/A	(HES Installed)
GIW-06	11/14/15							N/A	(HES Installed)
GIW-06	11/15/15							N/A	(HES Installed)
GIW-06	11/16/15							N/A	(HES Installed)
GIW-06	11/17/15							N/A	(HES Installed)
GIW-06	11/18/15							N/A	(HES Installed)
GIW-06	11/19/15							N/A	(HES Installed)
GIW-06	11/20/15	1.1	60.7	0.6	37.6	59.4	-11.36	N/A	(HES Installed)
GIW-06	11/21/15							N/A	(HES Installed)
GIW-06	11/22/15							N/A	(HES Installed)
GIW-06	11/23/15	1.2	60.2	0.3	38.3	72.2	-15.51	N/A	(HES Installed)
GIW-06	11/24/15							N/A	(HES Installed)
GIW-06	11/25/15							N/A	(HES Installed)
GIW-06	11/26/15							N/A	(HES Installed)
GIW-06	11/27/15							N/A	(HES Installed)
GIW-06	11/28/15							N/A	(HES Installed)
GIW-06	11/29/15							N/A	(HES Installed)
GIW-06	11/30/15							N/A	(HES Installed)
GIW-06	12/01/15	1.1	60.4	0.1	38.4	60.5	-3.00	N/A	(HES Installed)
GIW-06	12/02/15							N/A	(HES Installed)
GIW-06	12/03/15							N/A	(HES Installed)
GIW-06	12/04/15							N/A	(HES Installed)
GIW-06	12/05/15							N/A	(HES Installed)
GIW-06	12/06/15							N/A	(HES Installed)
GIW-06	12/07/15							N/A	(HES Installed)
GIW-06	12/08/15							N/A	(HES Installed)
GIW-06	12/09/15							N/A	(HES Installed)
GIW-06	12/10/15	1.3	68.0	0.1	30.6	50.0	-10.30	N/A	(HES Installed)
GIW-06	12/11/15							N/A	(HES Installed)
GIW-06	12/12/15							N/A	(HES Installed)
GIW-06	12/13/15							N/A	(HES Installed)
GIW-06	12/14/15							N/A	(HES Installed)
GIW-06	12/15/15	1.3	59.7	0.2	38.8	48.9	-4.17	N/A	(HES Installed)
GIW-06	12/16/15							N/A	(HES Installed)
GIW-06	12/17/15							N/A	(HES Installed)
GIW-06	12/18/15							N/A	(HES Installed)

# GIW-6 Wellhead Temperatures






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-07	08/18/15							N/A	(HES Installed)
GIW-07	08/19/15							N/A	(HES Installed)
GIW-07	08/20/15	19.9	64.3	0.1	15.7	75.5	-0.18	N/A	(HES Installed)
GIW-07	08/21/15							N/A	(HES Installed)
GIW-07	08/22/15							N/A	(HES Installed)
GIW-07	08/23/15							N/A	(HES Installed)
GIW-07	08/24/15							N/A	(HES Installed)
GIW-07	08/25/15							N/A	(HES Installed)
GIW-07	08/26/15							N/A	(HES Installed)
GIW-07	08/27/15	20.2	61.9	0.0	17.9	84.6	-0.17	N/A	(HES Installed)
GIW-07	08/28/15							N/A	(HES Installed)
GIW-07	08/29/15							N/A	(HES Installed)
GIW-07	08/30/15							N/A	(HES Installed)
GIW-07	08/31/15							N/A	(HES Installed)
GIW-07	09/01/15							N/A	(HES Installed)
GIW-07	09/02/15							N/A	(HES Installed)
GIW-07	09/03/15	20.4	63.4	0.1	16.1	95.0	-0.21	N/A	(HES Installed)
GIW-07	09/04/15							N/A	(HES Installed)
GIW-07	09/05/15							N/A	(HES Installed)
GIW-07	09/06/15							N/A	(HES Installed)
GIW-07	09/07/15							N/A	(HES Installed)
GIW-07	09/08/15							N/A	(HES Installed)
GIW-07	09/09/15							N/A	(HES Installed)
GIW-07	09/10/15							N/A	(HES Installed)
GIW-07	09/11/15	28.6	52.4	1.8	17.2	73.4	-27.56	N/A	(HES Installed)
GIW-07	09/12/15							N/A	(HES Installed)
GIW-07	09/13/15							N/A	(HES Installed)
GIW-07	09/14/15							N/A	(HES Installed)
GIW-07	09/15/15							N/A	(HES Installed)
GIW-07	09/16/15							N/A	(HES Installed)
GIW-07	09/17/15							N/A	(HES Installed)
GIW-07	09/18/15	10.1	72.6	0.0	17.3	80.2	-7.26	N/A	(HES Installed)
GIW-07	09/19/15							N/A	(HES Installed)
GIW-07	09/20/15							N/A	(HES Installed)
GIW-07	09/21/15							N/A	(HES Installed)
GIW-07	09/22/15	25.3	50.2	3.1	21.4	94.7	-23.93	N/A	(HES Installed)
GIW-07	09/23/15							N/A	(HES Installed)
GIW-07	09/24/15							N/A	(HES Installed)
GIW-07	09/25/15							N/A	(HES Installed)
GIW-07	09/26/15							N/A	(HES Installed)
GIW-07	09/27/15							N/A	(HES Installed)
GIW-07	09/28/15							N/A	(HES Installed)
GIW-07	09/29/15							N/A	(HES Installed)
GIW-07	09/30/15							N/A	(HES Installed)
GIW-07	10/01/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-07	10/02/15	4.7	52.6	0.3	42.4	55.9	-8.42	N/A	(HES Installed)
GIW-07	10/03/15							N/A	(HES Installed)
GIW-07	10/04/15							N/A	(HES Installed)
GIW-07	10/05/15							N/A	(HES Installed)
GIW-07	10/06/15	9.7	62.3	0.4	27.6	71.2	-23.50	N/A	(HES Installed)
GIW-07	10/07/15							N/A	(HES Installed)
GIW-07	10/08/15							N/A	(HES Installed)
GIW-07	10/09/15							N/A	(HES Installed)
GIW-07	10/10/15							N/A	(HES Installed)
GIW-07	10/11/15							N/A	(HES Installed)
GIW-07	10/12/15							N/A	(HES Installed)
GIW-07	10/13/15							N/A	(HES Installed)
GIW-07	10/14/15	32.4	54.6	0.7	12.3	89.5	-24.97	N/A	(HES Installed)
GIW-07	10/15/15							N/A	(HES Installed)
GIW-07	10/16/15							N/A	(HES Installed)
GIW-07	10/17/15							N/A	(HES Installed)
GIW-07	10/18/15							N/A	(HES Installed)
GIW-07	10/19/15	27.9	50.9	1.6	19.6	82.5	-23.99	N/A	(HES Installed)
GIW-07	10/20/15							N/A	(HES Installed)
GIW-07	10/21/15							N/A	(HES Installed)
GIW-07	10/22/15							N/A	(HES Installed)
GIW-07	10/23/15							N/A	(HES Installed)
GIW-07	10/24/15							N/A	(HES Installed)
GIW-07	10/25/15							N/A	(HES Installed)
GIW-07	10/26/15							N/A	(HES Installed)
GIW-07	10/27/15							N/A	(HES Installed)
GIW-07	10/28/15							N/A	(HES Installed)
GIW-07	10/29/15							N/A	(HES Installed)
GIW-07	10/30/15	35.5	51.3	0.7	12.5	65.7	-25.79	N/A	(HES Installed)
GIW-07	10/31/15							N/A	(HES Installed)
GIW-07	11/01/15							N/A	(HES Installed)
GIW-07	11/02/15							N/A	(HES Installed)
GIW-07	11/03/15							N/A	(HES Installed)
GIW-07	11/04/15	34.0	55.0	0.7	10.3	65.0	-21.98	N/A	(HES Installed)
GIW-07	11/05/15							N/A	(HES Installed)
GIW-07	11/06/15							N/A	(HES Installed)
GIW-07	11/07/15							N/A	(HES Installed)
GIW-07	11/08/15							N/A	(HES Installed)
GIW-07	11/09/15							N/A	(HES Installed)
GIW-07	11/10/15							N/A	(HES Installed)
GIW-07	11/11/15							N/A	(HES Installed)
GIW-07	11/12/15							N/A	(HES Installed)
GIW-07	11/13/15	33.3	52.6	1.3	12.8	69.2	-20.91	N/A	(HES Installed)
GIW-07	11/14/15							N/A	(HES Installed)
GIW-07	11/15/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-07	11/16/15							N/A	(HES Installed)
GIW-07	11/17/15							N/A	(HES Installed)
GIW-07	11/18/15							N/A	(HES Installed)
GIW-07	11/19/15							N/A	(HES Installed)
GIW-07	11/20/15	21.4	63.6	0.0	15.0	62.7	7.14	N/A	(HES Installed)
GIW-07	11/21/15							N/A	(HES Installed)
GIW-07	11/22/15							N/A	(HES Installed)
GIW-07	11/23/15	30.6	59.9	0.6	8.9	69.5	-21.98	N/A	(HES Installed)
GIW-07	11/24/15							N/A	(HES Installed)
GIW-07	11/25/15							N/A	(HES Installed)
GIW-07	11/26/15							N/A	(HES Installed)
GIW-07	11/27/15							N/A	(HES Installed)
GIW-07	11/28/15							N/A	(HES Installed)
GIW-07	11/29/15							N/A	(HES Installed)
GIW-07	11/30/15							N/A	(HES Installed)
GIW-07	12/01/15	30.6	58.1	0.6	10.7	59.6	-18.32	N/A	(HES Installed)
GIW-07	12/02/15							N/A	(HES Installed)
GIW-07	12/03/15							N/A	(HES Installed)
GIW-07	12/04/15							N/A	(HES Installed)
GIW-07	12/05/15							N/A	(HES Installed)
GIW-07	12/06/15							N/A	(HES Installed)
GIW-07	12/07/15							N/A	(HES Installed)
GIW-07	12/08/15							N/A	(HES Installed)
GIW-07	12/09/15							N/A	(HES Installed)
GIW-07	12/10/15	29.8	62.7	0.6	6.9	50.0	-10.70	N/A	(HES Installed)
GIW-07	12/11/15							N/A	(HES Installed)
GIW-07	12/12/15							N/A	(HES Installed)
GIW-07	12/13/15							N/A	(HES Installed)
GIW-07	12/14/15							N/A	(HES Installed)
GIW-07	12/15/15	30.1	55.0	0.7	14.2	49.7	-10.61	N/A	(HES Installed)
GIW-07	12/16/15							N/A	(HES Installed)
GIW-07	12/17/15							N/A	(HES Installed)
GIW-07	12/18/15							N/A	(HES Installed)

# GIW-7 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-08	08/18/15							N/A	(HES Installed)
GIW-08	08/19/15							N/A	(HES Installed)
GIW-08	08/20/15	15.4	47.5	6.8	30.3	82.8	-25.03	N/A	(HES Installed)
GIW-08	08/21/15							N/A	(HES Installed)
GIW-08	08/22/15							N/A	(HES Installed)
GIW-08	08/23/15							N/A	(HES Installed)
GIW-08	08/24/15							N/A	(HES Installed)
GIW-08	08/25/15							N/A	(HES Installed)
GIW-08	08/26/15	14.2	36.5	6.8	42.5	87.2	-27.32	N/A	(HES Installed)
GIW-08	08/27/15							N/A	(HES Installed)
GIW-08	08/28/15							N/A	(HES Installed)
GIW-08	08/29/15							N/A	(HES Installed)
GIW-08	08/30/15							N/A	(HES Installed)
GIW-08	08/31/15							N/A	(HES Installed)
GIW-08	09/01/15							N/A	(HES Installed)
GIW-08	09/02/15							N/A	(HES Installed)
GIW-08	09/03/15	17.7	44.8	3.5	34.0	99.1	-27.20	N/A	(HES Installed)
GIW-08	09/04/15							N/A	(HES Installed)
GIW-08	09/05/15							N/A	(HES Installed)
GIW-08	09/06/15							N/A	(HES Installed)
GIW-08	09/07/15							N/A	(HES Installed)
GIW-08	09/08/15							N/A	(HES Installed)
GIW-08	09/09/15							N/A	(HES Installed)
GIW-08	09/10/15							N/A	(HES Installed)
GIW-08	09/11/15	15.1	42.5	1.8	40.6	69.5	-18.66	N/A	(HES Installed)
GIW-08	09/12/15							N/A	(HES Installed)
GIW-08	09/13/15							N/A	(HES Installed)
GIW-08	09/14/15							N/A	(HES Installed)
GIW-08	09/15/15							N/A	(HES Installed)
GIW-08	09/16/15							N/A	(HES Installed)
GIW-08	09/17/15							N/A	(HES Installed)
GIW-08	09/18/15	12.3	55.4	2.3	30.0	82.8	-23.38	N/A	(HES Installed)
GIW-08	09/19/15							N/A	(HES Installed)
GIW-08	09/20/15							N/A	(HES Installed)
GIW-08	09/21/15							N/A	(HES Installed)
GIW-08	09/22/15	14.0	44.9	3.3	37.8	93.6	-25.09	N/A	(HES Installed)
GIW-08	09/23/15							N/A	(HES Installed)
GIW-08	09/24/15							N/A	(HES Installed)
GIW-08	09/25/15							N/A	(HES Installed)
GIW-08	09/26/15							N/A	(HES Installed)
GIW-08	09/27/15							N/A	(HES Installed)
GIW-08	09/28/15							N/A	(HES Installed)
GIW-08	09/29/15							N/A	(HES Installed)
GIW-08	09/30/15							N/A	(HES Installed)
GIW-08	10/01/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-08	10/02/15	21.8	52.5	2.0	23.7	56.4	-7.87	N/A	(HES Installed)
GIW-08	10/03/15							N/A	(HES Installed)
GIW-08	10/04/15							N/A	(HES Installed)
GIW-08	10/05/15							N/A	(HES Installed)
GIW-08	10/06/15	18.6	49.7	2.8	28.9	78.8	-6.89	N/A	(HES Installed)
GIW-08	10/07/15							N/A	(HES Installed)
GIW-08	10/08/15							N/A	(HES Installed)
GIW-08	10/09/15							N/A	(HES Installed)
GIW-08	10/10/15							N/A	(HES Installed)
GIW-08	10/11/15							N/A	(HES Installed)
GIW-08	10/12/15							N/A	(HES Installed)
GIW-08	10/13/15							N/A	(HES Installed)
GIW-08	10/14/15	23.2	59.6	2.2	15.0	85.3	-4.56	N/A	(HES Installed)
GIW-08	10/15/15							N/A	(HES Installed)
GIW-08	10/16/15							N/A	(HES Installed)
GIW-08	10/17/15							N/A	(HES Installed)
GIW-08	10/18/15							N/A	(HES Installed)
GIW-08	10/19/15	17.7	57.5	2.2	22.6	85.7	-3.81	N/A	(HES Installed)
GIW-08	10/20/15							N/A	(HES Installed)
GIW-08	10/21/15							N/A	(HES Installed)
GIW-08	10/22/15							N/A	(HES Installed)
GIW-08	10/23/15							N/A	(HES Installed)
GIW-08	10/24/15							N/A	(HES Installed)
GIW-08	10/25/15							N/A	(HES Installed)
GIW-08	10/26/15							N/A	(HES Installed)
GIW-08	10/27/15							N/A	(HES Installed)
GIW-08	10/28/15							N/A	(HES Installed)
GIW-08	10/29/15							N/A	(HES Installed)
GIW-08	10/30/15	21.4	55.3	1.6	21.7	65.3	-5.00	N/A	(HES Installed)
GIW-08	10/31/15							N/A	(HES Installed)
GIW-08	11/01/15							N/A	(HES Installed)
GIW-08	11/02/15							N/A	(HES Installed)
GIW-08	11/03/15							N/A	(HES Installed)
GIW-08	11/04/15	17.6	62.4	1.9	18.1	68.5	-2.52	N/A	(HES Installed)
GIW-08	11/05/15							N/A	(HES Installed)
GIW-08	11/06/15							N/A	(HES Installed)
GIW-08	11/07/15							N/A	(HES Installed)
GIW-08	11/08/15							N/A	(HES Installed)
GIW-08	11/09/15							N/A	(HES Installed)
GIW-08	11/10/15							N/A	(HES Installed)
GIW-08	11/11/15							N/A	(HES Installed)
GIW-08	11/12/15							N/A	(HES Installed)
GIW-08	11/13/15	21.2	53.8	3.2	21.8	58.5	-3.22	N/A	(HES Installed)
GIW-08	11/14/15							N/A	(HES Installed)
GIW-08	11/15/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-08	11/16/15							N/A	(HES Installed)
GIW-08	11/17/15							N/A	(HES Installed)
GIW-08	11/18/15							N/A	(HES Installed)
GIW-08	11/19/15	24.0	58.4	1.4	16.2	61.3	-2.62	N/A	(HES Installed)
GIW-08	11/20/15							N/A	(HES Installed)
GIW-08	11/21/15							N/A	(HES Installed)
GIW-08	11/22/15							N/A	(HES Installed)
GIW-08	11/23/15	23.0	64.6	1.7	10.7	50.0	-2.70	N/A	(HES Installed)
GIW-08	11/24/15							N/A	(HES Installed)
GIW-08	11/25/15							N/A	(HES Installed)
GIW-08	11/26/15							N/A	(HES Installed)
GIW-08	11/27/15							N/A	(HES Installed)
GIW-08	11/28/15							N/A	(HES Installed)
GIW-08	11/29/15							N/A	(HES Installed)
GIW-08	11/30/15							N/A	(HES Installed)
GIW-08	12/01/15	24.3	65.7	1.1	8.9	40.0	-3.00	N/A	(HES Installed)
GIW-08	12/02/15							N/A	(HES Installed)
GIW-08	12/03/15							N/A	(HES Installed)
GIW-08	12/04/15							N/A	(HES Installed)
GIW-08	12/05/15							N/A	(HES Installed)
GIW-08	12/06/15							N/A	(HES Installed)
GIW-08	12/07/15							N/A	(HES Installed)
GIW-08	12/08/15							N/A	(HES Installed)
GIW-08	12/09/15	27.3	61.8	2.6	8.3	55.0	-2.80	N/A	(HES Installed)
GIW-08	12/10/15	27.4	68.0	0.4	4.2	45.0	-10.40	N/A	(HES Installed)
GIW-08	12/11/15							N/A	(HES Installed)
GIW-08	12/12/15							N/A	(HES Installed)
GIW-08	12/13/15							N/A	(HES Installed)
GIW-08	12/14/15							N/A	(HES Installed)
GIW-08	12/15/15	28.2	59.2	0.1	12.5	50.5	-7.68	N/A	(HES Installed)
GIW-08	12/16/15							N/A	(HES Installed)
GIW-08	12/17/15							N/A	(HES Installed)
GIW-08	12/18/15							N/A	(HES Installed)

# GIW-8 Wellhead Temperatures






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	08/18/15							N/A	(HES Installed)
GIW-09	08/19/15							N/A	(HES Installed)
GIW-09	08/20/15	6.4	24.5	9.0	60.1	80.5	-25.09	N/A	(HES Installed)
GIW-09	08/21/15							N/A	(HES Installed)
GIW-09	08/22/15							N/A	(HES Installed)
GIW-09	08/23/15							N/A	(HES Installed)
GIW-09	08/24/15							N/A	(HES Installed)
GIW-09	08/25/15							N/A	(HES Installed)
GIW-09	08/26/15							N/A	(HES Installed)
GIW-09	08/27/15	3.9	16.7	11.3	68.1	90.3	-20.85	N/A	(HES Installed)
GIW-09	08/28/15							N/A	(HES Installed)
GIW-09	08/29/15							N/A	(HES Installed)
GIW-09	08/30/15							N/A	(HES Installed)
GIW-09	08/31/15							N/A	(HES Installed)
GIW-09	09/01/15							N/A	(HES Installed)
GIW-09	09/02/15							N/A	(HES Installed)
GIW-09	09/03/15	3.8	20.0	9.5	66.7	98.4	-16.04	N/A	(HES Installed)
GIW-09	09/04/15							N/A	(HES Installed)
GIW-09	09/05/15							N/A	(HES Installed)
GIW-09	09/06/15							N/A	(HES Installed)
GIW-09	09/07/15							N/A	(HES Installed)
GIW-09	09/08/15							N/A	(HES Installed)
GIW-09	09/09/15							N/A	(HES Installed)
GIW-09	09/10/15							N/A	(HES Installed)
GIW-09	09/11/15	2.8	16.9	11.9	68.4	82.7	-10.24	N/A	(HES Installed)
GIW-09	09/12/15							N/A	(HES Installed)
GIW-09	09/13/15							N/A	(HES Installed)
GIW-09	09/14/15							N/A	(HES Installed)
GIW-09	09/15/15							N/A	(HES Installed)
GIW-09	09/16/15							N/A	(HES Installed)
GIW-09	09/17/15							N/A	(HES Installed)
GIW-09	09/18/15	2.4	30.0	12.8	54.8	87.0	-11.36	N/A	(HES Installed)
GIW-09	09/19/15							N/A	(HES Installed)
GIW-09	09/20/15							N/A	(HES Installed)
GIW-09	09/21/15							N/A	(HES Installed)
GIW-09	09/22/15	2.6	12.6	14.0	70.8	94.4	-11.36	N/A	(HES Installed)
GIW-09	09/23/15							N/A	(HES Installed)
GIW-09	09/24/15							N/A	(HES Installed)
GIW-09	09/25/15							N/A	(HES Installed)
GIW-09	09/26/15							N/A	(HES Installed)
GIW-09	09/27/15							N/A	(HES Installed)
GIW-09	09/28/15							N/A	(HES Installed)
GIW-09	09/29/15							N/A	(HES Installed)
GIW-09	09/30/15							N/A	(HES Installed)
GIW-09	10/01/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	10/02/15	2.3	25.6	13.3	58.8	64.1	-4.95	N/A	(HES Installed)
GIW-09	10/03/15							N/A	(HES Installed)
GIW-09	10/04/15							N/A	(HES Installed)
GIW-09	10/05/15							N/A	(HES Installed)
GIW-09	10/06/15	1.9	24.4	13.0	60.7	82.5	-9.52	N/A	(HES Installed)
GIW-09	10/07/15							N/A	(HES Installed)
GIW-09	10/08/15							N/A	(HES Installed)
GIW-09	10/09/15							N/A	(HES Installed)
GIW-09	10/10/15							N/A	(HES Installed)
GIW-09	10/11/15							N/A	(HES Installed)
GIW-09	10/12/15							N/A	(HES Installed)
GIW-09	10/13/15							N/A	(HES Installed)
GIW-09	10/14/15	3.3	11.8	14.5	70.4	87.6	-6.78	N/A	(HES Installed)
GIW-09	10/15/15							N/A	(HES Installed)
GIW-09	10/16/15							N/A	(HES Installed)
GIW-09	10/17/15							N/A	(HES Installed)
GIW-09	10/18/15							N/A	(HES Installed)
GIW-09	10/19/15	3.8	19.2	13.7	63.3	85.7	-6.35	N/A	(HES Installed)
GIW-09	10/20/15							N/A	(HES Installed)
GIW-09	10/21/15							N/A	(HES Installed)
GIW-09	10/22/15							N/A	(HES Installed)
GIW-09	10/23/15							N/A	(HES Installed)
GIW-09	10/24/15							N/A	(HES Installed)
GIW-09	10/25/15							N/A	(HES Installed)
GIW-09	10/26/15							N/A	(HES Installed)
GIW-09	10/27/15							N/A	(HES Installed)
GIW-09	10/28/15							N/A	(HES Installed)
GIW-09	10/29/15							N/A	(HES Installed)
GIW-09	10/30/15	7.8	13.7	15.2	63.3	72.2	-6.40	N/A	(HES Installed)
GIW-09	10/31/15							N/A	(HES Installed)
GIW-09	11/01/15							N/A	(HES Installed)
GIW-09	11/02/15							N/A	(HES Installed)
GIW-09	11/03/15							N/A	(HES Installed)
GIW-09	11/04/15	5.4	23.0	14.9	56.7	75.7	-5.98	N/A	(HES Installed)
GIW-09	11/05/15							N/A	(HES Installed)
GIW-09	11/06/15							N/A	(HES Installed)
GIW-09	11/07/15							N/A	(HES Installed)
GIW-09	11/08/15							N/A	(HES Installed)
GIW-09	11/09/15							N/A	(HES Installed)
GIW-09	11/10/15							N/A	(HES Installed)
GIW-09	11/11/15							N/A	(HES Installed)
GIW-09	11/12/15							N/A	(HES Installed)
GIW-09	11/13/15	4.1	12.7	16.6	66.6	68.0	-3.58	N/A	(HES Installed)
GIW-09	11/14/15							N/A	(HES Installed)
GIW-09	11/15/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-09	11/16/15							N/A	(HES Installed)
GIW-09	11/17/15							N/A	(HES Installed)
GIW-09	11/18/15							N/A	(HES Installed)
GIW-09	11/19/15							N/A	(HES Installed)
GIW-09	11/20/15	6.9	16.4	15.7	61.0	62.3	-3.70	N/A	(HES Installed)
GIW-09	11/21/15							N/A	(HES Installed)
GIW-09	11/22/15							N/A	(HES Installed)
GIW-09	11/23/15	3.0	13.0	16.5	67.5	78.6	-4.47	N/A	(HES Installed)
GIW-09	11/24/15							N/A	(HES Installed)
GIW-09	11/25/15							N/A	(HES Installed)
GIW-09	11/26/15							N/A	(HES Installed)
GIW-09	11/27/15							N/A	(HES Installed)
GIW-09	11/28/15							N/A	(HES Installed)
GIW-09	11/29/15							N/A	(HES Installed)
GIW-09	11/30/15							N/A	(HES Installed)
GIW-09	12/01/15	3.4	12.4	16.1	68.1	66.2	-3.12	N/A	(HES Installed)
GIW-09	12/02/15							N/A	(HES Installed)
GIW-09	12/03/15							N/A	(HES Installed)
GIW-09	12/04/15							N/A	(HES Installed)
GIW-09	12/05/15							N/A	(HES Installed)
GIW-09	12/06/15							N/A	(HES Installed)
GIW-09	12/07/15							N/A	(HES Installed)
GIW-09	12/08/15							N/A	(HES Installed)
GIW-09	12/09/15							N/A	(HES Installed)
GIW-09	12/10/15	5.7	20.4	13.9	60.0	45.0	-7.30	N/A	(HES Installed)
GIW-09	12/11/15							N/A	(HES Installed)
GIW-09	12/12/15							N/A	(HES Installed)
GIW-09	12/13/15							N/A	(HES Installed)
GIW-09	12/14/15							N/A	(HES Installed)
GIW-09	12/15/15	7.6	17.9	14.1	60.4	59.1	-2.73	N/A	(HES Installed)
GIW-09	12/16/15							N/A	(HES Installed)
GIW-09	12/17/15							N/A	(HES Installed)
GIW-09	12/18/15							N/A	(HES Installed)

# GIW-9 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-10	08/18/15							N/A	(HES Installed)
GIW-10	08/19/15							N/A	(HES Installed)
GIW-10	08/20/15	0.4	42.8	5.3	51.5	78.8	-19.41	N/A	(HES Installed)
GIW-10	08/21/15							N/A	(HES Installed)
GIW-10	08/22/15							N/A	(HES Installed)
GIW-10	08/23/15							N/A	(HES Installed)
GIW-10	08/24/15							N/A	(HES Installed)
GIW-10	08/25/15							N/A	(HES Installed)
GIW-10	08/26/15							N/A	(HES Installed)
GIW-10	08/27/15	0.4	46.9	1.8	50.9	83.6	-18.23	N/A	(HES Installed)
GIW-10	08/28/15							N/A	(HES Installed)
GIW-10	08/29/15							N/A	(HES Installed)
GIW-10	08/30/15							N/A	(HES Installed)
GIW-10	08/31/15							N/A	(HES Installed)
GIW-10	09/01/15							N/A	(HES Installed)
GIW-10	09/02/15							N/A	(HES Installed)
GIW-10	09/03/15	0.5	44.2	3.8	51.5	95.0	-18.41	N/A	(HES Installed)
GIW-10	09/04/15							N/A	(HES Installed)
GIW-10	09/05/15							N/A	(HES Installed)
GIW-10	09/06/15							N/A	(HES Installed)
GIW-10	09/07/15							N/A	(HES Installed)
GIW-10	09/08/15							N/A	(HES Installed)
GIW-10	09/09/15							N/A	(HES Installed)
GIW-10	09/10/15							N/A	(HES Installed)
GIW-10	09/11/15	0.2	55.1	0.1	44.6	73.9	-0.15	N/A	(HES Installed)
GIW-10	09/12/15							N/A	(HES Installed)
GIW-10	09/13/15							N/A	(HES Installed)
GIW-10	09/14/15							N/A	(HES Installed)
GIW-10	09/15/15							N/A	(HES Installed)
GIW-10	09/16/15							N/A	(HES Installed)
GIW-10	09/17/15							N/A	(HES Installed)
GIW-10	09/18/15	3.4	57.7	0.0	38.9	80.8	-2.37	N/A	(HES Installed)
GIW-10	09/19/15							N/A	(HES Installed)
GIW-10	09/20/15							N/A	(HES Installed)
GIW-10	09/21/15							N/A	(HES Installed)
GIW-10	09/22/15	4.3	54.4	0.0	41.3	94.9	-3.33	N/A	(HES Installed)
GIW-10	09/23/15							N/A	(HES Installed)
GIW-10	09/24/15							N/A	(HES Installed)
GIW-10	09/25/15							N/A	(HES Installed)
GIW-10	09/26/15							N/A	(HES Installed)
GIW-10	09/27/15							N/A	(HES Installed)
GIW-10	09/28/15							N/A	(HES Installed)
GIW-10	09/29/15							N/A	(HES Installed)
GIW-10	09/30/15							N/A	(HES Installed)
GIW-10	10/01/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-10	10/02/15	4.6	52.5	0.2	42.7	55.8	-2.61	N/A	(HES Installed)
GIW-10	10/03/15							N/A	(HES Installed)
GIW-10	10/04/15							N/A	(HES Installed)
GIW-10	10/05/15							N/A	(HES Installed)
GIW-10	10/06/15	3.4	43.5	3.2	49.9	74.3	-15.69	N/A	(HES Installed)
GIW-10	10/07/15							N/A	(HES Installed)
GIW-10	10/08/15							N/A	(HES Installed)
GIW-10	10/09/15							N/A	(HES Installed)
GIW-09	10/10/15							N/A	(HES Installed)
GIW-10	10/11/15							N/A	(HES Installed)
GIW-10	10/12/15							N/A	(HES Installed)
GIW-10	10/13/15							N/A	(HES Installed)
GIW-10	10/14/15	3.6	54.3	0.0	42.1	90.7	-3.57	N/A	(HES Installed)
GIW-10	10/15/15							N/A	(HES Installed)
GIW-10	10/16/15							N/A	(HES Installed)
GIW-10	10/17/15							N/A	(HES Installed)
GIW-10	10/18/15							N/A	(HES Installed)
GIW-10	10/19/15	1.1	43.8	3.0	52.1	83.5	-9.83	N/A	(HES Installed)
GIW-10	10/20/15							N/A	(HES Installed)
GIW-10	10/21/15							N/A	(HES Installed)
GIW-10	10/22/15							N/A	(HES Installed)
GIW-10	10/23/15							N/A	(HES Installed)
GIW-10	10/24/15							N/A	(HES Installed)
GIW-10	10/25/15							N/A	(HES Installed)
GIW-10	10/26/15							N/A	(HES Installed)
GIW-10	10/27/15							N/A	(HES Installed)
GIW-10	10/28/15							N/A	(HES Installed)
GIW-10	10/29/15							N/A	(HES Installed)
GIW-10	10/30/15	5.0	54.2	0.0	40.8	65.9	-2.84	N/A	(HES Installed)
GIW-10	10/31/15							N/A	(HES Installed)
GIW-10	11/01/15							N/A	(HES Installed)
GIW-10	11/02/15							N/A	(HES Installed)
GIW-10	11/03/15							N/A	(HES Installed)
GIW-10	11/04/15	6.9	42.5	0.7	49.9	65.5	-5.98	N/A	(HES Installed)
GIW-10	11/05/15							N/A	(HES Installed)
GIW-10	11/06/15							N/A	(HES Installed)
GIW-10	11/07/15							N/A	(HES Installed)
GIW-10	11/08/15							N/A	(HES Installed)
GIW-10	11/09/15							N/A	(HES Installed)
GIW-10	11/10/15							N/A	(HES Installed)
GIW-10	11/11/15							N/A	(HES Installed)
GIW-10	11/12/15							N/A	(HES Installed)
GIW-10	11/13/15	1.4	53.9	0.4	44.3	70.1	-12.13	N/A	(HES Installed)
GIW-10	11/14/15							N/A	(HES Installed)
GIW-10	11/15/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-10	11/16/15							N/A	(HES Installed)
GIW-10	11/17/15							N/A	(HES Installed)
GIW-10	11/18/15							N/A	(HES Installed)
GIW-10	11/19/15							N/A	(HES Installed)
GIW-10	11/20/15	6.2	54.2	0.2	39.4	61.0	-3.76	N/A	(HES Installed)
GIW-10	11/21/15							N/A	(HES Installed)
GIW-10	11/22/15							N/A	(HES Installed)
GIW-10	11/23/15	0.5	54.5	0.5	44.5	70.9	-14.10	N/A	(HES Installed)
GIW-10	11/24/15							N/A	(HES Installed)
GIW-10	11/25/15							N/A	(HES Installed)
GIW-10	11/26/15							N/A	(HES Installed)
GIW-10	11/27/15							N/A	(HES Installed)
GIW-10	11/28/15							N/A	(HES Installed)
GIW-10	11/29/15							N/A	(HES Installed)
GIW-10	11/30/15							N/A	(HES Installed)
GIW-10	12/01/15	0.5	54.9	0.2	44.4	60.2	-2.15	N/A	(HES Installed)
GIW-10	12/02/15							N/A	(HES Installed)
GIW-10	12/03/15							N/A	(HES Installed)
GIW-10	12/04/15							N/A	(HES Installed)
GIW-10	12/05/15							N/A	(HES Installed)
GIW-10	12/06/15							N/A	(HES Installed)
GIW-10	12/07/15							N/A	(HES Installed)
GIW-10	12/08/15							N/A	(HES Installed)
GIW-10	12/09/15							N/A	(HES Installed)
GIW-10	12/10/15	0.5	56.9	1.6	41.0	50.0	-7.70	N/A	(HES Installed)
GIW-10	12/11/15							N/A	(HES Installed)
GIW-10	12/12/15							N/A	(HES Installed)
GIW-10	12/13/15							N/A	(HES Installed)
GIW-10	12/14/15							N/A	(HES Installed)
GIW-10	12/15/15	0.3	51.9	0.7	47.1	49.0	-8.66	N/A	(HES Installed)
GIW-10	12/16/15							N/A	(HES Installed)
GIW-10	12/17/15							N/A	(HES Installed)
GIW-10	12/18/15							N/A	(HES Installed)

# GIW-10 Wellhead Temperatures






GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-11	08/18/15							N/A	(HES Installed)
GIW-11	08/19/15							N/A	(HES Installed)
GIW-11	08/20/15	3.4	40.3	7.1	49.2	89.2	-19.17	N/A	(HES Installed)
GIW-11	08/21/15							N/A	(HES Installed)
GIW-11	08/22/15							N/A	(HES Installed)
GIW-11	08/23/15							N/A	(HES Installed)
GIW-11	08/24/15							N/A	(HES Installed)
GIW-11	08/25/15							N/A	(HES Installed)
GIW-11	08/26/15	4.2	37.2	7.2	51.4	97.2	-13.60	N/A	(HES Installed)
GIW-11	08/27/15							N/A	(HES Installed)
GIW-11	08/28/15							N/A	(HES Installed)
GIW-11	08/29/15							N/A	(HES Installed)
GIW-11	08/30/15							N/A	(HES Installed)
GIW-11	08/31/15							N/A	(HES Installed)
GIW-11	09/01/15							N/A	(HES Installed)
GIW-11	09/02/15							N/A	(HES Installed)
GIW-11	09/03/15	4.0	42.7	5.7	47.6	101.2	-8.17	N/A	(HES Installed)
GIW-11	09/04/15							N/A	(HES Installed)
GIW-11	09/05/15							N/A	(HES Installed)
GIW-11	09/06/15							N/A	(HES Installed)
GIW-11	09/07/15							N/A	(HES Installed)
GIW-11	09/08/15							N/A	(HES Installed)
GIW-11	09/09/15							N/A	(HES Installed)
GIW-11	09/10/15							N/A	(HES Installed)
GIW-11	09/11/15	3.3	44.4	5.4	46.9	85.5	-10.30	N/A	(HES Installed)
GIW-11	09/12/15							N/A	(HES Installed)
GIW-11	09/13/15							N/A	(HES Installed)
GIW-11	09/14/15							N/A	(HES Installed)
GIW-11	09/15/15							N/A	(HES Installed)
GIW-11	09/16/15							N/A	(HES Installed)
GIW-11	09/17/15							N/A	(HES Installed)
GIW-11	09/18/15	4.6	40.4	6.1	48.9	92.6	-12.64	N/A	(HES Installed)
GIW-11	09/19/15							N/A	(HES Installed)
GIW-11	09/20/15							N/A	(HES Installed)
GIW-11	09/21/15							N/A	(HES Installed)
GIW-11	09/22/15	6.0	26.7	6.4	60.9	96.9	-10.87	N/A	(HES Installed)
GIW-11	09/23/15							N/A	(HES Installed)
GIW-11	09/24/15							N/A	(HES Installed)
GIW-11	09/25/15							N/A	(HES Installed)
GIW-11	09/26/15							N/A	(HES Installed)
GIW-11	09/27/15							N/A	(HES Installed)
GIW-11	09/28/15							N/A	(HES Installed)
GIW-11	09/29/15							N/A	(HES Installed)
GIW-11	09/30/15							N/A	(HES Installed)
GIW-11	10/01/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-11	10/02/15	4.2	41.7	6.5	47.6	75.9	-7.87	N/A	(HES Installed)
GIW-11	10/03/15							N/A	(HES Installed)
GIW-11	10/04/15							N/A	(HES Installed)
GIW-11	10/05/15							N/A	(HES Installed)
GIW-11	10/06/15	4.0	40.0	6.7	49.3	90.9	-5.79	N/A	(HES Installed)
GIW-11	10/07/15							N/A	(HES Installed)
GIW-11	10/08/15							N/A	(HES Installed)
GIW-11	10/09/15							N/A	(HES Installed)
GIW-11	10/10/15							N/A	(HES Installed)
GIW-11	10/11/15							N/A	(HES Installed)
GIW-11	10/12/15							N/A	(HES Installed)
GIW-11	10/13/15							N/A	(HES Installed)
GIW-11	10/14/15	3.9	49.9	4.5	41.7	89.6	-4.07	N/A	(HES Installed)
GIW-11	10/15/15							N/A	(HES Installed)
GIW-11	10/16/15							N/A	(HES Installed)
GIW-11	10/17/15							N/A	(HES Installed)
GIW-11	10/18/15							N/A	(HES Installed)
GIW-11	10/19/15	4.7	51.4	2.6	41.3	85.6	-2.86	N/A	(HES Installed)
GIW-11	10/20/15							N/A	(HES Installed)
GIW-11	10/21/15							N/A	(HES Installed)
GIW-11	10/22/15							N/A	(HES Installed)
GIW-11	10/23/15							N/A	(HES Installed)
GIW-11	10/24/15							N/A	(HES Installed)
GIW-11	10/25/15							N/A	(HES Installed)
GIW-11	10/26/15							N/A	(HES Installed)
GIW-11	10/27/15							N/A	(HES Installed)
GIW-11	10/28/15							N/A	(HES Installed)
GIW-11	10/29/15							N/A	(HES Installed)
GIW-11	10/30/15	3.8	48.8	4.4	43.0	73.0	-4.00	N/A	(HES Installed)
GIW-11	10/31/15							N/A	(HES Installed)
GIW-11	11/01/15							N/A	(HES Installed)
GIW-11	11/02/15							N/A	(HES Installed)
GIW-11	11/03/15							N/A	(HES Installed)
GIW-11	11/04/15	6.7	46.5	3.7	43.1	74.9	-1.64	N/A	(HES Installed)
GIW-11	11/05/15							N/A	(HES Installed)
GIW-11	11/06/15							N/A	(HES Installed)
GIW-11	11/07/15							N/A	(HES Installed)
GIW-11	11/08/15							N/A	(HES Installed)
GIW-11	11/09/15							N/A	(HES Installed)
GIW-11	11/10/15							N/A	(HES Installed)
GIW-11	11/11/15							N/A	(HES Installed)
GIW-11	11/12/15							N/A	(HES Installed)
GIW-11	11/13/15	3.6	49.4	4.0	43.0	68.4	-3.50	N/A	(HES Installed)
GIW-11	11/14/15							N/A	(HES Installed)
GIW-11	11/15/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-11	11/16/15							N/A	(HES Installed)
GIW-11	11/17/15							N/A	(HES Installed)
GIW-11	11/18/15							N/A	(HES Installed)
GIW-11	11/19/15	4.0	49.3	3.8	42.9	67.2	-3.46	N/A	(HES Installed)
GIW-11	11/20/15							N/A	(HES Installed)
GIW-11	11/21/15							N/A	(HES Installed)
GIW-11	11/22/15							N/A	(HES Installed)
GIW-11	11/23/15	3.7	52.7	3.8	39.8	50.0	-3.70	N/A	(HES Installed)
GIW-11	11/24/15							N/A	(HES Installed)
GIW-11	11/25/15							N/A	(HES Installed)
GIW-11	11/26/15							N/A	(HES Installed)
GIW-11	11/27/15							N/A	(HES Installed)
GIW-11	11/28/15							N/A	(HES Installed)
GIW-11	11/29/15							N/A	(HES Installed)
GIW-11	11/30/15							N/A	(HES Installed)
GIW-11	12/01/15	3.1	67.2	0.1	29.6	55.0	-0.40	N/A	(HES Installed)
GIW-11	12/02/15							N/A	(HES Installed)
GIW-11	12/03/15							N/A	(HES Installed)
GIW-11	12/04/15							N/A	(HES Installed)
GIW-11	12/05/15							N/A	(HES Installed)
GIW-11	12/06/15							N/A	(HES Installed)
GIW-11	12/07/15							N/A	(HES Installed)
GIW-11	12/08/15							N/A	(HES Installed)
GIW-11	12/09/15	2.9	59.9	2.1	35.1	50.0	-1.80	N/A	(HES Installed)
GIW-11	12/10/15							N/A	(HES Installed)
GIW-11	12/11/15							N/A	(HES Installed)
GIW-11	12/12/15							N/A	(HES Installed)
GIW-11	12/13/15							N/A	(HES Installed)
GIW-11	12/14/15	3.6	51.9	3.6	40.9	55.2	-3.31	N/A	(HES Installed)
GIW-11	12/15/15							N/A	(HES Installed)
GIW-11	12/16/15							N/A	(HES Installed)
GIW-11	12/17/15							N/A	(HES Installed)
GIW-11	12/18/15							N/A	(HES Installed)

# GIW-11 Wellhead Temperatures




GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-12	08/18/15							N/A	(HES Installed)
GIW-12	08/19/15							N/A	(HES Installed)
GIW-12	08/20/15	6.6	20.7	10.8	61.9	104.7	-19.05	N/A	(HES Installed)
GIW-12	08/21/15							N/A	(HES Installed)
GIW-12	08/22/15							N/A	(HES Installed)
GIW-12	08/23/15							N/A	(HES Installed)
GIW-12	08/24/15							N/A	(HES Installed)
GIW-12	08/25/15							N/A	(HES Installed)
GIW-12	08/26/15	6.5	19.0	10.6	63.9	103.0	-11.95	N/A	(HES Installed)
GIW-12	08/27/15							N/A	(HES Installed)
GIW-12	08/28/15							N/A	(HES Installed)
GIW-12	08/29/15							N/A	(HES Installed)
GIW-12	08/30/15							N/A	(HES Installed)
GIW-12	08/31/15							N/A	(HES Installed)
GIW-12	09/01/15							N/A	(HES Installed)
GIW-12	09/02/15							N/A	(HES Installed)
GIW-12	09/03/15	8.4	22.6	9.1	59.9	106.0	-8.35	N/A	(HES Installed)
GIW-12	09/04/15							N/A	(HES Installed)
GIW-12	09/05/15							N/A	(HES Installed)
GIW-12	09/06/15							N/A	(HES Installed)
GIW-12	09/07/15							N/A	(HES Installed)
GIW-12	09/08/15							N/A	(HES Installed)
GIW-12	09/09/15							N/A	(HES Installed)
GIW-12	09/10/15							N/A	(HES Installed)
GIW-12	09/11/15	7.6	23.6	9.5	59.3	96.0	-10.79	N/A	(HES Installed)
GIW-12	09/12/15							N/A	(HES Installed)
GIW-12	09/13/15							N/A	(HES Installed)
GIW-12	09/14/15							N/A	(HES Installed)
GIW-12	09/15/15							N/A	(HES Installed)
GIW-12	09/16/15							N/A	(HES Installed)
GIW-12	09/17/15							N/A	(HES Installed)
GIW-12	09/18/15	6.3	30.3	9.7	53.7	98.8	-10.93	N/A	(HES Installed)
GIW-12	09/19/15							N/A	(HES Installed)
GIW-12	09/20/15							N/A	(HES Installed)
GIW-12	09/21/15							N/A	(HES Installed)
GIW-12	09/22/15	5.3	35.3	9.4	50.0	100.0	-10.74	N/A	(HES Installed)
GIW-12	09/23/15							N/A	(HES Installed)
GIW-12	09/24/15							N/A	(HES Installed)
GIW-12	09/25/15							N/A	(HES Installed)
GIW-12	09/26/15							N/A	(HES Installed)
GIW-12	09/27/15							N/A	(HES Installed)
GIW-12	09/28/15							N/A	(HES Installed)
GIW-12	09/29/15							N/A	(HES Installed)
GIW-12	09/30/15							N/A	(HES Installed)
GIW-12	10/01/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-12	10/02/15	4.9	19.7	11.1	64.3	84.9	-8.90	N/A	(HES Installed)
GIW-12	10/03/15							N/A	(HES Installed)
GIW-12	10/04/15							N/A	(HES Installed)
GIW-12	10/05/15							N/A	(HES Installed)
GIW-12	10/06/15	4.6	17.5	11.7	66.2	94.8	-8.72	N/A	(HES Installed)
GIW-12	10/07/15							N/A	(HES Installed)
GIW-12	10/08/15							N/A	(HES Installed)
GIW-12	10/09/15							N/A	(HES Installed)
GIW-12	10/10/15							N/A	(HES Installed)
GIW-12	10/11/15							N/A	(HES Installed)
GIW-12	10/12/15							N/A	(HES Installed)
GIW-12	10/13/15							N/A	(HES Installed)
GIW-12	10/14/15	7.0	20.9	10.9	61.2	93.8	-5.37	N/A	(HES Installed)
GIW-12	10/15/15							N/A	(HES Installed)
GIW-12	10/16/15							N/A	(HES Installed)
GIW-12	10/17/15							N/A	(HES Installed)
GIW-12	10/18/15							N/A	(HES Installed)
GIW-12	10/19/15	6.0	30.5	8.3	55.2	91.8	-3.88	N/A	(HES Installed)
GIW-12	10/20/15							N/A	(HES Installed)
GIW-12	10/21/15							N/A	(HES Installed)
GIW-12	10/22/15							N/A	(HES Installed)
GIW-12	10/23/15							N/A	(HES Installed)
GIW-12	10/24/15							N/A	(HES Installed)
GIW-12	10/25/15							N/A	(HES Installed)
GIW-12	10/26/15							N/A	(HES Installed)
GIW-12	10/27/15							N/A	(HES Installed)
GIW-12	10/28/15							N/A	(HES Installed)
GIW-12	10/29/15							N/A	(HES Installed)
GIW-12	10/30/15	5.3	21.7	11.4	61.6	82.6	-4.94	N/A	(HES Installed)
GIW-12	10/31/15							N/A	(HES Installed)
GIW-12	11/01/15							N/A	(HES Installed)
GIW-12	11/02/15							N/A	(HES Installed)
GIW-12	11/03/15							N/A	(HES Installed)
GIW-12	11/04/15	5.1	23.8	10.9	60.2	83.6	-2.87	N/A	(HES Installed)
GIW-12	11/05/15							N/A	(HES Installed)
GIW-12	11/06/15							N/A	(HES Installed)
GIW-12	11/07/15							N/A	(HES Installed)
GIW-12	11/08/15							N/A	(HES Installed)
GIW-12	11/09/15							N/A	(HES Installed)
GIW-12	11/10/15							N/A	(HES Installed)
GIW-12	11/11/15							N/A	(HES Installed)
GIW-12	11/12/15							N/A	(HES Installed)
GIW-12	11/13/15	4.8	22.8	11.5	60.9	77.0	-4.82	N/A	(HES Installed)
GIW-12	11/14/15							N/A	(HES Installed)
GIW-12	11/15/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-12	11/16/15							N/A	(HES Installed)
GIW-12	11/17/15							N/A	(HES Installed)
GIW-12	11/18/15							N/A	(HES Installed)
GIW-12	11/19/15	4.0	20.5	11.6	63.9	74.8	-3.75	N/A	(HES Installed)
GIW-12	11/20/15							N/A	(HES Installed)
GIW-12	11/21/15							N/A	(HES Installed)
GIW-12	11/22/15							N/A	(HES Installed)
GIW-12	11/23/15	3.2	20.4	11.7	64.7	60.0	-5.90	N/A	(HES Installed)
GIW-12	11/24/15							N/A	(HES Installed)
GIW-12	11/25/15							N/A	(HES Installed)
GIW-12	11/26/15							N/A	(HES Installed)
GIW-12	11/27/15							N/A	(HES Installed)
GIW-12	11/28/15							N/A	(HES Installed)
GIW-12	11/29/15							N/A	(HES Installed)
GIW-12	11/30/15							N/A	(HES Installed)
GIW-12	12/01/15	4.0	28.9	9.6	57.5	50.0	-1.20	N/A	(HES Installed)
GIW-12	12/02/15							N/A	(HES Installed)
GIW-12	12/03/15							N/A	(HES Installed)
GIW-12	12/04/15							N/A	(HES Installed)
GIW-12	12/05/15							N/A	(HES Installed)
GIW-12	12/06/15							N/A	(HES Installed)
GIW-12	12/07/15							N/A	(HES Installed)
GIW-12	12/08/15							N/A	(HES Installed)
GIW-12	12/09/15	4.5	23.2	10.5	61.8	62.0	-2.40	N/A	(HES Installed)
GIW-12	12/10/15							N/A	(HES Installed)
GIW-12	12/11/15							N/A	(HES Installed)
GIW-12	12/12/15							N/A	(HES Installed)
GIW-12	12/13/15							N/A	(HES Installed)
GIW-12	12/14/15	3.5	20.0	11.0	65.5	67.1	-3.74	N/A	(HES Installed)
GIW-12	12/15/15							N/A	(HES Installed)
GIW-12	12/16/15							N/A	(HES Installed)
GIW-12	12/17/15							N/A	(HES Installed)
GIW-12	12/18/15							N/A	(HES Installed)

# GIW-12 Wellhead Temperatures





GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-13	08/18/15							N/A	(HES Installed)
GIW-13	08/19/15							N/A	(HES Installed)
GIW-13	08/20/15	7.2	61.2	0.3	31.3	95.8	-4.46	N/A	(HES Installed)
GIW-13	08/21/15							N/A	(HES Installed)
GIW-13	08/22/15							N/A	(HES Installed)
GIW-13	08/23/15							N/A	(HES Installed)
GIW-13	08/24/15							N/A	(HES Installed)
GIW-13	08/25/15							N/A	(HES Installed)
GIW-13	08/26/15	7.8	55.6	0.7	35.9	111.2	-3.60	N/A	(HES Installed)
GIW-13	08/27/15							N/A	(HES Installed)
GIW-13	08/28/15							N/A	(HES Installed)
GIW-13	08/29/15							N/A	(HES Installed)
GIW-13	08/30/15							N/A	(HES Installed)
GIW-13	08/31/15							N/A	(HES Installed)
GIW-13	09/01/15							N/A	(HES Installed)
GIW-13	09/02/15							N/A	(HES Installed)
GIW-13	09/03/15	11.6	59.4	0.6	28.4	143.3	-6.46	N/A	(HES Installed)
GIW-13	09/04/15							N/A	(HES Installed)
GIW-13	09/05/15							N/A	(HES Installed)
GIW-13	09/06/15							N/A	(HES Installed)
GIW-13	09/07/15							N/A	(HES Installed)
GIW-13	09/08/15							N/A	(HES Installed)
GIW-13	09/09/15							N/A	(HES Installed)
GIW-13	09/10/15							N/A	(HES Installed)
GIW-13	09/11/15	11.4	57.5	0.6	30.5	134.0	-9.09	N/A	(HES Installed)
GIW-13	09/12/15							N/A	(HES Installed)
GIW-13	09/13/15							N/A	(HES Installed)
GIW-13	09/14/15							N/A	(HES Installed)
GIW-13	09/15/15							N/A	(HES Installed)
GIW-13	09/16/15							N/A	(HES Installed)
GIW-13	09/17/15							N/A	(HES Installed)
GIW-13	09/18/15	10.5	71.2	0.9	17.4	82.6	-10.68	N/A	(HES Installed)
GIW-13	09/19/15							N/A	(HES Installed)
GIW-13	09/20/15							N/A	(HES Installed)
GIW-13	09/21/15							N/A	(HES Installed)
GIW-13	09/22/15	9.7	59.4	0.7	30.2	96.1	-10.74	N/A	(HES Installed)
GIW-13	09/23/15							N/A	(HES Installed)
GIW-13	09/24/15							N/A	(HES Installed)
GIW-13	09/25/15							N/A	(HES Installed)
GIW-13	09/26/15							N/A	(HES Installed)
GIW-13	09/27/15							N/A	(HES Installed)
GIW-13	09/28/15							N/A	(HES Installed)
GIW-13	09/29/15							N/A	(HES Installed)
GIW-13	09/30/15							N/A	(HES Installed)
GIW-13	10/01/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-13	10/02/15	7.4	58.8	0.6	33.2	58.1	-3.55	N/A	(HES Installed)
GIW-13	10/03/15							N/A	(HES Installed)
GIW-13	10/04/15							N/A	(HES Installed)
GIW-13	10/05/15							N/A	(HES Installed)
GIW-13	10/06/15	11.0	53.1	1.0	34.9	76.1	-10.37	N/A	(HES Installed)
GIW-13	10/07/15							N/A	(HES Installed)
GIW-13	10/08/15							N/A	(HES Installed)
GIW-13	10/09/15							N/A	(HES Installed)
GIW-13	10/10/15							N/A	(HES Installed)
GIW-13	10/11/15							N/A	(HES Installed)
GIW-13	10/12/15							N/A	(HES Installed)
GIW-13	10/13/15							N/A	(HES Installed)
GIW-13	10/14/15	12.1	57.9	0.8	29.2	85.5	-7.39	N/A	(HES Installed)
GIW-13	10/15/15							N/A	(HES Installed)
GIW-13	10/16/15							N/A	(HES Installed)
GIW-13	10/17/15							N/A	(HES Installed)
GIW-13	10/18/15							N/A	(HES Installed)
GIW-13	10/19/15	3.0	63.3	0.0	33.7	87.8	-1.46	N/A	(HES Installed)
GIW-13	10/20/15							N/A	(HES Installed)
GIW-13	10/21/15							N/A	(HES Installed)
GIW-13	10/22/15							N/A	(HES Installed)
GIW-13	10/23/15							N/A	(HES Installed)
GIW-13	10/24/15							N/A	(HES Installed)
GIW-13	10/25/15							N/A	(HES Installed)
GIW-13	10/26/15							N/A	(HES Installed)
GIW-13	10/27/15							N/A	(HES Installed)
GIW-13	10/28/15							N/A	(HES Installed)
GIW-13	10/29/15							N/A	(HES Installed)
GIW-13	10/30/15	8.5	58.2	0.4	32.9	63.8	-4.78	N/A	(HES Installed)
GIW-13	10/31/15							N/A	(HES Installed)
GIW-13	11/01/15							N/A	(HES Installed)
GIW-13	11/02/15							N/A	(HES Installed)
GIW-13	11/03/15							N/A	(HES Installed)
GIW-13	11/04/15	3.6	65.6	0.0	30.8	68.7	2.63	N/A	(HES Installed)
GIW-13	11/05/15							N/A	(HES Installed)
GIW-13	11/06/15	4.3	61.5	0.1	34.1	71.7	-7.07	N/A	(HES Installed)
GIW-13	11/07/15							N/A	(HES Installed)
GIW-13	11/08/15							N/A	(HES Installed)
GIW-13	11/09/15							N/A	(HES Installed)
GIW-13	11/10/15							N/A	(HES Installed)
GIW-13	11/11/15							N/A	(HES Installed)
GIW-13	11/12/15							N/A	(HES Installed)
GIW-13	11/13/15	6.0	62.3	0.1	31.6	63.8	-10.79	N/A	(HES Installed)
GIW-13	11/14/15							N/A	(HES Installed)
GIW-13	11/15/15							N/A	(HES Installed)

GIW ID#	Reading Date	CH4 (% Vol.)	CO2 (% Vol.)	Oxygen (% Vol.)	Balance (% Vol.)	Wellhead Temp. (F)	Pressure (In W.C.)	Pump Operational (Y/N)	Comments
GIW-13	11/16/15							N/A	(HES Installed)
GIW-13	11/17/15							N/A	(HES Installed)
GIW-13	11/18/15							N/A	(HES Installed)
GIW-13	11/19/15	12.3	57.3	0.7	29.7	65.2	-11.72	N/A	(HES Installed)
GIW-13	11/20/15							N/A	(HES Installed)
GIW-13	11/21/15							N/A	(HES Installed)
GIW-13	11/22/15							N/A	(HES Installed)
GIW-13	11/23/15	11.7	61.6	1.3	25.4	50.0	-12.30	N/A	(HES Installed)
GIW-13	11/24/15							N/A	(HES Installed)
GIW-13	11/25/15							N/A	(HES Installed)
GIW-13	11/26/15							N/A	(HES Installed)
GIW-13	11/27/15							N/A	(HES Installed)
GIW-13	11/28/15							N/A	(HES Installed)
GIW-13	11/29/15							N/A	(HES Installed)
GIW-13	11/30/15							N/A	(HES Installed)
GIW-13	12/01/15	6.2	69.8	0.0	24.0	54.0	-0.60	N/A	(HES Installed)
GIW-13	12/02/15							N/A	(HES Installed)
GIW-13	12/03/15							N/A	(HES Installed)
GIW-13	12/04/15							N/A	(HES Installed)
GIW-13	12/05/15							N/A	(HES Installed)
GIW-13	12/06/15							N/A	(HES Installed)
GIW-13	12/07/15							N/A	(HES Installed)
GIW-13	12/08/15							N/A	(HES Installed)
GIW-13	12/09/15	12.5	65.6	0.0	21.9	60.0	-4.20	N/A	(HES Installed)
GIW-13	12/10/15							N/A	(HES Installed)
GIW-13	12/11/15							N/A	(HES Installed)
GIW-13	12/12/15							N/A	(HES Installed)
GIW-13	12/13/15							N/A	(HES Installed)
GIW-13	12/14/15	13.1	55.9	0.6	30.4	46.6	-7.44	N/A	(HES Installed)
GIW-13	12/15/15							N/A	(HES Installed)
GIW-13	12/16/15							N/A	(HES Installed)
GIW-13	12/17/15							N/A	(HES Installed)
GIW-13	12/18/15							N/A	(HES Installed)

# GIW-13 Wellhead Temperatures

