

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	12/2/2019	20	98.8	475	
TMP-5-5N	12/2/2019	40	99.6	455	
TMP-5-5N	12/2/2019	60	86.7	435	
TMP-5-5N	12/2/2019	80	239.2	415	
TMP-5-5N	12/2/2019	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/9/2019	20	97.8	475	
TMP-5-5N	12/9/2019	40	99.5	455	
TMP-5-5N	12/9/2019	60	86.9	435	
TMP-5-5N	12/9/2019	80	237.8	415	
TMP-5-5N	12/9/2019	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/16/2019	20	98.2	475	
TMP-5-5N	12/16/2019	40	99.5	455	
TMP-5-5N	12/16/2019	60	85.5	435	
TMP-5-5N	12/16/2019	80	237.8	415	
TMP-5-5N	12/16/2019	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/23/2019	20	98.0	475	
TMP-5-5N	12/23/2019	40	100.4	455	
TMP-5-5N	12/23/2019	60	86.9	435	
TMP-5-5N	12/23/2019	80	238.2	415	
TMP-5-5N	12/23/2019	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/30/2019	20	97.6	475	
TMP-5-5N	12/30/2019	40	101.2	455	
TMP-5-5N	12/30/2019	60	87.7	435	
TMP-5-5N	12/30/2019	80	237.5	415	
TMP-5-5N	12/30/2019	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	12/2/2019	20	151.9	473	
TMP-19	12/2/2019	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/2/2019	60	209.4	433	
TMP-19	12/2/2019	80	214.5	413	
TMP-19	12/2/2019	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/9/2019	20	150.0	473	
TMP-19	12/9/2019	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/9/2019	60	207.6	433	
TMP-19	12/9/2019	80	212.7	413	
TMP-19	12/9/2019	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/16/2019	20	150.6	473	
TMP-19	12/16/2019	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/16/2019	60	208.0	433	
TMP-19	12/16/2019	80	213.1	413	
TMP-19	12/16/2019	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/23/2019	20	149.6	473	
TMP-19	12/23/2019	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/23/2019	60	207.4	433	
TMP-19	12/23/2019	80	212.3	413	
TMP-19	12/23/2019	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/30/2019	20	150.1	473	
TMP-19	12/30/2019	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/30/2019	60	208.0	433	
TMP-19	12/30/2019	80	212.4	413	
TMP-19	12/30/2019	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	12/2/2019	20	113.3	478	
TMP-20	12/2/2019	40	164.2	458	
TMP-20	12/2/2019	60	199.8	438	
TMP-20	12/2/2019	80	212.8	418	
TMP-20	12/2/2019	100	227.2	398	
TMP-20	12/2/2019	120	242.1	378	
TMP-20	12/2/2019	140	239.2	358	
TMP-20	12/9/2019	20	111.8	478	
TMP-20	12/9/2019	40	162.6	458	
TMP-20	12/9/2019	60	198.2	438	
TMP-20	12/9/2019	80	211.1	418	
TMP-20	12/9/2019	100	225.4	398	
TMP-20	12/9/2019	120	240.3	378	
TMP-20	12/9/2019	140	237.5	358	
TMP-20	12/16/2019	20	112.2	478	
TMP-20	12/16/2019	40	163.1	458	
TMP-20	12/16/2019	60	198.2	438	
TMP-20	12/16/2019	80	211.2	418	
TMP-20	12/16/2019	100	225.7	398	
TMP-20	12/16/2019	120	240.6	378	
TMP-20	12/16/2019	140	237.7	358	
TMP-20	12/23/2019	20	111.8	478	
TMP-20	12/23/2019	40	162.6	458	
TMP-20	12/23/2019	60	197.2	438	
TMP-20	12/23/2019	80	210.1	418	
TMP-20	12/23/2019	100	224.4	398	
TMP-20	12/23/2019	120	239.1	378	
TMP-20	12/23/2019	140	236.2	358	
TMP-20	12/30/2019	20	111.8	478	
TMP-20	12/30/2019	40	162.7	458	
TMP-20	12/30/2019	60	197.5	438	
TMP-20	12/30/2019	80	210.6	418	
TMP-20	12/30/2019	100	225.3	398	
TMP-20	12/30/2019	120	240.5	378	
TMP-20	12/30/2019	140	237.9	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	12/2/2019	20	114.6	475	
TMP-10-9N	12/2/2019	40	136.8	455	
TMP-10-9N	12/2/2019	60	140.6	435	
TMP-10-9N	12/2/2019	80	139.2	415	
TMP-10-9N	12/2/2019	100	149.4	395	
TMP-10-9N	12/9/2019	20	114.1	475	
TMP-10-9N	12/9/2019	40	135.9	455	
TMP-10-9N	12/9/2019	60	139.3	435	
TMP-10-9N	12/9/2019	80	137.8	415	
TMP-10-9N	12/9/2019	100	147.9	395	
TMP-10-9N	12/16/2019	20	114.8	475	
TMP-10-9N	12/16/2019	40	136.4	455	
TMP-10-9N	12/16/2019	60	139.5	435	
TMP-10-9N	12/16/2019	80	137.8	415	
TMP-10-9N	12/16/2019	100	148.1	395	
TMP-10-9N	12/23/2019	20	113.2	475	
TMP-10-9N	12/23/2019	40	134.5	455	
TMP-10-9N	12/23/2019	60	136.9	435	
TMP-10-9N	12/23/2019	80	135.4	415	
TMP-10-9N	12/23/2019	100	146.1	395	
TMP-10-9N	12/30/2019	20	114.0	475	
TMP-10-9N	12/30/2019	40	135.6	455	
TMP-10-9N	12/30/2019	60	137.7	435	
TMP-10-9N	12/30/2019	80	136.5	415	
TMP-10-9N	12/30/2019	100	146.6	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	12/2/2019	20	113.4	476	
TMP-10-9S	12/2/2019	40	156.9	456	
TMP-10-9S	12/2/2019	60	177.8	436	
TMP-10-9S	12/2/2019	80	184.8	416	
TMP-10-9S	12/2/2019	100	200.9	396	
TMP-10-9S	12/9/2019	20	112.8	476	
TMP-10-9S	12/9/2019	40	155.9	456	
TMP-10-9S	12/9/2019	60	176.9	436	
TMP-10-9S	12/9/2019	80	183.8	416	
TMP-10-9S	12/9/2019	100	200.0	396	
TMP-10-9S	12/16/2019	20	113.5	476	
TMP-10-9S	12/16/2019	40	155.3	456	
TMP-10-9S	12/16/2019	60	177.1	436	
TMP-10-9S	12/16/2019	80	184.1	416	
TMP-10-9S	12/16/2019	100	200.6	396	
TMP-10-9S	12/23/2019	20	111.2	476	
TMP-10-9S	12/23/2019	40	152.6	456	
TMP-10-9S	12/23/2019	60	174.4	436	
TMP-10-9S	12/23/2019	80	181.6	416	
TMP-10-9S	12/23/2019	100	198.1	396	
TMP-10-9S	12/30/2019	20	112.9	476	
TMP-10-9S	12/30/2019	40	154.6	456	
TMP-10-9S	12/30/2019	60	176.0	436	
TMP-10-9S	12/30/2019	80	182.9	416	
TMP-10-9S	12/30/2019	100	199.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	12/2/2019	20	101.9	478	
TMP-10-5N	12/2/2019	40	115.6	458	
TMP-10-5N	12/2/2019	60	104.1	438	
TMP-10-5N	12/2/2019	80	94.8	418	
TMP-10-5N	12/2/2019	100	89.9	398	
TMP-10-5N	12/9/2019	20	100.6	478	
TMP-10-5N	12/9/2019	40	114.0	458	
TMP-10-5N	12/9/2019	60	101.0	438	
TMP-10-5N	12/9/2019	80	91.6	418	
TMP-10-5N	12/9/2019	100	86.8	398	
TMP-10-5N	12/16/2019	20	101.2	478	
TMP-10-5N	12/16/2019	40	114.6	458	
TMP-10-5N	12/16/2019	60	101.1	438	
TMP-10-5N	12/16/2019	80	91.7	418	
TMP-10-5N	12/16/2019	100	87.2	398	
TMP-10-5N	12/23/2019	20	99.5	478	
TMP-10-5N	12/23/2019	40	113.2	458	
TMP-10-5N	12/23/2019	60	99.5	438	
TMP-10-5N	12/23/2019	80	90.5	418	
TMP-10-5N	12/23/2019	100	85.9	398	
TMP-10-5N	12/30/2019	20	100.4	478	
TMP-10-5N	12/30/2019	40	114.8	458	
TMP-10-5N	12/30/2019	60	101.4	438	
TMP-10-5N	12/30/2019	80	93.8	418	
TMP-10-5N	12/30/2019	100	90.2	398	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-10-5S	12/2/2019	20	107.8	477	
TMP-10-5S	12/2/2019	40	143.7	457	
TMP-10-5S	12/2/2019	60	159.8	437	
TMP-10-5S	12/2/2019	80	170.6	417	
TMP-10-5S	12/2/2019	100	185.4	397	
TMP-10-5S	12/9/2019	20	107.3	477	
TMP-10-5S	12/9/2019	40	143.2	457	
TMP-10-5S	12/9/2019	60	159.1	437	
TMP-10-5S	12/9/2019	80	169.8	417	
TMP-10-5S	12/9/2019	100	184.6	397	
TMP-10-5S	12/16/2019	20	108.1	477	
TMP-10-5S	12/16/2019	40	143.8	457	
TMP-10-5S	12/16/2019	60	159.4	437	
TMP-10-5S	12/16/2019	80	170.1	417	
TMP-10-5S	12/16/2019	100	185.2	397	
TMP-10-5S	12/23/2019	20	105.4	477	
TMP-10-5S	12/23/2019	40	141.4	457	
TMP-10-5S	12/23/2019	60	156.6	437	
TMP-10-5S	12/23/2019	80	167.6	417	
TMP-10-5S	12/23/2019	100	182.8	397	
TMP-10-5S	12/30/2019	20	107.3	477	
TMP-10-5S	12/30/2019	40	143.0	457	
TMP-10-5S	12/30/2019	60	158.1	437	
TMP-10-5S	12/30/2019	80	168.8	417	
TMP-10-5S	12/30/2019	100	184.2	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	12/2/2019	20	105.4	476	
TMP-5-9N	12/2/2019	40	144.3	456	
TMP-5-9N	12/2/2019	60	149.9	436	
TMP-5-9N	12/2/2019	80	241.0	416	
TMP-5-9N	12/2/2019	100	255.1	396	
TMP-5-9N	12/9/2019	20	104.3	476	
TMP-5-9N	12/9/2019	40	143.3	456	
TMP-5-9N	12/9/2019	60	148.6	436	
TMP-5-9N	12/9/2019	80	239.8	416	
TMP-5-9N	12/9/2019	100	254.2	396	
TMP-5-9N	12/16/2019	20	104.9	476	
TMP-5-9N	12/16/2019	40	143.9	456	
TMP-5-9N	12/16/2019	60	148.9	436	
TMP-5-9N	12/16/2019	80	240.2	416	
TMP-5-9N	12/16/2019	100	254.8	396	
TMP-5-9N	12/30/2019	20	104.0	476	
TMP-5-9N	12/30/2019	40	143.2	456	
TMP-5-9N	12/30/2019	60	148.0	436	
TMP-5-9N	12/30/2019	80	239.4	416	
TMP-5-9N	12/30/2019	100	254.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	12/2/2019	20	121.6	476	
TMP-5-9S	12/2/2019	40	185.8	456	
TMP-5-9S	12/2/2019	60	223.0	436	
TMP-5-9S	12/2/2019	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/2/2019	100			No readings could be obtained
TMP-5-9S	12/9/2019	20	120.8	476	
TMP-5-9S	12/9/2019	40	184.8	456	
TMP-5-9S	12/9/2019	60	222.2	436	
TMP-5-9S	12/9/2019	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/9/2019	100			No readings could be obtained
TMP-5-9S	12/16/2019	20	121.2	476	
TMP-5-9S	12/16/2019	40	185.3	456	
TMP-5-9S	12/16/2019	60	222.7	436	
TMP-5-9S	12/16/2019	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/16/2019	100			No readings could be obtained
TMP-5-9S	12/23/2019	20	119.6	476	
TMP-5-9S	12/23/2019	40	183.8	456	
TMP-5-9S	12/23/2019	60	221.1	436	
TMP-5-9S	12/23/2019	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/23/2019	100			No readings could be obtained
TMP-5-9S	12/30/2019	20	120.7	476	
TMP-5-9S	12/30/2019	40	184.6	456	
TMP-5-9S	12/30/2019	60	221.9	436	
TMP-5-9S	12/30/2019	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/30/2019	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	12/2/2019	20	119.6	474	
TMP-5-5S	12/2/2019	40	173.8	454	
TMP-5-5S	12/2/2019	60	209.7	434	
TMP-5-5S	12/2/2019	80	243.5	414	
TMP-5-5S	12/2/2019	100	247.2	394	
TMP-5-5S	12/9/2019	20	119.0	474	
TMP-5-5S	12/9/2019	40	173.1	454	
TMP-5-5S	12/9/2019	60	208.8	434	
TMP-5-5S	12/9/2019	80	242.7	414	
TMP-5-5S	12/9/2019	100	246.4	394	
TMP-5-5S	12/16/2019	20	119.7	474	
TMP-5-5S	12/16/2019	40	173.7	454	
TMP-5-5S	12/16/2019	60	209.0	434	
TMP-5-5S	12/16/2019	80	243.0	414	
TMP-5-5S	12/16/2019	100	246.9	394	
TMP-5-5S	12/23/2019	20	117.5	474	
TMP-5-5S	12/23/2019	40	171.8	454	
TMP-5-5S	12/23/2019	60	206.8	434	
TMP-5-5S	12/23/2019	80	241.1	414	
TMP-5-5S	12/23/2019	100	245.2	394	
TMP-5-5S	12/30/2019	20	118.9	474	
TMP-5-5S	12/30/2019	40	173.1	454	
TMP-5-5S	12/30/2019	60	208.1	434	
TMP-5-5S	12/30/2019	80	242.5	414	
TMP-5-5S	12/30/2019	100	246.5	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	12/2/2019	20	159.6	474	
TMP-31	12/2/2019	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/2/2019	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/2/2019	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/2/2019	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/2/2019	120	271.4	374	
TMP-31	12/9/2019	20	159.1	474	
TMP-31	12/9/2019	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/9/2019	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/9/2019	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/9/2019	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/9/2019	120	270.7	374	
TMP-31	12/16/2019	20	159.0	474	
TMP-31	12/16/2019	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/16/2019	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/16/2019	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/16/2019	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/16/2019	120	271.2	374	
TMP-31	12/23/2019	20	158.0	474	
TMP-31	12/23/2019	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/23/2019	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/23/2019	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/23/2019	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/23/2019	120	271.0	374	
TMP-31	12/30/2019	20	159.4	474	
TMP-31	12/30/2019	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	120	270.8	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	12/2/2019	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/2/2019	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/2/2019	60	230.4	444	
TMP-32	12/2/2019	80	246.9	424	
TMP-32	12/2/2019	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/2/2019	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/2/2019	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/2/2019	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/2/2019	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/2/2019	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/2/2019	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	60	229.7	444	
TMP-32	12/9/2019	80	246.5	424	
TMP-32	12/9/2019	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	60	230.4	444	
TMP-32	12/16/2019	80	246.8	424	
TMP-32	12/16/2019	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	60	230.3	444	
TMP-32	12/23/2019	80	247.1	424	
TMP-32	12/23/2019	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	60	230.0	444	
TMP-32	12/30/2019	80	246.3	424	
TMP-32	12/30/2019	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	12/2/2019	20	146.9	473	
TMP-SPM1	12/2/2019	40	171.1	453	
TMP-SPM1	12/2/2019	60	188.3	433	
TMP-SPM1	12/2/2019	80	176.1	413	
TMP-SPM1	12/2/2019	100	173.3	393	
TMP-SPM1	12/2/2019	120	166.6	373	
TMP-SPM1	12/2/2019	140	156.4	353	
TMP-SPM1	12/2/2019	160	138.2	333	
TMP-SPM1	12/2/2019	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/2/2019	200	108.1	293	
TMP-SPM1	12/2/2019	220	94.0	273	
TMP-SPM1	12/2/2019	240	90.7	253	
TMP-SPM1	12/9/2019	20	145.8	473	
TMP-SPM1	12/9/2019	40	169.4	453	
TMP-SPM1	12/9/2019	60	186.7	433	
TMP-SPM1	12/9/2019	80	174.6	413	
TMP-SPM1	12/9/2019	100	171.9	393	
TMP-SPM1	12/9/2019	120	165.3	373	
TMP-SPM1	12/9/2019	140	155.1	353	
TMP-SPM1	12/9/2019	160	136.9	333	
TMP-SPM1	12/9/2019	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/9/2019	200	106.7	293	
TMP-SPM1	12/9/2019	220	92.7	273	
TMP-SPM1	12/9/2019	240	89.4	253	
TMP-SPM1	12/16/2019	20	146.9	473	
TMP-SPM1	12/16/2019	40	170.9	453	
TMP-SPM1	12/16/2019	60	188.0	433	
TMP-SPM1	12/16/2019	80	176.1	413	
TMP-SPM1	12/16/2019	100	173.3	393	
TMP-SPM1	12/16/2019	120	166.9	373	
TMP-SPM1	12/16/2019	140	156.7	353	
TMP-SPM1	12/16/2019	160	138.4	333	
TMP-SPM1	12/16/2019	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/16/2019	200	108.4	293	
TMP-SPM1	12/16/2019	220	94.5	273	
TMP-SPM1	12/16/2019	240	91.0	253	
TMP-SPM1	12/23/2019	20	147.3	473	
TMP-SPM1	12/23/2019	40	170.6	453	
TMP-SPM1	12/23/2019	60	187.7	433	
TMP-SPM1	12/23/2019	80	175.6	413	
TMP-SPM1	12/23/2019	100	173.1	393	
TMP-SPM1	12/23/2019	120	166.6	373	
TMP-SPM1	12/23/2019	140	156.4	353	
TMP-SPM1	12/23/2019	160	138.1	333	
TMP-SPM1	12/23/2019	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/23/2019	200	107.9	293	
TMP-SPM1	12/23/2019	220	94.0	273	
TMP-SPM1	12/23/2019	240	90.4	253	
TMP-SPM1	12/30/2019	20	147.4	473	
TMP-SPM1	12/30/2019	40	170.9	453	
TMP-SPM1	12/30/2019	60	188.3	433	
TMP-SPM1	12/30/2019	80	176.1	413	
TMP-SPM1	12/30/2019	100	173.6	393	
TMP-SPM1	12/30/2019	120	167.2	373	
TMP-SPM1	12/30/2019	140	157.1	353	
TMP-SPM1	12/30/2019	160	138.7	333	
TMP-SPM1	12/30/2019	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/30/2019	200	108.7	293	
TMP-SPM1	12/30/2019	220	94.8	273	
TMP-SPM1	12/30/2019	240	91.2	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	12/2/2019	20	136.1	475	
TMP-SPM2	12/2/2019	40	162.4	455	
TMP-SPM2	12/2/2019	60	159.7	435	
TMP-SPM2	12/2/2019	80	179.5	415	
TMP-SPM2	12/2/2019	100	198.5	395	
TMP-SPM2	12/2/2019	120	196.0	375	
TMP-SPM2	12/2/2019	140	191.3	355	
TMP-SPM2	12/2/2019	160	165.2	335	
TMP-SPM2	12/2/2019	172	147.9	323	
TMP-SPM2	12/9/2019	20	135.0	475	
TMP-SPM2	12/9/2019	40	161.5	455	
TMP-SPM2	12/9/2019	60	158.7	435	
TMP-SPM2	12/9/2019	80	178.5	415	
TMP-SPM2	12/9/2019	100	197.6	395	
TMP-SPM2	12/9/2019	120	195.1	375	
TMP-SPM2	12/9/2019	140	190.6	355	
TMP-SPM2	12/9/2019	160	164.7	335	
TMP-SPM2	12/9/2019	172	147.3	323	
TMP-SPM2	12/16/2019	20	136.7	475	
TMP-SPM2	12/16/2019	40	162.8	455	
TMP-SPM2	12/16/2019	60	159.9	435	
TMP-SPM2	12/16/2019	80	179.9	415	
TMP-SPM2	12/16/2019	100	198.9	395	
TMP-SPM2	12/16/2019	120	196.6	375	
TMP-SPM2	12/16/2019	140	192.2	355	
TMP-SPM2	12/16/2019	160	166.3	335	
TMP-SPM2	12/16/2019	172	149.1	323	
TMP-SPM2	12/23/2019	20	135.0	475	
TMP-SPM2	12/23/2019	40	160.9	455	
TMP-SPM2	12/23/2019	60	158.0	435	
TMP-SPM2	12/23/2019	80	178.1	415	
TMP-SPM2	12/23/2019	100	197.4	395	
TMP-SPM2	12/23/2019	120	195.3	375	
TMP-SPM2	12/23/2019	140	191.1	355	
TMP-SPM2	12/23/2019	160	165.3	335	
TMP-SPM2	12/23/2019	172	148.0	323	
TMP-SPM2	12/30/2019	20	135.0	475	
TMP-SPM2	12/30/2019	40	161.0	455	
TMP-SPM2	12/30/2019	60	158.0	435	
TMP-SPM2	12/30/2019	80	177.9	415	
TMP-SPM2	12/30/2019	100	197.1	395	
TMP-SPM2	12/30/2019	120	195.0	375	
TMP-SPM2	12/30/2019	140	191.0	355	
TMP-SPM2	12/30/2019	160	165.2	335	
TMP-SPM2	12/30/2019	172	147.9	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	12/2/2019	20	110.1	478	
TMP-SPM3	12/2/2019	40	116.4	458	
TMP-SPM3	12/2/2019	60	109.9	438	
TMP-SPM3	12/2/2019	80	115.1	418	
TMP-SPM3	12/2/2019	85	116.8	413	
TMP-SPM3	12/9/2019	20	109.1	478	
TMP-SPM3	12/9/2019	40	115.6	458	
TMP-SPM3	12/9/2019	60	109.3	438	
TMP-SPM3	12/9/2019	80	114.4	418	
TMP-SPM3	12/9/2019	85	116.2	413	
TMP-SPM3	12/16/2019	20	110.5	478	
TMP-SPM3	12/16/2019	40	116.7	458	
TMP-SPM3	12/16/2019	60	110.3	438	
TMP-SPM3	12/16/2019	80	115.6	418	
TMP-SPM3	12/16/2019	85	117.4	413	
TMP-SPM3	12/23/2019	20	108.8	478	
TMP-SPM3	12/23/2019	40	114.7	458	
TMP-SPM3	12/23/2019	60	108.3	438	
TMP-SPM3	12/23/2019	80	113.5	418	
TMP-SPM3	12/23/2019	85	115.1	413	
TMP-SPM3	12/30/2019	20	109.5	478	
TMP-SPM3	12/30/2019	40	115.5	458	
TMP-SPM3	12/30/2019	60	109.2	438	
TMP-SPM3	12/30/2019	80	114.4	418	
TMP-SPM3	12/30/2019	85	116.2	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	12/2/2019	20	118.3	475	
TMP-SPM4	12/2/2019	40	140.8	455	
TMP-SPM4	12/2/2019	60	143.3	435	
TMP-SPM4	12/2/2019	80	144.2	415	
TMP-SPM4	12/2/2019	100	140.6	395	
TMP-SPM4	12/2/2019	120	133.6	375	
TMP-SPM4	12/2/2019	140	128.8	355	
TMP-SPM4	12/2/2019	160	122.7	335	
TMP-SPM4	12/2/2019	180	118.1	315	
TMP-SPM4	12/2/2019	200	111.4	295	
TMP-SPM4	12/2/2019	220	98.3	275	
TMP-SPM4	12/2/2019	240	91.8	255	
TMP-SPM4	12/9/2019	20	117.7	475	
TMP-SPM4	12/9/2019	40	140.3	455	
TMP-SPM4	12/9/2019	60	142.8	435	
TMP-SPM4	12/9/2019	80	143.6	415	
TMP-SPM4	12/9/2019	100	140.0	395	
TMP-SPM4	12/9/2019	120	133.0	375	
TMP-SPM4	12/9/2019	140	128.2	355	
TMP-SPM4	12/9/2019	160	122.1	335	
TMP-SPM4	12/9/2019	180	117.4	315	
TMP-SPM4	12/9/2019	200	110.8	295	
TMP-SPM4	12/9/2019	220	97.6	275	
TMP-SPM4	12/9/2019	240	91.2	255	
TMP-SPM4	12/16/2019	20	119.1	475	
TMP-SPM4	12/16/2019	40	141.4	455	
TMP-SPM4	12/16/2019	60	143.8	435	
TMP-SPM4	12/16/2019	80	144.7	415	
TMP-SPM4	12/16/2019	100	141.0	395	
TMP-SPM4	12/16/2019	120	133.9	375	
TMP-SPM4	12/16/2019	140	129.2	355	
TMP-SPM4	12/16/2019	160	123.0	335	
TMP-SPM4	12/16/2019	180	118.4	315	
TMP-SPM4	12/16/2019	200	111.8	295	
TMP-SPM4	12/16/2019	220	98.7	275	
TMP-SPM4	12/16/2019	240	92.3	255	
TMP-SPM4	12/23/2019	20	118.5	475	
TMP-SPM4	12/23/2019	40	141.1	455	
TMP-SPM4	12/23/2019	60	143.4	435	
TMP-SPM4	12/23/2019	80	144.5	415	
TMP-SPM4	12/23/2019	100	140.8	395	
TMP-SPM4	12/23/2019	120	133.8	375	
TMP-SPM4	12/23/2019	140	129.0	355	
TMP-SPM4	12/23/2019	160	122.6	335	
TMP-SPM4	12/23/2019	180	117.9	315	
TMP-SPM4	12/23/2019	200	111.0	295	
TMP-SPM4	12/23/2019	220	97.7	275	
TMP-SPM4	12/23/2019	240	91.0	255	
TMP-SPM4	12/30/2019	20	118.1	475	
TMP-SPM4	12/30/2019	40	140.5	455	
TMP-SPM4	12/30/2019	60	142.9	435	
TMP-SPM4	12/30/2019	80	143.8	415	
TMP-SPM4	12/30/2019	100	140.0	395	
TMP-SPM4	12/30/2019	120	133.0	375	
TMP-SPM4	12/30/2019	140	128.3	355	
TMP-SPM4	12/30/2019	160	122.1	335	
TMP-SPM4	12/30/2019	180	117.5	315	
TMP-SPM4	12/30/2019	200	111.0	295	
TMP-SPM4	12/30/2019	220	98.0	275	
TMP-SPM4	12/30/2019	240	91.4	255	