

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	12/9/2019	40	140.3	455	
TMP-SPM4	12/9/2019	60	142.8	435	
TMP-SPM4	12/9/2019	80	143.6	415	
TMP-SPM4	12/9/2019	100	140.0	395	
TMP-SPM4	12/9/2019	120	133.0	375	
TMP-SPM4	12/9/2019	140	128.2	355	
TMP-SPM4	12/9/2019	160	122.1	335	
TMP-SPM4	12/9/2019	180	117.4	315	
TMP-SPM4	12/9/2019	200	110.8	295	
TMP-SPM4	12/9/2019	220	97.6	275	
TMP-SPM4	12/9/2019	240	91.2	255	
TMP-SPM4	12/16/2019	20	119.1	475	
TMP-SPM4	12/16/2019	40	141.4	455	
TMP-SPM4	12/16/2019	60	143.8	435	
TMP-SPM4	12/16/2019	80	144.7	415	
TMP-SPM4	12/16/2019	100	141.0	395	
TMP-SPM4	12/16/2019	120	133.9	375	
TMP-SPM4	12/16/2019	140	129.2	355	
TMP-SPM4	12/16/2019	160	123.0	335	
TMP-SPM4	12/16/2019	180	118.4	315	
TMP-SPM4	12/16/2019	200	111.8	295	
TMP-SPM4	12/16/2019	220	98.7	275	
TMP-SPM4	12/16/2019	240	92.3	255	
TMP-SPM4	12/23/2019	20	118.5	475	
TMP-SPM4	12/23/2019	40	141.1	455	
TMP-SPM4	12/23/2019	60	143.4	435	
TMP-SPM4	12/23/2019	80	144.5	415	
TMP-SPM4	12/23/2019	100	140.8	395	
TMP-SPM4	12/23/2019	120	133.8	375	
TMP-SPM4	12/23/2019	140	129.0	355	
TMP-SPM4	12/23/2019	160	122.6	335	
TMP-SPM4	12/23/2019	180	117.9	315	
TMP-SPM4	12/23/2019	200	111.0	295	
TMP-SPM4	12/23/2019	220	97.7	275	
TMP-SPM4	12/23/2019	240	91.0	255	
TMP-SPM4	12/30/2019	20	118.1	475	
TMP-SPM4	12/30/2019	40	140.5	455	
TMP-SPM4	12/30/2019	60	142.9	435	
TMP-SPM4	12/30/2019	80	143.8	415	
TMP-SPM4	12/30/2019	100	140.0	395	
TMP-SPM4	12/30/2019	120	133.0	375	
TMP-SPM4	12/30/2019	140	128.3	355	
TMP-SPM4	12/30/2019	160	122.1	335	
TMP-SPM4	12/30/2019	180	117.5	315	
TMP-SPM4	12/30/2019	200	111.0	295	
TMP-SPM4	12/30/2019	220	98.0	275	
TMP-SPM4	12/30/2019	240	91.4	255	
TMP-SPM4	1/6/2020	20	116.9	475	
TMP-SPM4	1/6/2020	40	139.9	455	
TMP-SPM4	1/6/2020	60	142.4	435	
TMP-SPM4	1/6/2020	80	143.5	415	
TMP-SPM4	1/6/2020	100	139.8	395	
TMP-SPM4	1/6/2020	120	132.8	375	
TMP-SPM4	1/6/2020	140	128.0	355	
TMP-SPM4	1/6/2020	160	121.7	335	
TMP-SPM4	1/6/2020	180	116.9	315	
TMP-SPM4	1/6/2020	200	110.1	295	
TMP-SPM4	1/6/2020	220	96.9	275	
TMP-SPM4	1/6/2020	240	90.1	255	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	12/9/2019	20	150.0	473	
TMP-19	12/9/2019	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/9/2019	60	207.6	433	
TMP-19	12/9/2019	80	212.7	413	
TMP-19	12/9/2019	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/16/2019	20	150.6	473	
TMP-19	12/16/2019	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/16/2019	60	208.0	433	
TMP-19	12/16/2019	80	213.1	413	
TMP-19	12/16/2019	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/23/2019	20	149.6	473	
TMP-19	12/23/2019	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/23/2019	60	207.4	433	
TMP-19	12/23/2019	80	212.3	413	
TMP-19	12/23/2019	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/30/2019	20	150.1	473	
TMP-19	12/30/2019	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/30/2019	60	208.0	433	
TMP-19	12/30/2019	80	212.4	413	
TMP-19	12/30/2019	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/6/2020	20	148.6	473	
TMP-19	1/6/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/6/2020	60	206.5	433	
TMP-19	1/6/2020	80	211.7	413	
TMP-19	1/6/2020	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	12/9/2019	20	111.8	478	
TMP-20	12/9/2019	40	162.6	458	
TMP-20	12/9/2019	60	198.2	438	
TMP-20	12/9/2019	80	211.1	418	
TMP-20	12/9/2019	100	225.4	398	
TMP-20	12/9/2019	120	240.3	378	
TMP-20	12/9/2019	140	237.5	358	
TMP-20	12/16/2019	20	112.2	478	
TMP-20	12/16/2019	40	163.1	458	
TMP-20	12/16/2019	60	198.2	438	
TMP-20	12/16/2019	80	211.2	418	
TMP-20	12/16/2019	100	225.7	398	
TMP-20	12/16/2019	120	240.6	378	
TMP-20	12/16/2019	140	237.7	358	
TMP-20	12/23/2019	20	111.8	478	
TMP-20	12/23/2019	40	162.6	458	
TMP-20	12/23/2019	60	197.2	438	
TMP-20	12/23/2019	80	210.1	418	
TMP-20	12/23/2019	100	224.4	398	
TMP-20	12/23/2019	120	239.1	378	
TMP-20	12/23/2019	140	236.2	358	
TMP-20	12/30/2019	20	111.8	478	
TMP-20	12/30/2019	40	162.7	458	
TMP-20	12/30/2019	60	197.5	438	
TMP-20	12/30/2019	80	210.6	418	
TMP-20	12/30/2019	100	225.3	398	
TMP-20	12/30/2019	120	240.5	378	
TMP-20	12/30/2019	140	237.9	358	
TMP-20	1/6/2020	20	111.2	478	
TMP-20	1/6/2020	40	162.0	458	
TMP-20	1/6/2020	60	196.1	438	
TMP-20	1/6/2020	80	209.1	418	
TMP-20	1/6/2020	100	223.3	398	
TMP-20	1/6/2020	120	238.2	378	
TMP-20	1/6/2020	140	235.3	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	12/9/2019	20	114.1	475	
TMP-10-9N	12/9/2019	40	135.9	455	
TMP-10-9N	12/9/2019	60	139.3	435	
TMP-10-9N	12/9/2019	80	137.8	415	
TMP-10-9N	12/9/2019	100	147.9	395	
TMP-10-9N	12/16/2019	20	114.8	475	
TMP-10-9N	12/16/2019	40	136.4	455	
TMP-10-9N	12/16/2019	60	139.5	435	
TMP-10-9N	12/16/2019	80	137.8	415	
TMP-10-9N	12/16/2019	100	148.1	395	
TMP-10-9N	12/23/2019	20	113.2	475	
TMP-10-9N	12/23/2019	40	134.5	455	
TMP-10-9N	12/23/2019	60	136.9	435	
TMP-10-9N	12/23/2019	80	135.4	415	
TMP-10-9N	12/23/2019	100	146.1	395	
TMP-10-9N	12/30/2019	20	114.0	475	
TMP-10-9N	12/30/2019	40	135.6	455	
TMP-10-9N	12/30/2019	60	137.7	435	
TMP-10-9N	12/30/2019	80	136.5	415	
TMP-10-9N	12/30/2019	100	146.6	395	
TMP-10-9N	1/6/2020	20	112.5	475	
TMP-10-9N	1/6/2020	40	133.9	455	
TMP-10-9N	1/6/2020	60	135.9	435	
TMP-10-9N	1/6/2020	80	135.2	415	
TMP-10-9N	1/6/2020	100	145.4	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	12/9/2019	20	112.8	476	
TMP-10-9S	12/9/2019	40	155.9	456	
TMP-10-9S	12/9/2019	60	176.9	436	
TMP-10-9S	12/9/2019	80	183.8	416	
TMP-10-9S	12/9/2019	100	200.0	396	
TMP-10-9S	12/16/2019	20	113.5	476	
TMP-10-9S	12/16/2019	40	155.3	456	
TMP-10-9S	12/16/2019	60	177.1	436	
TMP-10-9S	12/16/2019	80	184.1	416	
TMP-10-9S	12/16/2019	100	200.6	396	
TMP-10-9S	12/23/2019	20	111.2	476	
TMP-10-9S	12/23/2019	40	152.6	456	
TMP-10-9S	12/23/2019	60	174.4	436	
TMP-10-9S	12/23/2019	80	181.6	416	
TMP-10-9S	12/23/2019	100	198.1	396	
TMP-10-9S	12/30/2019	20	112.9	476	
TMP-10-9S	12/30/2019	40	154.6	456	
TMP-10-9S	12/30/2019	60	176.0	436	
TMP-10-9S	12/30/2019	80	182.9	416	
TMP-10-9S	12/30/2019	100	199.7	396	
TMP-10-9S	1/6/2020	20	111.9	476	
TMP-10-9S	1/6/2020	40	153.4	456	
TMP-10-9S	1/6/2020	60	174.9	436	
TMP-10-9S	1/6/2020	80	182.1	416	
TMP-10-9S	1/6/2020	100	199.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	12/9/2019	20	100.6	478	
TMP-10-5N	12/9/2019	40	114.0	458	
TMP-10-5N	12/9/2019	60	101.0	438	
TMP-10-5N	12/9/2019	80	91.6	418	
TMP-10-5N	12/9/2019	100	86.8	398	
TMP-10-5N	12/16/2019	20	101.2	478	
TMP-10-5N	12/16/2019	40	114.6	458	
TMP-10-5N	12/16/2019	60	101.1	438	
TMP-10-5N	12/16/2019	80	91.7	418	
TMP-10-5N	12/16/2019	100	87.2	398	
TMP-10-5N	12/23/2019	20	99.5	478	
TMP-10-5N	12/23/2019	40	113.2	458	
TMP-10-5N	12/23/2019	60	99.5	438	
TMP-10-5N	12/23/2019	80	90.5	418	
TMP-10-5N	12/23/2019	100	85.9	398	
TMP-10-5N	12/30/2019	20	100.4	478	
TMP-10-5N	12/30/2019	40	114.8	458	
TMP-10-5N	12/30/2019	60	101.4	438	
TMP-10-5N	12/30/2019	80	93.8	418	
TMP-10-5N	12/30/2019	100	90.2	398	
TMP-10-5N	1/6/2020	20	99.5	478	
TMP-10-5N	1/6/2020	40	114.5	458	
TMP-10-5N	1/6/2020	60	101.1	438	
TMP-10-5N	1/6/2020	80	93.8	418	
TMP-10-5N	1/6/2020	100	89.9	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	12/9/2019	20	107.3	477	
TMP-10-5S	12/9/2019	40	143.2	457	
TMP-10-5S	12/9/2019	60	159.1	437	
TMP-10-5S	12/9/2019	80	169.8	417	
TMP-10-5S	12/9/2019	100	184.6	397	
TMP-10-5S	12/16/2019	20	108.1	477	
TMP-10-5S	12/16/2019	40	143.8	457	
TMP-10-5S	12/16/2019	60	159.4	437	
TMP-10-5S	12/16/2019	80	170.1	417	
TMP-10-5S	12/16/2019	100	185.2	397	
TMP-10-5S	12/23/2019	20	105.4	477	
TMP-10-5S	12/23/2019	40	141.4	457	
TMP-10-5S	12/23/2019	60	156.6	437	
TMP-10-5S	12/23/2019	80	167.6	417	
TMP-10-5S	12/23/2019	100	182.8	397	
TMP-10-5S	12/30/2019	20	107.3	477	
TMP-10-5S	12/30/2019	40	143.0	457	
TMP-10-5S	12/30/2019	60	158.1	437	
TMP-10-5S	12/30/2019	80	168.8	417	
TMP-10-5S	12/30/2019	100	184.2	397	
TMP-10-5S	1/6/2020	20	105.9	477	
TMP-10-5S	1/6/2020	40	141.5	457	
TMP-10-5S	1/6/2020	60	156.4	437	
TMP-10-5S	1/6/2020	80	167.4	417	
TMP-10-5S	1/6/2020	100	183.0	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	12/9/2019	20	104.3	476	
TMP-5-9N	12/9/2019	40	143.3	456	
TMP-5-9N	12/9/2019	60	148.6	436	
TMP-5-9N	12/9/2019	80	239.8	416	
TMP-5-9N	12/9/2019	100	254.2	396	
TMP-5-9N	12/16/2019	20	104.9	476	
TMP-5-9N	12/16/2019	40	143.9	456	
TMP-5-9N	12/16/2019	60	148.9	436	
TMP-5-9N	12/16/2019	80	240.2	416	
TMP-5-9N	12/16/2019	100	254.8	396	
TMP-5-9N	12/30/2019	20	104.0	476	
TMP-5-9N	12/30/2019	40	143.2	456	
TMP-5-9N	12/30/2019	60	148.0	436	
TMP-5-9N	12/30/2019	80	239.4	416	
TMP-5-9N	12/30/2019	100	254.1	396	
TMP-5-9N	1/6/2020	20	104.3	476	
TMP-5-9N	1/6/2020	40	143.8	456	
TMP-5-9N	1/6/2020	60	148.6	436	
TMP-5-9N	1/6/2020	80	240.1	416	
TMP-5-9N	1/6/2020	100	255.2	396	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	12/9/2019	20	120.8	476	
TMP-5-9S	12/9/2019	40	184.8	456	
TMP-5-9S	12/9/2019	60	222.2	436	
TMP-5-9S	12/9/2019	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/9/2019	100			No readings could be obtained
TMP-5-9S	12/16/2019	20	121.2	476	
TMP-5-9S	12/16/2019	40	185.3	456	
TMP-5-9S	12/16/2019	60	222.7	436	
TMP-5-9S	12/16/2019	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/16/2019	100			No readings could be obtained
TMP-5-9S	12/23/2019	20	119.6	476	
TMP-5-9S	12/23/2019	40	183.8	456	
TMP-5-9S	12/23/2019	60	221.1	436	
TMP-5-9S	12/23/2019	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/23/2019	100			No readings could be obtained
TMP-5-9S	12/30/2019	20	120.7	476	
TMP-5-9S	12/30/2019	40	184.6	456	
TMP-5-9S	12/30/2019	60	221.9	436	
TMP-5-9S	12/30/2019	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/30/2019	100			No readings could be obtained
TMP-5-9S	1/6/2020	20	119.7	476	
TMP-5-9S	1/6/2020	40	184.0	456	
TMP-5-9S	1/6/2020	60	221.9	436	
TMP-5-9S	1/6/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/6/2020	60	221.3	436	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	12/9/2019	20	97.8	475	
TMP-5-5N	12/9/2019	40	99.5	455	
TMP-5-5N	12/9/2019	60	86.9	435	
TMP-5-5N	12/9/2019	80	237.8	415	
TMP-5-5N	12/9/2019	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/16/2019	20	98.2	475	
TMP-5-5N	12/16/2019	40	99.5	455	
TMP-5-5N	12/16/2019	60	85.5	435	
TMP-5-5N	12/16/2019	80	237.8	415	
TMP-5-5N	12/16/2019	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/23/2019	20	98.0	475	
TMP-5-5N	12/23/2019	40	100.4	455	
TMP-5-5N	12/23/2019	60	86.9	435	
TMP-5-5N	12/23/2019	80	238.2	415	
TMP-5-5N	12/23/2019	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/30/2019	20	97.6	475	
TMP-5-5N	12/30/2019	40	101.2	455	
TMP-5-5N	12/30/2019	60	87.7	435	
TMP-5-5N	12/30/2019	80	237.5	415	
TMP-5-5N	12/30/2019	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/6/2020	20	98.9	475	
TMP-5-5N	1/6/2020	40	102.2	455	
TMP-5-5N	1/6/2020	60	88.8	435	
TMP-5-5N	1/6/2020	80	239.2	415	
TMP-5-5N	1/6/2020	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	12/9/2019	20	119.0	474	
TMP-5-5S	12/9/2019	40	173.1	454	
TMP-5-5S	12/9/2019	60	208.8	434	
TMP-5-5S	12/9/2019	80	242.7	414	
TMP-5-5S	12/9/2019	100	246.4	394	
TMP-5-5S	12/16/2019	20	119.7	474	
TMP-5-5S	12/16/2019	40	173.7	454	
TMP-5-5S	12/16/2019	60	209.0	434	
TMP-5-5S	12/16/2019	80	243.0	414	
TMP-5-5S	12/16/2019	100	246.9	394	
TMP-5-5S	12/23/2019	20	117.5	474	
TMP-5-5S	12/23/2019	40	171.8	454	
TMP-5-5S	12/23/2019	60	206.8	434	
TMP-5-5S	12/23/2019	80	241.1	414	
TMP-5-5S	12/23/2019	100	245.2	394	
TMP-5-5S	12/30/2019	20	118.9	474	
TMP-5-5S	12/30/2019	40	173.1	454	
TMP-5-5S	12/30/2019	60	208.1	434	
TMP-5-5S	12/30/2019	80	242.5	414	
TMP-5-5S	12/30/2019	100	246.5	394	
TMP-5-5S	1/6/2020	20	116.9	474	
TMP-5-5S	1/6/2020	40	171.8	454	
TMP-5-5S	1/6/2020	60	206.1	434	
TMP-5-5S	1/6/2020	80	241.0	414	
TMP-5-5S	1/6/2020	100	245.3	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	12/9/2019	20	159.1	474	
TMP-31	12/9/2019	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/9/2019	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/9/2019	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/9/2019	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/9/2019	120	270.7	374	
TMP-31	12/16/2019	20	159.0	474	
TMP-31	12/16/2019	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/16/2019	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/16/2019	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/16/2019	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/16/2019	120	271.2	374	
TMP-31	12/23/2019	20	158.0	474	
TMP-31	12/23/2019	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/23/2019	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/23/2019	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/23/2019	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/23/2019	120	271.0	374	
TMP-31	12/30/2019	20	159.4	474	
TMP-31	12/30/2019	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	120	270.8	374	
TMP-31	1/6/2020	20	156.4	474	
TMP-31	12/30/2019	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/6/2020	120	270.4	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	12/9/2019	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	60	229.7	444	
TMP-32	12/9/2019	80	246.5	424	
TMP-32	12/9/2019	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/9/2019	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	60	230.4	444	
TMP-32	12/16/2019	80	246.8	424	
TMP-32	12/16/2019	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/16/2019	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	60	230.3	444	
TMP-32	12/23/2019	80	247.1	424	
TMP-32	12/23/2019	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/23/2019	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	60	230.0	444	
TMP-32	12/30/2019	80	246.3	424	
TMP-32	12/30/2019	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	60	230.1	444	
TMP-32	1/6/2020	80	246.9	424	
TMP-32	1/6/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	12/9/2019	20	145.8	473	
TMP-SPM1	12/9/2019	40	169.4	453	
TMP-SPM1	12/9/2019	60	186.7	433	
TMP-SPM1	12/9/2019	80	174.6	413	
TMP-SPM1	12/9/2019	100	171.9	393	
TMP-SPM1	12/9/2019	120	165.3	373	
TMP-SPM1	12/9/2019	140	155.1	353	
TMP-SPM1	12/9/2019	160	136.9	333	
TMP-SPM1	12/9/2019	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/9/2019	200	106.7	293	
TMP-SPM1	12/9/2019	220	92.7	273	
TMP-SPM1	12/9/2019	240	89.4	253	
TMP-SPM1	12/16/2019	20	146.9	473	
TMP-SPM1	12/16/2019	40	170.9	453	
TMP-SPM1	12/16/2019	60	188.0	433	
TMP-SPM1	12/16/2019	80	176.1	413	
TMP-SPM1	12/16/2019	100	173.3	393	
TMP-SPM1	12/16/2019	120	166.9	373	
TMP-SPM1	12/16/2019	140	156.7	353	
TMP-SPM1	12/16/2019	160	138.4	333	
TMP-SPM1	12/16/2019	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/16/2019	200	108.4	293	
TMP-SPM1	12/16/2019	220	94.5	273	
TMP-SPM1	12/16/2019	240	91.0	253	
TMP-SPM1	12/23/2019	20	147.3	473	
TMP-SPM1	12/23/2019	40	170.6	453	
TMP-SPM1	12/23/2019	60	187.7	433	
TMP-SPM1	12/23/2019	80	175.6	413	
TMP-SPM1	12/23/2019	100	173.1	393	
TMP-SPM1	12/23/2019	120	166.6	373	
TMP-SPM1	12/23/2019	140	156.4	353	
TMP-SPM1	12/23/2019	160	138.1	333	
TMP-SPM1	12/23/2019	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/23/2019	200	107.9	293	
TMP-SPM1	12/23/2019	220	94.0	273	
TMP-SPM1	12/23/2019	240	90.4	253	
TMP-SPM1	12/30/2019	20	147.4	473	
TMP-SPM1	12/30/2019	40	170.9	453	
TMP-SPM1	12/30/2019	60	188.3	433	
TMP-SPM1	12/30/2019	80	176.1	413	
TMP-SPM1	12/30/2019	100	173.6	393	
TMP-SPM1	12/30/2019	120	167.2	373	
TMP-SPM1	12/30/2019	140	157.1	353	
TMP-SPM1	12/30/2019	160	138.7	333	
TMP-SPM1	12/30/2019	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/30/2019	200	108.7	293	
TMP-SPM1	12/30/2019	220	94.8	273	
TMP-SPM1	12/30/2019	240	91.2	253	
TMP-SPM1	1/6/2020	20	144.6	473	
TMP-SPM1	1/6/2020	40	168.5	453	
TMP-SPM1	1/6/2020	60	186.1	433	
TMP-SPM1	1/6/2020	80	173.9	413	
TMP-SPM1	1/6/2020	100	171.7	393	
TMP-SPM1	1/6/2020	120	165.5	373	
TMP-SPM1	1/6/2020	140	155.4	353	
TMP-SPM1	1/6/2020	160	137.0	333	
TMP-SPM1	1/6/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	1/6/2020	200	106.5	293	
TMP-SPM1	1/6/2020	220	92.7	273	
TMP-SPM1	1/6/2020	240	89.0	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	12/9/2019	20	135.0	475	
TMP-SPM2	12/9/2019	40	161.5	455	
TMP-SPM2	12/9/2019	60	158.7	435	
TMP-SPM2	12/9/2019	80	178.5	415	
TMP-SPM2	12/9/2019	100	197.6	395	
TMP-SPM2	12/9/2019	120	195.1	375	
TMP-SPM2	12/9/2019	140	190.6	355	
TMP-SPM2	12/9/2019	160	164.7	335	
TMP-SPM2	12/9/2019	172	147.3	323	
TMP-SPM2	12/16/2019	20	136.7	475	
TMP-SPM2	12/16/2019	40	162.8	455	
TMP-SPM2	12/16/2019	60	159.9	435	
TMP-SPM2	12/16/2019	80	179.9	415	
TMP-SPM2	12/16/2019	100	198.9	395	
TMP-SPM2	12/16/2019	120	196.6	375	
TMP-SPM2	12/16/2019	140	192.2	355	
TMP-SPM2	12/16/2019	160	166.3	335	
TMP-SPM2	12/16/2019	172	149.1	323	
TMP-SPM2	12/23/2019	20	135.0	475	
TMP-SPM2	12/23/2019	40	160.9	455	
TMP-SPM2	12/23/2019	60	158.0	435	
TMP-SPM2	12/23/2019	80	178.1	415	
TMP-SPM2	12/23/2019	100	197.4	395	
TMP-SPM2	12/23/2019	120	195.3	375	
TMP-SPM2	12/23/2019	140	191.1	355	
TMP-SPM2	12/23/2019	160	165.3	335	
TMP-SPM2	12/23/2019	172	148.0	323	
TMP-SPM2	12/30/2019	20	135.0	475	
TMP-SPM2	12/30/2019	40	161.0	455	
TMP-SPM2	12/30/2019	60	158.0	435	
TMP-SPM2	12/30/2019	80	177.9	415	
TMP-SPM2	12/30/2019	100	197.1	395	
TMP-SPM2	12/30/2019	120	195.0	375	
TMP-SPM2	12/30/2019	140	191.0	355	
TMP-SPM2	12/30/2019	160	165.2	335	
TMP-SPM2	12/30/2019	172	147.9	323	
TMP-SPM2	1/6/2020	20	132.4	475	
TMP-SPM2	1/6/2020	40	158.5	455	
TMP-SPM2	1/6/2020	60	155.4	435	
TMP-SPM2	1/6/2020	80	175.6	415	
TMP-SPM2	1/6/2020	100	195.3	395	
TMP-SPM2	1/6/2020	120	193.6	375	
TMP-SPM2	1/6/2020	140	189.9	355	
TMP-SPM2	1/6/2020	160	164.5	335	
TMP-SPM2	1/6/2020	172	147.4	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	12/9/2019	20	109.1	478	
TMP-SPM3	12/9/2019	40	115.6	458	
TMP-SPM3	12/9/2019	60	109.3	438	
TMP-SPM3	12/9/2019	80	114.4	418	
TMP-SPM3	12/9/2019	85	116.2	413	
TMP-SPM3	12/16/2019	20	110.5	478	
TMP-SPM3	12/16/2019	40	116.7	458	
TMP-SPM3	12/16/2019	60	110.3	438	
TMP-SPM3	12/16/2019	80	115.6	418	
TMP-SPM3	12/16/2019	85	117.4	413	
TMP-SPM3	12/23/2019	20	108.8	478	
TMP-SPM3	12/23/2019	40	114.7	458	
TMP-SPM3	12/23/2019	60	108.3	438	
TMP-SPM3	12/23/2019	80	113.5	418	
TMP-SPM3	12/23/2019	85	115.1	413	
TMP-SPM3	12/30/2019	20	109.5	478	
TMP-SPM3	12/30/2019	40	115.5	458	
TMP-SPM3	12/30/2019	60	109.2	438	
TMP-SPM3	12/30/2019	80	114.4	418	
TMP-SPM3	12/30/2019	85	116.2	413	
TMP-SPM3	1/6/2020	20	106.6	478	
TMP-SPM3	1/6/2020	40	112.9	458	
TMP-SPM3	1/6/2020	60	106.6	438	
TMP-SPM3	1/6/2020	80	112.0	418	
TMP-SPM3	1/6/2020	85	114.0	413	