

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	12/30/2019	20	118.1	475	
TMP-SPM4	12/30/2019	40	140.5	455	
TMP-SPM4	12/30/2019	60	142.9	435	
TMP-SPM4	12/30/2019	80	143.8	415	
TMP-SPM4	12/30/2019	100	140.0	395	
TMP-SPM4	12/30/2019	120	133.0	375	
TMP-SPM4	12/30/2019	140	128.3	355	
TMP-SPM4	12/30/2019	160	122.1	335	
TMP-SPM4	12/30/2019	180	117.5	315	
TMP-SPM4	12/30/2019	200	111.0	295	
TMP-SPM4	12/30/2019	220	98.0	275	
TMP-SPM4	12/30/2019	240	91.4	255	
TMP-SPM4	1/6/2020	20	116.9	475	
TMP-SPM4	1/6/2020	40	139.9	455	
TMP-SPM4	1/6/2020	60	142.4	435	
TMP-SPM4	1/6/2020	80	143.5	415	
TMP-SPM4	1/6/2020	100	139.8	395	
TMP-SPM4	1/6/2020	120	132.8	375	
TMP-SPM4	1/6/2020	140	128.0	355	
TMP-SPM4	1/6/2020	160	121.7	335	
TMP-SPM4	1/6/2020	180	116.9	315	
TMP-SPM4	1/6/2020	200	110.1	295	
TMP-SPM4	1/6/2020	220	96.9	275	
TMP-SPM4	1/6/2020	240	90.1	255	
TMP-SPM4	1/13/2020	20	117.9	475	
TMP-SPM4	1/13/2020	40	140.6	455	
TMP-SPM4	1/13/2020	60	143.1	435	
TMP-SPM4	1/13/2020	80	144.0	415	
TMP-SPM4	1/13/2020	100	140.3	395	
TMP-SPM4	1/13/2020	120	133.3	375	
TMP-SPM4	1/13/2020	140	128.5	355	
TMP-SPM4	1/13/2020	160	122.4	335	
TMP-SPM4	1/13/2020	180	117.7	315	
TMP-SPM4	1/13/2020	200	111.2	295	
TMP-SPM4	1/13/2020	220	98.3	275	
TMP-SPM4	1/13/2020	240	91.9	255	
TMP-SPM4	1/20/2020	20	118.9	475	
TMP-SPM4	1/20/2020	40	141.1	455	
TMP-SPM4	1/20/2020	60	143.5	435	
TMP-SPM4	1/20/2020	80	144.5	415	
TMP-SPM4	1/20/2020	100	140.7	395	
TMP-SPM4	1/20/2020	120	133.6	375	
TMP-SPM4	1/20/2020	140	128.9	355	
TMP-SPM4	1/20/2020	160	122.6	335	
TMP-SPM4	1/20/2020	180	117.9	315	
TMP-SPM4	1/20/2020	200	111.2	295	
TMP-SPM4	1/20/2020	220	98.2	275	
TMP-SPM4	1/20/2020	240	91.5	255	
TMP-SPM4	1/27/2020	20	118.1	475	
TMP-SPM4	1/27/2020	40	140.5	455	
TMP-SPM4	1/27/2020	60	142.9	435	
TMP-SPM4	1/27/2020	80	143.8	415	
TMP-SPM4	1/27/2020	100	140.0	395	
TMP-SPM4	1/27/2020	120	133.0	375	
TMP-SPM4	1/27/2020	140	128.2	355	
TMP-SPM4	1/27/2020	160	122.0	335	
TMP-SPM4	1/27/2020	180	117.5	315	
TMP-SPM4	1/27/2020	200	111.1	295	
TMP-SPM4	1/27/2020	220	98.2	275	
TMP-SPM4	1/27/2020	240	91.7	255	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	12/30/2019	20	150.1	473	
TMP-19	12/30/2019	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/30/2019	60	208.0	433	
TMP-19	12/30/2019	80	212.4	413	
TMP-19	12/30/2019	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/6/2020	20	148.6	473	
TMP-19	1/6/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/6/2020	60	206.5	433	
TMP-19	1/6/2020	80	211.7	413	
TMP-19	1/6/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/13/2020	20	150.4	473	
TMP-19	1/13/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/13/2020	60	206.7	433	
TMP-19	1/13/2020	80	212.0	413	
TMP-19	1/13/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/20/2020	20	151.2	473	
TMP-19	1/20/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/20/2020	60	207.1	433	
TMP-19	1/20/2020	80	212.7	413	
TMP-19	1/20/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/27/2020	20	152.3	473	
TMP-19	1/27/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/27/2020	60	207.7	433	
TMP-19	1/27/2020	80	212.9	413	
TMP-19	1/27/2020	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	12/30/2019	20	111.8	478	
TMP-20	12/30/2019	40	162.7	458	
TMP-20	12/30/2019	60	197.5	438	
TMP-20	12/30/2019	80	210.6	418	
TMP-20	12/30/2019	100	225.3	398	
TMP-20	12/30/2019	120	240.5	378	
TMP-20	12/30/2019	140	237.9	358	
TMP-20	1/6/2020	20	111.2	478	
TMP-20	1/6/2020	40	162.0	458	
TMP-20	1/6/2020	60	196.1	438	
TMP-20	1/6/2020	80	209.1	418	
TMP-20	1/6/2020	100	223.3	398	
TMP-20	1/6/2020	120	238.2	378	
TMP-20	1/6/2020	140	235.3	358	
TMP-20	1/13/2020	20	112.0	478	
TMP-20	1/13/2020	40	162.7	458	
TMP-20	1/13/2020	60	196.4	438	
TMP-20	1/13/2020	80	209.6	418	
TMP-20	1/13/2020	100	224.2	398	
TMP-20	1/13/2020	120	239.3	378	
TMP-20	1/13/2020	140	236.7	358	
TMP-20	1/20/2020	20	113.3	478	
TMP-20	1/20/2020	40	163.8	458	
TMP-20	1/20/2020	60	197.1	438	
TMP-20	1/20/2020	80	210.2	418	
TMP-20	1/20/2020	100	224.9	398	
TMP-20	1/20/2020	120	240.0	378	
TMP-20	1/20/2020	140	237.3	358	
TMP-20	1/27/2020	20	113.5	478	
TMP-20	1/27/2020	40	164.3	458	
TMP-20	1/27/2020	60	197.1	438	
TMP-20	1/27/2020	80	210.4	418	
TMP-20	1/27/2020	100	225.1	398	
TMP-20	1/27/2020	120	240.3	378	
TMP-20	1/27/2020	140	237.7	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	12/30/2019	20	114.0	475	
TMP-10-9N	12/30/2019	40	135.6	455	
TMP-10-9N	12/30/2019	60	137.7	435	
TMP-10-9N	12/30/2019	80	136.5	415	
TMP-10-9N	12/30/2019	100	146.6	395	
TMP-10-9N	1/6/2020	20	112.5	475	
TMP-10-9N	1/6/2020	40	133.9	455	
TMP-10-9N	1/6/2020	60	135.9	435	
TMP-10-9N	1/6/2020	80	135.2	415	
TMP-10-9N	1/6/2020	100	145.4	395	
TMP-10-9N	1/13/2020	20	114.2	475	
TMP-10-9N	1/13/2020	40	135.8	455	
TMP-10-9N	1/13/2020	60	137.3	435	
TMP-10-9N	1/13/2020	80	136.6	415	
TMP-10-9N	1/13/2020	100	146.5	395	
TMP-10-9N	1/20/2020	20	114.0	475	
TMP-10-9N	1/20/2020	40	135.8	455	
TMP-10-9N	1/20/2020	60	137.2	435	
TMP-10-9N	1/20/2020	80	137.1	415	
TMP-10-9N	1/20/2020	100	147.2	395	
TMP-10-9N	1/27/2020	20	115.2	475	
TMP-10-9N	1/27/2020	40	137.5	455	
TMP-10-9N	1/27/2020	60	138.7	435	
TMP-10-9N	1/27/2020	80	138.6	415	
TMP-10-9N	1/27/2020	100	148.5	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	12/30/2019	20	112.9	476	
TMP-10-9S	12/30/2019	40	154.6	456	
TMP-10-9S	12/30/2019	60	176.0	436	
TMP-10-9S	12/30/2019	80	182.9	416	
TMP-10-9S	12/30/2019	100	199.7	396	
TMP-10-9S	1/6/2020	20	111.9	476	
TMP-10-9S	1/6/2020	40	153.4	456	
TMP-10-9S	1/6/2020	60	174.9	436	
TMP-10-9S	1/6/2020	80	182.1	416	
TMP-10-9S	1/6/2020	100	199.1	396	
TMP-10-9S	1/13/2020	20	112.7	476	
TMP-10-9S	1/13/2020	40	153.9	456	
TMP-10-9S	1/13/2020	60	174.8	436	
TMP-10-9S	1/13/2020	80	182.2	416	
TMP-10-9S	1/13/2020	100	199.3	396	
TMP-10-9S	1/20/2020	20	112.8	476	
TMP-10-9S	1/20/2020	40	154.0	456	
TMP-10-9S	1/20/2020	60	174.8	436	
TMP-10-9S	1/20/2020	80	182.2	416	
TMP-10-9S	1/20/2020	100	199.4	396	
TMP-10-9S	1/27/2020	20	113.6	476	
TMP-10-9S	1/27/2020	40	154.8	456	
TMP-10-9S	1/27/2020	60	175.3	436	
TMP-10-9S	1/27/2020	80	182.5	416	
TMP-10-9S	1/27/2020	100	199.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	12/30/2019	20	100.4	478	
TMP-10-5N	12/30/2019	40	114.8	458	
TMP-10-5N	12/30/2019	60	101.4	438	
TMP-10-5N	12/30/2019	80	93.8	418	
TMP-10-5N	12/30/2019	100	90.2	398	
TMP-10-5N	1/6/2020	20	99.5	478	
TMP-10-5N	1/6/2020	40	114.5	458	
TMP-10-5N	1/6/2020	60	101.1	438	
TMP-10-5N	1/6/2020	80	93.8	418	
TMP-10-5N	1/6/2020	100	89.9	398	
TMP-10-5N	1/13/2020	20	100.4	478	
TMP-10-5N	1/13/2020	40	116.1	458	
TMP-10-5N	1/13/2020	60	103.3	438	
TMP-10-5N	1/13/2020	80	96.2	418	
TMP-10-5N	1/13/2020	100	92.6	398	
TMP-10-5N	1/20/2020	20	101.1	478	
TMP-10-5N	1/20/2020	40	118.0	458	
TMP-10-5N	1/20/2020	60	106.1	438	
TMP-10-5N	1/20/2020	80	99.9	418	
TMP-10-5N	1/20/2020	100	97.2	398	
TMP-10-5N	1/27/2020	20	101.9	478	
TMP-10-5N	1/27/2020	40	119.1	458	
TMP-10-5N	1/27/2020	60	107.0	438	
TMP-10-5N	1/27/2020	80	100.0	418	
TMP-10-5N	1/27/2020	100	96.9	398	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-10-5S	12/30/2019	20	107.3	477	
TMP-10-5S	12/30/2019	40	143.0	457	
TMP-10-5S	12/30/2019	60	158.1	437	
TMP-10-5S	12/30/2019	80	168.8	417	
TMP-10-5S	12/30/2019	100	184.2	397	
TMP-10-5S	1/6/2020	20	105.9	477	
TMP-10-5S	1/6/2020	40	141.5	457	
TMP-10-5S	1/6/2020	60	156.4	437	
TMP-10-5S	1/6/2020	80	167.4	417	
TMP-10-5S	1/6/2020	100	183.0	397	
TMP-10-5S	1/13/2020	20	107.1	477	
TMP-10-5S	1/13/2020	40	142.8	457	
TMP-10-5S	1/13/2020	60	157.2	437	
TMP-10-5S	1/13/2020	80	168.0	417	
TMP-10-5S	1/13/2020	100	183.7	397	
TMP-10-5S	1/20/2020	20	106.6	477	
TMP-10-5S	1/20/2020	40	142.5	457	
TMP-10-5S	1/20/2020	60	156.7	437	
TMP-10-5S	1/20/2020	80	167.7	417	
TMP-10-5S	1/20/2020	100	183.7	397	
TMP-10-5S	1/27/2020	20	108.0	477	
TMP-10-5S	1/27/2020	40	143.9	457	
TMP-10-5S	1/27/2020	60	157.7	437	
TMP-10-5S	1/27/2020	80	168.4	417	
TMP-10-5S	1/27/2020	100	184.4	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	12/30/2019	20	104.0	476	
TMP-5-9N	12/30/2019	40	143.2	456	
TMP-5-9N	12/30/2019	60	148.0	436	
TMP-5-9N	12/30/2019	80	239.4	416	
TMP-5-9N	12/30/2019	100	254.1	396	
TMP-5-9N	1/6/2020	20	104.3	476	
TMP-5-9N	1/6/2020	40	143.8	456	
TMP-5-9N	1/6/2020	60	148.6	436	
TMP-5-9N	1/6/2020	80	240.1	416	
TMP-5-9N	1/6/2020	100	255.2	396	
TMP-5-9N	1/13/2020	20	103.7	476	
TMP-5-9N	1/13/2020	40	142.9	456	
TMP-5-9N	1/13/2020	60	147.8	436	
TMP-5-9N	1/13/2020	80	238.9	416	
TMP-5-9N	1/13/2020	100	253.8	396	
TMP-5-9N	1/20/2020	20	102.1	476	
TMP-5-9N	1/20/2020	40	141.4	456	
TMP-5-9N	1/20/2020	60	146.5	436	
TMP-5-9N	1/20/2020	80	238.0	416	
TMP-5-9N	1/20/2020	100	253.0	396	
TMP-5-9N	1/27/2020	20	104.3	476	
TMP-5-9N	1/27/2020	40	143.7	456	
TMP-5-9N	1/27/2020	60	148.8	436	
TMP-5-9N	1/27/2020	80	239.3	416	
TMP-5-9N	1/27/2020	100	254.4	396	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	12/30/2019	20	120.7	476	
TMP-5-9S	12/30/2019	40	184.6	456	
TMP-5-9S	12/30/2019	60	221.9	436	
TMP-5-9S	12/30/2019	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/30/2019	100			No readings could be obtained
TMP-5-9S	1/6/2020	20	119.7	476	
TMP-5-9S	1/6/2020	40	184.0	456	
TMP-5-9S	1/6/2020	60	221.9	436	
TMP-5-9S	1/6/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/6/2020	100			No readings could be obtained
TMP-5-9S	1/13/2020	20	120.1	476	
TMP-5-9S	1/13/2020	40	184.0	456	
TMP-5-9S	1/13/2020	60	221.2	436	
TMP-5-9S	1/13/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/13/2020	100			No readings could be obtained
TMP-5-9S	1/20/2020	20	120.8	476	
TMP-5-9S	1/20/2020	40	185.2	456	
TMP-5-9S	1/20/2020	60	222.4	436	
TMP-5-9S	1/20/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/20/2020	100			No readings could be obtained
TMP-5-9S	1/27/2020	20	120.7	476	
TMP-5-9S	1/27/2020	40	184.9	456	
TMP-5-9S	1/27/2020	60	221.7	436	
TMP-5-9S	1/27/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/27/2020	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	12/30/2019	20	97.6	475	
TMP-5-5N	12/30/2019	40	101.2	455	
TMP-5-5N	12/30/2019	60	87.7	435	
TMP-5-5N	12/30/2019	80	237.5	415	
TMP-5-5N	12/30/2019	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/6/2020	20	98.9	475	
TMP-5-5N	1/6/2020	40	102.2	455	
TMP-5-5N	1/6/2020	60	88.8	435	
TMP-5-5N	1/6/2020	80	239.2	415	
TMP-5-5N	1/6/2020	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/13/2020	20	97.2	475	
TMP-5-5N	1/13/2020	40	99.2	455	
TMP-5-5N	1/13/2020	60	84.1	435	
TMP-5-5N	1/13/2020	80	236.8	415	
TMP-5-5N	1/13/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/20/2020	20	96.7	475	
TMP-5-5N	1/20/2020	40	101.9	455	
TMP-5-5N	1/20/2020	60	89.7	435	
TMP-5-5N	1/20/2020	80	235.7	415	
TMP-5-5N	1/20/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/27/2020	20	98.0	475	
TMP-5-5N	1/27/2020	40	100.5	455	
TMP-5-5N	1/27/2020	60	86.3	435	
TMP-5-5N	1/27/2020	80	236.1	415	
TMP-5-5N	1/27/2020	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	12/30/2019	20	118.9	474	
TMP-5-5S	12/30/2019	40	173.1	454	
TMP-5-5S	12/30/2019	60	208.1	434	
TMP-5-5S	12/30/2019	80	242.5	414	
TMP-5-5S	12/30/2019	100	246.5	394	
TMP-5-5S	1/6/2020	20	116.9	474	
TMP-5-5S	1/6/2020	40	171.8	454	
TMP-5-5S	1/6/2020	60	206.1	434	
TMP-5-5S	1/6/2020	80	241.0	414	
TMP-5-5S	1/6/2020	100	245.3	394	
TMP-5-5S	1/13/2020	20	118.4	474	
TMP-5-5S	1/13/2020	40	173.3	454	
TMP-5-5S	1/13/2020	60	207.2	434	
TMP-5-5S	1/13/2020	80	241.9	414	
TMP-5-5S	1/13/2020	100	246.0	394	
TMP-5-5S	1/20/2020	20	118.0	474	
TMP-5-5S	1/20/2020	40	172.9	454	
TMP-5-5S	1/20/2020	60	207.1	434	
TMP-5-5S	1/20/2020	80	241.9	414	
TMP-5-5S	1/20/2020	100	246.3	394	
TMP-5-5S	1/27/2020	20	118.8	474	
TMP-5-5S	1/27/2020	40	173.8	454	
TMP-5-5S	1/27/2020	60	207.6	434	
TMP-5-5S	1/27/2020	80	242.4	414	
TMP-5-5S	1/27/2020	100	246.7	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	12/30/2019	20	159.4	474	
TMP-31	12/30/2019	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/30/2019	120	270.8	374	
TMP-31	1/6/2020	20	156.4	474	
TMP-31	1/6/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/6/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/6/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/6/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/6/2020	120	270.4	374	
TMP-31	1/13/2020	20	159.2	474	
TMP-31	1/13/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/13/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/13/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/13/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/13/2020	120	270.6	374	
TMP-31	1/20/2020	20	157.9	474	
TMP-31	1/20/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/20/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/20/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/20/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/20/2020	120	270.7	374	
TMP-31	1/27/2020	20	159.8	474	
TMP-31	1/27/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/27/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/27/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/27/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/27/2020	120	271.3	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	12/30/2019	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	60	230.0	444	
TMP-32	12/30/2019	80	246.3	424	
TMP-32	12/30/2019	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/30/2019	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	60	230.1	444	
TMP-32	1/6/2020	80	246.9	424	
TMP-32	1/6/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/6/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/13/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/13/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/13/2020	60	230	444	
TMP-32	1/13/2020	80	246.2	424	
TMP-32	1/13/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/13/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/13/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/13/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/13/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/13/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/20/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/20/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/20/2020	60	231.1	444	
TMP-32	1/20/2020	80	247.7	424	
TMP-32	1/20/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/20/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/20/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/20/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/20/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/20/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/27/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/27/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/27/2020	60	230.5	444	
TMP-32	1/27/2020	80	246.7	424	
TMP-32	1/27/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/27/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/27/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/27/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/27/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/27/2020	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	12/30/2019	20	147.4	473	
TMP-SPM1	12/30/2019	40	170.9	453	
TMP-SPM1	12/30/2019	60	188.3	433	
TMP-SPM1	12/30/2019	80	176.1	413	
TMP-SPM1	12/30/2019	100	173.6	393	
TMP-SPM1	12/30/2019	120	167.2	373	
TMP-SPM1	12/30/2019	140	157.1	353	
TMP-SPM1	12/30/2019	160	138.7	333	
TMP-SPM1	12/30/2019	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/30/2019	200	108.7	293	
TMP-SPM1	12/30/2019	220	94.8	273	
TMP-SPM1	12/30/2019	240	91.2	253	
TMP-SPM1	1/6/2020	20	144.6	473	
TMP-SPM1	1/6/2020	40	168.5	453	
TMP-SPM1	1/6/2020	60	186.1	433	
TMP-SPM1	1/6/2020	80	173.9	413	
TMP-SPM1	1/6/2020	100	171.7	393	
TMP-SPM1	1/6/2020	120	165.5	373	
TMP-SPM1	1/6/2020	140	155.4	353	
TMP-SPM1	1/6/2020	160	137.0	333	
TMP-SPM1	1/6/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	1/6/2020	200	106.5	293	
TMP-SPM1	1/6/2020	220	92.7	273	
TMP-SPM1	1/6/2020	240	89.0	253	
TMP-SPM1	1/13/2020	20	145.1	473	
TMP-SPM1	1/13/2020	40	169.4	453	
TMP-SPM1	1/13/2020	60	186.5	433	
TMP-SPM1	1/13/2020	80	174.2	413	
TMP-SPM1	1/13/2020	100	172.0	393	
TMP-SPM1	1/13/2020	120	165.8	373	
TMP-SPM1	1/13/2020	140	155.5	353	
TMP-SPM1	1/13/2020	160	137.4	333	
TMP-SPM1	1/13/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	1/13/2020	200	107.4	293	
TMP-SPM1	1/13/2020	220	93.8	273	
TMP-SPM1	1/13/2020	240	90.2	253	
TMP-SPM1	1/20/2020	20	147.1	473	
TMP-SPM1	1/20/2020	40	170.7	453	
TMP-SPM1	1/20/2020	60	187.8	433	
TMP-SPM1	1/20/2020	80	175.5	413	
TMP-SPM1	1/20/2020	100	173.3	393	
TMP-SPM1	1/20/2020	120	167.2	373	
TMP-SPM1	1/20/2020	140	157.0	353	
TMP-SPM1	1/20/2020	160	138.6	333	
TMP-SPM1	1/20/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	1/20/2020	200	108.6	293	
TMP-SPM1	1/20/2020	220	94.8	273	
TMP-SPM1	1/20/2020	240	91.1	253	
TMP-SPM1	1/27/2020	20	147.0	473	
TMP-SPM1	1/27/2020	40	170.6	453	
TMP-SPM1	1/27/2020	60	187.6	433	
TMP-SPM1	1/27/2020	80	175.4	413	
TMP-SPM1	1/27/2020	100	173.3	393	
TMP-SPM1	1/27/2020	120	167.2	373	
TMP-SPM1	1/27/2020	140	157.0	353	
TMP-SPM1	1/27/2020	160	138.8	333	
TMP-SPM1	1/27/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	1/27/2020	200	108.8	293	
TMP-SPM1	1/27/2020	220	95.2	273	
TMP-SPM1	1/27/2020	240	91.5	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	12/30/2019	20	135.0	475	
TMP-SPM2	12/30/2019	40	161.0	455	
TMP-SPM2	12/30/2019	60	158.0	435	
TMP-SPM2	12/30/2019	80	177.9	415	
TMP-SPM2	12/30/2019	100	197.1	395	
TMP-SPM2	12/30/2019	120	195.0	375	
TMP-SPM2	12/30/2019	140	191.0	355	
TMP-SPM2	12/30/2019	160	165.2	335	
TMP-SPM2	12/30/2019	172	147.9	323	
TMP-SPM2	1/6/2020	20	132.4	475	
TMP-SPM2	1/6/2020	40	158.5	455	
TMP-SPM2	1/6/2020	60	155.4	435	
TMP-SPM2	1/6/2020	80	175.6	415	
TMP-SPM2	1/6/2020	100	195.3	395	
TMP-SPM2	1/6/2020	120	193.6	375	
TMP-SPM2	1/6/2020	140	189.9	355	
TMP-SPM2	1/6/2020	160	164.5	335	
TMP-SPM2	1/6/2020	172	147.4	323	
TMP-SPM2	1/13/2020	20	133.8	475	
TMP-SPM2	1/13/2020	40	160.2	455	
TMP-SPM2	1/13/2020	60	157.1	435	
TMP-SPM2	1/13/2020	80	177.1	415	
TMP-SPM2	1/13/2020	100	196.6	395	
TMP-SPM2	1/13/2020	120	194.8	375	
TMP-SPM2	1/13/2020	140	191.2	355	
TMP-SPM2	1/13/2020	160	165.6	335	
TMP-SPM2	1/13/2020	172	148.4	323	
TMP-SPM2	1/20/2020	20	133.9	475	
TMP-SPM2	1/20/2020	40	159.3	455	
TMP-SPM2	1/20/2020	60	156.1	435	
TMP-SPM2	1/20/2020	80	176.2	415	
TMP-SPM2	1/20/2020	100	195.9	395	
TMP-SPM2	1/20/2020	120	194.3	375	
TMP-SPM2	1/20/2020	140	191.0	355	
TMP-SPM2	1/20/2020	160	165.5	335	
TMP-SPM2	1/20/2020	172	148.4	323	
TMP-SPM2	1/27/2020	20	134.3	475	
TMP-SPM2	1/27/2020	40	159.8	455	
TMP-SPM2	1/27/2020	60	156.5	435	
TMP-SPM2	1/27/2020	80	176.3	415	
TMP-SPM2	1/27/2020	100	196.0	395	
TMP-SPM2	1/27/2020	120	194.2	375	
TMP-SPM2	1/27/2020	140	190.9	355	
TMP-SPM2	1/27/2020	160	165.5	335	
TMP-SPM2	1/27/2020	172	148.3	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	12/30/2019	20	109.5	478	
TMP-SPM3	12/30/2019	40	115.5	458	
TMP-SPM3	12/30/2019	60	109.2	438	
TMP-SPM3	12/30/2019	80	114.4	418	
TMP-SPM3	12/30/2019	85	116.2	413	
TMP-SPM3	1/6/2020	20	106.6	478	
TMP-SPM3	1/6/2020	40	112.9	458	
TMP-SPM3	1/6/2020	60	106.6	438	
TMP-SPM3	1/6/2020	80	112.0	418	
TMP-SPM3	1/6/2020	85	114.0	413	
TMP-SPM3	1/13/2020	20	108.9	478	
TMP-SPM3	1/13/2020	40	115.1	458	
TMP-SPM3	1/13/2020	60	109.0	438	
TMP-SPM3	1/13/2020	80	114.4	418	
TMP-SPM3	1/13/2020	85	116.5	413	
TMP-SPM3	1/20/2020	20	109.4	478	
TMP-SPM3	1/20/2020	40	114.5	458	
TMP-SPM3	1/20/2020	60	108.3	438	
TMP-SPM3	1/20/2020	80	113.9	418	
TMP-SPM3	1/20/2020	85	115.8	413	
TMP-SPM3	1/27/2020	20	109.4	478	
TMP-SPM3	1/27/2020	40	114.7	458	
TMP-SPM3	1/27/2020	60	108.6	438	
TMP-SPM3	1/27/2020	80	114.1	418	
TMP-SPM3	1/27/2020	85	116.0	413	