

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	2/10/2020	20	118.2	475	
TMP-SPM4	2/10/2020	40	140.5	455	
TMP-SPM4	2/10/2020	60	142.8	435	
TMP-SPM4	2/10/2020	80	143.7	415	
TMP-SPM4	2/10/2020	100	139.9	395	
TMP-SPM4	2/10/2020	120	132.9	375	
TMP-SPM4	2/10/2020	140	128.1	355	
TMP-SPM4	2/10/2020	160	121.9	335	
TMP-SPM4	2/10/2020	180	117.4	315	
TMP-SPM4	2/10/2020	200	111.1	295	
TMP-SPM4	2/10/2020	220	98.3	275	
TMP-SPM4	2/10/2020	240	91.9	255	
TMP-SPM4	2/17/2020	20	117.5	475	
TMP-SPM4	2/17/2020	40	140.0	455	
TMP-SPM4	2/17/2020	60	142.2	435	
TMP-SPM4	2/17/2020	80	143.1	415	
TMP-SPM4	2/17/2020	100	139.3	395	
TMP-SPM4	2/17/2020	120	132.2	375	
TMP-SPM4	2/17/2020	140	127.5	355	
TMP-SPM4	2/17/2020	160	121.4	335	
TMP-SPM4	2/17/2020	180	116.8	315	
TMP-SPM4	2/17/2020	200	110.6	295	
TMP-SPM4	2/17/2020	220	97.8	275	
TMP-SPM4	2/17/2020	240	91.3	255	
TMP-SPM4	2/24/2020	20	117.8	475	
TMP-SPM4	2/24/2020	40	140.0	455	
TMP-SPM4	2/24/2020	60	142.3	435	
TMP-SPM4	2/24/2020	80	143.1	415	
TMP-SPM4	2/24/2020	100	139.3	395	
TMP-SPM4	2/24/2020	120	132.2	375	
TMP-SPM4	2/24/2020	140	127.5	355	
TMP-SPM4	2/24/2020	160	121.3	335	
TMP-SPM4	2/24/2020	180	116.8	315	
TMP-SPM4	2/24/2020	200	110.6	295	
TMP-SPM4	2/24/2020	220	97.8	275	
TMP-SPM4	2/24/2020	240	91.3	255	
TMP-SPM4	3/2/2020	20	116.3	475	
TMP-SPM4	3/2/2020	40	138.9	455	
TMP-SPM4	3/2/2020	60	141.4	435	
TMP-SPM4	3/2/2020	80	142.3	415	
TMP-SPM4	3/2/2020	100	138.5	395	
TMP-SPM4	3/2/2020	120	131.3	375	
TMP-SPM4	3/2/2020	140	126.5	355	
TMP-SPM4	3/2/2020	160	120.2	335	
TMP-SPM4	3/2/2020	180	115.6	315	
TMP-SPM4	3/2/2020	200	109.3	295	
TMP-SPM4	3/2/2020	220	96.4	275	
TMP-SPM4	3/2/2020	240	89.8	255	
TMP-SPM4	3/9/2020	20	116.1	475	
TMP-SPM4	3/9/2020	40	138.5	455	
TMP-SPM4	3/9/2020	60	140.8	435	
TMP-SPM4	3/9/2020	80	141.6	415	
TMP-SPM4	3/9/2020	100	137.7	395	
TMP-SPM4	3/9/2020	120	130.6	375	
TMP-SPM4	3/9/2020	140	125.9	355	
TMP-SPM4	3/9/2020	160	119.8	335	
TMP-SPM4	3/9/2020	180	115.4	315	
TMP-SPM4	3/9/2020	200	109.3	295	
TMP-SPM4	3/9/2020	220	96.5	275	
TMP-SPM4	3/9/2020	240	90.1	255	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	2/10/2020	20	151.0	473	
TMP-19	2/10/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/10/2020	60	206.5	433	
TMP-19	2/10/2020	80	211.8	413	
TMP-19	2/10/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/17/2020	20	150.9	473	
TMP-19	2/17/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/17/2020	60	205.7	433	
TMP-19	2/17/2020	80	211.0	413	
TMP-19	2/17/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/24/2020	20	150.6	473	
TMP-19	2/24/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/24/2020	60	205.6	433	
TMP-19	2/24/2020	80	210.5	413	
TMP-19	2/24/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/2/2020	20	147.7	473	
TMP-19	3/2/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/2/2020	60	203.7	433	
TMP-19	3/2/2020	80	209.3	413	
TMP-19	3/2/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/9/2020	20	148.8	473	
TMP-19	3/9/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/9/2020	60	203.3	433	
TMP-19	3/9/2020	80	208.7	413	
TMP-19	3/9/2020	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	2/10/2020	20	112.6	478	
TMP-20	2/10/2020	40	163.3	458	
TMP-20	2/10/2020	60	195.8	438	
TMP-20	2/10/2020	80	209.4	418	
TMP-20	2/10/2020	100	224.2	398	
TMP-20	2/10/2020	120	239.4	378	
TMP-20	2/10/2020	140	237.0	358	
TMP-20	2/17/2020	20	111.5	478	
TMP-20	2/17/2020	40	162.1	458	
TMP-20	2/17/2020	60	194.4	438	
TMP-20	2/17/2020	80	208.1	418	
TMP-20	2/17/2020	100	223.0	398	
TMP-20	2/17/2020	120	238.2	378	
TMP-20	2/17/2020	140	235.8	358	
TMP-20	2/24/2020	20	111.7	478	
TMP-20	2/24/2020	40	162.0	458	
TMP-20	2/24/2020	60	194.3	438	
TMP-20	2/24/2020	80	208.1	418	
TMP-20	2/24/2020	100	223.0	398	
TMP-20	2/24/2020	120	238.1	378	
TMP-20	2/24/2020	140	235.9	358	
TMP-20	3/2/2020	20	108.6	478	
TMP-20	3/2/2020	40	159.0	458	
TMP-20	3/2/2020	60	191.6	438	
TMP-20	3/2/2020	80	205.4	418	
TMP-20	3/2/2020	100	220.3	398	
TMP-20	3/2/2020	120	235.6	378	
TMP-20	3/2/2020	140	233.5	358	
TMP-20	3/9/2020	20	109.7	478	
TMP-20	3/9/2020	40	159.7	458	
TMP-20	3/9/2020	60	192.1	438	
TMP-20	3/9/2020	80	205.9	418	
TMP-20	3/9/2020	100	220.9	398	
TMP-20	3/9/2020	120	236.1	378	
TMP-20	3/9/2020	140	234.0	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	2/10/2020	20	112.8	475	
TMP-10-9N	2/10/2020	40	135.3	455	
TMP-10-9N	2/10/2020	60	136.4	435	
TMP-10-9N	2/10/2020	80	136.5	415	
TMP-10-9N	2/10/2020	100	146.7	395	
TMP-10-9N	2/17/2020	20	114.0	475	
TMP-10-9N	2/17/2020	40	136.6	455	
TMP-10-9N	2/17/2020	60	137.5	435	
TMP-10-9N	2/17/2020	80	137.5	415	
TMP-10-9N	2/17/2020	100	147.5	395	
TMP-10-9N	2/24/2020	20	113.5	475	
TMP-10-9N	2/24/2020	40	136.4	455	
TMP-10-9N	2/24/2020	60	137.0	435	
TMP-10-9N	2/24/2020	80	137.0	415	
TMP-10-9N	2/24/2020	100	147.1	395	
TMP-10-9N	3/2/2020	20	110.4	475	
TMP-10-9N	3/2/2020	40	133.6	455	
TMP-10-9N	3/2/2020	60	134.3	435	
TMP-10-9N	3/2/2020	80	134.5	415	
TMP-10-9N	3/2/2020	100	144.8	395	
TMP-10-9N	3/9/2020	20	112.1	475	
TMP-10-9N	3/9/2020	40	135.0	455	
TMP-10-9N	3/9/2020	60	135.0	435	
TMP-10-9N	3/9/2020	80	134.9	415	
TMP-10-9N	3/9/2020	100	144.9	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	2/10/2020	20	113.1	476	
TMP-10-9S	2/10/2020	40	154.4	456	
TMP-10-9S	2/10/2020	60	174.7	436	
TMP-10-9S	2/10/2020	80	181.7	416	
TMP-10-9S	2/10/2020	100	199.3	396	
TMP-10-9S	2/17/2020	20	112.6	476	
TMP-10-9S	2/17/2020	40	153.7	456	
TMP-10-9S	2/17/2020	60	173.7	436	
TMP-10-9S	2/17/2020	80	181.1	416	
TMP-10-9S	2/17/2020	100	198.8	396	
TMP-10-9S	2/24/2020	20	112.0	476	
TMP-10-9S	2/24/2020	40	153.3	456	
TMP-10-9S	2/24/2020	60	173.0	436	
TMP-10-9S	2/24/2020	80	180.2	416	
TMP-10-9S	2/24/2020	100	197.9	396	
TMP-10-9S	3/2/2020	20	109.6	476	
TMP-10-9S	3/2/2020	40	151.2	456	
TMP-10-9S	3/2/2020	60	171.0	436	
TMP-10-9S	3/2/2020	80	178.3	416	
TMP-10-9S	3/2/2020	100	196.0	396	
TMP-10-9S	3/9/2020	20	110.5	476	
TMP-10-9S	3/9/2020	40	152.0	456	
TMP-10-9S	3/9/2020	60	171.5	436	
TMP-10-9S	3/9/2020	80	178.9	416	
TMP-10-9S	3/9/2020	100	196.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	2/10/2020	20	99.7	478	
TMP-10-5N	2/10/2020	40	117.3	458	
TMP-10-5N	2/10/2020	60	104.3	438	
TMP-10-5N	2/10/2020	80	97.7	418	
TMP-10-5N	2/10/2020	100	94.5	398	
TMP-10-5N	2/17/2020	20	100.2	478	
TMP-10-5N	2/17/2020	40	118.3	458	
TMP-10-5N	2/17/2020	60	105.5	438	
TMP-10-5N	2/17/2020	80	98.2	418	
TMP-10-5N	2/17/2020	100	93.9	398	
TMP-10-5N	2/24/2020	20	99.5	478	
TMP-10-5N	2/24/2020	40	116.8	458	
TMP-10-5N	2/24/2020	60	101.7	438	
TMP-10-5N	2/24/2020	80	93.2	418	
TMP-10-5N	2/24/2020	100	89.0	398	
TMP-10-5N	3/2/2020	20	97.5	478	
TMP-10-5N	3/2/2020	40	114.8	458	
TMP-10-5N	3/2/2020	60	99.0	438	
TMP-10-5N	3/2/2020	80	91.0	418	
TMP-10-5N	3/2/2020	100	87.2	398	
TMP-10-5N	3/9/2020	20	97.7	478	
TMP-10-5N	3/9/2020	40	114.6	458	
TMP-10-5N	3/9/2020	60	98.5	438	
TMP-10-5N	3/9/2020	80	90.1	418	
TMP-10-5N	3/9/2020	100	85.7	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	2/10/2020	20	107.5	477	
TMP-10-5S	2/10/2020	40	143.7	457	
TMP-10-5S	2/10/2020	60	157.0	437	
TMP-10-5S	2/10/2020	80	167.7	417	
TMP-10-5S	2/10/2020	100	183.8	397	
TMP-10-5S	2/17/2020	20	106.6	477	
TMP-10-5S	2/17/2020	40	143.2	457	
TMP-10-5S	2/17/2020	60	156.3	437	
TMP-10-5S	2/17/2020	80	167.1	417	
TMP-10-5S	2/17/2020	100	183.2	397	
TMP-10-5S	2/24/2020	20	106.0	477	
TMP-10-5S	2/24/2020	40	142.7	457	
TMP-10-5S	2/24/2020	60	155.6	437	
TMP-10-5S	2/24/2020	80	166.5	417	
TMP-10-5S	2/24/2020	100	182.5	397	
TMP-10-5S	3/2/2020	20	102.4	477	
TMP-10-5S	3/2/2020	40	139.9	457	
TMP-10-5S	3/2/2020	60	152.9	437	
TMP-10-5S	3/2/2020	80	164.1	417	
TMP-10-5S	3/2/2020	100	180.2	397	
TMP-10-5S	3/9/2020	20	104.4	477	
TMP-10-5S	3/9/2020	40	141.9	457	
TMP-10-5S	3/9/2020	60	154.4	437	
TMP-10-5S	3/9/2020	80	165.3	417	
TMP-10-5S	3/9/2020	100	181.4	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	2/10/2020	20	103.5	476	
TMP-5-9N	2/10/2020	40	142.4	456	
TMP-5-9N	2/10/2020	60	147.4	436	
TMP-5-9N	2/10/2020	80	239.0	416	
TMP-5-9N	2/10/2020	100	254.0	396	
TMP-5-9N	2/17/2020	20	102.8	476	
TMP-5-9N	2/17/2020	40	141.8	456	
TMP-5-9N	2/17/2020	60	146.9	436	
TMP-5-9N	2/17/2020	80	238.6	416	
TMP-5-9N	2/17/2020	100	253.7	396	
TMP-5-9N	2/24/2020	20	101.8	476	
TMP-5-9N	2/24/2020	40	140.6	456	
TMP-5-9N	2/24/2020	60	145.6	436	
TMP-5-9N	2/24/2020	80	237.6	416	
TMP-5-9N	2/24/2020	100	252.8	396	
TMP-5-9N	3/2/2020	20	98.8	476	
TMP-5-9N	3/2/2020	40	138.0	456	
TMP-5-9N	3/2/2020	60	143.0	436	
TMP-5-9N	3/2/2020	80	235.4	416	
TMP-5-9N	3/2/2020	100	251.3	396	
TMP-5-9N	3/9/2020	20	100.4	476	
TMP-5-9N	3/9/2020	40	139.7	456	
TMP-5-9N	3/9/2020	60	144.5	436	
TMP-5-9N	3/9/2020	80	236.4	416	
TMP-5-9N	3/9/2020	100	252.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	2/10/2020	20	119.9	476	
TMP-5-9S	2/10/2020	40	184.2	456	
TMP-5-9S	2/10/2020	60	221.3	436	
TMP-5-9S	2/10/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	2/10/2020	100			No readings could be obtained
TMP-5-9S	2/17/2020	20	119.3	476	
TMP-5-9S	2/17/2020	40	183.5	456	
TMP-5-9S	2/17/2020	60	220.8	436	
TMP-5-9S	2/17/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	2/17/2020	100			No readings could be obtained
TMP-5-9S	2/24/2020	20	118.2	476	
TMP-5-9S	2/24/2020	40	182.5	456	
TMP-5-9S	2/24/2020	60	219.7	436	
TMP-5-9S	2/24/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	2/24/2020	100			No readings could be obtained
TMP-5-9S	3/2/2020	20	117.5	476	
TMP-5-9S	3/2/2020	40	181.3	456	
TMP-5-9S	3/2/2020	60	219.6	436	
TMP-5-9S	3/2/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/2/2020	100			No readings could be obtained
TMP-5-9S	3/9/2020	20	117.1	476	
TMP-5-9S	3/9/2020	40	180.3	456	
TMP-5-9S	3/9/2020	60	218.7	436	
TMP-5-9S	3/9/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/9/2020	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	2/10/2020	20	96.8	475	
TMP-5-5N	2/10/2020	40	98.9	455	
TMP-5-5N	2/10/2020	60	85.4	435	
TMP-5-5N	2/10/2020	80	236.1	415	
TMP-5-5N	2/10/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	2/17/2020	20	96.3	475	
TMP-5-5N	2/17/2020	40	98.3	455	
TMP-5-5N	2/17/2020	60	83.0	435	
TMP-5-5N	2/17/2020	80	236.1	415	
TMP-5-5N	2/17/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	2/24/2020	20	94.9	475	
TMP-5-5N	2/24/2020	40	97.7	455	
TMP-5-5N	2/24/2020	60	83.2	435	
TMP-5-5N	2/24/2020	80	234.6	415	
TMP-5-5N	2/24/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/2/2020	20	94.4	475	
TMP-5-5N	3/2/2020	40	98.2	455	
TMP-5-5N	3/2/2020	60	85.1	435	
TMP-5-5N	3/2/2020	80	234.2	415	
TMP-5-5N	3/2/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/9/2020	20	93.7	475	
TMP-5-5N	3/9/2020	40	97.7	455	
TMP-5-5N	3/9/2020	60	83.7	435	
TMP-5-5N	3/9/2020	80	232.7	415	
TMP-5-5N	3/9/2020	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	2/10/2020	20	117.9	474	
TMP-5-5S	2/10/2020	40	173.6	454	
TMP-5-5S	2/10/2020	60	206.9	434	
TMP-5-5S	2/10/2020	80	241.9	414	
TMP-5-5S	2/10/2020	100	246.4	394	
TMP-5-5S	2/17/2020	20	117.9	474	
TMP-5-5S	2/17/2020	40	173.3	454	
TMP-5-5S	2/17/2020	60	206.3	434	
TMP-5-5S	2/17/2020	80	241.5	414	
TMP-5-5S	2/17/2020	100	245.9	394	
TMP-5-5S	2/24/2020	20	116.8	474	
TMP-5-5S	2/24/2020	40	172.3	454	
TMP-5-5S	2/24/2020	60	205.2	434	
TMP-5-5S	2/24/2020	80	240.6	414	
TMP-5-5S	2/24/2020	100	245.0	394	
TMP-5-5S	3/2/2020	20	114.8	474	
TMP-5-5S	3/2/2020	40	170.6	454	
TMP-5-5S	3/2/2020	60	203.9	434	
TMP-5-5S	3/2/2020	80	239.8	414	
TMP-5-5S	3/2/2020	100	244.5	394	
TMP-5-5S	3/9/2020	20	115.9	474	
TMP-5-5S	3/9/2020	40	170.7	454	
TMP-5-5S	3/9/2020	60	204.5	434	
TMP-5-5S	3/9/2020	80	239.9	414	
TMP-5-5S	3/9/2020	100	244.1	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	2/10/2020	20	158.1	474	
TMP-31	2/10/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/10/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/10/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/10/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/10/2020	120	270.9	374	
TMP-31	2/17/2020	20	156.9	474	
TMP-31	2/17/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/17/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/17/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/17/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/17/2020	120	270.4	374	
TMP-31	2/24/2020	20	156.7	474	
TMP-31	2/24/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/24/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/24/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/24/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/24/2020	120	269.7	374	
TMP-31	3/2/2020	20	157.8	474	
TMP-31	3/2/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/2/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/2/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/2/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/2/2020	120	271.2	374	
TMP-31	3/9/2020	20	156.5	474	
TMP-31	3/9/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/9/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/9/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/9/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/9/2020	120	269.1	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	2/10/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	2/10/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	2/10/2020	60	229.8	444	
TMP-32	2/10/2020	80	246.1	424	
TMP-32	2/10/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	2/10/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	2/10/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	2/10/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	2/10/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	2/10/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	2/17/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	2/17/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	2/17/2020	60	229.4	444	
TMP-32	2/17/2020	80	245.5	424	
TMP-32	2/17/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	2/17/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	2/17/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	2/17/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	2/17/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	2/17/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	2/24/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	2/24/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	2/24/2020	60	228.5	444	
TMP-32	2/24/2020	80	244.7	424	
TMP-32	2/24/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	2/24/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	2/24/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	2/24/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	2/24/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	2/24/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	60	228.9	444	
TMP-32	3/2/2020	80	245.7	424	
TMP-32	3/2/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	60	227.6	444	
TMP-32	3/9/2020	80	243.9	424	
TMP-32	3/9/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	2/10/2020	20	145.5	473	
TMP-SPM1	2/10/2020	40	169.5	453	
TMP-SPM1	2/10/2020	60	186.2	433	
TMP-SPM1	2/10/2020	80	174.0	413	
TMP-SPM1	2/10/2020	100	172.2	393	
TMP-SPM1	2/10/2020	120	166.3	373	
TMP-SPM1	2/10/2020	140	156.1	353	
TMP-SPM1	2/10/2020	160	137.9	333	
TMP-SPM1	2/10/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	2/10/2020	200	108.0	293	
TMP-SPM1	2/10/2020	220	94.4	273	
TMP-SPM1	2/10/2020	240	90.8	253	
TMP-SPM1	2/17/2020	20	144.7	473	
TMP-SPM1	2/17/2020	40	168.5	453	
TMP-SPM1	2/17/2020	60	184.9	433	
TMP-SPM1	2/17/2020	80	172.8	413	
TMP-SPM1	2/17/2020	100	171.1	393	
TMP-SPM1	2/17/2020	120	165.3	373	
TMP-SPM1	2/17/2020	140	155.1	353	
TMP-SPM1	2/17/2020	160	136.8	333	
TMP-SPM1	2/17/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	2/17/2020	200	107.0	293	
TMP-SPM1	2/17/2020	220	93.5	273	
TMP-SPM1	2/17/2020	240	89.8	253	
TMP-SPM1	2/24/2020	20	144.8	473	
TMP-SPM1	2/24/2020	40	168.7	453	
TMP-SPM1	2/24/2020	60	184.8	433	
TMP-SPM1	2/24/2020	80	172.7	413	
TMP-SPM1	2/24/2020	100	171.0	393	
TMP-SPM1	2/24/2020	120	165.3	373	
TMP-SPM1	2/24/2020	140	155.0	353	
TMP-SPM1	2/24/2020	160	136.8	333	
TMP-SPM1	2/24/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	2/24/2020	200	106.9	293	
TMP-SPM1	2/24/2020	220	93.4	273	
TMP-SPM1	2/24/2020	240	89.7	253	
TMP-SPM1	3/2/2020	20	144.0	473	
TMP-SPM1	3/2/2020	40	168.0	453	
TMP-SPM1	3/2/2020	60	184.4	433	
TMP-SPM1	3/2/2020	80	172.2	413	
TMP-SPM1	3/2/2020	100	170.6	393	
TMP-SPM1	3/2/2020	120	165.0	373	
TMP-SPM1	3/2/2020	140	154.8	353	
TMP-SPM1	3/2/2020	160	136.5	333	
TMP-SPM1	3/2/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/2/2020	200	106.7	293	
TMP-SPM1	3/2/2020	220	93.3	273	
TMP-SPM1	3/2/2020	240	89.6	253	
TMP-SPM1	3/9/2020	20	142.6	473	
TMP-SPM1	3/9/2020	40	166.7	453	
TMP-SPM1	3/9/2020	60	183.1	433	
TMP-SPM1	3/9/2020	80	171.0	413	
TMP-SPM1	3/9/2020	100	169.5	393	
TMP-SPM1	3/9/2020	120	163.8	373	
TMP-SPM1	3/9/2020	140	153.7	353	
TMP-SPM1	3/9/2020	160	135.5	333	
TMP-SPM1	3/9/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/9/2020	200	105.7	293	
TMP-SPM1	3/9/2020	220	92.2	273	
TMP-SPM1	3/9/2020	240	88.5	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	2/10/2020	20	134.4	475	
TMP-SPM2	2/10/2020	40	159.4	455	
TMP-SPM2	2/10/2020	60	155.9	435	
TMP-SPM2	2/10/2020	80	175.7	415	
TMP-SPM2	2/10/2020	100	195.5	395	
TMP-SPM2	2/10/2020	120	193.8	375	
TMP-SPM2	2/10/2020	140	191.0	355	
TMP-SPM2	2/10/2020	160	165.7	335	
TMP-SPM2	2/10/2020	172	148.7	323	
TMP-SPM2	2/17/2020	20	133.6	475	
TMP-SPM2	2/17/2020	40	158.4	455	
TMP-SPM2	2/17/2020	60	154.9	435	
TMP-SPM2	2/17/2020	80	174.5	415	
TMP-SPM2	2/17/2020	100	194.5	395	
TMP-SPM2	2/17/2020	120	192.9	375	
TMP-SPM2	2/17/2020	140	190.3	355	
TMP-SPM2	2/17/2020	160	165.1	335	
TMP-SPM2	2/17/2020	172	148.1	323	
TMP-SPM2	2/24/2020	20	133.8	475	
TMP-SPM2	2/24/2020	40	158.5	455	
TMP-SPM2	2/24/2020	60	155.0	435	
TMP-SPM2	2/24/2020	80	174.4	415	
TMP-SPM2	2/24/2020	100	194.5	395	
TMP-SPM2	2/24/2020	120	194.4	375	
TMP-SPM2	2/24/2020	140	190.7	355	
TMP-SPM2	2/24/2020	160	165.5	335	
TMP-SPM2	2/24/2020	172	148.5	323	
TMP-SPM2	3/2/2020	20	132.4	475	
TMP-SPM2	3/2/2020	40	157.2	455	
TMP-SPM2	3/2/2020	60	153.6	435	
TMP-SPM2	3/2/2020	80	173.0	415	
TMP-SPM2	3/2/2020	100	193.3	395	
TMP-SPM2	3/2/2020	120	191.9	375	
TMP-SPM2	3/2/2020	140	189.9	355	
TMP-SPM2	3/2/2020	160	164.8	335	
TMP-SPM2	3/2/2020	172	147.7	323	
TMP-SPM2	3/9/2020	20	131.5	475	
TMP-SPM2	3/9/2020	40	156.2	455	
TMP-SPM2	3/9/2020	60	152.5	435	
TMP-SPM2	3/9/2020	80	171.8	415	
TMP-SPM2	3/9/2020	100	192.0	395	
TMP-SPM2	3/9/2020	120	190.7	375	
TMP-SPM2	3/9/2020	140	188.9	355	
TMP-SPM2	3/9/2020	160	163.9	335	
TMP-SPM2	3/9/2020	172	146.8	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	2/10/2020	20	110.0	478	
TMP-SPM3	2/10/2020	40	114.6	458	
TMP-SPM3	2/10/2020	60	108.6	438	
TMP-SPM3	2/10/2020	80	114.0	418	
TMP-SPM3	2/10/2020	85	116.0	413	
TMP-SPM3	2/17/2020	20	109.5	478	
TMP-SPM3	2/17/2020	40	113.9	458	
TMP-SPM3	2/17/2020	60	107.8	438	
TMP-SPM3	2/17/2020	80	113.2	418	
TMP-SPM3	2/17/2020	85	115.2	413	
TMP-SPM3	2/24/2020	20	109.8	478	
TMP-SPM3	2/24/2020	40	113.8	458	
TMP-SPM3	2/24/2020	60	107.7	438	
TMP-SPM3	2/24/2020	80	113.2	418	
TMP-SPM3	2/24/2020	85	115.1	413	
TMP-SPM3	3/2/2020	20	107.2	478	
TMP-SPM3	3/2/2020	40	111.4	458	
TMP-SPM3	3/2/2020	60	105.5	438	
TMP-SPM3	3/2/2020	80	111.1	418	
TMP-SPM3	3/2/2020	85	113.5	413	
TMP-SPM3	3/9/2020	20	108.4	478	
TMP-SPM3	3/9/2020	40	112.2	458	
TMP-SPM3	3/9/2020	60	106.2	438	
TMP-SPM3	3/9/2020	80	111.5	418	
TMP-SPM3	3/9/2020	85	113.6	413	