

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	3/2/2020	20	157.8	474	
TMP-31	3/2/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/2/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/2/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/2/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/2/2020	120	271.2	374	
TMP-31	3/9/2020	20	156.5	474	
TMP-31	3/9/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/9/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/9/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/9/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/9/2020	120	269.1	374	
TMP-31	3/16/2020	20	158.2	474	
TMP-31	3/16/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/16/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/16/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/16/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/16/2020	120	270.7	374	
TMP-31	3/23/2020	20	156.8	474	
TMP-31	3/23/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/23/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/23/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/23/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/23/2020	120	270.0	374	
TMP-31	3/30/2020	20	157.3	474	
TMP-31	3/30/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/30/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/30/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/30/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	3/30/2020	120	270.3	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	3/2/2020	20	147.7	473	
TMP-19	3/2/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/2/2020	60	203.7	433	
TMP-19	3/2/2020	80	209.3	413	
TMP-19	3/2/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/9/2020	20	148.8	473	
TMP-19	3/9/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/9/2020	60	203.3	433	
TMP-19	3/9/2020	80	208.7	413	
TMP-19	3/9/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/16/2020	20	149.6	473	
TMP-19	3/16/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/16/2020	60	203.9	433	
TMP-19	3/16/2020	80	209.4	413	
TMP-19	3/16/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/23/2020	20	149.1	473	
TMP-19	3/23/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/23/2020	60	203.8	433	
TMP-19	3/23/2020	80	208.8	413	
TMP-19	3/23/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/30/2020	20	148.9	473	
TMP-19	3/30/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/30/2020	60	203.6	433	
TMP-19	3/30/2020	80	208.7	413	
TMP-19	3/30/2020	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	3/2/2020	20	108.6	478	
TMP-20	3/2/2020	40	159.0	458	
TMP-20	3/2/2020	60	191.6	438	
TMP-20	3/2/2020	80	205.4	418	
TMP-20	3/2/2020	100	220.3	398	
TMP-20	3/2/2020	120	235.6	378	
TMP-20	3/2/2020	140	233.5	358	
TMP-20	3/9/2020	20	109.7	478	
TMP-20	3/9/2020	40	159.7	458	
TMP-20	3/9/2020	60	192.1	438	
TMP-20	3/9/2020	80	205.9	418	
TMP-20	3/9/2020	100	220.9	398	
TMP-20	3/9/2020	120	236.1	378	
TMP-20	3/9/2020	140	234.0	358	
TMP-20	3/16/2020	20	110.6	478	
TMP-20	3/16/2020	40	160.7	458	
TMP-20	3/16/2020	60	192.5	438	
TMP-20	3/16/2020	80	206.5	418	
TMP-20	3/16/2020	100	221.4	398	
TMP-20	3/16/2020	120	236.8	378	
TMP-20	3/16/2020	140	234.6	358	
TMP-20	3/23/2020	20	110.0	478	
TMP-20	3/23/2020	40	160.3	458	
TMP-20	3/23/2020	60	191.9	438	
TMP-20	3/23/2020	80	206.0	418	
TMP-20	3/23/2020	100	221.2	398	
TMP-20	3/23/2020	120	236.6	378	
TMP-20	3/23/2020	140	234.7	358	
TMP-20	3/30/2020	20	110.0	478	
TMP-20	3/30/2020	40	160.5	458	
TMP-20	3/30/2020	60	191.8	438	
TMP-20	3/30/2020	80	205.7	418	
TMP-20	3/30/2020	100	220.9	398	
TMP-20	3/30/2020	120	236.2	378	
TMP-20	3/30/2020	140	234.6	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	3/2/2020	20	110.4	475	
TMP-10-9N	3/2/2020	40	133.6	455	
TMP-10-9N	3/2/2020	60	134.3	435	
TMP-10-9N	3/2/2020	80	134.5	415	
TMP-10-9N	3/2/2020	100	144.8	395	
TMP-10-9N	3/9/2020	20	112.1	475	
TMP-10-9N	3/9/2020	40	135.0	455	
TMP-10-9N	3/9/2020	60	135.0	435	
TMP-10-9N	3/9/2020	80	134.9	415	
TMP-10-9N	3/9/2020	100	144.9	395	
TMP-10-9N	3/16/2020	20	113.0	475	
TMP-10-9N	3/16/2020	40	135.6	455	
TMP-10-9N	3/16/2020	60	135.5	435	
TMP-10-9N	3/16/2020	80	135.2	415	
TMP-10-9N	3/16/2020	100	145.2	395	
TMP-10-9N	3/23/2020	20	112.4	475	
TMP-10-9N	3/23/2020	40	135.2	455	
TMP-10-9N	3/23/2020	60	134.9	435	
TMP-10-9N	3/23/2020	80	134.8	415	
TMP-10-9N	3/23/2020	100	144.9	395	
TMP-10-9N	3/30/2020	20	112.4	475	
TMP-10-9N	3/30/2020	40	135.3	455	
TMP-10-9N	3/30/2020	60	134.4	435	
TMP-10-9N	3/30/2020	80	134.5	415	
TMP-10-9N	3/30/2020	100	144.5	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	3/2/2020	20	109.6	476	
TMP-10-9S	3/2/2020	40	151.2	456	
TMP-10-9S	3/2/2020	60	171.0	436	
TMP-10-9S	3/2/2020	80	178.3	416	
TMP-10-9S	3/2/2020	100	196.0	396	
TMP-10-9S	3/9/2020	20	110.5	476	
TMP-10-9S	3/9/2020	40	152.0	456	
TMP-10-9S	3/9/2020	60	171.5	436	
TMP-10-9S	3/9/2020	80	178.9	416	
TMP-10-9S	3/9/2020	100	196.7	396	
TMP-10-9S	3/16/2020	20	112.9	476	
TMP-10-9S	3/16/2020	40	154.3	456	
TMP-10-9S	3/16/2020	60	173.3	436	
TMP-10-9S	3/16/2020	80	180.9	416	
TMP-10-9S	3/16/2020	100	198.6	396	
TMP-10-9S	3/23/2020	20	111.0	476	
TMP-10-9S	3/23/2020	40	152.5	456	
TMP-10-9S	3/23/2020	60	171.6	436	
TMP-10-9S	3/23/2020	80	179.2	416	
TMP-10-9S	3/23/2020	100	197.1	396	
TMP-10-9S	3/30/2020	20	108.0	476	
TMP-10-9S	3/30/2020	40	149.9	456	
TMP-10-9S	3/30/2020	60	168.8	436	
TMP-10-9S	3/30/2020	80	176.5	416	
TMP-10-9S	3/30/2020	100	194.4	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	3/2/2020	20	97.5	478	
TMP-10-5N	3/2/2020	40	114.8	458	
TMP-10-5N	3/2/2020	60	99.0	438	
TMP-10-5N	3/2/2020	80	91.0	418	
TMP-10-5N	3/2/2020	100	87.2	398	
TMP-10-5N	3/9/2020	20	97.7	478	
TMP-10-5N	3/9/2020	40	114.6	458	
TMP-10-5N	3/9/2020	60	98.5	438	
TMP-10-5N	3/9/2020	80	90.1	418	
TMP-10-5N	3/9/2020	100	85.7	398	
TMP-10-5N	3/16/2020	20	98.2	478	
TMP-10-5N	3/16/2020	40	115.4	458	
TMP-10-5N	3/16/2020	60	99.3	438	
TMP-10-5N	3/16/2020	80	91.0	418	
TMP-10-5N	3/16/2020	100	86.5	398	
TMP-10-5N	3/23/2020	20	98.0	478	
TMP-10-5N	3/23/2020	40	115.8	458	
TMP-10-5N	3/23/2020	60	99.8	438	
TMP-10-5N	3/23/2020	80	91.7	418	
TMP-10-5N	3/23/2020	100	87.3	398	
TMP-10-5N	3/30/2020	20	97.6	478	
TMP-10-5N	3/30/2020	40	116.2	458	
TMP-10-5N	3/30/2020	60	100.7	438	
TMP-10-5N	3/30/2020	80	93.5	418	
TMP-10-5N	3/30/2020	100	89.4	398	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-10-5S	3/2/2020	20	102.4	477	
TMP-10-5S	3/2/2020	40	139.9	457	
TMP-10-5S	3/2/2020	60	152.9	437	
TMP-10-5S	3/2/2020	80	164.1	417	
TMP-10-5S	3/2/2020	100	180.2	397	
TMP-10-5S	3/9/2020	20	104.4	477	
TMP-10-5S	3/9/2020	40	141.9	457	
TMP-10-5S	3/9/2020	60	154.4	437	
TMP-10-5S	3/9/2020	80	165.3	417	
TMP-10-5S	3/9/2020	100	181.4	397	
TMP-10-5S	3/16/2020	20	107.4	477	
TMP-10-5S	3/16/2020	40	144.3	457	
TMP-10-5S	3/16/2020	60	156.5	437	
TMP-10-5S	3/16/2020	80	167.4	417	
TMP-10-5S	3/16/2020	100	183.5	397	
TMP-10-5S	3/23/2020	20	105.0	477	
TMP-10-5S	3/23/2020	40	142.2	457	
TMP-10-5S	3/23/2020	60	154.3	437	
TMP-10-5S	3/23/2020	80	165.4	417	
TMP-10-5S	3/23/2020	100	181.6	397	
TMP-10-5S	3/30/2020	20	102.2	477	
TMP-10-5S	3/30/2020	40	139.7	457	
TMP-10-5S	3/30/2020	60	151.6	437	
TMP-10-5S	3/30/2020	80	162.9	417	
TMP-10-5S	3/30/2020	100	179.1	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	3/2/2020	20	98.8	476	
TMP-5-9N	3/2/2020	40	138.0	456	
TMP-5-9N	3/2/2020	60	143.0	436	
TMP-5-9N	3/2/2020	80	235.4	416	
TMP-5-9N	3/2/2020	100	251.3	396	
TMP-5-9N	3/9/2020	20	100.4	476	
TMP-5-9N	3/9/2020	40	139.7	456	
TMP-5-9N	3/9/2020	60	144.5	436	
TMP-5-9N	3/9/2020	80	236.4	416	
TMP-5-9N	3/9/2020	100	252.1	396	
TMP-5-9N	3/16/2020	20	103.3	476	
TMP-5-9N	3/16/2020	40	142.0	456	
TMP-5-9N	3/16/2020	60	146.8	436	
TMP-5-9N	3/16/2020	80	238.0	416	
TMP-5-9N	3/16/2020	100	253.9	396	
TMP-5-9N	3/23/2020	20	100.6	476	
TMP-5-9N	3/23/2020	40	140.3	456	
TMP-5-9N	3/23/2020	60	145.0	436	
TMP-5-9N	3/23/2020	80	235.9	416	
TMP-5-9N	3/23/2020	100	252.3	396	
TMP-5-9N	3/30/2020	20	98.2	476	
TMP-5-9N	3/30/2020	40	138.5	456	
TMP-5-9N	3/30/2020	60	143.4	436	
TMP-5-9N	3/30/2020	80	233.9	416	
TMP-5-9N	3/30/2020	100	250.5	396	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	3/2/2020	20	117.5	476	
TMP-5-9S	3/2/2020	40	181.3	456	
TMP-5-9S	3/2/2020	60	219.6	436	
TMP-5-9S	3/2/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/2/2020	100			No readings could be obtained
TMP-5-9S	3/9/2020	20	117.1	476	
TMP-5-9S	3/9/2020	40	180.3	456	
TMP-5-9S	3/9/2020	60	218.7	436	
TMP-5-9S	3/9/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/9/2020	100			No readings could be obtained
TMP-5-9S	3/16/2020	20	118.4	476	
TMP-5-9S	3/16/2020	40	181.6	456	
TMP-5-9S	3/16/2020	60	220.1	436	
TMP-5-9S	3/16/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/16/2020	100			No readings could be obtained
TMP-5-9S	3/23/2020	20	117.1	476	
TMP-5-9S	3/23/2020	40	180.5	456	
TMP-5-9S	3/23/2020	60	219.0	436	
TMP-5-9S	3/23/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/23/2020	100			No readings could be obtained
TMP-5-9S	3/30/2020	20	114.7	476	
TMP-5-9S	3/30/2020	40	178.3	456	
TMP-5-9S	3/30/2020	60	216.7	436	
TMP-5-9S	3/30/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/30/2020	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	3/2/2020	20	94.4	475	
TMP-5-5N	3/2/2020	40	98.2	455	
TMP-5-5N	3/2/2020	60	85.1	435	
TMP-5-5N	3/2/2020	80	234.2	415	
TMP-5-5N	3/2/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/9/2020	20	93.7	475	
TMP-5-5N	3/9/2020	40	97.7	455	
TMP-5-5N	3/9/2020	60	83.7	435	
TMP-5-5N	3/9/2020	80	232.7	415	
TMP-5-5N	3/9/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/16/2020	20	95.7	475	
TMP-5-5N	3/16/2020	40	100.6	455	
TMP-5-5N	3/16/2020	60	85.7	435	
TMP-5-5N	3/16/2020	80	234.2	415	
TMP-5-5N	3/16/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/23/2020	20	94.0	475	
TMP-5-5N	3/23/2020	40	99.8	455	
TMP-5-5N	3/23/2020	60	84.7	435	
TMP-5-5N	3/23/2020	80	233.0	415	
TMP-5-5N	3/23/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/30/2020	20	92.4	475	
TMP-5-5N	3/30/2020	40	99.8	455	
TMP-5-5N	3/30/2020	60	86.4	435	
TMP-5-5N	3/30/2020	80	231.1	415	
TMP-5-5N	3/30/2020	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	3/2/2020	20	114.8	474	
TMP-5-5S	3/2/2020	40	170.6	454	
TMP-5-5S	3/2/2020	60	203.9	434	
TMP-5-5S	3/2/2020	80	239.8	414	
TMP-5-5S	3/2/2020	100	244.5	394	
TMP-5-5S	3/9/2020	20	115.9	474	
TMP-5-5S	3/9/2020	40	170.7	454	
TMP-5-5S	3/9/2020	60	204.5	434	
TMP-5-5S	3/9/2020	80	239.9	414	
TMP-5-5S	3/9/2020	100	244.1	394	
TMP-5-5S	3/16/2020	20	117.5	474	
TMP-5-5S	3/16/2020	40	172.8	454	
TMP-5-5S	3/16/2020	60	205.5	434	
TMP-5-5S	3/16/2020	80	241.2	414	
TMP-5-5S	3/16/2020	100	245.5	394	
TMP-5-5S	3/23/2020	20	115.8	474	
TMP-5-5S	3/23/2020	40	171.4	454	
TMP-5-5S	3/23/2020	60	204.6	434	
TMP-5-5S	3/23/2020	80	240.2	414	
TMP-5-5S	3/23/2020	100	244.5	394	
TMP-5-5S	3/30/2020	20	113.9	474	
TMP-5-5S	3/30/2020	40	168.1	454	
TMP-5-5S	3/30/2020	60	202.3	434	
TMP-5-5S	3/30/2020	80	238.2	414	
TMP-5-5S	3/30/2020	100	242.7	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	3/2/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	60	228.9	444	
TMP-32	3/2/2020	80	245.7	424	
TMP-32	3/2/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/2/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	60	227.6	444	
TMP-32	3/9/2020	80	243.9	424	
TMP-32	3/9/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/9/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/16/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/16/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/16/2020	60	229.1	444	
TMP-32	3/16/2020	80	245	424	
TMP-32	3/16/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/16/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/16/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/16/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/16/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/16/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/23/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/23/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/23/2020	60	228.6	444	
TMP-32	3/23/2020	80	244.5	424	
TMP-32	3/23/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/23/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/23/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/23/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/23/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/23/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/30/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/30/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/30/2020	60	228.7	444	
TMP-32	3/30/2020	80	244.8	424	
TMP-32	3/30/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/30/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/30/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/30/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/30/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/30/2020	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	3/2/2020	20	144.0	473	
TMP-SPM1	3/2/2020	40	168.0	453	
TMP-SPM1	3/2/2020	60	184.4	433	
TMP-SPM1	3/2/2020	80	172.2	413	
TMP-SPM1	3/2/2020	100	170.6	393	
TMP-SPM1	3/2/2020	120	165.0	373	
TMP-SPM1	3/2/2020	140	154.8	353	
TMP-SPM1	3/2/2020	160	136.5	333	
TMP-SPM1	3/2/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/2/2020	200	106.7	293	
TMP-SPM1	3/2/2020	220	93.3	273	
TMP-SPM1	3/2/2020	240	89.6	253	
TMP-SPM1	3/9/2020	20	142.6	473	
TMP-SPM1	3/9/2020	40	166.7	453	
TMP-SPM1	3/9/2020	60	183.1	433	
TMP-SPM1	3/9/2020	80	171.0	413	
TMP-SPM1	3/9/2020	100	169.5	393	
TMP-SPM1	3/9/2020	120	163.8	373	
TMP-SPM1	3/9/2020	140	153.7	353	
TMP-SPM1	3/9/2020	160	135.5	333	
TMP-SPM1	3/9/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/9/2020	200	105.7	293	
TMP-SPM1	3/9/2020	220	92.2	273	
TMP-SPM1	3/9/2020	240	88.5	253	
TMP-SPM1	3/16/2020	20	144.0	473	
TMP-SPM1	3/16/2020	40	167.7	453	
TMP-SPM1	3/16/2020	60	184.0	433	
TMP-SPM1	3/16/2020	80	171.9	413	
TMP-SPM1	3/16/2020	100	170.5	393	
TMP-SPM1	3/16/2020	120	164.9	373	
TMP-SPM1	3/16/2020	140	154.8	353	
TMP-SPM1	3/16/2020	160	136.5	333	
TMP-SPM1	3/16/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/16/2020	200	106.8	293	
TMP-SPM1	3/16/2020	220	93.4	273	
TMP-SPM1	3/16/2020	240	89.7	253	
TMP-SPM1	3/23/2020	20	143.1	473	
TMP-SPM1	3/23/2020	40	167.2	453	
TMP-SPM1	3/23/2020	60	183.5	433	
TMP-SPM1	3/23/2020	80	171.4	413	
TMP-SPM1	3/23/2020	100	170.2	393	
TMP-SPM1	3/23/2020	120	164.7	373	
TMP-SPM1	3/23/2020	140	154.5	353	
TMP-SPM1	3/23/2020	160	136.2	333	
TMP-SPM1	3/23/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/23/2020	200	106.6	293	
TMP-SPM1	3/23/2020	220	93.1	273	
TMP-SPM1	3/23/2020	240	89.5	253	
TMP-SPM1	3/30/2020	20	141.7	473	
TMP-SPM1	3/30/2020	40	165.8	453	
TMP-SPM1	3/30/2020	60	182.7	433	
TMP-SPM1	3/30/2020	80	170.5	413	
TMP-SPM1	3/30/2020	100	169.5	393	
TMP-SPM1	3/30/2020	120	164.0	373	
TMP-SPM1	3/30/2020	140	154.0	353	
TMP-SPM1	3/30/2020	160	135.9	333	
TMP-SPM1	3/30/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	3/30/2020	200	106.2	293	
TMP-SPM1	3/30/2020	220	92.8	273	
TMP-SPM1	3/30/2020	240	89.1	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	3/2/2020	20	132.4	475	
TMP-SPM2	3/2/2020	40	157.2	455	
TMP-SPM2	3/2/2020	60	153.6	435	
TMP-SPM2	3/2/2020	80	173.0	415	
TMP-SPM2	3/2/2020	100	193.3	395	
TMP-SPM2	3/2/2020	120	191.9	375	
TMP-SPM2	3/2/2020	140	189.9	355	
TMP-SPM2	3/2/2020	160	164.8	335	
TMP-SPM2	3/2/2020	172	147.7	323	
TMP-SPM2	3/9/2020	20	131.5	475	
TMP-SPM2	3/9/2020	40	156.2	455	
TMP-SPM2	3/9/2020	60	152.5	435	
TMP-SPM2	3/9/2020	80	171.8	415	
TMP-SPM2	3/9/2020	100	192.0	395	
TMP-SPM2	3/9/2020	120	190.7	375	
TMP-SPM2	3/9/2020	140	188.9	355	
TMP-SPM2	3/9/2020	160	163.9	335	
TMP-SPM2	3/9/2020	172	146.8	323	
TMP-SPM2	3/16/2020	20	132.8	475	
TMP-SPM2	3/16/2020	40	157.1	455	
TMP-SPM2	3/16/2020	60	153.3	435	
TMP-SPM2	3/16/2020	80	172.6	415	
TMP-SPM2	3/16/2020	100	192.8	395	
TMP-SPM2	3/16/2020	120	191.6	375	
TMP-SPM2	3/16/2020	140	189.8	355	
TMP-SPM2	3/16/2020	160	165.0	335	
TMP-SPM2	3/16/2020	172	148.0	323	
TMP-SPM2	3/23/2020	20	132.2	475	
TMP-SPM2	3/23/2020	40	156.5	455	
TMP-SPM2	3/23/2020	60	152.6	435	
TMP-SPM2	3/23/2020	80	171.9	415	
TMP-SPM2	3/23/2020	100	192.2	395	
TMP-SPM2	3/23/2020	120	191.0	375	
TMP-SPM2	3/23/2020	140	189.5	355	
TMP-SPM2	3/23/2020	160	164.8	335	
TMP-SPM2	3/23/2020	172	147.9	323	
TMP-SPM2	3/30/2020	20	129.7	475	
TMP-SPM2	3/30/2020	40	153.7	455	
TMP-SPM2	3/30/2020	60	149.6	435	
TMP-SPM2	3/30/2020	80	168.9	415	
TMP-SPM2	3/30/2020	100	189.4	395	
TMP-SPM2	3/30/2020	120	188.3	375	
TMP-SPM2	3/30/2020	140	187.3	355	
TMP-SPM2	3/30/2020	160	162.6	335	
TMP-SPM2	3/30/2020	172	145.6	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	3/2/2020	20	107.2	478	
TMP-SPM3	3/2/2020	40	111.4	458	
TMP-SPM3	3/2/2020	60	105.5	438	
TMP-SPM3	3/2/2020	80	111.1	418	
TMP-SPM3	3/2/2020	85	113.5	413	
TMP-SPM3	3/9/2020	20	108.4	478	
TMP-SPM3	3/9/2020	40	112.2	458	
TMP-SPM3	3/9/2020	60	106.2	438	
TMP-SPM3	3/9/2020	80	111.5	418	
TMP-SPM3	3/9/2020	85	113.6	413	
TMP-SPM3	3/16/2020	20	109.5	478	
TMP-SPM3	3/16/2020	40	112.9	458	
TMP-SPM3	3/16/2020	60	106.9	438	
TMP-SPM3	3/16/2020	80	112.2	418	
TMP-SPM3	3/16/2020	85	114.2	413	
TMP-SPM3	3/23/2020	20	109.3	478	
TMP-SPM3	3/23/2020	40	112.6	458	
TMP-SPM3	3/23/2020	60	106.6	438	
TMP-SPM3	3/23/2020	80	112.0	418	
TMP-SPM3	3/23/2020	85	114.0	413	
TMP-SPM3	3/30/2020	20	106.9	478	
TMP-SPM3	3/30/2020	40	109.9	458	
TMP-SPM3	3/30/2020	60	103.7	438	
TMP-SPM3	3/30/2020	80	109.1	418	
TMP-SPM3	3/30/2020	85	111.2	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	3/2/2020	20	116.3	475	
TMP-SPM4	3/2/2020	40	138.9	455	
TMP-SPM4	3/2/2020	60	141.4	435	
TMP-SPM4	3/2/2020	80	142.3	415	
TMP-SPM4	3/2/2020	100	138.5	395	
TMP-SPM4	3/2/2020	120	131.3	375	
TMP-SPM4	3/2/2020	140	126.5	355	
TMP-SPM4	3/2/2020	160	120.2	335	
TMP-SPM4	3/2/2020	180	115.6	315	
TMP-SPM4	3/2/2020	200	109.3	295	
TMP-SPM4	3/2/2020	220	96.4	275	
TMP-SPM4	3/2/2020	240	89.8	255	
TMP-SPM4	3/9/2020	20	116.1	475	
TMP-SPM4	3/9/2020	40	138.5	455	
TMP-SPM4	3/9/2020	60	140.8	435	
TMP-SPM4	3/9/2020	80	141.6	415	
TMP-SPM4	3/9/2020	100	137.7	395	
TMP-SPM4	3/9/2020	120	130.6	375	
TMP-SPM4	3/9/2020	140	125.9	355	
TMP-SPM4	3/9/2020	160	119.8	335	
TMP-SPM4	3/9/2020	180	115.4	315	
TMP-SPM4	3/9/2020	200	109.3	295	
TMP-SPM4	3/9/2020	220	96.5	275	
TMP-SPM4	3/9/2020	240	90.1	255	
TMP-SPM4	3/16/2020	20	117.2	475	
TMP-SPM4	3/16/2020	40	139.3	455	
TMP-SPM4	3/16/2020	60	141.6	435	
TMP-SPM4	3/16/2020	80	142.5	415	
TMP-SPM4	3/16/2020	100	138.5	395	
TMP-SPM4	3/16/2020	120	131.3	375	
TMP-SPM4	3/16/2020	140	126.6	355	
TMP-SPM4	3/16/2020	160	120.5	335	
TMP-SPM4	3/16/2020	180	116.1	315	
TMP-SPM4	3/16/2020	200	110.1	295	
TMP-SPM4	3/16/2020	220	97.4	275	
TMP-SPM4	3/16/2020	240	91.0	255	
TMP-SPM4	3/23/2020	20	116.8	475	
TMP-SPM4	3/23/2020	40	139.0	455	
TMP-SPM4	3/23/2020	60	141.4	435	
TMP-SPM4	3/23/2020	80	142.2	415	
TMP-SPM4	3/23/2020	100	138.3	395	
TMP-SPM4	3/23/2020	120	131.1	375	
TMP-SPM4	3/23/2020	140	126.4	355	
TMP-SPM4	3/23/2020	160	120.3	335	
TMP-SPM4	3/23/2020	180	115.9	315	
TMP-SPM4	3/23/2020	200	109.9	295	
TMP-SPM4	3/23/2020	220	97.2	275	
TMP-SPM4	3/23/2020	240	90.8	255	
TMP-SPM4	3/30/2020	20	116.0	475	
TMP-SPM4	3/30/2020	40	138.5	455	
TMP-SPM4	3/30/2020	60	141.1	435	
TMP-SPM4	3/30/2020	80	142.0	415	
TMP-SPM4	3/30/2020	100	138.1	395	
TMP-SPM4	3/30/2020	120	131.0	375	
TMP-SPM4	3/30/2020	140	126.2	355	
TMP-SPM4	3/30/2020	160	120.1	335	
TMP-SPM4	3/30/2020	180	115.7	315	
TMP-SPM4	3/30/2020	200	109.6	295	
TMP-SPM4	3/30/2020	220	96.8	275	
TMP-SPM4	3/30/2020	240	90.3	255	