

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	4/13/2020	20	146.8	473	
TMP-19	4/13/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/13/2020	60	201.7	433	
TMP-19	4/13/2020	80	207.0	413	
TMP-19	4/13/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/20/2020	20	145.9	473	
TMP-19	4/20/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/20/2020	60	200.9	433	
TMP-19	4/20/2020	80	206.0	413	
TMP-19	4/20/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/27/2020	20	146.5	473	
TMP-19	4/27/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/27/2020	60	200.8	433	
TMP-19	4/27/2020	80	205.8	413	
TMP-19	4/27/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/4/2020	20	146.6	473	
TMP-19	5/4/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/4/2020	60	201.5	433	
TMP-19	5/4/2020	80	206.1	413	
TMP-19	5/4/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/11/2020	20	146.4	473	
TMP-19	5/11/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/11/2020	60	200.9	433	
TMP-19	5/11/2020	80	205.9	413	
TMP-19	5/11/2020	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	4/13/2020	20	107.2	478	
TMP-20	4/13/2020	40	158.5	458	
TMP-20	4/13/2020	60	189.8	438	
TMP-20	4/13/2020	80	203.9	418	
TMP-20	4/13/2020	100	219.3	398	
TMP-20	4/13/2020	120	234.7	378	
TMP-20	4/13/2020	140	233.1	358	
TMP-20	4/20/2020	20	106.6	478	
TMP-20	4/20/2020	40	157.8	458	
TMP-20	4/20/2020	60	188.6	438	
TMP-20	4/20/2020	80	202.8	418	
TMP-20	4/20/2020	100	218.0	398	
TMP-20	4/20/2020	120	233.3	378	
TMP-20	4/20/2020	140	231.7	358	
TMP-20	4/27/2020	20	106.6	478	
TMP-20	4/27/2020	40	157.6	458	
TMP-20	4/27/2020	60	188.1	438	
TMP-20	4/27/2020	80	202.3	418	
TMP-20	4/27/2020	100	217.5	398	
TMP-20	4/27/2020	120	232.9	378	
TMP-20	4/27/2020	140	231.3	358	
TMP-20	5/4/2020	20	106.1	478	
TMP-20	5/4/2020	40	157.8	458	
TMP-20	5/4/2020	60	187.9	438	
TMP-20	5/4/2020	80	202.2	418	
TMP-20	5/4/2020	100	217.5	398	
TMP-20	5/4/2020	120	233.0	378	
TMP-20	5/4/2020	140	231.7	358	
TMP-20	5/11/2020	20	105.6	478	
TMP-20	5/11/2020	40	157.2	458	
TMP-20	5/11/2020	60	187.0	438	
TMP-20	5/11/2020	80	201.5	418	
TMP-20	5/11/2020	100	216.8	398	
TMP-20	5/11/2020	120	232.3	378	
TMP-20	5/11/2020	140	231.0	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	4/13/2020	20	110.5	475	
TMP-10-9N	4/13/2020	40	134.2	455	
TMP-10-9N	4/13/2020	60	133.4	435	
TMP-10-9N	4/13/2020	80	134.1	415	
TMP-10-9N	4/13/2020	100	144.1	395	
TMP-10-9N	4/20/2020	20	109.5	475	
TMP-10-9N	4/20/2020	40	133.1	455	
TMP-10-9N	4/20/2020	60	132.1	435	
TMP-10-9N	4/20/2020	80	132.8	415	
TMP-10-9N	4/20/2020	100	142.8	395	
TMP-10-9N	4/27/2020	20	109.0	475	
TMP-10-9N	4/27/2020	40	132.4	455	
TMP-10-9N	4/27/2020	60	131.0	435	
TMP-10-9N	4/27/2020	80	131.5	415	
TMP-10-9N	4/27/2020	100	141.6	395	
TMP-10-9N	5/4/2020	20	108.4	475	
TMP-10-9N	5/4/2020	40	132.4	455	
TMP-10-9N	5/4/2020	60	131.1	435	
TMP-10-9N	5/4/2020	80	132.0	415	
TMP-10-9N	5/4/2020	100	142.1	395	
TMP-10-9N	5/11/2020	20	108.6	475	
TMP-10-9N	5/11/2020	40	132.8	455	
TMP-10-9N	5/11/2020	60	131.5	435	
TMP-10-9N	5/11/2020	80	132.5	415	
TMP-10-9N	5/11/2020	100	142.6	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	4/13/2020	20	109.0	476	
TMP-10-9S	4/13/2020	40	151.1	456	
TMP-10-9S	4/13/2020	60	169.8	436	
TMP-10-9S	4/13/2020	80	177.4	416	
TMP-10-9S	4/13/2020	100	195.6	396	
TMP-10-9S	4/20/2020	20	109.7	476	
TMP-10-9S	4/20/2020	40	152.0	456	
TMP-10-9S	4/20/2020	60	170.5	436	
TMP-10-9S	4/20/2020	80	178.6	416	
TMP-10-9S	4/20/2020	100	196.8	396	
TMP-10-9S	4/27/2020	20	107.2	476	
TMP-10-9S	4/27/2020	40	149.5	456	
TMP-10-9S	4/27/2020	60	167.9	436	
TMP-10-9S	4/27/2020	80	176.1	416	
TMP-10-9S	4/27/2020	100	194.1	396	
TMP-10-9S	5/4/2020	20	108.7	476	
TMP-10-9S	5/4/2020	40	150.9	456	
TMP-10-9S	5/4/2020	60	169.2	436	
TMP-10-9S	5/4/2020	80	177.4	416	
TMP-10-9S	5/4/2020	100	195.4	396	
TMP-10-9S	5/11/2020	20	107.9	476	
TMP-10-9S	5/11/2020	40	150.2	456	
TMP-10-9S	5/11/2020	60	168.3	436	
TMP-10-9S	5/11/2020	80	176.3	416	
TMP-10-9S	5/11/2020	100	194.4	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	4/13/2020	20	96.6	478	
TMP-10-5N	4/13/2020	40	116.4	458	
TMP-10-5N	4/13/2020	60	100.9	438	
TMP-10-5N	4/13/2020	80	93.9	418	
TMP-10-5N	4/13/2020	100	90.1	398	
TMP-10-5N	4/20/2020	20	95.2	478	
TMP-10-5N	4/20/2020	40	114.9	458	
TMP-10-5N	4/20/2020	60	98.8	438	
TMP-10-5N	4/20/2020	80	91.5	418	
TMP-10-5N	4/20/2020	100	87.7	398	
TMP-10-5N	4/27/2020	20	93.8	478	
TMP-10-5N	4/27/2020	40	113.9	458	
TMP-10-5N	4/27/2020	60	98.1	438	
TMP-10-5N	4/27/2020	80	91.5	418	
TMP-10-5N	4/27/2020	100	87.7	398	
TMP-10-5N	5/4/2020	20	94.5	478	
TMP-10-5N	5/4/2020	40	115.4	458	
TMP-10-5N	5/4/2020	60	100.2	438	
TMP-10-5N	5/4/2020	80	93.7	418	
TMP-10-5N	5/4/2020	100	89.8	398	
TMP-10-5N	5/11/2020	20	94.9	478	
TMP-10-5N	5/11/2020	40	115.3	458	
TMP-10-5N	5/11/2020	60	99.2	438	
TMP-10-5N	5/11/2020	80	91.9	418	
TMP-10-5N	5/11/2020	100	87.4	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	4/13/2020	20	102.2	477	
TMP-10-5S	4/13/2020	40	140.5	457	
TMP-10-5S	4/13/2020	60	152.1	437	
TMP-10-5S	4/13/2020	80	163.3	417	
TMP-10-5S	4/13/2020	100	179.8	397	
TMP-10-5S	4/20/2020	20	103.1	477	
TMP-10-5S	4/20/2020	40	141.1	457	
TMP-10-5S	4/20/2020	60	152.5	437	
TMP-10-5S	4/20/2020	80	163.9	417	
TMP-10-5S	4/20/2020	100	180.4	397	
TMP-10-5S	4/27/2020	20	101.3	477	
TMP-10-5S	4/27/2020	40	139.4	457	
TMP-10-5S	4/27/2020	60	150.5	437	
TMP-10-5S	4/27/2020	80	161.9	417	
TMP-10-5S	4/27/2020	100	178.2	397	
TMP-10-5S	5/4/2020	20	102.1	477	
TMP-10-5S	5/4/2020	40	140.8	457	
TMP-10-5S	5/4/2020	60	151.9	437	
TMP-10-5S	5/4/2020	80	163.4	417	
TMP-10-5S	5/4/2020	100	179.6	397	
TMP-10-5S	5/11/2020	20	102.1	477	
TMP-10-5S	5/11/2020	40	140.4	457	
TMP-10-5S	5/11/2020	60	151.2	437	
TMP-10-5S	5/11/2020	80	162.8	417	
TMP-10-5S	5/11/2020	100	178.9	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	4/13/2020	20	98.8	476	
TMP-5-9N	4/13/2020	40	139.9	456	
TMP-5-9N	4/13/2020	60	145.1	436	
TMP-5-9N	4/13/2020	80	235.6	416	
TMP-5-9N	4/13/2020	100	251.8	396	
TMP-5-9N	4/20/2020	20	97.7	476	
TMP-5-9N	4/20/2020	40	138.5	456	
TMP-5-9N	4/20/2020	60	143.5	436	
TMP-5-9N	4/20/2020	80	234.1	416	
TMP-5-9N	4/20/2020	100	250.5	396	
TMP-5-9N	4/27/2020	20	97.5	476	
TMP-5-9N	4/27/2020	40	138.4	456	
TMP-5-9N	4/27/2020	60	143.5	436	
TMP-5-9N	4/27/2020	80	233.6	416	
TMP-5-9N	4/27/2020	100	250.4	396	
TMP-5-9N	5/4/2020	20	97.6	476	
TMP-5-9N	5/4/2020	40	139.1	456	
TMP-5-9N	5/4/2020	60	144.8	436	
TMP-5-9N	5/4/2020	80	233.7	416	
TMP-5-9N	5/4/2020	100	250.8	396	
TMP-5-9N	5/11/2020	20	97.5	476	
TMP-5-9N	5/11/2020	40	139.0	456	
TMP-5-9N	5/11/2020	60	145.0	436	
TMP-5-9N	5/11/2020	80	233.6	416	
TMP-5-9N	5/11/2020	100	250.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	4/13/2020	20	115.2	476	
TMP-5-9S	4/13/2020	40	179.1	456	
TMP-5-9S	4/13/2020	60	218.0	436	
TMP-5-9S	4/13/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/13/2020	100			No readings could be obtained
TMP-5-9S	4/20/2020	20	113.6	476	
TMP-5-9S	4/20/2020	40	177.7	456	
TMP-5-9S	4/20/2020	60	216.3	436	
TMP-5-9S	4/20/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/20/2020	100			No readings could be obtained
TMP-5-9S	4/27/2020	20	112.8	476	
TMP-5-9S	4/27/2020	40	177.0	456	
TMP-5-9S	4/27/2020	60	215.8	436	
TMP-5-9S	4/27/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/27/2020	100			No readings could be obtained
TMP-5-9S	5/4/2020	20	114.2	476	
TMP-5-9S	5/4/2020	40	177.9	456	
TMP-5-9S	5/4/2020	60	217.3	436	
TMP-5-9S	5/4/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/4/2020	100			No readings could be obtained
TMP-5-9S	5/11/2020	20	113.3	476	
TMP-5-9S	5/11/2020	40	177.1	456	
TMP-5-9S	5/11/2020	60	216.2	436	
TMP-5-9S	5/11/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/11/2020	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	4/13/2020	20	93.2	475	
TMP-5-5N	4/13/2020	40	99.3	455	
TMP-5-5N	4/13/2020	60	87.3	435	
TMP-5-5N	4/13/2020	80	232.3	415	
TMP-5-5N	4/13/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	4/20/2020	20	91.2	475	
TMP-5-5N	4/20/2020	40	97.2	455	
TMP-5-5N	4/20/2020	60	84.3	435	
TMP-5-5N	4/20/2020	80	229.4	415	
TMP-5-5N	4/20/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	4/27/2020	20	91.3	475	
TMP-5-5N	4/27/2020	40	98.2	455	
TMP-5-5N	4/27/2020	60	86.8	435	
TMP-5-5N	4/27/2020	80	230.1	415	
TMP-5-5N	4/27/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/4/2020	20	92.8	475	
TMP-5-5N	5/4/2020	40	102.8	455	
TMP-5-5N	5/4/2020	60	92.9	435	
TMP-5-5N	5/4/2020	80	230.4	415	
TMP-5-5N	5/4/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/11/2020	20	91.8	475	
TMP-5-5N	5/11/2020	40	99.4	455	
TMP-5-5N	5/11/2020	60	88.4	435	
TMP-5-5N	5/11/2020	80	229.5	415	
TMP-5-5N	5/11/2020	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	4/13/2020	20	113.3	474	
TMP-5-5S	4/13/2020	40	169.8	454	
TMP-5-5S	4/13/2020	60	203.0	434	
TMP-5-5S	4/13/2020	80	239.0	414	
TMP-5-5S	4/13/2020	100	243.8	394	
TMP-5-5S	4/20/2020	20	112.8	474	
TMP-5-5S	4/20/2020	40	169.3	454	
TMP-5-5S	4/20/2020	60	202.0	434	
TMP-5-5S	4/20/2020	80	238.2	414	
TMP-5-5S	4/20/2020	100	242.8	394	
TMP-5-5S	4/27/2020	20	112.3	474	
TMP-5-5S	4/27/2020	40	168.3	454	
TMP-5-5S	4/27/2020	60	201.5	434	
TMP-5-5S	4/27/2020	80	237.5	414	
TMP-5-5S	4/27/2020	100	242.1	394	
TMP-5-5S	5/4/2020	20	112.6	474	
TMP-5-5S	5/4/2020	40	169.6	454	
TMP-5-5S	5/4/2020	60	202.6	434	
TMP-5-5S	5/4/2020	80	238.7	414	
TMP-5-5S	5/4/2020	100	243.5	394	
TMP-5-5S	5/11/2020	20	113.0	474	
TMP-5-5S	5/11/2020	40	169.3	454	
TMP-5-5S	5/11/2020	60	202.2	434	
TMP-5-5S	5/11/2020	80	238.3	414	
TMP-5-5S	5/11/2020	100	242.8	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	4/13/2020	20	157.7	474	
TMP-31	4/13/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/13/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/13/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/13/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/13/2020	120	270.6	374	
TMP-31	4/20/2020	20	156.0	474	
TMP-31	4/20/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/20/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/20/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/20/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/20/2020	120	268.8	374	
TMP-31	4/27/2020	20	155.3	474	
TMP-31	4/27/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/27/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/27/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/27/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/27/2020	120	268.0	374	
TMP-31	5/4/2020	20	155.4	474	
TMP-31	5/4/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/4/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/4/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/4/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/4/2020	120	269.4	374	
TMP-31	5/11/2020	20	155.6	474	
TMP-31	5/11/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/11/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/11/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/11/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/11/2020	120	269.5	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	4/13/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/13/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/13/2020	60	229.1	444	
TMP-32	4/13/2020	80	245.1	424	
TMP-32	4/13/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/13/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/13/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/13/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/13/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/13/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/20/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/20/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/20/2020	60	227.9	444	
TMP-32	4/20/2020	80	243.9	424	
TMP-32	4/20/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/20/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/20/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/20/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/20/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/20/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	60	227	444	
TMP-32	4/27/2020	80	242.9	424	
TMP-32	4/27/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	60	227.4	444	
TMP-32	5/4/2020	80	243.4	424	
TMP-32	5/4/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	60	228.1	444	
TMP-32	5/11/2020	80	244.2	424	
TMP-32	5/11/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	4/13/2020	20	142.0	473	
TMP-SPM1	4/13/2020	40	166.2	453	
TMP-SPM1	4/13/2020	60	183.1	433	
TMP-SPM1	4/13/2020	80	171.2	413	
TMP-SPM1	4/13/2020	100	170.5	393	
TMP-SPM1	4/13/2020	120	165.2	373	
TMP-SPM1	4/13/2020	140	155.3	353	
TMP-SPM1	4/13/2020	160	137.1	333	
TMP-SPM1	4/13/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/13/2020	200	107.3	293	
TMP-SPM1	4/13/2020	220	93.9	273	
TMP-SPM1	4/13/2020	240	90.5	253	
TMP-SPM1	4/20/2020	20	140.1	473	
TMP-SPM1	4/20/2020	40	164.0	453	
TMP-SPM1	4/20/2020	60	180.8	433	
TMP-SPM1	4/20/2020	80	169.3	413	
TMP-SPM1	4/20/2020	100	168.6	393	
TMP-SPM1	4/20/2020	120	163.4	373	
TMP-SPM1	4/20/2020	140	153.5	353	
TMP-SPM1	4/20/2020	160	135.4	333	
TMP-SPM1	4/20/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/20/2020	200	105.7	293	
TMP-SPM1	4/20/2020	220	92.4	273	
TMP-SPM1	4/20/2020	240	88.8	253	
TMP-SPM1	4/27/2020	20	140.6	473	
TMP-SPM1	4/27/2020	40	164.4	453	
TMP-SPM1	4/27/2020	60	181.1	433	
TMP-SPM1	4/27/2020	80	169.3	413	
TMP-SPM1	4/27/2020	100	168.7	393	
TMP-SPM1	4/27/2020	120	163.4	373	
TMP-SPM1	4/27/2020	140	153.3	353	
TMP-SPM1	4/27/2020	160	135.1	333	
TMP-SPM1	4/27/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/27/2020	200	105.5	293	
TMP-SPM1	4/27/2020	220	92.0	273	
TMP-SPM1	4/27/2020	240	88.4	253	
TMP-SPM1	5/4/2020	20	139.2	473	
TMP-SPM1	5/4/2020	40	163.1	453	
TMP-SPM1	5/4/2020	60	180.2	433	
TMP-SPM1	5/4/2020	80	168.5	413	
TMP-SPM1	5/4/2020	100	168.0	393	
TMP-SPM1	5/4/2020	120	163.0	373	
TMP-SPM1	5/4/2020	140	153.1	353	
TMP-SPM1	5/4/2020	160	134.9	333	
TMP-SPM1	5/4/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/4/2020	200	105.2	293	
TMP-SPM1	5/4/2020	220	91.7	273	
TMP-SPM1	5/4/2020	240	88.2	253	
TMP-SPM1	5/11/2020	20	139.7	473	
TMP-SPM1	5/11/2020	40	163.4	453	
TMP-SPM1	5/11/2020	60	180.6	433	
TMP-SPM1	5/11/2020	80	169.1	413	
TMP-SPM1	5/11/2020	100	168.7	393	
TMP-SPM1	5/11/2020	120	163.7	373	
TMP-SPM1	5/11/2020	140	153.8	353	
TMP-SPM1	5/11/2020	160	135.7	333	
TMP-SPM1	5/11/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/11/2020	200	106.3	293	
TMP-SPM1	5/11/2020	220	92.8	273	
TMP-SPM1	5/11/2020	240	89.5	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	4/13/2020	20	129.9	475	
TMP-SPM2	4/13/2020	40	154.3	455	
TMP-SPM2	4/13/2020	60	150.4	435	
TMP-SPM2	4/13/2020	80	169.8	415	
TMP-SPM2	4/13/2020	100	190.5	395	
TMP-SPM2	4/13/2020	120	189.6	375	
TMP-SPM2	4/13/2020	140	188.8	355	
TMP-SPM2	4/13/2020	160	164.3	335	
TMP-SPM2	4/13/2020	172	147.6	323	
TMP-SPM2	4/20/2020	20	128.3	475	
TMP-SPM2	4/20/2020	40	152.4	455	
TMP-SPM2	4/20/2020	60	148.2	435	
TMP-SPM2	4/20/2020	80	167.3	415	
TMP-SPM2	4/20/2020	100	188.0	395	
TMP-SPM2	4/20/2020	120	187.1	375	
TMP-SPM2	4/20/2020	140	186.7	355	
TMP-SPM2	4/20/2020	160	162.3	335	
TMP-SPM2	4/20/2020	172	145.4	323	
TMP-SPM2	4/27/2020	20	129.8	475	
TMP-SPM2	4/27/2020	40	154.0	455	
TMP-SPM2	4/27/2020	60	149.7	435	
TMP-SPM2	4/27/2020	80	168.8	415	
TMP-SPM2	4/27/2020	100	189.3	395	
TMP-SPM2	4/27/2020	120	188.5	375	
TMP-SPM2	4/27/2020	140	188.1	355	
TMP-SPM2	4/27/2020	160	163.8	335	
TMP-SPM2	4/27/2020	172	147.2	323	
TMP-SPM2	5/4/2020	20	128.9	475	
TMP-SPM2	5/4/2020	40	152.8	455	
TMP-SPM2	5/4/2020	60	148.4	435	
TMP-SPM2	5/4/2020	80	167.3	415	
TMP-SPM2	5/4/2020	100	188.0	395	
TMP-SPM2	5/4/2020	120	187.4	375	
TMP-SPM2	5/4/2020	140	187.4	355	
TMP-SPM2	5/4/2020	160	163.2	335	
TMP-SPM2	5/4/2020	172	146.5	323	
TMP-SPM2	5/11/2020	20	128.3	475	
TMP-SPM2	5/11/2020	40	152.1	455	
TMP-SPM2	5/11/2020	60	147.6	435	
TMP-SPM2	5/11/2020	80	166.6	415	
TMP-SPM2	5/11/2020	100	187.2	395	
TMP-SPM2	5/11/2020	120	186.7	375	
TMP-SPM2	5/11/2020	140	186.9	355	
TMP-SPM2	5/11/2020	160	162.8	335	
TMP-SPM2	5/11/2020	172	146.0	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	4/13/2020	20	108.4	478	
TMP-SPM3	4/13/2020	40	111.4	458	
TMP-SPM3	4/13/2020	60	105.4	438	
TMP-SPM3	4/13/2020	80	110.9	418	
TMP-SPM3	4/13/2020	85	113.2	413	
TMP-SPM3	4/20/2020	20	105.9	478	
TMP-SPM3	4/20/2020	40	108.8	458	
TMP-SPM3	4/20/2020	60	102.5	438	
TMP-SPM3	4/20/2020	80	107.9	418	
TMP-SPM3	4/20/2020	85	110.2	413	
TMP-SPM3	4/27/2020	20	107.9	478	
TMP-SPM3	4/27/2020	40	110.9	458	
TMP-SPM3	4/27/2020	60	104.8	438	
TMP-SPM3	4/27/2020	80	110.2	418	
TMP-SPM3	4/27/2020	85	112.2	413	
TMP-SPM3	5/4/2020	20	107.1	478	
TMP-SPM3	5/4/2020	40	110.0	458	
TMP-SPM3	5/4/2020	60	103.8	438	
TMP-SPM3	5/4/2020	80	109.1	418	
TMP-SPM3	5/4/2020	85	111.4	413	
TMP-SPM3	5/11/2020	20	106.7	478	
TMP-SPM3	5/11/2020	40	109.3	458	
TMP-SPM3	5/11/2020	60	103.1	438	
TMP-SPM3	5/11/2020	80	108.6	418	
TMP-SPM3	5/11/2020	85	110.9	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	4/13/2020	20	116.0	475	
TMP-SPM4	4/13/2020	40	138.3	455	
TMP-SPM4	4/13/2020	60	140.8	435	
TMP-SPM4	4/13/2020	80	141.7	415	
TMP-SPM4	4/13/2020	100	137.8	395	
TMP-SPM4	4/13/2020	120	130.7	375	
TMP-SPM4	4/13/2020	140	126.1	355	
TMP-SPM4	4/13/2020	160	120.0	335	
TMP-SPM4	4/13/2020	180	115.7	315	
TMP-SPM4	4/13/2020	200	109.8	295	
TMP-SPM4	4/13/2020	220	97.3	275	
TMP-SPM4	4/13/2020	240	91.1	255	
TMP-SPM4	4/20/2020	20	114.9	475	
TMP-SPM4	4/20/2020	40	137.7	455	
TMP-SPM4	4/20/2020	60	140.3	435	
TMP-SPM4	4/20/2020	80	141.4	415	
TMP-SPM4	4/20/2020	100	137.5	395	
TMP-SPM4	4/20/2020	120	130.3	375	
TMP-SPM4	4/20/2020	140	125.6	355	
TMP-SPM4	4/20/2020	160	119.4	335	
TMP-SPM4	4/20/2020	180	115.0	315	
TMP-SPM4	4/20/2020	200	108.9	295	
TMP-SPM4	4/20/2020	220	96.1	275	
TMP-SPM4	4/20/2020	240	89.5	255	
TMP-SPM4	4/27/2020	20	115.4	475	
TMP-SPM4	4/27/2020	40	137.8	455	
TMP-SPM4	4/27/2020	60	140.1	435	
TMP-SPM4	4/27/2020	80	141.0	415	
TMP-SPM4	4/27/2020	100	137.0	395	
TMP-SPM4	4/27/2020	120	129.9	375	
TMP-SPM4	4/27/2020	140	125.2	355	
TMP-SPM4	4/27/2020	160	119.0	335	
TMP-SPM4	4/27/2020	180	114.8	315	
TMP-SPM4	4/27/2020	200	109.0	295	
TMP-SPM4	4/27/2020	220	96.3	275	
TMP-SPM4	4/27/2020	240	90.0	255	
TMP-SPM4	5/4/2020	20	115.4	475	
TMP-SPM4	5/4/2020	40	138.0	455	
TMP-SPM4	5/4/2020	60	140.4	435	
TMP-SPM4	5/4/2020	80	141.2	415	
TMP-SPM4	5/4/2020	100	137.3	395	
TMP-SPM4	5/4/2020	120	130.1	375	
TMP-SPM4	5/4/2020	140	125.4	355	
TMP-SPM4	5/4/2020	160	119.4	335	
TMP-SPM4	5/4/2020	180	115.3	315	
TMP-SPM4	5/4/2020	200	109.7	295	
TMP-SPM4	5/4/2020	220	97.2	275	
TMP-SPM4	5/4/2020	240	91.0	255	
TMP-SPM4	5/11/2020	20	116.1	475	
TMP-SPM4	5/11/2020	40	138.5	455	
TMP-SPM4	5/11/2020	60	140.9	435	
TMP-SPM4	5/11/2020	80	141.7	415	
TMP-SPM4	5/11/2020	100	137.8	395	
TMP-SPM4	5/11/2020	120	130.6	375	
TMP-SPM4	5/11/2020	140	125.8	355	
TMP-SPM4	5/11/2020	160	119.8	335	
TMP-SPM4	5/11/2020	180	115.5	315	
TMP-SPM4	5/11/2020	200	109.6	295	
TMP-SPM4	5/11/2020	220	97.0	275	
TMP-SPM4	5/11/2020	240	90.5	255	