

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	4/27/2020	20	115.4	475	
TMP-SPM4	4/27/2020	40	137.8	455	
TMP-SPM4	4/27/2020	60	140.1	435	
TMP-SPM4	4/27/2020	80	141.0	415	
TMP-SPM4	4/27/2020	100	137.0	395	
TMP-SPM4	4/27/2020	120	129.9	375	
TMP-SPM4	4/27/2020	140	125.2	355	
TMP-SPM4	4/27/2020	160	119.0	335	
TMP-SPM4	4/27/2020	180	114.8	315	
TMP-SPM4	4/27/2020	200	109.0	295	
TMP-SPM4	4/27/2020	220	96.3	275	
TMP-SPM4	4/27/2020	240	90.0	255	
TMP-SPM4	5/4/2020	20	115.4	475	
TMP-SPM4	5/4/2020	40	138.0	455	
TMP-SPM4	5/4/2020	60	140.4	435	
TMP-SPM4	5/4/2020	80	141.2	415	
TMP-SPM4	5/4/2020	100	137.3	395	
TMP-SPM4	5/4/2020	120	130.1	375	
TMP-SPM4	5/4/2020	140	125.4	355	
TMP-SPM4	5/4/2020	160	119.4	335	
TMP-SPM4	5/4/2020	180	115.3	315	
TMP-SPM4	5/4/2020	200	109.7	295	
TMP-SPM4	5/4/2020	220	97.2	275	
TMP-SPM4	5/4/2020	240	91.0	255	
TMP-SPM4	5/11/2020	20	116.1	475	
TMP-SPM4	5/11/2020	40	138.5	455	
TMP-SPM4	5/11/2020	60	140.9	435	
TMP-SPM4	5/11/2020	80	141.7	415	
TMP-SPM4	5/11/2020	100	137.8	395	
TMP-SPM4	5/11/2020	120	130.6	375	
TMP-SPM4	5/11/2020	140	125.8	355	
TMP-SPM4	5/11/2020	160	119.8	335	
TMP-SPM4	5/11/2020	180	115.5	315	
TMP-SPM4	5/11/2020	200	109.6	295	
TMP-SPM4	5/11/2020	220	97.0	275	
TMP-SPM4	5/11/2020	240	90.5	255	
TMP-SPM4	5/18/2020	20	115.2	475	
TMP-SPM4	5/18/2020	40	137.5	455	
TMP-SPM4	5/18/2020	60	139.9	435	
TMP-SPM4	5/18/2020	80	140.7	415	
TMP-SPM4	5/18/2020	100	136.8	395	
TMP-SPM4	5/18/2020	120	129.6	375	
TMP-SPM4	5/18/2020	140	124.9	355	
TMP-SPM4	5/18/2020	160	118.9	335	
TMP-SPM4	5/18/2020	180	114.7	315	
TMP-SPM4	5/18/2020	200	109.0	295	
TMP-SPM4	5/18/2020	220	96.6	275	
TMP-SPM4	5/18/2020	240	90.3	255	
TMP-SPM4	5/26/2020	20	115.0	475	
TMP-SPM4	5/26/2020	40	137.5	455	
TMP-SPM4	5/26/2020	60	139.9	435	
TMP-SPM4	5/26/2020	80	140.7	415	
TMP-SPM4	5/26/2020	100	136.8	395	
TMP-SPM4	5/26/2020	120	129.6	375	
TMP-SPM4	5/26/2020	140	124.9	355	
TMP-SPM4	5/26/2020	160	118.9	335	
TMP-SPM4	5/26/2020	180	114.8	315	
TMP-SPM4	5/26/2020	200	109.2	295	
TMP-SPM4	5/26/2020	220	96.7	275	
TMP-SPM4	5/26/2020	240	90.4	255	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	4/27/2020	20	146.5	473	
TMP-19	4/27/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/27/2020	60	200.8	433	
TMP-19	4/27/2020	80	205.8	413	
TMP-19	4/27/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/4/2020	20	146.6	473	
TMP-19	5/4/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/4/2020	60	201.5	433	
TMP-19	5/4/2020	80	206.1	413	
TMP-19	5/4/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/11/2020	20	146.4	473	
TMP-19	5/11/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/11/2020	60	200.9	433	
TMP-19	5/11/2020	80	205.9	413	
TMP-19	5/11/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/18/2020	20	146.5	473	
TMP-19	5/18/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/18/2020	60	200.8	433	
TMP-19	5/18/2020	80	205.4	413	
TMP-19	5/18/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/26/2020	20	145.9	473	
TMP-19	5/26/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/26/2020	60	200.6	433	
TMP-19	5/26/2020	80	205.3	413	
TMP-19	5/26/2020	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	4/27/2020	20	106.6	478	
TMP-20	4/27/2020	40	157.6	458	
TMP-20	4/27/2020	60	188.1	438	
TMP-20	4/27/2020	80	202.3	418	
TMP-20	4/27/2020	100	217.5	398	
TMP-20	4/27/2020	120	232.9	378	
TMP-20	4/27/2020	140	231.3	358	
TMP-20	5/4/2020	20	106.1	478	
TMP-20	5/4/2020	40	157.8	458	
TMP-20	5/4/2020	60	187.9	438	
TMP-20	5/4/2020	80	202.2	418	
TMP-20	5/4/2020	100	217.5	398	
TMP-20	5/4/2020	120	233.0	378	
TMP-20	5/4/2020	140	231.7	358	
TMP-20	5/11/2020	20	105.6	478	
TMP-20	5/11/2020	40	157.2	458	
TMP-20	5/11/2020	60	187.0	438	
TMP-20	5/11/2020	80	201.5	418	
TMP-20	5/11/2020	100	216.8	398	
TMP-20	5/11/2020	120	232.3	378	
TMP-20	5/11/2020	140	231.0	358	
TMP-20	5/18/2020	20	105.8	478	
TMP-20	5/18/2020	40	157.3	458	
TMP-20	5/18/2020	60	187.0	438	
TMP-20	5/18/2020	80	201.6	418	
TMP-20	5/18/2020	100	217.1	398	
TMP-20	5/18/2020	120	232.6	378	
TMP-20	5/18/2020	140	231.3	358	
TMP-20	5/26/2020	20	105.6	478	
TMP-20	5/26/2020	40	157.6	458	
TMP-20	5/26/2020	60	187.4	438	
TMP-20	5/26/2020	80	201.9	418	
TMP-20	5/26/2020	100	217.5	398	
TMP-20	5/26/2020	120	233.0	378	
TMP-20	5/26/2020	140	231.7	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	4/27/2020	20	109.0	475	
TMP-10-9N	4/27/2020	40	132.4	455	
TMP-10-9N	4/27/2020	60	131.0	435	
TMP-10-9N	4/27/2020	80	131.5	415	
TMP-10-9N	4/27/2020	100	141.6	395	
TMP-10-9N	5/4/2020	20	108.4	475	
TMP-10-9N	5/4/2020	40	132.4	455	
TMP-10-9N	5/4/2020	60	131.1	435	
TMP-10-9N	5/4/2020	80	132.0	415	
TMP-10-9N	5/4/2020	100	142.1	395	
TMP-10-9N	5/11/2020	20	108.6	475	
TMP-10-9N	5/11/2020	40	132.8	455	
TMP-10-9N	5/11/2020	60	131.5	435	
TMP-10-9N	5/11/2020	80	132.5	415	
TMP-10-9N	5/11/2020	100	142.6	395	
TMP-10-9N	5/18/2020	20	108.6	475	
TMP-10-9N	5/18/2020	40	132.9	455	
TMP-10-9N	5/18/2020	60	131.4	435	
TMP-10-9N	5/18/2020	80	132.2	415	
TMP-10-9N	5/18/2020	100	142.1	395	
TMP-10-9N	5/26/2020	20	107.6	475	
TMP-10-9N	5/26/2020	40	132.1	455	
TMP-10-9N	5/26/2020	60	130.6	435	
TMP-10-9N	5/26/2020	80	131.9	415	
TMP-10-9N	5/26/2020	100	141.7	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	4/27/2020	20	107.2	476	
TMP-10-9S	4/27/2020	40	149.5	456	
TMP-10-9S	4/27/2020	60	167.9	436	
TMP-10-9S	4/27/2020	80	176.1	416	
TMP-10-9S	4/27/2020	100	194.1	396	
TMP-10-9S	5/4/2020	20	108.7	476	
TMP-10-9S	5/4/2020	40	150.9	456	
TMP-10-9S	5/4/2020	60	169.2	436	
TMP-10-9S	5/4/2020	80	177.4	416	
TMP-10-9S	5/4/2020	100	195.4	396	
TMP-10-9S	5/11/2020	20	107.9	476	
TMP-10-9S	5/11/2020	40	150.2	456	
TMP-10-9S	5/11/2020	60	168.3	436	
TMP-10-9S	5/11/2020	80	176.3	416	
TMP-10-9S	5/11/2020	100	194.4	396	
TMP-10-9S	5/18/2020	20	107.7	476	
TMP-10-9S	5/18/2020	40	150.1	456	
TMP-10-9S	5/18/2020	60	168.3	436	
TMP-10-9S	5/18/2020	80	176.4	416	
TMP-10-9S	5/18/2020	100	194.4	396	
TMP-10-9S	5/26/2020	20	106.4	476	
TMP-10-9S	5/26/2020	40	149.0	456	
TMP-10-9S	5/26/2020	60	167.0	436	
TMP-10-9S	5/26/2020	80	175.2	416	
TMP-10-9S	5/26/2020	100	193.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	4/27/2020	20	93.8	478	
TMP-10-5N	4/27/2020	40	113.9	458	
TMP-10-5N	4/27/2020	60	98.1	438	
TMP-10-5N	4/27/2020	80	91.5	418	
TMP-10-5N	4/27/2020	100	87.7	398	
TMP-10-5N	5/4/2020	20	94.5	478	
TMP-10-5N	5/4/2020	40	115.4	458	
TMP-10-5N	5/4/2020	60	100.2	438	
TMP-10-5N	5/4/2020	80	93.7	418	
TMP-10-5N	5/4/2020	100	89.8	398	
TMP-10-5N	5/11/2020	20	94.9	478	
TMP-10-5N	5/11/2020	40	115.3	458	
TMP-10-5N	5/11/2020	60	99.2	438	
TMP-10-5N	5/11/2020	80	91.9	418	
TMP-10-5N	5/11/2020	100	87.4	398	
TMP-10-5N	5/18/2020	20	94.2	478	
TMP-10-5N	5/18/2020	40	115.6	458	
TMP-10-5N	5/18/2020	60	100.9	438	
TMP-10-5N	5/18/2020	80	95.5	418	
TMP-10-5N	5/18/2020	100	92.2	398	
TMP-10-5N	5/26/2020	20	93.6	478	
TMP-10-5N	5/26/2020	40	115.7	458	
TMP-10-5N	5/26/2020	60	102.0	438	
TMP-10-5N	5/26/2020	80	97.5	418	
TMP-10-5N	5/26/2020	100	95.2	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	4/27/2020	20	101.3	477	
TMP-10-5S	4/27/2020	40	139.4	457	
TMP-10-5S	4/27/2020	60	150.5	437	
TMP-10-5S	4/27/2020	80	161.9	417	
TMP-10-5S	4/27/2020	100	178.2	397	
TMP-10-5S	5/4/2020	20	102.1	477	
TMP-10-5S	5/4/2020	40	140.8	457	
TMP-10-5S	5/4/2020	60	151.9	437	
TMP-10-5S	5/4/2020	80	163.4	417	
TMP-10-5S	5/4/2020	100	179.6	397	
TMP-10-5S	5/11/2020	20	102.1	477	
TMP-10-5S	5/11/2020	40	140.4	457	
TMP-10-5S	5/11/2020	60	151.2	437	
TMP-10-5S	5/11/2020	80	162.8	417	
TMP-10-5S	5/11/2020	100	178.9	397	
TMP-10-5S	5/18/2020	20	101.0	477	
TMP-10-5S	5/18/2020	40	139.9	457	
TMP-10-5S	5/18/2020	60	150.8	437	
TMP-10-5S	5/18/2020	80	162.4	417	
TMP-10-5S	5/18/2020	100	178.6	397	
TMP-10-5S	5/26/2020	20	100.0	477	
TMP-10-5S	5/26/2020	40	139.1	457	
TMP-10-5S	5/26/2020	60	149.6	437	
TMP-10-5S	5/26/2020	80	161.4	417	
TMP-10-5S	5/26/2020	100	177.5	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	4/27/2020	20	97.5	476	
TMP-5-9N	4/27/2020	40	138.4	456	
TMP-5-9N	4/27/2020	60	143.5	436	
TMP-5-9N	4/27/2020	80	233.6	416	
TMP-5-9N	4/27/2020	100	250.4	396	
TMP-5-9N	5/4/2020	20	97.6	476	
TMP-5-9N	5/4/2020	40	139.1	456	
TMP-5-9N	5/4/2020	60	144.8	436	
TMP-5-9N	5/4/2020	80	233.7	416	
TMP-5-9N	5/4/2020	100	250.8	396	
TMP-5-9N	5/11/2020	20	97.5	476	
TMP-5-9N	5/11/2020	40	139.0	456	
TMP-5-9N	5/11/2020	60	145.0	436	
TMP-5-9N	5/11/2020	80	233.6	416	
TMP-5-9N	5/11/2020	100	250.8	396	
TMP-5-9N	5/18/2020	20	96.5	476	
TMP-5-9N	5/18/2020	40	138.3	456	
TMP-5-9N	5/18/2020	60	144.7	436	
TMP-5-9N	5/18/2020	80	232.9	416	
TMP-5-9N	5/18/2020	100	250.3	396	
TMP-5-9N	5/26/2020	20	96.4	476	
TMP-5-9N	5/26/2020	40	139.1	456	
TMP-5-9N	5/26/2020	60	146.4	436	
TMP-5-9N	5/26/2020	80	232.6	416	
TMP-5-9N	5/26/2020	100	250.0	396	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	4/27/2020	20	112.8	476	
TMP-5-9S	4/27/2020	40	177.0	456	
TMP-5-9S	4/27/2020	60	215.8	436	
TMP-5-9S	4/27/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/27/2020	100			No readings could be obtained
TMP-5-9S	5/4/2020	20	114.2	476	
TMP-5-9S	5/4/2020	40	177.9	456	
TMP-5-9S	5/4/2020	60	217.3	436	
TMP-5-9S	5/4/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/4/2020	100			No readings could be obtained
TMP-5-9S	5/11/2020	20	113.3	476	
TMP-5-9S	5/11/2020	40	177.1	456	
TMP-5-9S	5/11/2020	60	216.2	436	
TMP-5-9S	5/11/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/11/2020	100			No readings could be obtained
TMP-5-9S	5/18/2020	20	112.1	476	
TMP-5-9S	5/18/2020	40	176.3	456	
TMP-5-9S	5/18/2020	60	215.8	436	
TMP-5-9S	5/18/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/18/2020	100			No readings could be obtained
TMP-5-9S	5/26/2020	20	112.2	476	
TMP-5-9S	5/26/2020	40	176.3	456	
TMP-5-9S	5/26/2020	60	215.1	436	
TMP-5-9S	5/26/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/26/2020	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	4/27/2020	20	91.3	475	
TMP-5-5N	4/27/2020	40	98.2	455	
TMP-5-5N	4/27/2020	60	86.8	435	
TMP-5-5N	4/27/2020	80	230.1	415	
TMP-5-5N	4/27/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/4/2020	20	92.8	475	
TMP-5-5N	5/4/2020	40	102.8	455	
TMP-5-5N	5/4/2020	60	92.9	435	
TMP-5-5N	5/4/2020	80	230.4	415	
TMP-5-5N	5/4/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/11/2020	20	91.8	475	
TMP-5-5N	5/11/2020	40	99.4	455	
TMP-5-5N	5/11/2020	60	88.4	435	
TMP-5-5N	5/11/2020	80	229.5	415	
TMP-5-5N	5/11/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/18/2020	20	92.8	475	
TMP-5-5N	5/18/2020	40	107.0	455	
TMP-5-5N	5/18/2020	60	97.4	435	
TMP-5-5N	5/18/2020	80	229.8	415	
TMP-5-5N	5/18/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/26/2020	20	92.4	475	
TMP-5-5N	5/26/2020	40	106.7	455	
TMP-5-5N	5/26/2020	60	98.6	435	
TMP-5-5N	5/26/2020	80	229.5	415	
TMP-5-5N	5/26/2020	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	4/27/2020	20	112.3	474	
TMP-5-5S	4/27/2020	40	168.3	454	
TMP-5-5S	4/27/2020	60	201.5	434	
TMP-5-5S	4/27/2020	80	237.5	414	
TMP-5-5S	4/27/2020	100	242.1	394	
TMP-5-5S	5/4/2020	20	112.6	474	
TMP-5-5S	5/4/2020	40	169.6	454	
TMP-5-5S	5/4/2020	60	202.6	434	
TMP-5-5S	5/4/2020	80	238.7	414	
TMP-5-5S	5/4/2020	100	243.5	394	
TMP-5-5S	5/11/2020	20	113.0	474	
TMP-5-5S	5/11/2020	40	169.3	454	
TMP-5-5S	5/11/2020	60	202.2	434	
TMP-5-5S	5/11/2020	80	238.3	414	
TMP-5-5S	5/11/2020	100	242.8	394	
TMP-5-5S	5/18/2020	20	111.2	474	
TMP-5-5S	5/18/2020	40	166.4	454	
TMP-5-5S	5/18/2020	60	200.8	434	
TMP-5-5S	5/18/2020	80	237.0	414	
TMP-5-5S	5/18/2020	100	241.7	394	
TMP-5-5S	5/26/2020	20	111.7	474	
TMP-5-5S	5/26/2020	40	168.5	454	
TMP-5-5S	5/26/2020	60	201.1	434	
TMP-5-5S	5/26/2020	80	237.3	414	
TMP-5-5S	5/26/2020	100	241.8	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	4/27/2020	20	155.3	474	
TMP-31	4/27/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/27/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/27/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/27/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/27/2020	120	268.0	374	
TMP-31	5/4/2020	20	155.4	474	
TMP-31	5/4/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/4/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/4/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/4/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/4/2020	120	269.4	374	
TMP-31	5/11/2020	20	155.6	474	
TMP-31	5/11/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/11/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/11/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/11/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/11/2020	120	269.5	374	
TMP-31	5/18/2020	20	153.4	474	
TMP-31	5/18/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/18/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/18/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/18/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/18/2020	120	268.3	374	
TMP-31	5/26/2020	20	153.9	474	
TMP-31	5/26/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/26/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/26/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/26/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/26/2020	120	268.5	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	4/27/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	60	227	444	
TMP-32	4/27/2020	80	242.9	424	
TMP-32	4/27/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/27/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	60	227.4	444	
TMP-32	5/4/2020	80	243.4	424	
TMP-32	5/4/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/4/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	60	228.1	444	
TMP-32	5/11/2020	80	244.2	424	
TMP-32	5/11/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/11/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	60	226.7	444	
TMP-32	5/18/2020	80	242.6	424	
TMP-32	5/18/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	60	226.5	444	
TMP-32	5/26/2020	80	242.3	424	
TMP-32	5/26/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	4/27/2020	20	140.6	473	
TMP-SPM1	4/27/2020	40	164.4	453	
TMP-SPM1	4/27/2020	60	181.1	433	
TMP-SPM1	4/27/2020	80	169.3	413	
TMP-SPM1	4/27/2020	100	168.7	393	
TMP-SPM1	4/27/2020	120	163.4	373	
TMP-SPM1	4/27/2020	140	153.3	353	
TMP-SPM1	4/27/2020	160	135.1	333	
TMP-SPM1	4/27/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/27/2020	200	105.5	293	
TMP-SPM1	4/27/2020	220	92.0	273	
TMP-SPM1	4/27/2020	240	88.4	253	
TMP-SPM1	5/4/2020	20	139.2	473	
TMP-SPM1	5/4/2020	40	163.1	453	
TMP-SPM1	5/4/2020	60	180.2	433	
TMP-SPM1	5/4/2020	80	168.5	413	
TMP-SPM1	5/4/2020	100	168.0	393	
TMP-SPM1	5/4/2020	120	163.0	373	
TMP-SPM1	5/4/2020	140	153.1	353	
TMP-SPM1	5/4/2020	160	134.9	333	
TMP-SPM1	5/4/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/4/2020	200	105.2	293	
TMP-SPM1	5/4/2020	220	91.7	273	
TMP-SPM1	5/4/2020	240	88.2	253	
TMP-SPM1	5/11/2020	20	139.7	473	
TMP-SPM1	5/11/2020	40	163.4	453	
TMP-SPM1	5/11/2020	60	180.6	433	
TMP-SPM1	5/11/2020	80	169.1	413	
TMP-SPM1	5/11/2020	100	168.7	393	
TMP-SPM1	5/11/2020	120	163.7	373	
TMP-SPM1	5/11/2020	140	153.8	353	
TMP-SPM1	5/11/2020	160	135.7	333	
TMP-SPM1	5/11/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/11/2020	200	106.3	293	
TMP-SPM1	5/11/2020	220	92.8	273	
TMP-SPM1	5/11/2020	240	89.5	253	
TMP-SPM1	5/18/2020	20	140.1	473	
TMP-SPM1	5/18/2020	40	163.2	453	
TMP-SPM1	5/18/2020	60	180.1	433	
TMP-SPM1	5/18/2020	80	168.8	413	
TMP-SPM1	5/18/2020	100	168.3	393	
TMP-SPM1	5/18/2020	120	163.2	373	
TMP-SPM1	5/18/2020	140	153.1	353	
TMP-SPM1	5/18/2020	160	134.9	333	
TMP-SPM1	5/18/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/18/2020	200	105.4	293	
TMP-SPM1	5/18/2020	220	92.0	273	
TMP-SPM1	5/18/2020	240	88.4	253	
TMP-SPM1	5/26/2020	20	138.7	473	
TMP-SPM1	5/26/2020	40	161.9	453	
TMP-SPM1	5/26/2020	60	179.2	433	
TMP-SPM1	5/26/2020	80	168.0	413	
TMP-SPM1	5/26/2020	100	167.9	393	
TMP-SPM1	5/26/2020	120	162.8	373	
TMP-SPM1	5/26/2020	140	153.0	353	
TMP-SPM1	5/26/2020	160	135.0	333	
TMP-SPM1	5/26/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/26/2020	200	105.4	293	
TMP-SPM1	5/26/2020	220	91.9	273	
TMP-SPM1	5/26/2020	240	88.2	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	4/27/2020	20	129.8	475	
TMP-SPM2	4/27/2020	40	154.0	455	
TMP-SPM2	4/27/2020	60	149.7	435	
TMP-SPM2	4/27/2020	80	168.8	415	
TMP-SPM2	4/27/2020	100	189.3	395	
TMP-SPM2	4/27/2020	120	188.5	375	
TMP-SPM2	4/27/2020	140	188.1	355	
TMP-SPM2	4/27/2020	160	163.8	335	
TMP-SPM2	4/27/2020	172	147.2	323	
TMP-SPM2	5/4/2020	20	128.9	475	
TMP-SPM2	5/4/2020	40	152.8	455	
TMP-SPM2	5/4/2020	60	148.4	435	
TMP-SPM2	5/4/2020	80	167.3	415	
TMP-SPM2	5/4/2020	100	188.0	395	
TMP-SPM2	5/4/2020	120	187.4	375	
TMP-SPM2	5/4/2020	140	187.4	355	
TMP-SPM2	5/4/2020	160	163.2	335	
TMP-SPM2	5/4/2020	172	146.5	323	
TMP-SPM2	5/11/2020	20	128.3	475	
TMP-SPM2	5/11/2020	40	152.1	455	
TMP-SPM2	5/11/2020	60	147.6	435	
TMP-SPM2	5/11/2020	80	166.6	415	
TMP-SPM2	5/11/2020	100	187.2	395	
TMP-SPM2	5/11/2020	120	186.7	375	
TMP-SPM2	5/11/2020	140	186.9	355	
TMP-SPM2	5/11/2020	160	162.8	335	
TMP-SPM2	5/11/2020	172	146.0	323	
TMP-SPM2	5/18/2020	20	129.1	475	
TMP-SPM2	5/18/2020	40	153.2	455	
TMP-SPM2	5/18/2020	60	148.7	435	
TMP-SPM2	5/18/2020	80	167.6	415	
TMP-SPM2	5/18/2020	100	188.2	395	
TMP-SPM2	5/18/2020	120	187.6	375	
TMP-SPM2	5/18/2020	140	187.9	355	
TMP-SPM2	5/18/2020	160	164.0	335	
TMP-SPM2	5/18/2020	172	147.4	323	
TMP-SPM2	5/26/2020	20	128.1	475	
TMP-SPM2	5/26/2020	40	152.0	455	
TMP-SPM2	5/26/2020	60	147.3	435	
TMP-SPM2	5/26/2020	80	166.0	415	
TMP-SPM2	5/26/2020	100	186.6	395	
TMP-SPM2	5/26/2020	120	186.1	375	
TMP-SPM2	5/26/2020	140	186.6	355	
TMP-SPM2	5/26/2020	160	162.6	335	
TMP-SPM2	5/26/2020	172	145.9	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	4/27/2020	20	107.9	478	
TMP-SPM3	4/27/2020	40	110.9	458	
TMP-SPM3	4/27/2020	60	104.8	438	
TMP-SPM3	4/27/2020	80	110.2	418	
TMP-SPM3	4/27/2020	85	112.2	413	
TMP-SPM3	5/4/2020	20	107.1	478	
TMP-SPM3	5/4/2020	40	110.0	458	
TMP-SPM3	5/4/2020	60	103.8	438	
TMP-SPM3	5/4/2020	80	109.1	418	
TMP-SPM3	5/4/2020	85	111.4	413	
TMP-SPM3	5/11/2020	20	106.7	478	
TMP-SPM3	5/11/2020	40	109.3	458	
TMP-SPM3	5/11/2020	60	103.1	438	
TMP-SPM3	5/11/2020	80	108.6	418	
TMP-SPM3	5/11/2020	85	110.9	413	
TMP-SPM3	5/18/2020	20	107.2	478	
TMP-SPM3	5/18/2020	40	110.6	458	
TMP-SPM3	5/18/2020	60	104.5	438	
TMP-SPM3	5/18/2020	80	109.8	418	
TMP-SPM3	5/18/2020	85	112.0	413	
TMP-SPM3	5/26/2020	20	106.7	478	
TMP-SPM3	5/26/2020	40	109.4	458	
TMP-SPM3	5/26/2020	60	103.2	438	
TMP-SPM3	5/26/2020	80	108.4	418	
TMP-SPM3	5/26/2020	85	110.8	413	