

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	5/18/2020	20	115.2	475	
TMP-SPM4	5/18/2020	40	137.5	455	
TMP-SPM4	5/18/2020	60	139.9	435	
TMP-SPM4	5/18/2020	80	140.7	415	
TMP-SPM4	5/18/2020	100	136.8	395	
TMP-SPM4	5/18/2020	120	129.6	375	
TMP-SPM4	5/18/2020	140	124.9	355	
TMP-SPM4	5/18/2020	160	118.9	335	
TMP-SPM4	5/18/2020	180	114.7	315	
TMP-SPM4	5/18/2020	200	109.0	295	
TMP-SPM4	5/18/2020	220	96.6	275	
TMP-SPM4	5/18/2020	240	90.3	255	
TMP-SPM4	5/26/2020	20	115.0	475	
TMP-SPM4	5/26/2020	40	137.5	455	
TMP-SPM4	5/26/2020	60	139.9	435	
TMP-SPM4	5/26/2020	80	140.7	415	
TMP-SPM4	5/26/2020	100	136.8	395	
TMP-SPM4	5/26/2020	120	129.6	375	
TMP-SPM4	5/26/2020	140	124.9	355	
TMP-SPM4	5/26/2020	160	118.9	335	
TMP-SPM4	5/26/2020	180	114.8	315	
TMP-SPM4	5/26/2020	200	109.2	295	
TMP-SPM4	5/26/2020	220	96.7	275	
TMP-SPM4	5/26/2020	240	90.4	255	
TMP-SPM4	6/1/2020	20	115.3	475	
TMP-SPM4	6/1/2020	40	137.7	455	
TMP-SPM4	6/1/2020	60	140.1	435	
TMP-SPM4	6/1/2020	80	141.0	415	
TMP-SPM4	6/1/2020	100	137.0	395	
TMP-SPM4	6/1/2020	120	129.8	375	
TMP-SPM4	6/1/2020	140	125.2	355	
TMP-SPM4	6/1/2020	160	119.1	335	
TMP-SPM4	6/1/2020	180	114.9	315	
TMP-SPM4	6/1/2020	200	109.4	295	
TMP-SPM4	6/1/2020	220	96.9	275	
TMP-SPM4	6/1/2020	240	90.6	255	
TMP-SPM4	6/8/2020	20	115.1	475	
TMP-SPM4	6/8/2020	40	137.8	455	
TMP-SPM4	6/8/2020	60	140.2	435	
TMP-SPM4	6/8/2020	80	141.0	415	
TMP-SPM4	6/8/2020	100	137.0	395	
TMP-SPM4	6/8/2020	120	129.8	375	
TMP-SPM4	6/8/2020	140	125.1	355	
TMP-SPM4	6/8/2020	160	119.0	335	
TMP-SPM4	6/8/2020	180	114.8	315	
TMP-SPM4	6/8/2020	200	109.1	295	
TMP-SPM4	6/8/2020	220	96.5	275	
TMP-SPM4	6/8/2020	240	90.1	255	
TMP-SPM4	6/15/2020	20	115.4	475	
TMP-SPM4	6/15/2020	40	137.8	455	
TMP-SPM4	6/15/2020	60	140.1	435	
TMP-SPM4	6/15/2020	80	140.9	415	
TMP-SPM4	6/15/2020	100	136.9	395	
TMP-SPM4	6/15/2020	120	129.6	375	
TMP-SPM4	6/15/2020	140	124.8	355	
TMP-SPM4	6/15/2020	160	118.9	335	
TMP-SPM4	6/15/2020	180	114.7	315	
TMP-SPM4	6/15/2020	200	109.2	295	
TMP-SPM4	6/15/2020	220	97.0	275	
TMP-SPM4	6/15/2020	240	90.8	255	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	5/18/2020	20	146.5	473	
TMP-19	5/18/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/18/2020	60	200.8	433	
TMP-19	5/18/2020	80	205.4	413	
TMP-19	5/18/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/26/2020	20	145.9	473	
TMP-19	5/26/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/26/2020	60	200.6	433	
TMP-19	5/26/2020	80	205.3	413	
TMP-19	5/26/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/1/2020	20	145.1	473	
TMP-19	6/1/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/1/2020	60	199.3	433	
TMP-19	6/1/2020	80	204.1	413	
TMP-19	6/1/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/8/2020	20	145.3	473	
TMP-19	6/8/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/8/2020	60	199.8	433	
TMP-19	6/8/2020	80	204.7	413	
TMP-19	6/8/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/15/2020	20	143.9	473	
TMP-19	6/15/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/15/2020	60	199.2	433	
TMP-19	6/15/2020	80	203.6	413	
TMP-19	6/15/2020	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	5/18/2020	20	105.8	478	
TMP-20	5/18/2020	40	157.3	458	
TMP-20	5/18/2020	60	187.0	438	
TMP-20	5/18/2020	80	201.6	418	
TMP-20	5/18/2020	100	217.1	398	
TMP-20	5/18/2020	120	232.6	378	
TMP-20	5/18/2020	140	231.3	358	
TMP-20	5/26/2020	20	105.6	478	
TMP-20	5/26/2020	40	157.6	458	
TMP-20	5/26/2020	60	187.4	438	
TMP-20	5/26/2020	80	201.9	418	
TMP-20	5/26/2020	100	217.5	398	
TMP-20	5/26/2020	120	233.0	378	
TMP-20	5/26/2020	140	231.7	358	
TMP-20	6/1/2020	20	104.5	478	
TMP-20	6/1/2020	40	156.3	458	
TMP-20	6/1/2020	60	185.6	438	
TMP-20	6/1/2020	80	200.2	418	
TMP-20	6/1/2020	100	215.6	398	
TMP-20	6/1/2020	120	231.1	378	
TMP-20	6/1/2020	140	230.1	358	
TMP-20	6/8/2020	20	105.7	478	
TMP-20	6/8/2020	40	157.5	458	
TMP-20	6/8/2020	60	186.6	438	
TMP-20	6/8/2020	80	200.9	418	
TMP-20	6/8/2020	100	216.3	398	
TMP-20	6/8/2020	120	231.8	378	
TMP-20	6/8/2020	140	230.9	358	
TMP-20	6/15/2020	20	104.1	478	
TMP-20	6/15/2020	40	155.9	458	
TMP-20	6/15/2020	60	184.8	438	
TMP-20	6/15/2020	80	199.3	418	
TMP-20	6/15/2020	100	214.7	398	
TMP-20	6/15/2020	120	230.2	378	
TMP-20	6/15/2020	140	229.2	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	5/18/2020	20	108.6	475	
TMP-10-9N	5/18/2020	40	132.9	455	
TMP-10-9N	5/18/2020	60	131.4	435	
TMP-10-9N	5/18/2020	80	132.2	415	
TMP-10-9N	5/18/2020	100	142.1	395	
TMP-10-9N	5/26/2020	20	107.6	475	
TMP-10-9N	5/26/2020	40	132.1	455	
TMP-10-9N	5/26/2020	60	130.6	435	
TMP-10-9N	5/26/2020	80	131.9	415	
TMP-10-9N	5/26/2020	100	141.7	395	
TMP-10-9N	6/1/2020	20	107.7	475	
TMP-10-9N	6/1/2020	40	132.4	455	
TMP-10-9N	6/1/2020	60	131.0	435	
TMP-10-9N	6/1/2020	80	132.4	415	
TMP-10-9N	6/1/2020	100	142.2	395	
TMP-10-9N	6/8/2020	20	108.2	475	
TMP-10-9N	6/8/2020	40	133.4	455	
TMP-10-9N	6/8/2020	60	132.2	435	
TMP-10-9N	6/8/2020	80	133.6	415	
TMP-10-9N	6/8/2020	100	143.4	395	
TMP-10-9N	6/15/2020	20	107.1	475	
TMP-10-9N	6/15/2020	40	132.6	455	
TMP-10-9N	6/15/2020	60	131.4	435	
TMP-10-9N	6/15/2020	80	133.0	415	
TMP-10-9N	6/15/2020	100	142.9	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	5/18/2020	20	107.7	476	
TMP-10-9S	5/18/2020	40	150.1	456	
TMP-10-9S	5/18/2020	60	168.3	436	
TMP-10-9S	5/18/2020	80	176.4	416	
TMP-10-9S	5/18/2020	100	194.4	396	
TMP-10-9S	5/26/2020	20	106.4	476	
TMP-10-9S	5/26/2020	40	149.0	456	
TMP-10-9S	5/26/2020	60	167.0	436	
TMP-10-9S	5/26/2020	80	175.2	416	
TMP-10-9S	5/26/2020	100	193.1	396	
TMP-10-9S	6/1/2020	20	106.0	476	
TMP-10-9S	6/1/2020	40	149.0	456	
TMP-10-9S	6/1/2020	60	167.1	436	
TMP-10-9S	6/1/2020	80	175.6	416	
TMP-10-9S	6/1/2020	100	193.6	396	
TMP-10-9S	6/8/2020	20	106.3	476	
TMP-10-9S	6/8/2020	40	149.0	456	
TMP-10-9S	6/8/2020	60	166.7	436	
TMP-10-9S	6/8/2020	80	175.3	416	
TMP-10-9S	6/8/2020	100	193.2	396	
TMP-10-9S	6/15/2020	20	106.1	476	
TMP-10-9S	6/15/2020	40	148.8	456	
TMP-10-9S	6/15/2020	60	166.4	436	
TMP-10-9S	6/15/2020	80	175.0	416	
TMP-10-9S	6/15/2020	100	193.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	5/18/2020	20	94.2	478	
TMP-10-5N	5/18/2020	40	115.6	458	
TMP-10-5N	5/18/2020	60	100.9	438	
TMP-10-5N	5/18/2020	80	95.5	418	
TMP-10-5N	5/18/2020	100	92.2	398	
TMP-10-5N	5/26/2020	20	93.6	478	
TMP-10-5N	5/26/2020	40	115.7	458	
TMP-10-5N	5/26/2020	60	102.0	438	
TMP-10-5N	5/26/2020	80	97.5	418	
TMP-10-5N	5/26/2020	100	95.2	398	
TMP-10-5N	6/1/2020	20	94.0	478	
TMP-10-5N	6/1/2020	40	116.4	458	
TMP-10-5N	6/1/2020	60	103.1	438	
TMP-10-5N	6/1/2020	80	97.9	418	
TMP-10-5N	6/1/2020	100	94.7	398	
TMP-10-5N	6/8/2020	20	94.8	478	
TMP-10-5N	6/8/2020	40	118.0	458	
TMP-10-5N	6/8/2020	60	105.1	438	
TMP-10-5N	6/8/2020	80	100.7	418	
TMP-10-5N	6/8/2020	100	98.1	398	
TMP-10-5N	6/15/2020	20	93.9	478	
TMP-10-5N	6/15/2020	40	117.2	458	
TMP-10-5N	6/15/2020	60	103.9	438	
TMP-10-5N	6/15/2020	80	98.9	418	
TMP-10-5N	6/15/2020	100	95.8	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	5/18/2020	20	101.0	477	
TMP-10-5S	5/18/2020	40	139.9	457	
TMP-10-5S	5/18/2020	60	150.8	437	
TMP-10-5S	5/18/2020	80	162.4	417	
TMP-10-5S	5/18/2020	100	178.6	397	
TMP-10-5S	5/26/2020	20	100.0	477	
TMP-10-5S	5/26/2020	40	139.1	457	
TMP-10-5S	5/26/2020	60	149.6	437	
TMP-10-5S	5/26/2020	80	161.4	417	
TMP-10-5S	5/26/2020	100	177.5	397	
TMP-10-5S	6/1/2020	20	99.5	477	
TMP-10-5S	6/1/2020	40	138.6	457	
TMP-10-5S	6/1/2020	60	149.1	437	
TMP-10-5S	6/1/2020	80	160.9	417	
TMP-10-5S	6/1/2020	100	177.2	397	
TMP-10-5S	6/8/2020	20	99.7	477	
TMP-10-5S	6/8/2020	40	139.0	457	
TMP-10-5S	6/8/2020	60	149.4	437	
TMP-10-5S	6/8/2020	80	161.3	417	
TMP-10-5S	6/8/2020	100	177.4	397	
TMP-10-5S	6/15/2020	20	99.8	477	
TMP-10-5S	6/15/2020	40	138.8	457	
TMP-10-5S	6/15/2020	60	149.2	437	
TMP-10-5S	6/15/2020	80	161.0	417	
TMP-10-5S	6/15/2020	100	177.1	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	5/18/2020	20	96.5	476	
TMP-5-9N	5/18/2020	40	138.3	456	
TMP-5-9N	5/18/2020	60	144.7	436	
TMP-5-9N	5/18/2020	80	232.9	416	
TMP-5-9N	5/18/2020	100	250.3	396	
TMP-5-9N	5/26/2020	20	96.4	476	
TMP-5-9N	5/26/2020	40	139.1	456	
TMP-5-9N	5/26/2020	60	146.4	436	
TMP-5-9N	5/26/2020	80	232.6	416	
TMP-5-9N	5/26/2020	100	250.0	396	
TMP-5-9N	6/1/2020	20	96.7	476	
TMP-5-9N	6/1/2020	40	139.7	456	
TMP-5-9N	6/1/2020	60	147.1	436	
TMP-5-9N	6/1/2020	80	232.8	416	
TMP-5-9N	6/1/2020	100	250.0	396	
TMP-5-9N	6/8/2020	20	96.2	476	
TMP-5-9N	6/8/2020	40	139.6	456	
TMP-5-9N	6/8/2020	60	147.2	436	
TMP-5-9N	6/8/2020	80	232.4	416	
TMP-5-9N	6/8/2020	100	249.8	396	
TMP-5-9N	6/15/2020	20	96.3	476	
TMP-5-9N	6/15/2020	40	139.8	456	
TMP-5-9N	6/15/2020	60	147.6	436	
TMP-5-9N	6/15/2020	80	232.0	416	
TMP-5-9N	6/15/2020	100	249.5	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	5/18/2020	20	112.1	476	
TMP-5-9S	5/18/2020	40	176.3	456	
TMP-5-9S	5/18/2020	60	215.8	436	
TMP-5-9S	5/18/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/18/2020	100			No readings could be obtained
TMP-5-9S	5/26/2020	20	112.2	476	
TMP-5-9S	5/26/2020	40	176.3	456	
TMP-5-9S	5/26/2020	60	215.1	436	
TMP-5-9S	5/26/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/26/2020	100			No readings could be obtained
TMP-5-9S	6/1/2020	20	111.5	476	
TMP-5-9S	6/1/2020	40	175.7	456	
TMP-5-9S	6/1/2020	60	214.6	436	
TMP-5-9S	6/1/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/1/2020	100			No readings could be obtained
TMP-5-9S	6/8/2020	20	112.1	476	
TMP-5-9S	6/8/2020	40	176.3	456	
TMP-5-9S	6/8/2020	60	215.2	436	
TMP-5-9S	6/8/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/8/2020	100			No readings could be obtained
TMP-5-9S	6/15/2020	20	111.2	476	
TMP-5-9S	6/15/2020	40	175.3	456	
TMP-5-9S	6/15/2020	60	214.3	436	
TMP-5-9S	6/15/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/15/2020	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	5/18/2020	20	92.8	475	
TMP-5-5N	5/18/2020	40	107.0	455	
TMP-5-5N	5/18/2020	60	97.4	435	
TMP-5-5N	5/18/2020	80	229.8	415	
TMP-5-5N	5/18/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/26/2020	20	92.4	475	
TMP-5-5N	5/26/2020	40	106.7	455	
TMP-5-5N	5/26/2020	60	98.6	435	
TMP-5-5N	5/26/2020	80	229.5	415	
TMP-5-5N	5/26/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/1/2020	20	92.9	475	
TMP-5-5N	6/1/2020	40	105.5	455	
TMP-5-5N	6/1/2020	60	95.7	435	
TMP-5-5N	6/1/2020	80	229.9	415	
TMP-5-5N	6/1/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/8/2020	20	93.1	475	
TMP-5-5N	6/8/2020	40	107.7	455	
TMP-5-5N	6/8/2020	60	100.5	435	
TMP-5-5N	6/8/2020	80	228.9	415	
TMP-5-5N	6/8/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/15/2020	20	92.9	475	
TMP-5-5N	6/15/2020	40	106.8	455	
TMP-5-5N	6/15/2020	60	97.4	435	
TMP-5-5N	6/15/2020	80	228.6	415	
TMP-5-5N	6/15/2020	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	5/18/2020	20	111.2	474	
TMP-5-5S	5/18/2020	40	166.4	454	
TMP-5-5S	5/18/2020	60	200.8	434	
TMP-5-5S	5/18/2020	80	237.0	414	
TMP-5-5S	5/18/2020	100	241.7	394	
TMP-5-5S	5/26/2020	20	111.7	474	
TMP-5-5S	5/26/2020	40	168.5	454	
TMP-5-5S	5/26/2020	60	201.1	434	
TMP-5-5S	5/26/2020	80	237.3	414	
TMP-5-5S	5/26/2020	100	241.8	394	
TMP-5-5S	6/1/2020	20	110.7	474	
TMP-5-5S	6/1/2020	40	167.7	454	
TMP-5-5S	6/1/2020	60	200.2	434	
TMP-5-5S	6/1/2020	80	236.6	414	
TMP-5-5S	6/1/2020	100	241.1	394	
TMP-5-5S	6/8/2020	20	111.3	474	
TMP-5-5S	6/8/2020	40	167.7	454	
TMP-5-5S	6/8/2020	60	200.9	434	
TMP-5-5S	6/8/2020	80	237.1	414	
TMP-5-5S	6/8/2020	100	241.6	394	
TMP-5-5S	6/15/2020	20	110.8	474	
TMP-5-5S	6/15/2020	40	167.6	454	
TMP-5-5S	6/15/2020	60	200.2	434	
TMP-5-5S	6/15/2020	80	236.3	414	
TMP-5-5S	6/15/2020	100	240.8	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	5/18/2020	20	153.4	474	
TMP-31	5/18/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/18/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/18/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/18/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/18/2020	120	268.3	374	
TMP-31	5/26/2020	20	153.9	474	
TMP-31	5/26/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/26/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/26/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/26/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/26/2020	120	268.5	374	
TMP-31	6/1/2020	20	153.9	474	
TMP-31	6/1/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/1/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/1/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/1/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/1/2020	120	268.8	374	
TMP-31	6/8/2020	20	154.2	474	
TMP-31	6/8/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/8/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/8/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/8/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/8/2020	120	268.9	374	
TMP-31	6/15/2020	20	155.1	474	
TMP-31	6/15/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/15/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/15/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/15/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/15/2020	120	268.8	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	5/18/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	60	226.7	444	
TMP-32	5/18/2020	80	242.6	424	
TMP-32	5/18/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/18/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	60	226.5	444	
TMP-32	5/26/2020	80	242.3	424	
TMP-32	5/26/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/26/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2020	60	227.4	444	
TMP-32	6/1/2020	80	243.5	424	
TMP-32	6/1/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/1/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/8/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/8/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/8/2020	60	226.9	444	
TMP-32	6/8/2020	80	242.6	424	
TMP-32	6/8/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/8/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/8/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/8/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/8/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/8/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	60	226.7	444	
TMP-32	6/15/2020	80	242.7	424	
TMP-32	6/15/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	5/18/2020	20	140.1	473	
TMP-SPM1	5/18/2020	40	163.2	453	
TMP-SPM1	5/18/2020	60	180.1	433	
TMP-SPM1	5/18/2020	80	168.8	413	
TMP-SPM1	5/18/2020	100	168.3	393	
TMP-SPM1	5/18/2020	120	163.2	373	
TMP-SPM1	5/18/2020	140	153.1	353	
TMP-SPM1	5/18/2020	160	134.9	333	
TMP-SPM1	5/18/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/18/2020	200	105.4	293	
TMP-SPM1	5/18/2020	220	92.0	273	
TMP-SPM1	5/18/2020	240	88.4	253	
TMP-SPM1	5/26/2020	20	138.7	473	
TMP-SPM1	5/26/2020	40	161.9	453	
TMP-SPM1	5/26/2020	60	179.2	433	
TMP-SPM1	5/26/2020	80	168.0	413	
TMP-SPM1	5/26/2020	100	167.9	393	
TMP-SPM1	5/26/2020	120	162.8	373	
TMP-SPM1	5/26/2020	140	153.0	353	
TMP-SPM1	5/26/2020	160	135.0	333	
TMP-SPM1	5/26/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/26/2020	200	105.4	293	
TMP-SPM1	5/26/2020	220	91.9	273	
TMP-SPM1	5/26/2020	240	88.2	253	
TMP-SPM1	6/1/2020	20	138.6	473	
TMP-SPM1	6/1/2020	40	161.7	453	
TMP-SPM1	6/1/2020	60	179.1	433	
TMP-SPM1	6/1/2020	80	168.2	413	
TMP-SPM1	6/1/2020	100	168.1	393	
TMP-SPM1	6/1/2020	120	163.1	373	
TMP-SPM1	6/1/2020	140	153.1	353	
TMP-SPM1	6/1/2020	160	135.0	333	
TMP-SPM1	6/1/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/1/2020	200	105.6	293	
TMP-SPM1	6/1/2020	220	92.4	273	
TMP-SPM1	6/1/2020	240	88.4	253	
TMP-SPM1	6/8/2020	20	138.6	473	
TMP-SPM1	6/8/2020	40	161.9	453	
TMP-SPM1	6/8/2020	60	179.1	433	
TMP-SPM1	6/8/2020	80	168.1	413	
TMP-SPM1	6/8/2020	100	168.0	393	
TMP-SPM1	6/8/2020	120	163.0	373	
TMP-SPM1	6/8/2020	140	153.1	353	
TMP-SPM1	6/8/2020	160	135.1	333	
TMP-SPM1	6/8/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/8/2020	200	105.9	293	
TMP-SPM1	6/8/2020	220	92.6	273	
TMP-SPM1	6/8/2020	240	89.4	253	
TMP-SPM1	6/15/2020	20	138.4	473	
TMP-SPM1	6/15/2020	40	161.7	453	
TMP-SPM1	6/15/2020	60	178.7	433	
TMP-SPM1	6/15/2020	80	167.8	413	
TMP-SPM1	6/15/2020	100	167.7	393	
TMP-SPM1	6/15/2020	120	162.7	373	
TMP-SPM1	6/15/2020	140	152.7	353	
TMP-SPM1	6/15/2020	160	134.6	333	
TMP-SPM1	6/15/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/15/2020	200	105.3	293	
TMP-SPM1	6/15/2020	220	92.0	273	
TMP-SPM1	6/15/2020	240	88.8	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	5/18/2020	20	129.1	475	
TMP-SPM2	5/18/2020	40	153.2	455	
TMP-SPM2	5/18/2020	60	148.7	435	
TMP-SPM2	5/18/2020	80	167.6	415	
TMP-SPM2	5/18/2020	100	188.2	395	
TMP-SPM2	5/18/2020	120	187.6	375	
TMP-SPM2	5/18/2020	140	187.9	355	
TMP-SPM2	5/18/2020	160	164.0	335	
TMP-SPM2	5/18/2020	172	147.4	323	
TMP-SPM2	5/26/2020	20	128.1	475	
TMP-SPM2	5/26/2020	40	152.0	455	
TMP-SPM2	5/26/2020	60	147.3	435	
TMP-SPM2	5/26/2020	80	166.0	415	
TMP-SPM2	5/26/2020	100	186.6	395	
TMP-SPM2	5/26/2020	120	186.1	375	
TMP-SPM2	5/26/2020	140	186.6	355	
TMP-SPM2	5/26/2020	160	162.6	335	
TMP-SPM2	5/26/2020	172	145.9	323	
TMP-SPM2	6/1/2020	20	127.7	475	
TMP-SPM2	6/1/2020	40	151.4	455	
TMP-SPM2	6/1/2020	60	146.8	435	
TMP-SPM2	6/1/2020	80	165.5	415	
TMP-SPM2	6/1/2020	100	186.2	395	
TMP-SPM2	6/1/2020	120	186.0	375	
TMP-SPM2	6/1/2020	140	186.9	355	
TMP-SPM2	6/1/2020	160	163.1	335	
TMP-SPM2	6/1/2020	172	146.7	323	
TMP-SPM2	6/8/2020	20	126.6	475	
TMP-SPM2	6/8/2020	40	151.0	455	
TMP-SPM2	6/8/2020	60	146.4	435	
TMP-SPM2	6/8/2020	80	165.0	415	
TMP-SPM2	6/8/2020	100	185.6	395	
TMP-SPM2	6/8/2020	120	185.5	375	
TMP-SPM2	6/8/2020	140	186.2	355	
TMP-SPM2	6/8/2020	160	162.4	335	
TMP-SPM2	6/8/2020	172	145.9	323	
TMP-SPM2	6/15/2020	20	127.7	475	
TMP-SPM2	6/15/2020	40	151.6	455	
TMP-SPM2	6/15/2020	60	146.7	435	
TMP-SPM2	6/15/2020	80	165.3	415	
TMP-SPM2	6/15/2020	100	185.9	395	
TMP-SPM2	6/15/2020	120	185.8	375	
TMP-SPM2	6/15/2020	140	186.8	355	
TMP-SPM2	6/15/2020	160	163.1	335	
TMP-SPM2	6/15/2020	172	146.6	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	5/18/2020	20	107.2	478	
TMP-SPM3	5/18/2020	40	110.6	458	
TMP-SPM3	5/18/2020	60	104.5	438	
TMP-SPM3	5/18/2020	80	109.8	418	
TMP-SPM3	5/18/2020	85	112.0	413	
TMP-SPM3	5/26/2020	20	106.7	478	
TMP-SPM3	5/26/2020	40	109.4	458	
TMP-SPM3	5/26/2020	60	103.2	438	
TMP-SPM3	5/26/2020	80	108.4	418	
TMP-SPM3	5/26/2020	85	110.8	413	
TMP-SPM3	6/1/2020	20	106.7	478	
TMP-SPM3	6/1/2020	40	109.2	458	
TMP-SPM3	6/1/2020	60	103.0	438	
TMP-SPM3	6/1/2020	80	108.3	418	
TMP-SPM3	6/1/2020	85	110.6	413	
TMP-SPM3	6/8/2020	20	105.9	478	
TMP-SPM3	6/8/2020	40	108.6	458	
TMP-SPM3	6/8/2020	60	102.5	438	
TMP-SPM3	6/8/2020	80	107.8	418	
TMP-SPM3	6/8/2020	85	110.2	413	
TMP-SPM3	6/15/2020	20	107.5	478	
TMP-SPM3	6/15/2020	40	109.7	458	
TMP-SPM3	6/15/2020	60	103.6	438	
TMP-SPM3	6/15/2020	80	108.9	418	
TMP-SPM3	6/15/2020	85	111.3	413	