

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	6/15/2020	20	143.9	473	
TMP-19	6/15/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/15/2020	60	199.2	433	
TMP-19	6/15/2020	80	203.6	413	
TMP-19	6/15/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/22/2020	20	144.8	473	
TMP-19	6/22/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/22/2020	60	198.8	433	
TMP-19	6/22/2020	80	203.5	413	
TMP-19	6/22/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/29/2020	20	145.6	473	
TMP-19	6/29/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/29/2020	60	198.9	433	
TMP-19	6/29/2020	80	203.8	413	
TMP-19	6/29/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/6/2020	20	143.2	473	
TMP-19	7/6/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/6/2020	60	197.7	433	
TMP-19	7/6/2020	80	202.7	413	
TMP-19	7/6/2020	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/13/2020	20	141.8	473	
TMP-19	7/13/2020	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/13/2020	60	196.8	433	
TMP-19	7/13/2020	80	201.8	413	
TMP-19	7/13/2020	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	6/15/2020	20	104.1	478	
TMP-20	6/15/2020	40	155.9	458	
TMP-20	6/15/2020	60	184.8	438	
TMP-20	6/15/2020	80	199.3	418	
TMP-20	6/15/2020	100	214.7	398	
TMP-20	6/15/2020	120	230.2	378	
TMP-20	6/15/2020	140	229.2	358	
TMP-20	6/22/2020	20	104.2	478	
TMP-20	6/22/2020	40	156.1	458	
TMP-20	6/22/2020	60	184.9	438	
TMP-20	6/22/2020	80	199.2	418	
TMP-20	6/22/2020	100	214.7	398	
TMP-20	6/22/2020	120	230.3	378	
TMP-20	6/22/2020	140	229.4	358	
TMP-20	6/29/2020	20	104.3	478	
TMP-20	6/29/2020	40	156.0	458	
TMP-20	6/29/2020	60	184.5	438	
TMP-20	6/29/2020	80	199.1	418	
TMP-20	6/29/2020	100	214.6	398	
TMP-20	6/29/2020	120	230.1	378	
TMP-20	6/29/2020	140	229.5	358	
TMP-20	7/6/2020	20	102.9	478	
TMP-20	7/6/2020	40	155.4	458	
TMP-20	7/6/2020	60	184.3	438	
TMP-20	7/6/2020	80	198.7	418	
TMP-20	7/6/2020	100	214.5	398	
TMP-20	7/6/2020	120	230.2	378	
TMP-20	7/6/2020	140	229.6	358	
TMP-20	7/13/2020	20	101.4	478	
TMP-20	7/13/2020	40	153.7	458	
TMP-20	7/13/2020	60	181.8	438	
TMP-20	7/13/2020	80	196.3	418	
TMP-20	7/13/2020	100	212.0	398	
TMP-20	7/13/2020	120	227.7	378	
TMP-20	7/13/2020	140	227.3	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	6/15/2020	20	107.1	475	
TMP-10-9N	6/15/2020	40	132.6	455	
TMP-10-9N	6/15/2020	60	131.4	435	
TMP-10-9N	6/15/2020	80	133.0	415	
TMP-10-9N	6/15/2020	100	142.9	395	
TMP-10-9N	6/22/2020	20	107.3	475	
TMP-10-9N	6/22/2020	40	132.7	455	
TMP-10-9N	6/22/2020	60	131.3	435	
TMP-10-9N	6/22/2020	80	133.0	415	
TMP-10-9N	6/22/2020	100	142.9	395	
TMP-10-9N	6/29/2020	20	108.4	475	
TMP-10-9N	6/29/2020	40	134.3	455	
TMP-10-9N	6/29/2020	60	133.1	435	
TMP-10-9N	6/29/2020	80	134.7	415	
TMP-10-9N	6/29/2020	100	144.5	395	
TMP-10-9N	7/6/2020	20	106.1	475	
TMP-10-9N	7/6/2020	40	132.1	455	
TMP-10-9N	7/6/2020	60	131.0	435	
TMP-10-9N	7/6/2020	80	133.1	415	
TMP-10-9N	7/6/2020	100	142.9	395	
TMP-10-9N	7/13/2020	20	105.8	475	
TMP-10-9N	7/13/2020	40	132.1	455	
TMP-10-9N	7/13/2020	60	130.9	435	
TMP-10-9N	7/13/2020	80	133.0	415	
TMP-10-9N	7/13/2020	100	143.0	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	6/15/2020	20	106.1	476	
TMP-10-9S	6/15/2020	40	148.8	456	
TMP-10-9S	6/15/2020	60	166.4	436	
TMP-10-9S	6/15/2020	80	175.0	416	
TMP-10-9S	6/15/2020	100	193.0	396	
TMP-10-9S	6/22/2020	20	106.0	476	
TMP-10-9S	6/22/2020	40	148.6	456	
TMP-10-9S	6/22/2020	60	166.0	436	
TMP-10-9S	6/22/2020	80	174.4	416	
TMP-10-9S	6/22/2020	100	192.3	396	
TMP-10-9S	6/29/2020	20	106.5	476	
TMP-10-9S	6/29/2020	40	149.2	456	
TMP-10-9S	6/29/2020	60	166.6	436	
TMP-10-9S	6/29/2020	80	175.1	416	
TMP-10-9S	6/29/2020	100	193.0	396	
TMP-10-9S	7/6/2020	20	105.8	476	
TMP-10-9S	7/6/2020	40	148.6	456	
TMP-10-9S	7/6/2020	60	165.8	436	
TMP-10-9S	7/6/2020	80	174.6	416	
TMP-10-9S	7/6/2020	100	192.5	396	
TMP-10-9S	7/13/2020	20	104.6	476	
TMP-10-9S	7/13/2020	40	147.1	456	
TMP-10-9S	7/13/2020	60	164.4	436	
TMP-10-9S	7/13/2020	80	173.2	416	
TMP-10-9S	7/13/2020	100	191.2	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	6/15/2020	20	93.9	478	
TMP-10-5N	6/15/2020	40	117.2	458	
TMP-10-5N	6/15/2020	60	103.9	438	
TMP-10-5N	6/15/2020	80	98.9	418	
TMP-10-5N	6/15/2020	100	95.8	398	
TMP-10-5N	6/22/2020	20	93.8	478	
TMP-10-5N	6/22/2020	40	117.2	458	
TMP-10-5N	6/22/2020	60	103.9	438	
TMP-10-5N	6/22/2020	80	99.5	418	
TMP-10-5N	6/22/2020	100	97.2	398	
TMP-10-5N	6/29/2020	20	95.2	478	
TMP-10-5N	6/29/2020	40	118.9	458	
TMP-10-5N	6/29/2020	60	106.1	438	
TMP-10-5N	6/29/2020	80	102.0	418	
TMP-10-5N	6/29/2020	100	100.0	398	
TMP-10-5N	7/6/2020	20	93.6	478	
TMP-10-5N	7/6/2020	40	117.9	458	
TMP-10-5N	7/6/2020	60	105.9	438	
TMP-10-5N	7/6/2020	80	101.9	418	
TMP-10-5N	7/6/2020	100	99.8	398	
TMP-10-5N	7/13/2020	20	93.3	478	
TMP-10-5N	7/13/2020	40	117.8	458	
TMP-10-5N	7/13/2020	60	106.1	438	
TMP-10-5N	7/13/2020	80	102.0	418	
TMP-10-5N	7/13/2020	100	99.6	398	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-10-5S	6/15/2020	20	99.8	477	
TMP-10-5S	6/15/2020	40	138.8	457	
TMP-10-5S	6/15/2020	60	149.2	437	
TMP-10-5S	6/15/2020	80	161.0	417	
TMP-10-5S	6/15/2020	100	177.1	397	
TMP-10-5S	6/22/2020	20	99.9	477	
TMP-10-5S	6/22/2020	40	138.9	457	
TMP-10-5S	6/22/2020	60	149.3	437	
TMP-10-5S	6/22/2020	80	161.0	417	
TMP-10-5S	6/22/2020	100	177.1	397	
TMP-10-5S	6/29/2020	20	100.2	477	
TMP-10-5S	6/29/2020	40	139.5	457	
TMP-10-5S	6/29/2020	60	149.8	437	
TMP-10-5S	6/29/2020	80	161.4	417	
TMP-10-5S	6/29/2020	100	177.5	397	
TMP-10-5S	7/6/2020	20	99.2	477	
TMP-10-5S	7/6/2020	40	138.5	457	
TMP-10-5S	7/6/2020	60	148.8	437	
TMP-10-5S	7/6/2020	80	160.6	417	
TMP-10-5S	7/6/2020	100	176.7	397	
TMP-10-5S	7/13/2020	20	98.0	477	
TMP-10-5S	7/13/2020	40	137.2	457	
TMP-10-5S	7/13/2020	60	147.6	437	
TMP-10-5S	7/13/2020	80	159.3	417	
TMP-10-5S	7/13/2020	100	175.5	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	6/15/2020	20	96.3	476	
TMP-5-9N	6/15/2020	40	139.8	456	
TMP-5-9N	6/15/2020	60	147.6	436	
TMP-5-9N	6/15/2020	80	232.0	416	
TMP-5-9N	6/15/2020	100	249.5	396	
TMP-5-9N	6/22/2020	20	96.8	476	
TMP-5-9N	6/22/2020	40	140.1	456	
TMP-5-9N	6/22/2020	60	147.8	436	
TMP-5-9N	6/22/2020	80	231.7	416	
TMP-5-9N	6/22/2020	100	249.2	396	
TMP-5-9N	6/29/2020	20	96.5	476	
TMP-5-9N	6/29/2020	40	140.4	456	
TMP-5-9N	6/29/2020	60	147.9	436	
TMP-5-9N	6/29/2020	80	231.8	416	
TMP-5-9N	6/29/2020	100	249.6	396	
TMP-5-9N	7/6/2020	20	95.3	476	
TMP-5-9N	7/6/2020	40	139.5	456	
TMP-5-9N	7/6/2020	60	147.4	436	
TMP-5-9N	7/6/2020	80	230.7	416	
TMP-5-9N	7/6/2020	100	248.7	396	
TMP-5-9N	7/13/2020	20	95.6	476	
TMP-5-9N	7/13/2020	40	139.7	456	
TMP-5-9N	7/13/2020	60	147.6	436	
TMP-5-9N	7/13/2020	80	230.1	416	
TMP-5-9N	7/13/2020	100	248.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	6/15/2020	20	111.2	476	
TMP-5-9S	6/15/2020	40	175.3	456	
TMP-5-9S	6/15/2020	60	214.3	436	
TMP-5-9S	6/15/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/15/2020	100			No readings could be obtained
TMP-5-9S	6/22/2020	20	110.1	476	
TMP-5-9S	6/22/2020	40	174.2	456	
TMP-5-9S	6/22/2020	60	213.5	436	
TMP-5-9S	6/22/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/22/2020	100			No readings could be obtained
TMP-5-9S	6/29/2020	20	110.7	476	
TMP-5-9S	6/29/2020	40	174.6	456	
TMP-5-9S	6/29/2020	60	213.7	436	
TMP-5-9S	6/29/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/29/2020	100			No readings could be obtained
TMP-5-9S	7/6/2020	20	110.5	476	
TMP-5-9S	7/6/2020	40	174.6	456	
TMP-5-9S	7/6/2020	60	213.4	436	
TMP-5-9S	7/6/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/6/2020	100			No readings could be obtained
TMP-5-9S	7/13/2020	20	110.6	476	
TMP-5-9S	7/13/2020	40	174.5	456	
TMP-5-9S	7/13/2020	60	213.1	436	
TMP-5-9S	7/13/2020	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/13/2020	100			No readings could be obtained



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	6/15/2020	20	92.9	475	
TMP-5-5N	6/15/2020	40	106.8	455	
TMP-5-5N	6/15/2020	60	97.4	435	
TMP-5-5N	6/15/2020	80	228.6	415	
TMP-5-5N	6/15/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/22/2020	20	93.0	475	
TMP-5-5N	6/22/2020	40	108.1	455	
TMP-5-5N	6/22/2020	60	99.8	435	
TMP-5-5N	6/22/2020	80	228.4	415	
TMP-5-5N	6/22/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/29/2020	20	93.8	475	
TMP-5-5N	6/29/2020	40	109.2	455	
TMP-5-5N	6/29/2020	60	101.4	435	
TMP-5-5N	6/29/2020	80	229.1	415	
TMP-5-5N	6/29/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/6/2020	20	93.5	475	
TMP-5-5N	7/6/2020	40	109.7	455	
TMP-5-5N	7/6/2020	60	101.7	435	
TMP-5-5N	7/6/2020	80	228.3	415	
TMP-5-5N	7/6/2020	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/13/2020	20	93.4	475	
TMP-5-5N	7/13/2020	40	108.9	455	
TMP-5-5N	7/13/2020	60	99.6	435	
TMP-5-5N	7/13/2020	80	227.5	415	
TMP-5-5N	7/13/2020	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	6/15/2020	20	110.8	474	
TMP-5-5S	6/15/2020	40	167.6	454	
TMP-5-5S	6/15/2020	60	200.2	434	
TMP-5-5S	6/15/2020	80	236.3	414	
TMP-5-5S	6/15/2020	100	240.8	394	
TMP-5-5S	6/22/2020	20	109.9	474	
TMP-5-5S	6/22/2020	40	166.5	454	
TMP-5-5S	6/22/2020	60	199.1	434	
TMP-5-5S	6/22/2020	80	235.3	414	
TMP-5-5S	6/22/2020	100	239.8	394	
TMP-5-5S	6/29/2020	20	109.9	474	
TMP-5-5S	6/29/2020	40	167.0	454	
TMP-5-5S	6/29/2020	60	199.5	434	
TMP-5-5S	6/29/2020	80	235.6	414	
TMP-5-5S	6/29/2020	100	240.2	394	
TMP-5-5S	7/6/2020	20	109.3	474	
TMP-5-5S	7/6/2020	40	166.8	454	
TMP-5-5S	7/6/2020	60	199.1	434	
TMP-5-5S	7/6/2020	80	235.4	414	
TMP-5-5S	7/6/2020	100	240.0	394	
TMP-5-5S	7/13/2020	20	110.1	474	
TMP-5-5S	7/13/2020	40	166.7	454	
TMP-5-5S	7/13/2020	60	199.4	434	
TMP-5-5S	7/13/2020	80	235.2	414	
TMP-5-5S	7/13/2020	100	239.8	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	6/15/2020	20	155.1	474	
TMP-31	6/15/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/15/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/15/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/15/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/15/2020	120	268.8	374	
TMP-31	6/22/2020	20	156.2	474	
TMP-31	6/22/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/22/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/22/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/22/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/22/2020	120	268.5	374	
TMP-31	6/29/2020	20	154.4	474	
TMP-31	6/29/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/29/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/29/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/29/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/29/2020	120	268.0	374	
TMP-31	7/6/2020	20	154.7	474	
TMP-31	7/6/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/6/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/6/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/6/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/6/2020	120	268.6	374	
TMP-31	7/13/2020	20	154.0	474	
TMP-31	7/13/2020	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/13/2020	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/13/2020	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/13/2020	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/13/2020	120	268.0	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	6/15/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	60	226.7	444	
TMP-32	6/15/2020	80	242.7	424	
TMP-32	6/15/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/15/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/22/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/22/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/22/2020	60	226.6	444	
TMP-32	6/22/2020	80	242.7	424	
TMP-32	6/22/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/22/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/22/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/22/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/22/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/22/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/29/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/29/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/29/2020	60	225.9	444	
TMP-32	6/29/2020	80	241.7	424	
TMP-32	6/29/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/29/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/29/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/29/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/29/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/29/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/6/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/6/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/6/2020	60	227	444	
TMP-32	7/6/2020	80	243	424	
TMP-32	7/6/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/6/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/6/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/6/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/6/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/6/2020	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/13/2020	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/13/2020	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/13/2020	60	226.7	444	
TMP-32	7/13/2020	80	242.5	424	
TMP-32	7/13/2020	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/13/2020	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/13/2020	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/13/2020	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/13/2020	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/13/2020	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	6/15/2020	20	138.4	473	
TMP-SPM1	6/15/2020	40	161.7	453	
TMP-SPM1	6/15/2020	60	178.7	433	
TMP-SPM1	6/15/2020	80	167.8	413	
TMP-SPM1	6/15/2020	100	167.7	393	
TMP-SPM1	6/15/2020	120	162.7	373	
TMP-SPM1	6/15/2020	140	152.7	353	
TMP-SPM1	6/15/2020	160	134.6	333	
TMP-SPM1	6/15/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/15/2020	200	105.3	293	
TMP-SPM1	6/15/2020	220	92.0	273	
TMP-SPM1	6/15/2020	240	88.8	253	
TMP-SPM1	6/22/2020	20	138.3	473	
TMP-SPM1	6/22/2020	40	160.8	453	
TMP-SPM1	6/22/2020	60	178.6	433	
TMP-SPM1	6/22/2020	80	167.8	413	
TMP-SPM1	6/22/2020	100	167.7	393	
TMP-SPM1	6/22/2020	120	162.9	373	
TMP-SPM1	6/22/2020	140	152.9	353	
TMP-SPM1	6/22/2020	160	134.8	333	
TMP-SPM1	6/22/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/22/2020	200	105.4	293	
TMP-SPM1	6/22/2020	220	92.0	273	
TMP-SPM1	6/22/2020	240	88.5	253	
TMP-SPM1	6/29/2020	20	138.4	473	
TMP-SPM1	6/29/2020	40	161.2	453	
TMP-SPM1	6/29/2020	60	178.5	433	
TMP-SPM1	6/29/2020	80	167.8	413	
TMP-SPM1	6/29/2020	100	167.7	393	
TMP-SPM1	6/29/2020	120	162.8	373	
TMP-SPM1	6/29/2020	140	152.8	353	
TMP-SPM1	6/29/2020	160	134.6	333	
TMP-SPM1	6/29/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/29/2020	200	105.3	293	
TMP-SPM1	6/29/2020	220	91.6	273	
TMP-SPM1	6/29/2020	240	88.3	253	
TMP-SPM1	7/6/2020	20	136.8	473	
TMP-SPM1	7/6/2020	40	160.3	453	
TMP-SPM1	7/6/2020	60	177.5	433	
TMP-SPM1	7/6/2020	80	167.2	413	
TMP-SPM1	7/6/2020	100	167.2	393	
TMP-SPM1	7/6/2020	120	162.8	373	
TMP-SPM1	7/6/2020	140	152.9	353	
TMP-SPM1	7/6/2020	160	134.8	333	
TMP-SPM1	7/6/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	7/6/2020	200	105.6	293	
TMP-SPM1	7/6/2020	220	92.0	273	
TMP-SPM1	7/6/2020	240	88.5	253	
TMP-SPM1	7/13/2020	20	136.8	473	
TMP-SPM1	7/13/2020	40	159.9	453	
TMP-SPM1	7/13/2020	60	177.4	433	
TMP-SPM1	7/13/2020	80	167.0	413	
TMP-SPM1	7/13/2020	100	167.1	393	
TMP-SPM1	7/13/2020	120	162.6	373	
TMP-SPM1	7/13/2020	140	152.7	353	
TMP-SPM1	7/13/2020	160	134.7	333	
TMP-SPM1	7/13/2020	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	7/13/2020	200	105.4	293	
TMP-SPM1	7/13/2020	220	92.0	273	
TMP-SPM1	7/13/2020	240	88.8	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	6/15/2020	20	127.7	475	
TMP-SPM2	6/15/2020	40	151.6	455	
TMP-SPM2	6/15/2020	60	146.7	435	
TMP-SPM2	6/15/2020	80	165.3	415	
TMP-SPM2	6/15/2020	100	185.9	395	
TMP-SPM2	6/15/2020	120	185.8	375	
TMP-SPM2	6/15/2020	140	186.8	355	
TMP-SPM2	6/15/2020	160	163.1	335	
TMP-SPM2	6/15/2020	172	146.6	323	
TMP-SPM2	6/22/2020	20	126.9	475	
TMP-SPM2	6/22/2020	40	150.9	455	
TMP-SPM2	6/22/2020	60	146.0	435	
TMP-SPM2	6/22/2020	80	164.6	415	
TMP-SPM2	6/22/2020	100	185.3	395	
TMP-SPM2	6/22/2020	120	185.4	375	
TMP-SPM2	6/22/2020	140	186.6	355	
TMP-SPM2	6/22/2020	160	163.2	335	
TMP-SPM2	6/22/2020	172	146.8	323	
TMP-SPM2	6/29/2020	20	127.6	475	
TMP-SPM2	6/29/2020	40	151.4	455	
TMP-SPM2	6/29/2020	60	146.5	435	
TMP-SPM2	6/29/2020	80	165.0	415	
TMP-SPM2	6/29/2020	100	185.6	395	
TMP-SPM2	6/29/2020	120	185.7	375	
TMP-SPM2	6/29/2020	140	187.0	355	
TMP-SPM2	6/29/2020	160	163.6	335	
TMP-SPM2	6/29/2020	172	147.3	323	
TMP-SPM2	7/6/2020	20	125.7	475	
TMP-SPM2	7/6/2020	40	149.2	455	
TMP-SPM2	7/6/2020	60	144.2	435	
TMP-SPM2	7/6/2020	80	162.6	415	
TMP-SPM2	7/6/2020	100	183.3	395	
TMP-SPM2	7/6/2020	120	183.7	375	
TMP-SPM2	7/6/2020	140	185.2	355	
TMP-SPM2	7/6/2020	160	161.8	335	
TMP-SPM2	7/6/2020	172	145.4	323	
TMP-SPM2	7/13/2020	20	125.4	475	
TMP-SPM2	7/13/2020	40	149.4	455	
TMP-SPM2	7/13/2020	60	144.5	435	
TMP-SPM2	7/13/2020	80	162.7	415	
TMP-SPM2	7/13/2020	100	183.4	395	
TMP-SPM2	7/13/2020	120	183.9	375	
TMP-SPM2	7/13/2020	140	185.4	355	
TMP-SPM2	7/13/2020	160	162.1	335	
TMP-SPM2	7/13/2020	172	145.7	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	6/15/2020	20	107.5	478	
TMP-SPM3	6/15/2020	40	109.7	458	
TMP-SPM3	6/15/2020	60	103.6	438	
TMP-SPM3	6/15/2020	80	108.9	418	
TMP-SPM3	6/15/2020	85	111.3	413	
TMP-SPM3	6/22/2020	20	106.6	478	
TMP-SPM3	6/22/2020	40	108.8	458	
TMP-SPM3	6/22/2020	60	102.8	438	
TMP-SPM3	6/22/2020	80	107.8	418	
TMP-SPM3	6/22/2020	85	110.3	413	
TMP-SPM3	6/29/2020	20	106.5	478	
TMP-SPM3	6/29/2020	40	109.4	458	
TMP-SPM3	6/29/2020	60	103.5	438	
TMP-SPM3	6/29/2020	80	108.6	418	
TMP-SPM3	6/29/2020	85	111.0	413	
TMP-SPM3	7/6/2020	20	105.8	478	
TMP-SPM3	7/6/2020	40	107.5	458	
TMP-SPM3	7/6/2020	60	101.6	438	
TMP-SPM3	7/6/2020	80	106.7	418	
TMP-SPM3	7/6/2020	85	109.0	413	
TMP-SPM3	7/13/2020	20	105.6	478	
TMP-SPM3	7/13/2020	40	107.5	458	
TMP-SPM3	7/13/2020	60	101.7	438	
TMP-SPM3	7/13/2020	80	106.7	418	
TMP-SPM3	7/13/2020	85	109.0	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	6/15/2020	20	115.4	475	
TMP-SPM4	6/15/2020	40	137.8	455	
TMP-SPM4	6/15/2020	60	140.1	435	
TMP-SPM4	6/15/2020	80	140.9	415	
TMP-SPM4	6/15/2020	100	136.9	395	
TMP-SPM4	6/15/2020	120	129.6	375	
TMP-SPM4	6/15/2020	140	124.8	355	
TMP-SPM4	6/15/2020	160	118.9	335	
TMP-SPM4	6/15/2020	180	114.7	315	
TMP-SPM4	6/15/2020	200	109.2	295	
TMP-SPM4	6/15/2020	220	97.0	275	
TMP-SPM4	6/15/2020	240	90.8	255	
TMP-SPM4	6/22/2020	20	114.8	475	
TMP-SPM4	6/22/2020	40	137.4	455	
TMP-SPM4	6/22/2020	60	139.8	435	
TMP-SPM4	6/22/2020	80	140.6	415	
TMP-SPM4	6/22/2020	100	136.6	395	
TMP-SPM4	6/22/2020	120	129.4	375	
TMP-SPM4	6/22/2020	140	124.7	355	
TMP-SPM4	6/22/2020	160	118.8	335	
TMP-SPM4	6/22/2020	180	114.6	315	
TMP-SPM4	6/22/2020	200	109.1	295	
TMP-SPM4	6/22/2020	220	96.7	275	
TMP-SPM4	6/22/2020	240	90.2	255	
TMP-SPM4	6/29/2020	20	114.5	475	
TMP-SPM4	6/29/2020	40	137.0	455	
TMP-SPM4	6/29/2020	60	139.3	435	
TMP-SPM4	6/29/2020	80	140.1	415	
TMP-SPM4	6/29/2020	100	136.0	395	
TMP-SPM4	6/29/2020	120	128.8	375	
TMP-SPM4	6/29/2020	140	124.1	355	
TMP-SPM4	6/29/2020	160	118.2	335	
TMP-SPM4	6/29/2020	180	113.9	315	
TMP-SPM4	6/29/2020	200	108.6	295	
TMP-SPM4	6/29/2020	220	96.2	275	
TMP-SPM4	6/29/2020	240	89.8	255	
TMP-SPM4	7/6/2020	20	114.4	475	
TMP-SPM4	7/6/2020	40	137.2	455	
TMP-SPM4	7/6/2020	60	139.7	435	
TMP-SPM4	7/6/2020	80	140.6	415	
TMP-SPM4	7/6/2020	100	136.6	395	
TMP-SPM4	7/6/2020	120	129.3	375	
TMP-SPM4	7/6/2020	140	124.8	355	
TMP-SPM4	7/6/2020	160	119.0	335	
TMP-SPM4	7/6/2020	180	115.1	315	
TMP-SPM4	7/6/2020	200	109.5	295	
TMP-SPM4	7/6/2020	220	96.8	275	
TMP-SPM4	7/6/2020	240	90.3	255	
TMP-SPM4	7/13/2020	20	114.5	475	
TMP-SPM4	7/13/2020	40	137.3	455	
TMP-SPM4	7/13/2020	60	139.7	435	
TMP-SPM4	7/13/2020	80	140.5	415	
TMP-SPM4	7/13/2020	100	136.5	395	
TMP-SPM4	7/13/2020	120	129.2	375	
TMP-SPM4	7/13/2020	140	124.6	355	
TMP-SPM4	7/13/2020	160	118.6	335	
TMP-SPM4	7/13/2020	180	114.5	315	
TMP-SPM4	7/13/2020	200	109.0	295	
TMP-SPM4	7/13/2020	220	96.7	275	
TMP-SPM4	7/13/2020	240	90.2	255	