

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	12/18/2017	20	165.8	473	
TMP-19	12/18/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/18/2017	60	229.2	433	
TMP-19	12/18/2017	80	234.9	413	
TMP-19	12/18/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/26/2017	20	167.1	473	
TMP-19	12/26/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/26/2017	60	231.0	433	
TMP-19	12/26/2017	80	236.4	413	
TMP-19	12/26/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/2/2018	20	164.5	473	
TMP-19	1/2/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/2/2018	60	229.6	433	
TMP-19	1/2/2018	80	235.0	413	
TMP-19	1/2/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/8/2018	20	163.4	473	
TMP-19	1/8/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/8/2018	60	228.9	433	
TMP-19	1/8/2018	80	234.4	413	
TMP-19	1/8/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/15/2018	20	163.7	473	
TMP-19	1/15/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/15/2018	60	230.0	433	
TMP-19	1/15/2018	80	235.5	413	
TMP-19	1/15/2018	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	12/18/2017	20	131.9	478	
TMP-20	12/18/2017	40	193.6	458	
TMP-20	12/18/2017	60	231.7	438	
TMP-20	12/18/2017	80	243.6	418	
TMP-20	12/18/2017	100	255.5	398	
TMP-20	12/18/2017	120	266.3	378	
TMP-20	12/18/2017	140	264.0	358	
TMP-20	12/26/2017	20	134.2	478	
TMP-20	12/26/2017	40	195.5	458	
TMP-20	12/26/2017	60	233.4	438	
TMP-20	12/26/2017	80	245.3	418	
TMP-20	12/26/2017	100	257.4	398	
TMP-20	12/26/2017	120	268.2	378	
TMP-20	12/26/2017	140	265.6	358	
TMP-20	1/2/2018	20	132.5	478	
TMP-20	1/2/2018	40	194.3	458	
TMP-20	1/2/2018	60	232.2	438	
TMP-20	1/2/2018	80	244.0	418	
TMP-20	1/2/2018	100	256.0	398	
TMP-20	1/2/2018	120	266.8	378	
TMP-20	1/2/2018	140	264.1	358	
TMP-20	1/8/2018	20	131.6	478	
TMP-20	1/8/2018	40	192.7	458	
TMP-20	1/8/2018	60	230.9	438	
TMP-20	1/8/2018	80	242.8	418	
TMP-20	1/8/2018	100	254.8	398	
TMP-20	1/8/2018	120	265.8	378	
TMP-20	1/8/2018	140	263.2	358	
TMP-20	1/15/2018	20	132.2	478	
TMP-20	1/15/2018	40	193.2	458	
TMP-20	1/15/2018	60	231.8	438	
TMP-20	1/15/2018	80	243.7	418	
TMP-20	1/15/2018	100	255.7	398	
TMP-20	1/15/2018	120	266.9	378	
TMP-20	1/15/2018	140	264.1	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	12/18/2017	20	128.4	475	
TMP-10-9N	12/18/2017	40	149.3	455	
TMP-10-9N	12/18/2017	60	156.9	435	
TMP-10-9N	12/18/2017	80	156.2	415	
TMP-10-9N	12/18/2017	100	162.7	395	
TMP-10-9N	12/26/2017	20	130.0	475	
TMP-10-9N	12/26/2017	40	150.2	455	
TMP-10-9N	12/26/2017	60	157.6	435	
TMP-10-9N	12/26/2017	80	156.3	415	
TMP-10-9N	12/26/2017	100	163.1	395	
TMP-10-9N	1/2/2018	20	128.2	475	
TMP-10-9N	1/2/2018	40	148.4	455	
TMP-10-9N	1/2/2018	60	155.7	435	
TMP-10-9N	1/2/2018	80	154.4	415	
TMP-10-9N	1/2/2018	100	161.8	395	
TMP-10-9N	1/8/2018	20	128.0	475	
TMP-10-9N	1/8/2018	40	147.9	455	
TMP-10-9N	1/8/2018	60	154.9	435	
TMP-10-9N	1/8/2018	80	153.6	415	
TMP-10-9N	1/8/2018	100	160.2	395	
TMP-10-9N	1/15/2018	20	128.4	475	
TMP-10-9N	1/15/2018	40	148.3	455	
TMP-10-9N	1/15/2018	60	154.9	435	
TMP-10-9N	1/15/2018	80	153.7	415	
TMP-10-9N	1/15/2018	100	160.6	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	12/18/2017	20	128.2	476	
TMP-10-9S	12/18/2017	40	174.7	456	
TMP-10-9S	12/18/2017	60	201.1	436	
TMP-10-9S	12/18/2017	80	202.8	416	
TMP-10-9S	12/18/2017	100	218.1	396	
TMP-10-9S	12/26/2017	20	129.8	476	
TMP-10-9S	12/26/2017	40	176.6	456	
TMP-10-9S	12/26/2017	60	202.5	436	
TMP-10-9S	12/26/2017	80	204.2	416	
TMP-10-9S	12/26/2017	100	219.5	396	
TMP-10-9S	1/2/2018	20	128.5	476	
TMP-10-9S	1/2/2018	40	175.2	456	
TMP-10-9S	1/2/2018	60	201.5	436	
TMP-10-9S	1/2/2018	80	203.3	416	
TMP-10-9S	1/2/2018	100	219.0	396	
TMP-10-9S	1/8/2018	20	128.0	476	
TMP-10-9S	1/8/2018	40	174.0	456	
TMP-10-9S	1/8/2018	60	200.4	436	
TMP-10-9S	1/8/2018	80	202.3	416	
TMP-10-9S	1/8/2018	100	217.5	396	
TMP-10-9S	1/15/2018	20	128.5	476	
TMP-10-9S	1/15/2018	40	171.6	456	
TMP-10-9S	1/15/2018	60	200.2	436	
TMP-10-9S	1/15/2018	80	202.7	416	
TMP-10-9S	1/15/2018	100	218.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	12/18/2017	20	112.9	478	
TMP-10-5N	12/18/2017	40	114.0	458	
TMP-10-5N	12/18/2017	60	111.9	438	
TMP-10-5N	12/18/2017	80	99.4	418	
TMP-10-5N	12/18/2017	100	92.6	398	
TMP-10-5N	12/26/2017	20	114.5	478	
TMP-10-5N	12/26/2017	40	114.5	458	
TMP-10-5N	12/26/2017	60	112.5	438	
TMP-10-5N	12/26/2017	80	99.8	418	
TMP-10-5N	12/26/2017	100	92.9	398	
TMP-10-5N	1/2/2018	20	113.1	478	
TMP-10-5N	1/2/2018	40	113.2	458	
TMP-10-5N	1/2/2018	60	111.0	438	
TMP-10-5N	1/2/2018	80	99.2	418	
TMP-10-5N	1/2/2018	100	92.9	398	
TMP-10-5N	1/8/2018	20	111.8	478	
TMP-10-5N	1/8/2018	40	111.9	458	
TMP-10-5N	1/8/2018	60	109.9	438	
TMP-10-5N	1/8/2018	80	98.2	418	
TMP-10-5N	1/8/2018	100	91.3	398	
TMP-10-5N	1/15/2018	20	111.9	478	
TMP-10-5N	1/15/2018	40	113.1	458	
TMP-10-5N	1/15/2018	60	109.4	438	
TMP-10-5N	1/15/2018	80	97.4	418	
TMP-10-5N	1/15/2018	100	90.6	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	12/18/2017	20	120.7	477	
TMP-10-5S	12/18/2017	40	153.4	457	
TMP-10-5S	12/18/2017	60	179.5	437	
TMP-10-5S	12/18/2017	80	187.7	417	
TMP-10-5S	12/18/2017	100	201.7	397	
TMP-10-5S	12/26/2017	20	122.1	477	
TMP-10-5S	12/26/2017	40	155.0	457	
TMP-10-5S	12/26/2017	60	180.7	437	
TMP-10-5S	12/26/2017	80	188.9	417	
TMP-10-5S	12/26/2017	100	203.0	397	
TMP-10-5S	1/2/2018	20	120.6	477	
TMP-10-5S	1/2/2018	40	153.5	457	
TMP-10-5S	1/2/2018	60	178.8	437	
TMP-10-5S	1/2/2018	80	187.4	417	
TMP-10-5S	1/2/2018	100	201.6	397	
TMP-10-5S	1/8/2018	20	120.5	477	
TMP-10-5S	1/8/2018	40	153.5	457	
TMP-10-5S	1/8/2018	60	178.6	437	
TMP-10-5S	1/8/2018	80	187.1	417	
TMP-10-5S	1/8/2018	100	201.1	397	
TMP-10-5S	1/15/2018	20	120.3	477	
TMP-10-5S	1/15/2018	40	153.8	457	
TMP-10-5S	1/15/2018	60	178.6	437	
TMP-10-5S	1/15/2018	80	187.3	417	
TMP-10-5S	1/15/2018	100	201.6	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	12/18/2017	20	115.7	476	
TMP-5-9N	12/18/2017	40	157.3	456	
TMP-5-9N	12/18/2017	60	158.8	436	
TMP-5-9N	12/18/2017	80	253.4	416	
TMP-5-9N	12/18/2017	100	262.3	396	
TMP-5-9N	12/26/2017	20	117.2	476	
TMP-5-9N	12/26/2017	40	158.9	456	
TMP-5-9N	12/26/2017	60	159.5	436	
TMP-5-9N	12/26/2017	80	254.9	416	
TMP-5-9N	12/26/2017	100	263.9	396	
TMP-5-9N	1/2/2018	20	115.4	476	
TMP-5-9N	1/2/2018	40	157.0	456	
TMP-5-9N	1/2/2018	60	157.4	436	
TMP-5-9N	1/2/2018	80	253.7	416	
TMP-5-9N	1/2/2018	100	262.9	396	
TMP-5-9N	1/8/2018	20	114.7	476	
TMP-5-9N	1/8/2018	40	155.7	456	
TMP-5-9N	1/8/2018	60	156.6	436	
TMP-5-9N	1/8/2018	80	253.4	416	
TMP-5-9N	1/8/2018	100	262.4	396	
TMP-5-9N	1/15/2018	20	115.3	476	
TMP-5-9N	1/15/2018	40	155.1	456	
TMP-5-9N	1/15/2018	60	156.6	436	
TMP-5-9N	1/15/2018	80	254.2	416	
TMP-5-9N	1/15/2018	100	263.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	12/18/2017	20	137.1	476	
TMP-5-9S	12/18/2017	40	211.6	456	
TMP-5-9S	12/18/2017	60	235.2	436	
TMP-5-9S	12/18/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/18/2017	100	264.1	396	
TMP-5-9S	12/26/2017	20	140.0	476	
TMP-5-9S	12/26/2017	40	213.8	456	
TMP-5-9S	12/26/2017	60	237.5	436	
TMP-5-9S	12/26/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/26/2017	100	265.4	396	
TMP-5-9S	1/2/2018	20	138.9	476	
TMP-5-9S	1/2/2018	40	212.9	456	
TMP-5-9S	1/2/2018	60	236.8	436	
TMP-5-9S	1/2/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/2/2018	100	265.1	396	
TMP-5-9S	1/8/2018	20	138.2	476	
TMP-5-9S	1/8/2018	40	211.1	456	
TMP-5-9S	1/8/2018	60	235.7	436	
TMP-5-9S	1/8/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/8/2018	100	263.9	396	
TMP-5-9S	1/15/2018	20	138.8	476	
TMP-5-9S	1/15/2018	40	208.7	456	
TMP-5-9S	1/15/2018	60	236.6	436	
TMP-5-9S	1/15/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/15/2018	100	264.4	396	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	12/18/2017	20	106.1	475	
TMP-5-5N	12/18/2017	40	99.2	455	
TMP-5-5N	12/18/2017	60	88.5	435	
TMP-5-5N	12/18/2017	80	252.3	415	
TMP-5-5N	12/18/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/26/2017	20	106.6	475	
TMP-5-5N		40	98.5	455	
TMP-5-5N	12/26/2017	60	87.4	435	
TMP-5-5N	12/26/2017	80	253.0	415	
TMP-5-5N	12/26/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/2/2018	20	105.4	475	
TMP-5-5N	1/2/2018	40	98.6	455	
TMP-5-5N	1/2/2018	60	89.2	435	
TMP-5-5N	1/2/2018	80	252.4	415	
TMP-5-5N	1/2/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/8/2018	20	104.7	475	
TMP-5-5N	1/8/2018	40	97.4	455	
TMP-5-5N	1/8/2018	60	86.5	435	
TMP-5-5N	1/8/2018	80	251.4	415	
TMP-5-5N	1/8/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/15/2018	20	104.7	475	
TMP-5-5N	1/15/2018	40	97.4	455	
TMP-5-5N	1/15/2018	60	85.4	435	
TMP-5-5N	1/15/2018	80	252.1	415	
TMP-5-5N	1/15/2018	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	12/18/2017	20	133.4	474	
TMP-5-5S	12/18/2017	40	200.4	454	
TMP-5-5S	12/18/2017	60	229.0	434	
TMP-5-5S	12/18/2017	80	251.0	414	
TMP-5-5S	12/18/2017	100	254.3	394	
TMP-5-5S	12/26/2017	20	137.3	474	
TMP-5-5S	12/26/2017	40	203.5	454	
TMP-5-5S	12/26/2017	60	232.0	434	
TMP-5-5S	12/26/2017	80	253.8	414	
TMP-5-5S	12/26/2017	100	256.7	394	
TMP-5-5S	1/2/2018	20	135.8	474	
TMP-5-5S	1/2/2018	40	201.9	454	
TMP-5-5S	1/2/2018	60	230.9	434	
TMP-5-5S	1/2/2018	80	253.0	414	
TMP-5-5S	1/2/2018	100	256.3	394	
TMP-5-5S	1/8/2018	20	136.3	474	
TMP-5-5S	1/8/2018	40	201.0	454	
TMP-5-5S	1/8/2018	60	230.8	434	
TMP-5-5S	1/8/2018	80	252.8	414	
TMP-5-5S	1/8/2018	100	255.9	394	
TMP-5-5S	1/15/2018	20	136.5	474	
TMP-5-5S	1/15/2018	40	200.5	454	
TMP-5-5S	1/15/2018	60	231.1	434	
TMP-5-5S	1/15/2018	80	253.4	414	
TMP-5-5S	1/15/2018	100	256.5	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	12/18/2017	20	197.8	474	
TMP-31	12/18/2017	40	228.2	454	
TMP-31	12/18/2017	60	243.8	434	
TMP-31	12/18/2017	80	259.5	414	
TMP-31	12/18/2017	100		394	drop in resistance from previous week, low resistivity, unreliable
TMP-31	12/18/2017	120	276.4	374	
TMP-31	12/18/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	12/26/2017	20	199.3	474	
TMP-31	12/26/2017	40	229.7	454	
TMP-31	12/26/2017	60	245.2	434	
TMP-31	12/26/2017	80	260.8	414	
TMP-31	12/26/2017	100		394	drop in resistance from previous week, low resistivity, unreliable
TMP-31	12/26/2017	120	277.6	374	
TMP-31	12/26/2017	140		354	previously no stable reading, current low resistivity, unreliable
TMP-31	1/2/2018	20	198.8	474	
TMP-31	1/2/2018	40	229.3	454	
TMP-31	1/2/2018	60	244.7	434	
TMP-31	1/2/2018	80	260.6	414	
TMP-31	1/2/2018	100		394	low resistivity, unreliable
TMP-31	1/2/2018	120	277.5	374	
TMP-31	1/2/2018	140		354	previously no stable reading, unreliable
TMP-31	1/8/2018	20	198.3	474	
TMP-31	1/8/2018	40	228.9	454	
TMP-31	1/8/2018	60	244.1	434	
TMP-31	1/8/2018	80	259.7	414	
TMP-31	1/8/2018	100		394	low resistivity, unreliable
TMP-31	1/8/2018	120	276.4	374	
TMP-31	1/8/2018	140		354	previously no stable reading, unreliable
TMP-31	1/15/2018	20	198.3	474	
TMP-31	1/15/2018	40	230.0	454	
TMP-31	1/15/2018	60	245.1	434	
TMP-31	1/15/2018	80	260.4	414	
TMP-31	1/15/2018	100		394	low resistivity, unreliable
TMP-31	1/15/2018	120	277.2	374	
TMP-31	1/15/2018	140		354	previously no stable reading, unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	12/18/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/18/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/18/2017	60	241.0	444	
TMP-32	12/18/2017	80	254.6	424	
TMP-32	12/18/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/18/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/18/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/18/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/18/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/18/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/26/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/26/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/26/2017	60	242.4	444	
TMP-32	12/26/2017	80	255.8	424	
TMP-32	12/26/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/26/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/26/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/26/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/26/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/26/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/2/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/2/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/2/2018	60	242.8	444	
TMP-32	1/2/2018	80	256.4	424	
TMP-32	1/2/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/2/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/2/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/2/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/2/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/2/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/8/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/8/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/8/2018	60	241.6	444	
TMP-32	1/8/2018	80	254.9	424	
TMP-32	1/8/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/8/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/8/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/8/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/8/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/8/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	60	242.3	444	
TMP-32	1/15/2018	80	255.6	424	
TMP-32	1/15/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	12/18/2017	20	168.8	473	
TMP-SPM1	12/18/2017	40	202.5	453	
TMP-SPM1	12/18/2017	60	202.4	433	
TMP-SPM1	12/18/2017	80	197.1	413	
TMP-SPM1	12/18/2017	100	183.9	393	
TMP-SPM1	12/18/2017	120	171.5	373	
TMP-SPM1	12/18/2017	140	161.1	353	
TMP-SPM1	12/18/2017	160	143.9	333	
TMP-SPM1	12/18/2017	180	129.0	313	
TMP-SPM1	12/18/2017	200	108.9	293	
TMP-SPM1	12/18/2017	220	93.0	273	
TMP-SPM1	12/18/2017	240	89.7	253	
TMP-SPM1	12/26/2017	20	170.0	473	
TMP-SPM1	12/26/2017	40	203.8	453	
TMP-SPM1	12/26/2017	60	203.7	433	
TMP-SPM1	12/26/2017	80	198.5	413	
TMP-SPM1	12/26/2017	100	185.2	393	
TMP-SPM1	12/26/2017	120	172.9	373	
TMP-SPM1	12/26/2017	140	162.4	353	
TMP-SPM1	12/26/2017	160	145.2	333	
TMP-SPM1	12/26/2017	180	130.4	313	
TMP-SPM1	12/26/2017	200	110.2	293	
TMP-SPM1	12/26/2017	220	94.4	273	
TMP-SPM1	12/26/2017	240	91.0	253	
TMP-SPM1	1/2/2018	20	170.4	473	
TMP-SPM1	1/2/2018	40	204.6	453	
TMP-SPM1	1/2/2018	60	204.1	433	
TMP-SPM1	1/2/2018	80	199.6	413	
TMP-SPM1	1/2/2018	100	186.2	393	
TMP-SPM1	1/2/2018	120	174.0	373	
TMP-SPM1	1/2/2018	140	163.6	353	
TMP-SPM1	1/2/2018	160	146.3	333	
TMP-SPM1	1/2/2018	180	131.4	313	
TMP-SPM1	1/2/2018	200	111.2	293	
TMP-SPM1	1/2/2018	220	95.3	273	
TMP-SPM1	1/2/2018	240	92.0	253	
TMP-SPM1	1/8/2018	20	167.3	473	
TMP-SPM1	1/8/2018	40	201.7	453	
TMP-SPM1	1/8/2018	60	201.5	433	
TMP-SPM1	1/8/2018	80	196.6	413	
TMP-SPM1	1/8/2018	100	183.2	393	
TMP-SPM1	1/8/2018	120	171.0	373	
TMP-SPM1	1/8/2018	140	160.5	353	
TMP-SPM1	1/8/2018	160	143.3	333	
TMP-SPM1	1/8/2018	180	128.6	313	
TMP-SPM1	1/8/2018	200	108.4	293	
TMP-SPM1	1/8/2018	220	92.8	273	
TMP-SPM1	1/8/2018	240	89.4	253	
TMP-SPM1	1/15/2018	20	169.8	473	
TMP-SPM1	1/15/2018	40	203.9	453	
TMP-SPM1	1/15/2018	60	204.3	433	
TMP-SPM1	1/15/2018	80	199.1	413	
TMP-SPM1	1/15/2018	100	185.7	393	
TMP-SPM1	1/15/2018	120	173.4	373	
TMP-SPM1	1/15/2018	140	163.1	353	
TMP-SPM1	1/15/2018	160	146.0	333	
TMP-SPM1	1/15/2018	180	131.3	313	
TMP-SPM1	1/15/2018	200	111.1	293	
TMP-SPM1	1/15/2018	220	95.4	273	
TMP-SPM1	1/15/2018	240	91.9	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	12/18/2017	20	163.1	475	
TMP-SPM2	12/18/2017	40	193.1	455	
TMP-SPM2	12/18/2017	60	191.4	435	
TMP-SPM2	12/18/2017	80	185.0	415	
TMP-SPM2	12/18/2017	100	197.6	395	
TMP-SPM2	12/18/2017	120	190.5	375	
TMP-SPM2	12/18/2017	140	177.6	355	
TMP-SPM2	12/18/2017	160	155.7	335	
TMP-SPM2	12/18/2017	172	140.9	323	
TMP-SPM2	12/26/2017	20	163.9	475	
TMP-SPM2	12/26/2017	40	194.0	455	
TMP-SPM2	12/26/2017	60	192.5	435	
TMP-SPM2	12/26/2017	80	186.4	415	
TMP-SPM2	12/26/2017	100	199.2	395	
TMP-SPM2	12/26/2017	120	192.1	375	
TMP-SPM2	12/26/2017	140	179.3	355	
TMP-SPM2	12/26/2017	160	157.3	335	
TMP-SPM2	12/26/2017	172	142.0	323	
TMP-SPM2	1/2/2018	20	162.1	475	
TMP-SPM2	1/2/2018	40	192.5	455	
TMP-SPM2	1/2/2018	60	191.2	435	
TMP-SPM2	1/2/2018	80	185.7	415	
TMP-SPM2	1/2/2018	100	198.8	395	
TMP-SPM2	1/2/2018	120	192.0	375	
TMP-SPM2	1/2/2018	140	179.4	355	
TMP-SPM2	1/2/2018	160	157.4	335	
TMP-SPM2	1/2/2018	172	142.5	323	
TMP-SPM2	1/8/2018	20	162.1	475	
TMP-SPM2	1/8/2018	40	192.0	455	
TMP-SPM2	1/8/2018	60	190.8	435	
TMP-SPM2	1/8/2018	80	185.2	415	
TMP-SPM2	1/8/2018	100	198.5	395	
TMP-SPM2	1/8/2018	120	191.5	375	
TMP-SPM2	1/8/2018	140	178.7	355	
TMP-SPM2	1/8/2018	160	156.5	335	
TMP-SPM2	1/8/2018	172	141.3	323	
TMP-SPM2	1/15/2018	20	162.7	475	
TMP-SPM2	1/15/2018	40	192.9	455	
TMP-SPM2	1/15/2018	60	191.7	435	
TMP-SPM2	1/15/2018	80	186.4	415	
TMP-SPM2	1/15/2018	100	199.9	395	
TMP-SPM2	1/15/2018	120	193.0	375	
TMP-SPM2	1/15/2018	140	180.4	355	
TMP-SPM2	1/15/2018	160	158.1	335	
TMP-SPM2	1/15/2018	172	142.7	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	12/18/2017	20	123.4	478	
TMP-SPM3	12/18/2017	40	134.5	458	
TMP-SPM3	12/18/2017	60	129.2	438	
TMP-SPM3	12/18/2017	80	129.4	418	
TMP-SPM3	12/18/2017	85	129.2	413	
TMP-SPM3	12/26/2017	20	125.1	478	
TMP-SPM3	12/26/2017	40	135.6	458	
TMP-SPM3	12/26/2017	60	130.4	438	
TMP-SPM3	12/26/2017	80	130.6	418	
TMP-SPM3	12/26/2017	85	130.7	413	
TMP-SPM3	1/2/2018	20	123.4	478	
TMP-SPM3	1/2/2018	40	134.4	458	
TMP-SPM3	1/2/2018	60	129.5	438	
TMP-SPM3	1/2/2018	80	130.1	418	
TMP-SPM3	1/2/2018	85	130.1	413	
TMP-SPM3	1/8/2018	20	122.7	478	
TMP-SPM3	1/8/2018	40	133.8	458	
TMP-SPM3	1/8/2018	60	128.9	438	
TMP-SPM3	1/8/2018	80	129.1	418	
TMP-SPM3	1/8/2018	85	129.1	413	
TMP-SPM3	1/15/2018	20	123.2	478	
TMP-SPM3	1/15/2018	40	134.4	458	
TMP-SPM3	1/15/2018	60	129.5	438	
TMP-SPM3	1/15/2018	80	130.0	418	
TMP-SPM3	1/15/2018	85	130.0	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	12/18/2017	20	133.3	475	
TMP-SPM4	12/18/2017	40	156.1	455	
TMP-SPM4	12/18/2017	60	160.8	435	
TMP-SPM4	12/18/2017	80	163.5	415	
TMP-SPM4	12/18/2017	100	160.2	395	
TMP-SPM4	12/18/2017	120	151.1	375	
TMP-SPM4	12/18/2017	140	144.3	355	
TMP-SPM4	12/18/2017	160	136.5	335	
TMP-SPM4	12/18/2017	180	128.3	315	
TMP-SPM4	12/18/2017	200	115.6	295	
TMP-SPM4	12/18/2017	220	98.7	275	
TMP-SPM4	12/18/2017	240	91.3	255	
TMP-SPM4	12/26/2017	20	133.7	475	
TMP-SPM4	12/26/2017	40	156.3	455	
TMP-SPM4	12/26/2017	60	160.9	435	
TMP-SPM4	12/26/2017	80	163.8	415	
TMP-SPM4	12/26/2017	100	160.4	395	
TMP-SPM4	12/26/2017	120	151.3	375	
TMP-SPM4	12/26/2017	140	144.7	355	
TMP-SPM4	12/26/2017	160	137.0	335	
TMP-SPM4	12/26/2017	180	128.9	315	
TMP-SPM4	12/26/2017	200	116.3	295	
TMP-SPM4	12/26/2017	220	99.5	275	
TMP-SPM4	12/26/2017	240	92.1	255	
TMP-SPM4	1/2/2018	20	135.3	475	
TMP-SPM4	1/2/2018	40	157.7	455	
TMP-SPM4	1/2/2018	60	162.3	435	
TMP-SPM4	1/2/2018	80	165.3	415	
TMP-SPM4	1/2/2018	100	161.9	395	
TMP-SPM4	1/2/2018	120	152.8	375	
TMP-SPM4	1/2/2018	140	146.1	355	
TMP-SPM4	1/2/2018	160	138.2	335	
TMP-SPM4	1/2/2018	180	129.9	315	
TMP-SPM4	1/2/2018	200	117.3	295	
TMP-SPM4	1/2/2018	220	101.2	275	
TMP-SPM4	1/2/2018	240	92.7	255	
TMP-SPM4	1/8/2018	20	132.6	475	
TMP-SPM4	1/8/2018	40	155.3	455	
TMP-SPM4	1/8/2018	60	159.8	435	
TMP-SPM4	1/8/2018	80	162.6	415	
TMP-SPM4	1/8/2018	100	159.4	395	
TMP-SPM4	1/8/2018	120	150.3	375	
TMP-SPM4	1/8/2018	140	143.7	355	
TMP-SPM4	1/8/2018	160	136.0	335	
TMP-SPM4	1/8/2018	180	127.9	315	
TMP-SPM4	1/8/2018	200	115.5	295	
TMP-SPM4	1/8/2018	220	98.8	275	
TMP-SPM4	1/8/2018	240	91.4	255	
TMP-SPM4	1/15/2018	20	133.6	475	
TMP-SPM4	1/15/2018	40	156.1	455	
TMP-SPM4	1/15/2018	60	160.5	435	
TMP-SPM4	1/15/2018	80	163.4	415	
TMP-SPM4	1/15/2018	100	160.1	395	
TMP-SPM4	1/15/2018	120	151.1	375	
TMP-SPM4	1/15/2018	140	144.5	355	
TMP-SPM4	1/15/2018	160	136.9	335	
TMP-SPM4	1/15/2018	180	129.1	315	
TMP-SPM4	1/15/2018	200	116.7	295	
TMP-SPM4	1/15/2018	220	100.2	275	
TMP-SPM4	1/15/2018	240	92.9	255	