

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	1/15/2018	20	163.7	473	
TMP-19	1/15/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/15/2018	60	230.0	433	
TMP-19	1/15/2018	80	235.5	413	
TMP-19	1/15/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/23/2018	20	165.0	473	
TMP-19	1/23/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/23/2018	60	230.8	433	
TMP-19	1/23/2018	80	236.4	413	
TMP-19	1/23/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/29/2018	20	164.2	473	
TMP-19	1/29/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/29/2018	60	230.0	433	
TMP-19	1/29/2018	80	235.3	413	
TMP-19	1/29/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/5/2018	20	164.5	473	
TMP-19	2/5/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/5/2018	60	230.0	433	
TMP-19	2/5/2018	80	235.0	413	
TMP-19	2/5/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/12/2018	20	164.5	473	
TMP-19	2/12/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/12/2018	60	229.8	433	
TMP-19	2/12/2018	80	234.8	413	
TMP-19	2/12/2018	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	1/15/2018	20	132.2	478	
TMP-20	1/15/2018	40	193.2	458	
TMP-20	1/15/2018	60	231.8	438	
TMP-20	1/15/2018	80	243.7	418	
TMP-20	1/15/2018	100	255.7	398	
TMP-20	1/15/2018	120	266.9	378	
TMP-20	1/15/2018	140	264.1	358	
TMP-20	1/23/2018	20	134.6	478	
TMP-20	1/23/2018	40	195.4	458	
TMP-20	1/23/2018	60	233.6	438	
TMP-20	1/23/2018	80	245.3	418	
TMP-20	1/23/2018	100	257.2	398	
TMP-20	1/23/2018	120	268.2	378	
TMP-20	1/23/2018	140	265.3	358	
TMP-20	1/29/2018	20	133.1	478	
TMP-20	1/29/2018	40	193.6	458	
TMP-20	1/29/2018	60	232.1	438	
TMP-20	1/29/2018	80	243.9	418	
TMP-20	1/29/2018	100	255.9	398	
TMP-20	1/29/2018	120	267.0	378	
TMP-20	1/29/2018	140	264.1	358	
TMP-20	2/5/2018	20	132.4	478	
TMP-20	2/5/2018	40	192.9	458	
TMP-20	2/5/2018	60	231.4	438	
TMP-20	2/5/2018	80	243.1	418	
TMP-20	2/5/2018	100	255.0	398	
TMP-20	2/5/2018	120	266.0	378	
TMP-20	2/5/2018	140	262.8	358	
TMP-20	2/12/2018	20	131.7	478	
TMP-20	2/12/2018	40	191.1	458	
TMP-20	2/12/2018	60	231.0	438	
TMP-20	2/12/2018	80	242.7	418	
TMP-20	2/12/2018	100	254.5	398	
TMP-20	2/12/2018	120	265.5	378	
TMP-20	2/12/2018	140	262.4	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	1/15/2018	20	128.4	475	
TMP-10-9N	1/15/2018	40	148.3	455	
TMP-10-9N	1/15/2018	60	154.9	435	
TMP-10-9N	1/15/2018	80	153.7	415	
TMP-10-9N	1/15/2018	100	160.6	395	
TMP-10-9N	1/23/2018	20	128.6	475	
TMP-10-9N	1/23/2018	40	148.3	455	
TMP-10-9N	1/23/2018	60	153.8	435	
TMP-10-9N	1/23/2018	80	152.8	415	
TMP-10-9N	1/23/2018	100	160.0	395	
TMP-10-9N	1/29/2018	20	128.5	475	
TMP-10-9N	1/29/2018	40	148.1	455	
TMP-10-9N	1/29/2018	60	152.9	435	
TMP-10-9N	1/29/2018	80	151.7	415	
TMP-10-9N	1/29/2018	100	159.5	395	
TMP-10-9N	2/5/2018	20	127.6	475	
TMP-10-9N	2/5/2018	40	146.7	455	
TMP-10-9N	2/5/2018	60	151.1	435	
TMP-10-9N	2/5/2018	80	149.9	415	
TMP-10-9N	2/5/2018	100	158.0	395	
TMP-10-9N	2/12/2018	20	126.7	475	
TMP-10-9N	2/12/2018	40	145.4	455	
TMP-10-9N	2/12/2018	60	150.1	435	
TMP-10-9N	2/12/2018	80	149.1	415	
TMP-10-9N	2/12/2018	100	157.4	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	1/15/2018	20	128.5	476	
TMP-10-9S	1/15/2018	40	171.6	456	
TMP-10-9S	1/15/2018	60	200.2	436	
TMP-10-9S	1/15/2018	80	202.7	416	
TMP-10-9S	1/15/2018	100	218.0	396	
TMP-10-9S	1/23/2018	20	128.7	476	
TMP-10-9S	1/23/2018	40	173.5	456	
TMP-10-9S	1/23/2018	60	200.1	436	
TMP-10-9S	1/23/2018	80	202.8	416	
TMP-10-9S	1/23/2018	100	217.9	396	
TMP-10-9S	1/29/2018	20	128.3	476	
TMP-10-9S	1/29/2018	40	173.5	456	
TMP-10-9S	1/29/2018	60	199.8	436	
TMP-10-9S	1/29/2018	80	202.5	416	
TMP-10-9S	1/29/2018	100	217.6	396	
TMP-10-9S	2/5/2018	20	127.2	476	
TMP-10-9S	2/5/2018	40	172.7	456	
TMP-10-9S	2/5/2018	60	198.8	436	
TMP-10-9S	2/5/2018	80	201.8	416	
TMP-10-9S	2/5/2018	100	216.8	396	
TMP-10-9S	2/12/2018	20	126.3	476	
TMP-10-9S	2/12/2018	40	171.1	456	
TMP-10-9S	2/12/2018	60	197.9	436	
TMP-10-9S	2/12/2018	80	201.2	416	
TMP-10-9S	2/12/2018	100	216.2	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	1/15/2018	20	111.9	478	
TMP-10-5N	1/15/2018	40	113.1	458	
TMP-10-5N	1/15/2018	60	109.4	438	
TMP-10-5N	1/15/2018	80	97.4	418	
TMP-10-5N	1/15/2018	100	90.6	398	
TMP-10-5N	1/23/2018	20	112.3	478	
TMP-10-5N	1/23/2018	40	114.3	458	
TMP-10-5N	1/23/2018	60	109.4	438	
TMP-10-5N	1/23/2018	80	98.3	418	
TMP-10-5N	1/23/2018	100	92.9	398	
TMP-10-5N	1/29/2018	20	111.8	478	
TMP-10-5N	1/29/2018	40	113.3	458	
TMP-10-5N	1/29/2018	60	108.1	438	
TMP-10-5N	1/29/2018	80	96.6	418	
TMP-10-5N	1/29/2018	100	90.9	398	
TMP-10-5N	2/5/2018	20	110.8	478	
TMP-10-5N	2/5/2018	40	111.4	458	
TMP-10-5N	2/5/2018	60	106.6	438	
TMP-10-5N	2/5/2018	80	95.1	418	
TMP-10-5N	2/5/2018	100	89.3	398	
TMP-10-5N	2/12/2018	20	110.4	478	
TMP-10-5N	2/12/2018	40	110.3	458	
TMP-10-5N	2/12/2018	60	106.0	438	
TMP-10-5N	2/12/2018	80	94.6	418	
TMP-10-5N	2/12/2018	100	88.8	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	1/15/2018	20	120.3	477	
TMP-10-5S	1/15/2018	40	153.8	457	
TMP-10-5S	1/15/2018	60	178.6	437	
TMP-10-5S	1/15/2018	80	187.3	417	
TMP-10-5S	1/15/2018	100	201.6	397	
TMP-10-5S	1/23/2018	20	121.4	477	
TMP-10-5S	1/23/2018	40	155.7	457	
TMP-10-5S	1/23/2018	60	179.0	437	
TMP-10-5S	1/23/2018	80	187.7	417	
TMP-10-5S	1/23/2018	100	201.7	397	
TMP-10-5S	1/29/2018	20	120.6	477	
TMP-10-5S	1/29/2018	40	155.3	457	
TMP-10-5S	1/29/2018	60	178.4	437	
TMP-10-5S	1/29/2018	80	187.1	417	
TMP-10-5S	1/29/2018	100	201.0	397	
TMP-10-5S	2/5/2018	20	119.7	477	
TMP-10-5S	2/5/2018	40	154.5	457	
TMP-10-5S	2/5/2018	60	177.1	437	
TMP-10-5S	2/5/2018	80	185.9	417	
TMP-10-5S	2/5/2018	100	199.9	397	
TMP-10-5S	2/12/2018	20	118.0	477	
TMP-10-5S	2/12/2018	40	153.1	457	
TMP-10-5S	2/12/2018	60	175.5	437	
TMP-10-5S	2/12/2018	80	185.0	417	
TMP-10-5S	2/12/2018	100	199.1	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	1/15/2018	20	115.3	476	
TMP-5-9N	1/15/2018	40	155.1	456	
TMP-5-9N	1/15/2018	60	156.6	436	
TMP-5-9N	1/15/2018	80	254.2	416	
TMP-5-9N	1/15/2018	100	263.1	396	
TMP-5-9N	1/23/2018	20	115.3	476	
TMP-5-9N	1/23/2018	40	154.6	456	
TMP-5-9N	1/23/2018	60	156.3	436	
TMP-5-9N	1/23/2018	80	254.5	416	
TMP-5-9N	1/23/2018	100	263.4	396	
TMP-5-9N	1/29/2018	20	114.1	476	
TMP-5-9N	1/29/2018	40	152.9	456	
TMP-5-9N	1/29/2018	60	155.3	436	
TMP-5-9N	1/29/2018	80	253.7	416	
TMP-5-9N	1/29/2018	100	262.6	396	
TMP-5-9N	2/5/2018	20	112.7	476	
TMP-5-9N	2/5/2018	40	150.4	456	
TMP-5-9N	2/5/2018	60	153.6	436	
TMP-5-9N	2/5/2018	80	252.7	416	
TMP-5-9N	2/5/2018	100	261.9	396	
TMP-5-9N	2/12/2018	20	111.7	476	
TMP-5-9N	2/12/2018	40	147.6	456	
TMP-5-9N	2/12/2018	60	152.6	436	
TMP-5-9N	2/12/2018	80	251.0	416	
TMP-5-9N	2/12/2018	100	261.6	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	1/15/2018	20	138.8	476	
TMP-5-9S	1/15/2018	40	208.7	456	
TMP-5-9S	1/15/2018	60	236.6	436	
TMP-5-9S	1/15/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/15/2018	100	264.4	396	
TMP-5-9S	1/23/2018	20	138.7	476	
TMP-5-9S	1/23/2018	40	207.4	456	
TMP-5-9S	1/23/2018	60	236.3	436	
TMP-5-9S	1/23/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/23/2018	100	264.3	396	
TMP-5-9S	1/29/2018	20	138.2	476	
TMP-5-9S	1/29/2018	40	206.0	456	
TMP-5-9S	1/29/2018	60	236.1	436	
TMP-5-9S	1/29/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/29/2018	100	264.1	396	
TMP-5-9S	2/5/2018	20	137.7	476	
TMP-5-9S	2/5/2018	40	204.5	456	
TMP-5-9S	2/5/2018	60	236.2	436	
TMP-5-9S	2/5/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	2/5/2018	100	264.4	396	
TMP-5-9S	2/12/2018	20	135.4	476	
TMP-5-9S	2/12/2018	40	203.7	456	
TMP-5-9S	2/12/2018	60	235.9	436	
TMP-5-9S	2/12/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	2/12/2018	100	264.5	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	1/15/2018	20	104.7	475	
TMP-5-5N	1/15/2018	40	97.4	455	
TMP-5-5N	1/15/2018	60	85.4	435	
TMP-5-5N	1/15/2018	80	252.1	415	
TMP-5-5N	1/15/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/23/2018	20	103.7	475	
TMP-5-5N	1/23/2018	40	99.5	455	
TMP-5-5N	1/23/2018	60	88.1	435	
TMP-5-5N	1/23/2018	80	251.6	415	
TMP-5-5N	1/23/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/29/2018	20	102.6	475	
TMP-5-5N	1/29/2018	40	97.4	455	
TMP-5-5N	1/29/2018	60	85.7	435	
TMP-5-5N	1/29/2018	80	250.8	415	
TMP-5-5N	1/29/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	2/5/2018	20	101.6	475	
TMP-5-5N	2/5/2018	40	96.7	455	
TMP-5-5N	2/5/2018	60	85.0	435	
TMP-5-5N	2/5/2018	80	250.1	415	
TMP-5-5N	2/5/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	2/12/2018	20	100.9	475	
TMP-5-5N	2/12/2018	40	97.7	455	
TMP-5-5N	2/12/2018	60	87.3	435	
TMP-5-5N	2/12/2018	80	242.3	415	
TMP-5-5N	2/12/2018	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	1/15/2018	20	136.5	474	
TMP-5-5S	1/15/2018	40	200.5	454	
TMP-5-5S	1/15/2018	60	231.1	434	
TMP-5-5S	1/15/2018	80	253.4	414	
TMP-5-5S	1/15/2018	100	256.5	394	
TMP-5-5S	1/23/2018	20	135.7	474	
TMP-5-5S	1/23/2018	40	200.0	454	
TMP-5-5S	1/23/2018	60	230.3	434	
TMP-5-5S	1/23/2018	80	253.3	414	
TMP-5-5S	1/23/2018	100	256.4	394	
TMP-5-5S	1/29/2018	20	135.4	474	
TMP-5-5S	1/29/2018	40	199.2	454	
TMP-5-5S	1/29/2018	60	230.3	434	
TMP-5-5S	1/29/2018	80	253.0	414	
TMP-5-5S	1/29/2018	100	256.1	394	
TMP-5-5S	2/5/2018	20	135.0	474	
TMP-5-5S	2/5/2018	40	197.9	454	
TMP-5-5S	2/5/2018	60	229.5	434	
TMP-5-5S	2/5/2018	80	252.7	414	
TMP-5-5S	2/5/2018	100	256.0	394	
TMP-5-5S	2/12/2018	20	133.2	474	
TMP-5-5S	2/12/2018	40	189.2	454	
TMP-5-5S	2/12/2018	60	225.9	434	
TMP-5-5S	2/12/2018	80	251.7	414	
TMP-5-5S	2/12/2018	100	255.1	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	1/15/2018	20	198.3	474	
TMP-31	1/15/2018	40	230.0	454	
TMP-31	1/15/2018	60	245.1	434	
TMP-31	1/15/2018	80	260.4	414	
TMP-31	1/15/2018	100		394	low resistivity, unreliable
TMP-31	1/15/2018	120	277.2	374	
TMP-31	1/15/2018	140		354	previously no stable reading, unreliable
TMP-31	1/23/2018	20	197.9	474	
TMP-31	1/23/2018	40	229.8	454	
TMP-31	1/23/2018	60	244.8	434	
TMP-31	1/23/2018	80	259.9	414	
TMP-31	1/23/2018	100		394	low resistivity, unreliable
TMP-31	1/23/2018	120	276.6	374	
TMP-31	1/23/2018	140		354	previously no stable reading, unreliable
TMP-31	1/29/2018	20	198.0	474	
TMP-31	1/29/2018	40	229.7	454	
TMP-31	1/29/2018	60	244.6	434	
TMP-31	1/29/2018	80	259.8	414	
TMP-31	1/29/2018	100		394	low resistivity, unreliable
TMP-31	1/29/2018	120	276.6	374	
TMP-31	1/29/2018	140		354	previously no stable reading, unreliable
TMP-31	2/5/2018	20	197.5	474	
TMP-31	2/5/2018	40	230.0	454	
TMP-31	2/5/2018	60	244.7	434	
TMP-31	2/5/2018	80	259.8	414	
TMP-31	2/5/2018	100		394	low resistivity, unreliable
TMP-31	2/5/2018	120	276.8	374	
TMP-31	2/5/2018	140		354	previously no stable reading, unreliable
TMP-31	2/12/2018	20	195.6	474	
TMP-31	2/12/2018	40	229.5	454	
TMP-31	2/12/2018	60	244.3	434	
TMP-31	2/12/2018	80	259.5	414	
TMP-31	2/12/2018	100		394	low resistivity, unreliable
TMP-31	2/12/2018	120	276.7	374	
TMP-31	2/12/2018	140		354	previously no stable reading, unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	1/15/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	60	242.3	444	
TMP-32	1/15/2018	80	255.6	424	
TMP-32	1/15/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/15/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/23/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/23/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/23/2018	60	241.8	444	
TMP-32	1/23/2018	80	255.2	424	
TMP-32	1/23/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/23/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/23/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/23/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/23/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/23/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/29/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/29/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/29/2018	60	241.6	444	
TMP-32	1/29/2018	80	254.8	424	
TMP-32	1/29/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/29/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/29/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/29/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/29/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/29/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	2/5/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	2/5/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	2/5/2018	60	242.0	444	
TMP-32	2/5/2018	80	255.5	424	
TMP-32	2/5/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	2/5/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	2/5/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	2/5/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	2/5/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	2/5/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	2/12/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	2/12/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	2/12/2018	60	242.4	444	
TMP-32	2/12/2018	80	256.2	424	
TMP-32	2/12/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	2/12/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	2/12/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	2/12/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	2/12/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	2/12/2018	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	1/15/2018	20	169.8	473	
TMP-SPM1	1/15/2018	40	203.9	453	
TMP-SPM1	1/15/2018	60	204.3	433	
TMP-SPM1	1/15/2018	80	199.1	413	
TMP-SPM1	1/15/2018	100	185.7	393	
TMP-SPM1	1/15/2018	120	173.4	373	
TMP-SPM1	1/15/2018	140	163.1	353	
TMP-SPM1	1/15/2018	160	146.0	333	
TMP-SPM1	1/15/2018	180	131.3	313	
TMP-SPM1	1/15/2018	200	111.1	293	
TMP-SPM1	1/15/2018	220	95.4	273	
TMP-SPM1	1/15/2018	240	91.9	253	
TMP-SPM1	1/23/2018	20	166.0	473	
TMP-SPM1	1/23/2018	40	200.4	453	
TMP-SPM1	1/23/2018	60	200.5	433	
TMP-SPM1	1/23/2018	80	196.2	413	
TMP-SPM1	1/23/2018	100	182.6	393	
TMP-SPM1	1/23/2018	120	170.4	373	
TMP-SPM1	1/23/2018	140	160.0	353	
TMP-SPM1	1/23/2018	160	142.7	333	
TMP-SPM1	1/23/2018	180	127.9	313	
TMP-SPM1	1/23/2018	200	108.0	293	
TMP-SPM1	1/23/2018	220	92.1	273	
TMP-SPM1	1/23/2018	240	89.0	253	
TMP-SPM1	1/29/2018	20	166.2	473	
TMP-SPM1	1/29/2018	40	200.3	453	
TMP-SPM1	1/29/2018	60	200.8	433	
TMP-SPM1	1/29/2018	80	195.9	413	
TMP-SPM1	1/29/2018	100	182.4	393	
TMP-SPM1	1/29/2018	120	170.4	373	
TMP-SPM1	1/29/2018	140	160.0	353	
TMP-SPM1	1/29/2018	160	142.5	333	
TMP-SPM1	1/29/2018	180	127.8	313	
TMP-SPM1	1/29/2018	200	107.7	293	
TMP-SPM1	1/29/2018	220	90.9	273	
TMP-SPM1	1/29/2018	240	88.5	253	
TMP-SPM1	2/5/2018	20	168.1	473	
TMP-SPM1	2/5/2018	40	202.1	453	
TMP-SPM1	2/5/2018	60	202.8	433	
TMP-SPM1	2/5/2018	80	197.8	413	
TMP-SPM1	2/5/2018	100	184.1	393	
TMP-SPM1	2/5/2018	120	171.9	373	
TMP-SPM1	2/5/2018	140	161.5	353	
TMP-SPM1	2/5/2018	160	144.0	333	
TMP-SPM1	2/5/2018	180	130.2	313	
TMP-SPM1	2/5/2018	200	109.4	293	
TMP-SPM1	2/5/2018	220	93.5	273	
TMP-SPM1	2/5/2018	240	90.2	253	
TMP-SPM1	2/12/2018	20	168.5	473	
TMP-SPM1	2/12/2018	40	202.4	453	
TMP-SPM1	2/12/2018	60	203.3	433	
TMP-SPM1	2/12/2018	80	198.1	413	
TMP-SPM1	2/12/2018	100	184.7	393	
TMP-SPM1	2/12/2018	120	172.9	373	
TMP-SPM1	2/12/2018	140	162.3	353	
TMP-SPM1	2/12/2018	160	144.8	333	
TMP-SPM1	2/12/2018	180	130.1	313	
TMP-SPM1	2/12/2018	200	110.0	293	
TMP-SPM1	2/12/2018	220	94.2	273	
TMP-SPM1	2/12/2018	240	90.6	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	1/15/2018	20	162.7	475	
TMP-SPM2	1/15/2018	40	192.9	455	
TMP-SPM2	1/15/2018	60	191.7	435	
TMP-SPM2	1/15/2018	80	186.4	415	
TMP-SPM2	1/15/2018	100	199.9	395	
TMP-SPM2	1/15/2018	120	193.0	375	
TMP-SPM2	1/15/2018	140	180.4	355	
TMP-SPM2	1/15/2018	160	158.1	335	
TMP-SPM2	1/15/2018	172	142.7	323	
TMP-SPM2	1/23/2018	20	160.2	475	
TMP-SPM2	1/23/2018	40	190.7	455	
TMP-SPM2	1/23/2018	60	189.8	435	
TMP-SPM2	1/23/2018	80	184.5	415	
TMP-SPM2	1/23/2018	100	198.3	395	
TMP-SPM2	1/23/2018	120	191.3	375	
TMP-SPM2	1/23/2018	140	178.6	355	
TMP-SPM2	1/23/2018	160	156.1	335	
TMP-SPM2	1/23/2018	172	140.6	323	
TMP-SPM2	1/29/2018	20	160.5	475	
TMP-SPM2	1/29/2018	40	191.2	455	
TMP-SPM2	1/29/2018	60	190.2	435	
TMP-SPM2	1/29/2018	80	185.1	415	
TMP-SPM2	1/29/2018	100	198.9	395	
TMP-SPM2	1/29/2018	120	191.9	375	
TMP-SPM2	1/29/2018	140	179.1	355	
TMP-SPM2	1/29/2018	160	156.6	335	
TMP-SPM2	1/29/2018	172	140.9	323	
TMP-SPM2	2/5/2018	20	160.4	475	
TMP-SPM2	2/5/2018	40	190.9	455	
TMP-SPM2	2/5/2018	60	190.1	435	
TMP-SPM2	2/5/2018	80	185.6	415	
TMP-SPM2	2/5/2018	100	199.6	395	
TMP-SPM2	2/5/2018	120	192.7	375	
TMP-SPM2	2/5/2018	140	179.9	355	
TMP-SPM2	2/5/2018	160	157.4	335	
TMP-SPM2	2/5/2018	172	141.5	323	
TMP-SPM2	2/12/2018	20	160.1	475	
TMP-SPM2	2/12/2018	40	190.5	455	
TMP-SPM2	2/12/2018	60	189.7	435	
TMP-SPM2	2/12/2018	80	185.5	415	
TMP-SPM2	2/12/2018	100	199.7	395	
TMP-SPM2	2/12/2018	120	193.1	375	
TMP-SPM2	2/12/2018	140	180.5	355	
TMP-SPM2	2/12/2018	160	158.1	335	
TMP-SPM2	2/12/2018	172	142.1	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	1/15/2018	20	123.2	478	
TMP-SPM3	1/15/2018	40	134.4	458	
TMP-SPM3	1/15/2018	60	129.5	438	
TMP-SPM3	1/15/2018	80	130.0	418	
TMP-SPM3	1/15/2018	85	130.0	413	
TMP-SPM3	1/23/2018	20	121.6	478	
TMP-SPM3	1/23/2018	40	132.6	458	
TMP-SPM3	1/23/2018	60	127.8	438	
TMP-SPM3	1/23/2018	80	128.3	418	
TMP-SPM3	1/23/2018	85	128.3	413	
TMP-SPM3	1/29/2018	20	122.5	478	
TMP-SPM3	1/29/2018	40	132.4	458	
TMP-SPM3	1/29/2018	60	127.6	438	
TMP-SPM3	1/29/2018	80	128.1	418	
TMP-SPM3	1/29/2018	85	128.1	413	
TMP-SPM3	2/5/2018	20	123.4	478	
TMP-SPM3	2/5/2018	40	132.7	458	
TMP-SPM3	2/5/2018	60	127.9	438	
TMP-SPM3	2/5/2018	80	128.3	418	
TMP-SPM3	2/5/2018	85	128.3	413	
TMP-SPM3	2/12/2018	20	124.6	478	
TMP-SPM3	2/12/2018	40	132.2	458	
TMP-SPM3	2/12/2018	60	127.5	438	
TMP-SPM3	2/12/2018	80	128.2	418	
TMP-SPM3	2/12/2018	85	128.2	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	1/15/2018	20	133.6	475	
TMP-SPM4	1/15/2018	40	156.1	455	
TMP-SPM4	1/15/2018	60	160.5	435	
TMP-SPM4	1/15/2018	80	163.4	415	
TMP-SPM4	1/15/2018	100	160.1	395	
TMP-SPM4	1/15/2018	120	151.1	375	
TMP-SPM4	1/15/2018	140	144.5	355	
TMP-SPM4	1/15/2018	160	136.9	335	
TMP-SPM4	1/15/2018	180	129.1	315	
TMP-SPM4	1/15/2018	200	116.7	295	
TMP-SPM4	1/15/2018	220	100.2	275	
TMP-SPM4	1/15/2018	240	92.9	255	
TMP-SPM4	1/23/2018	20	131.5	475	
TMP-SPM4	1/23/2018	40	154.1	455	
TMP-SPM4	1/23/2018	60	158.6	435	
TMP-SPM4	1/23/2018	80	161.6	415	
TMP-SPM4	1/23/2018	100	158.4	395	
TMP-SPM4	1/23/2018	120	149.3	375	
TMP-SPM4	1/23/2018	140	142.9	355	
TMP-SPM4	1/23/2018	160	135.2	335	
TMP-SPM4	1/23/2018	180	127.3	315	
TMP-SPM4	1/23/2018	200	115.1	295	
TMP-SPM4	1/23/2018	220	98.5	275	
TMP-SPM4	1/23/2018	240	91.2	255	
TMP-SPM4	1/29/2018	20	131.6	475	
TMP-SPM4	1/29/2018	40	153.9	455	
TMP-SPM4	1/29/2018	60	158.6	435	
TMP-SPM4	1/29/2018	80	161.3	415	
TMP-SPM4	1/29/2018	100	158.0	395	
TMP-SPM4	1/29/2018	120	149.1	375	
TMP-SPM4	1/29/2018	140	142.5	355	
TMP-SPM4	1/29/2018	160	134.9	335	
TMP-SPM4	1/29/2018	180	127.0	315	
TMP-SPM4	1/29/2018	200	114.8	295	
TMP-SPM4	1/29/2018	220	98.3	275	
TMP-SPM4	1/29/2018	240	90.8	255	
TMP-SPM4	2/5/2018	20	133.0	475	
TMP-SPM4	2/5/2018	40	155.3	455	
TMP-SPM4	2/5/2018	60	160.0	435	
TMP-SPM4	2/5/2018	80	162.6	415	
TMP-SPM4	2/5/2018	100	159.3	395	
TMP-SPM4	2/5/2018	120	150.3	375	
TMP-SPM4	2/5/2018	140	143.7	355	
TMP-SPM4	2/5/2018	160	136.0	335	
TMP-SPM4	2/5/2018	180	128.1	315	
TMP-SPM4	2/5/2018	200	115.9	295	
TMP-SPM4	2/5/2018	220	99.1	275	
TMP-SPM4	2/5/2018	240	91.8	255	
TMP-SPM4	2/12/2018	20	133.1	475	
TMP-SPM4	2/12/2018	40	155.4	455	
TMP-SPM4	2/12/2018	60	160.3	435	
TMP-SPM4	2/12/2018	80	162.8	415	
TMP-SPM4	2/12/2018	100	159.6	395	
TMP-SPM4	2/12/2018	120	150.7	375	
TMP-SPM4	2/12/2018	140	144.1	355	
TMP-SPM4	2/12/2018	160	136.4	335	
TMP-SPM4	2/12/2018	180	128.4	315	
TMP-SPM4	2/12/2018	200	116.2	295	
TMP-SPM4	2/12/2018	220	99.3	275	
TMP-SPM4	2/12/2018	240	91.8	255	