

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	2/20/2018	20	161.5	473	
TMP-19	2/20/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/20/2018	60	227.6	433	
TMP-19	2/20/2018	80	233.0	413	
TMP-19	2/20/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/26/2018	20	161.8	473	
TMP-19	2/26/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/26/2018	60	226.6	433	
TMP-19	2/26/2018	80	232.0	413	
TMP-19	2/26/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/6/2018	20	164.2	473	
TMP-19	3/6/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/6/2018	60	228.1	433	
TMP-19	3/6/2018	80	233.4	413	
TMP-19	3/6/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/12/2018	20	163.2	473	
TMP-19	3/12/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/12/2018	60	227.5	433	
TMP-19	3/12/2018	80	232.7	413	
TMP-19	3/12/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/19/2018	20	163.8	473	
TMP-19	3/19/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/19/2018	60	226.9	433	
TMP-19	3/19/2018	80	231.9	413	
TMP-19	3/19/2018	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	2/20/2018	20	129.6	478	
TMP-20	2/20/2018	40	187.8	458	
TMP-20	2/20/2018	60	229.6	438	
TMP-20	2/20/2018	80	241.5	418	
TMP-20	2/20/2018	100	253.5	398	
TMP-20	2/20/2018	120	264.8	378	
TMP-20	2/20/2018	140	261.8	358	
TMP-20	2/26/2018	20	130.1	478	
TMP-20	2/26/2018	40	187.7	458	
TMP-20	2/26/2018	60	230.0	438	
TMP-20	2/26/2018	80	241.7	418	
TMP-20	2/26/2018	100	253.8	398	
TMP-20	2/26/2018	120	264.9	378	
TMP-20	2/26/2018	140	261.7	358	
TMP-20	3/6/2018	20	129.6	478	
TMP-20	3/6/2018	40	188.2	458	
TMP-20	3/6/2018	60	230.3	438	
TMP-20	3/6/2018	80	242.0	418	
TMP-20	3/6/2018	100	254.2	398	
TMP-20	3/6/2018	120	265.6	378	
TMP-20	3/6/2018	140	262.2	358	
TMP-20	3/12/2018	20	128.6	478	
TMP-20	3/12/2018	40	186.7	458	
TMP-20	3/12/2018	60	228.9	438	
TMP-20	3/12/2018	80	240.6	418	
TMP-20	3/12/2018	100	252.6	398	
TMP-20	3/12/2018	120	263.8	378	
TMP-20	3/12/2018	140	260.6	358	
TMP-20	3/19/2018	20	128.5	478	
TMP-20	3/19/2018	40	187.7	458	
TMP-20	3/19/2018	60	228.8	438	
TMP-20	3/19/2018	80	240.4	418	
TMP-20	3/19/2018	100	252.5	398	
TMP-20	3/19/2018	120	263.6	378	
TMP-20	3/19/2018	140	260.4	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	2/20/2018	20	125.9	475	
TMP-10-9N	2/20/2018	40	144.5	455	
TMP-10-9N	2/20/2018	60	148.3	435	
TMP-10-9N	2/20/2018	80	147.6	415	
TMP-10-9N	2/20/2018	100	156.1	395	
TMP-10-9N	2/26/2018	20	125.3	475	
TMP-10-9N	2/26/2018	40	143.7	455	
TMP-10-9N	2/26/2018	60	147.5	435	
TMP-10-9N	2/26/2018	80	146.7	415	
TMP-10-9N	2/26/2018	100	156.2	395	
TMP-10-9N	3/6/2018	20	125.5	475	
TMP-10-9N	3/6/2018	40	143.7	455	
TMP-10-9N	3/6/2018	60	147.6	435	
TMP-10-9N	3/6/2018	80	146.3	415	
TMP-10-9N	3/6/2018	100	155.8	395	
TMP-10-9N	3/12/2018	20	124.1	475	
TMP-10-9N	3/12/2018	40	142.1	455	
TMP-10-9N	3/12/2018	60	145.7	435	
TMP-10-9N	3/12/2018	80	144.3	415	
TMP-10-9N	3/12/2018	100	154.1	395	
TMP-10-9N	3/19/2018	20	124.5	475	
TMP-10-9N	3/19/2018	40	142.3	455	
TMP-10-9N	3/19/2018	60	145.8	435	
TMP-10-9N	3/19/2018	80	144.0	415	
TMP-10-9N	3/19/2018	100	153.8	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	2/20/2018	20	126.3	476	
TMP-10-9S	2/20/2018	40	172.3	456	
TMP-10-9S	2/20/2018	60	197.4	436	
TMP-10-9S	2/20/2018	80	200.6	416	
TMP-10-9S	2/20/2018	100	215.6	396	
TMP-10-9S	2/26/2018	20	125.9	476	
TMP-10-9S	2/26/2018	40	174.6	456	
TMP-10-9S	2/26/2018	60	198.2	436	
TMP-10-9S	2/26/2018	80	200.9	416	
TMP-10-9S	2/26/2018	100	216.0	396	
TMP-10-9S	3/6/2018	20	125.7	476	
TMP-10-9S	3/6/2018	40	173.6	456	
TMP-10-9S	3/6/2018	60	197.4	436	
TMP-10-9S	3/6/2018	80	200.5	416	
TMP-10-9S	3/6/2018	100	215.6	396	
TMP-10-9S	3/12/2018	20	125.0	476	
TMP-10-9S	3/12/2018	40	172.2	456	
TMP-10-9S	3/12/2018	60	196.1	436	
TMP-10-9S	3/12/2018	80	199.6	416	
TMP-10-9S	3/12/2018	100	214.5	396	
TMP-10-9S	3/19/2018	20	124.3	476	
TMP-10-9S	3/19/2018	40	173.8	456	
TMP-10-9S	3/19/2018	60	195.9	436	
TMP-10-9S	3/19/2018	80	198.9	416	
TMP-10-9S	3/19/2018	100	213.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	2/20/2018	20	109.5	478	
TMP-10-5N	2/20/2018	40	109.5	458	
TMP-10-5N	2/20/2018	60	104.8	438	
TMP-10-5N	2/20/2018	80	94.2	418	
TMP-10-5N	2/20/2018	100	90.0	398	
TMP-10-5N	2/26/2018	20	109.5	478	
TMP-10-5N	2/26/2018	40	109.4	458	
TMP-10-5N	2/26/2018	60	104.6	438	
TMP-10-5N	2/26/2018	80	94.2	418	
TMP-10-5N	2/26/2018	100	89.2	398	
TMP-10-5N	3/6/2018	20	109.1	478	
TMP-10-5N	3/6/2018	40	109.0	458	
TMP-10-5N	3/6/2018	60	104.5	438	
TMP-10-5N	3/6/2018	80	94.1	418	
TMP-10-5N	3/6/2018	100	89.0	398	
TMP-10-5N	3/12/2018	20	107.5	478	
TMP-10-5N	3/12/2018	40	107.5	458	
TMP-10-5N	3/12/2018	60	102.4	438	
TMP-10-5N	3/12/2018	80	91.9	418	
TMP-10-5N	3/12/2018	100	86.8	398	
TMP-10-5N	3/19/2018	20	107.5	478	
TMP-10-5N	3/19/2018	40	107.5	458	
TMP-10-5N	3/19/2018	60	102.7	438	
TMP-10-5N	3/19/2018	80	92.4	418	
TMP-10-5N	3/19/2018	100	87.3	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	2/20/2018	20	117.9	477	
TMP-10-5S	2/20/2018	40	153.8	457	
TMP-10-5S	2/20/2018	60	175.5	437	
TMP-10-5S	2/20/2018	80	184.8	417	
TMP-10-5S	2/20/2018	100	198.8	397	
TMP-10-5S	2/26/2018	20	117.3	477	
TMP-10-5S	2/26/2018	40	152.7	457	
TMP-10-5S	2/26/2018	60	174.7	437	
TMP-10-5S	2/26/2018	80	184.6	417	
TMP-10-5S	2/26/2018	100	198.5	397	
TMP-10-5S	3/6/2018	20	117.6	477	
TMP-10-5S	3/6/2018	40	152.6	457	
TMP-10-5S	3/6/2018	60	174.5	437	
TMP-10-5S	3/6/2018	80	184.3	417	
TMP-10-5S	3/6/2018	100	198.2	397	
TMP-10-5S	3/12/2018	20	116.3	477	
TMP-10-5S	3/12/2018	40	151.4	457	
TMP-10-5S	3/12/2018	60	173.6	437	
TMP-10-5S	3/12/2018	80	183.3	417	
TMP-10-5S	3/12/2018	100	197.3	397	
TMP-10-5S	3/19/2018	20	116.4	477	
TMP-10-5S	3/19/2018	40	151.2	457	
TMP-10-5S	3/19/2018	60	173.3	437	
TMP-10-5S	3/19/2018	80	182.7	417	
TMP-10-5S	3/19/2018	100	196.7	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	2/20/2018	20	111.8	476	
TMP-5-9N	2/20/2018	40	147.8	456	
TMP-5-9N	2/20/2018	60	153.9	436	
TMP-5-9N	2/20/2018	80	248.9	416	
TMP-5-9N	2/20/2018	100	262.4	396	
TMP-5-9N	2/26/2018	20	110.5	476	
TMP-5-9N	2/26/2018	40	147.0	456	
TMP-5-9N	2/26/2018	60	152.6	436	
TMP-5-9N	2/26/2018	80	248.0	416	
TMP-5-9N	2/26/2018	100	261.4	396	
TMP-5-9N	3/6/2018	20	111.1	476	
TMP-5-9N	3/6/2018	40	146.8	456	
TMP-5-9N	3/6/2018	60	152.3	436	
TMP-5-9N	3/6/2018	80	250.3	416	
TMP-5-9N	3/6/2018	100	261.4	396	
TMP-5-9N	3/12/2018	20	110.1	476	
TMP-5-9N	3/12/2018	40	145.9	456	
TMP-5-9N	3/12/2018	60	151.6	436	
TMP-5-9N	3/12/2018	80	250.8	416	
TMP-5-9N	3/12/2018	100	261.3	396	
TMP-5-9N	3/19/2018	20	110.5	476	
TMP-5-9N	3/19/2018	40	146.5	456	
TMP-5-9N	3/19/2018	60	151.6	436	
TMP-5-9N	3/19/2018	80	250.8	416	
TMP-5-9N	3/19/2018	100	260.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	2/20/2018	20	135.1	476	
TMP-5-9S	2/20/2018	40	201.3	456	
TMP-5-9S	2/20/2018	60	234.9	436	
TMP-5-9S	2/20/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	2/20/2018	100	262.9	396	
TMP-5-9S	2/26/2018	20	135.8	476	
TMP-5-9S	2/26/2018	40	201.6	456	
TMP-5-9S	2/26/2018	60	235.5	436	
TMP-5-9S	2/26/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	2/26/2018	100	264.6	396	
TMP-5-9S	3/6/2018	20	135.2	476	
TMP-5-9S	3/6/2018	40	200.7	456	
TMP-5-9S	3/6/2018	60	235.1	436	
TMP-5-9S	3/6/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/6/2018	100	263.9	396	
TMP-5-9S	3/12/2018	20	135.1	476	
TMP-5-9S	3/12/2018	40	200.5	456	
TMP-5-9S	3/12/2018	60	235.2	436	
TMP-5-9S	3/12/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/12/2018	100	263.9	396	
TMP-5-9S	3/19/2018	20	133.8	476	
TMP-5-9S	3/19/2018	40	206.6	456	
TMP-5-9S	3/19/2018	60	233.7	436	
TMP-5-9S	3/19/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/19/2018	100	263.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	2/20/2018	20	102.1	475	
TMP-5-5N	2/20/2018	40	99.2	455	
TMP-5-5N	2/20/2018	60	87.3	435	
TMP-5-5N	2/20/2018	80	236.6	415	
TMP-5-5N	2/20/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	2/26/2018	20	101.3	475	
TMP-5-5N	2/26/2018	40	97.7	455	
TMP-5-5N	2/26/2018	60	85.2	435	
TMP-5-5N	2/26/2018	80	234.8	415	
TMP-5-5N	2/26/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/6/2018	20	101.9	475	
TMP-5-5N	3/6/2018	40	97.1	455	
TMP-5-5N	3/6/2018	60	85.1	435	
TMP-5-5N	3/6/2018	80	234.7	415	
TMP-5-5N	3/6/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/12/2018	20	101.4	475	
TMP-5-5N	3/12/2018	40	96.1	455	
TMP-5-5N	3/12/2018	60	84.2	435	
TMP-5-5N	3/12/2018	80	233.5	415	
TMP-5-5N	3/12/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/19/2018	20	101.0	475	
TMP-5-5N	3/19/2018	40	96.1	455	
TMP-5-5N	3/19/2018	60	85.6	435	
TMP-5-5N	3/19/2018	80	248.8	415	
TMP-5-5N	3/19/2018	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	2/20/2018	20	132.9	474	
TMP-5-5S	2/20/2018	40	188.6	454	
TMP-5-5S	2/20/2018	60	225.6	434	
TMP-5-5S	2/20/2018	80	251.7	414	
TMP-5-5S	2/20/2018	100	254.7	394	
TMP-5-5S	2/26/2018	20	131.8	474	
TMP-5-5S	2/26/2018	40	189.7	454	
TMP-5-5S	2/26/2018	60	227.3	434	
TMP-5-5S	2/26/2018	80	251.5	414	
TMP-5-5S	2/26/2018	100	254.9	394	
TMP-5-5S	3/6/2018	20	132.0	474	
TMP-5-5S	3/6/2018	40	189.9	454	
TMP-5-5S	3/6/2018	60	227.9	434	
TMP-5-5S	3/6/2018	80	251.7	414	
TMP-5-5S	3/6/2018	100	255.1	394	
TMP-5-5S	3/12/2018	20	131.5	474	
TMP-5-5S	3/12/2018	40	190.5	454	
TMP-5-5S	3/12/2018	60	227.9	434	
TMP-5-5S	3/12/2018	80	251.8	414	
TMP-5-5S	3/12/2018	100	255.2	394	
TMP-5-5S	3/19/2018	20	130.7	474	
TMP-5-5S	3/19/2018	40	196.9	454	
TMP-5-5S	3/19/2018	60	227.5	434	
TMP-5-5S	3/19/2018	80	251.1	414	
TMP-5-5S	3/19/2018	100	254.4	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	2/20/2018	20	194.8	474	
TMP-31	2/20/2018	40	228.8	454	
TMP-31	2/20/2018	60	243.5	434	
TMP-31	2/20/2018	80	258.6	414	
TMP-31	2/20/2018	100		394	low resistivity, unreliable
TMP-31	2/20/2018	120	275.4	374	
TMP-31	2/20/2018	140		354	previously no stable reading, unreliable
TMP-31	2/26/2018	20	196.8	474	
TMP-31	2/26/2018	40	229.0	454	
TMP-31	2/26/2018	60	243.9	434	
TMP-31	2/26/2018	80	259.7	414	
TMP-31	2/26/2018	100		394	low resistivity, unreliable
TMP-31	2/26/2018	120	276.7	374	
TMP-31	2/26/2018	140		354	previously no stable reading, unreliable
TMP-31	3/6/2018	20	197.3	474	
TMP-31	3/6/2018	40	228.5	454	
TMP-31	3/6/2018	60	243.6	434	
TMP-31	3/6/2018	80	259.3	414	
TMP-31	3/6/2018	100		394	low resistivity, unreliable
TMP-31	3/6/2018	120	276.0	374	
TMP-31	3/6/2018	140		354	previously no stable reading, unreliable
TMP-31	3/12/2018	20	198.3	474	
TMP-31	3/12/2018	40	228.8	454	
TMP-31	3/12/2018	60	243.9	434	
TMP-31	3/12/2018	80	259.6	414	
TMP-31	3/12/2018	100		394	low resistivity, unreliable
TMP-31	3/12/2018	120	276.5	374	
TMP-31	3/19/2018	20	197.3	474	
TMP-31	3/19/2018	40	226.4	454	
TMP-31	3/19/2018	60	242.4	434	
TMP-31	3/19/2018	80	258.3	414	
TMP-31	3/19/2018	100		394	low resistivity, unreliable
TMP-31	3/19/2018	120	274.9	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	2/20/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	2/20/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	2/20/2018	60	239.9	444	
TMP-32	2/20/2018	80	253.4	424	
TMP-32	2/20/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	2/20/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	2/20/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	2/20/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	2/20/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	2/20/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	2/26/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	2/26/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	2/26/2018	60	242.3	444	
TMP-32	2/26/2018	80	255.8	424	
TMP-32	2/26/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	2/26/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	2/26/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	2/26/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	2/26/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	2/26/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/6/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/6/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/6/2018	60	241.3	444	
TMP-32	3/6/2018	80	254.8	424	
TMP-32	3/6/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/6/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/6/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/6/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/6/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/6/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	60	241.3	444	
TMP-32	3/12/2018	80	254.8	424	
TMP-32	3/12/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	60	240.3	444	
TMP-32	3/19/2018	80	253.7	424	
TMP-32	3/19/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	2/20/2018	20	164.2	473	
TMP-SPM1	2/20/2018	40	198.4	453	
TMP-SPM1	2/20/2018	60	200.0	433	
TMP-SPM1	2/20/2018	80	194.8	413	
TMP-SPM1	2/20/2018	100	181.3	393	
TMP-SPM1	2/20/2018	120	169.3	373	
TMP-SPM1	2/20/2018	140	159.3	353	
TMP-SPM1	2/20/2018	160	141.5	333	
TMP-SPM1	2/20/2018	180	126.4	313	
TMP-SPM1	2/20/2018	200	106.7	293	
TMP-SPM1	2/20/2018	220	90.9	273	
TMP-SPM1	2/20/2018	240	87.4	253	
TMP-SPM1	2/26/2018	20	165.9	473	
TMP-SPM1	2/26/2018	40	198.5	453	
TMP-SPM1	2/26/2018	60	199.9	433	
TMP-SPM1	2/26/2018	80	194.6	413	
TMP-SPM1	2/26/2018	100	181.1	393	
TMP-SPM1	2/26/2018	120	169.0	373	
TMP-SPM1	2/26/2018	140	158.6	353	
TMP-SPM1	2/26/2018	160	141.1	333	
TMP-SPM1	2/26/2018	180	126.5	313	
TMP-SPM1	2/26/2018	200	106.7	293	
TMP-SPM1	2/26/2018	220	90.9	273	
TMP-SPM1	2/26/2018	240	87.5	253	
TMP-SPM1	3/6/2018	20	169.2	473	
TMP-SPM1	3/6/2018	40	200.9	453	
TMP-SPM1	3/6/2018	60	202.3	433	
TMP-SPM1	3/6/2018	80	197.3	413	
TMP-SPM1	3/6/2018	100	183.7	393	
TMP-SPM1	3/6/2018	120	171.7	373	
TMP-SPM1	3/6/2018	140	161.5	353	
TMP-SPM1	3/6/2018	160	144.1	333	
TMP-SPM1	3/6/2018	180	129.5	313	
TMP-SPM1	3/6/2018	200	109.5	293	
TMP-SPM1	3/6/2018	220	93.8	273	
TMP-SPM1	3/6/2018	240	90.3	253	
TMP-SPM1	3/12/2018	20	171.7	473	
TMP-SPM1	3/12/2018	40	199.7	453	
TMP-SPM1	3/12/2018	60	200.6	433	
TMP-SPM1	3/12/2018	80	196.2	413	
TMP-SPM1	3/12/2018	100	182.6	393	
TMP-SPM1	3/12/2018	120	170.5	373	
TMP-SPM1	3/12/2018	140	160.2	353	
TMP-SPM1	3/12/2018	160	142.6	333	
TMP-SPM1	3/12/2018	180	126.6	313	
TMP-SPM1	3/12/2018	200	108.2	293	
TMP-SPM1	3/12/2018	220	92.2	273	
TMP-SPM1	3/12/2018	240	88.9	253	
TMP-SPM1	3/19/2018	20	173.1	473	
TMP-SPM1	3/19/2018	40	199.3	453	
TMP-SPM1	3/19/2018	60	200.1	433	
TMP-SPM1	3/19/2018	80	195.8	413	
TMP-SPM1	3/19/2018	100	182.1	393	
TMP-SPM1	3/19/2018	120	170.0	373	
TMP-SPM1	3/19/2018	140	159.6	353	
TMP-SPM1	3/19/2018	160	142.1	333	
TMP-SPM1	3/19/2018	180	126.1	313	
TMP-SPM1	3/19/2018	200	107.8	293	
TMP-SPM1	3/19/2018	220	91.9	273	
TMP-SPM1	3/19/2018	240	88.6	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	2/20/2018	20	158.2	475	
TMP-SPM2	2/20/2018	40	189.1	455	
TMP-SPM2	2/20/2018	60	188.3	435	
TMP-SPM2	2/20/2018	80	184.0	415	
TMP-SPM2	2/20/2018	100	198.6	395	
TMP-SPM2	2/20/2018	120	191.5	375	
TMP-SPM2	2/20/2018	140	178.6	355	
TMP-SPM2	2/20/2018	160	156.0	335	
TMP-SPM2	2/20/2018	172	139.8	323	
TMP-SPM2	2/26/2018	20	158.5	475	
TMP-SPM2	2/26/2018	40	189.0	455	
TMP-SPM2	2/26/2018	60	188.3	435	
TMP-SPM2	2/26/2018	80	184.3	415	
TMP-SPM2	2/26/2018	100	199.2	395	
TMP-SPM2	2/26/2018	120	192.1	375	
TMP-SPM2	2/26/2018	140	179.4	355	
TMP-SPM2	2/26/2018	160	156.7	335	
TMP-SPM2	2/26/2018	172	140.2	323	
TMP-SPM2	3/6/2018	20	158.6	475	
TMP-SPM2	3/6/2018	40	189.4	455	
TMP-SPM2	3/6/2018	60	188.8	435	
TMP-SPM2	3/6/2018	80	184.7	415	
TMP-SPM2	3/6/2018	100	199.9	395	
TMP-SPM2	3/6/2018	120	192.5	375	
TMP-SPM2	3/6/2018	140	179.7	355	
TMP-SPM2	3/6/2018	160	157.0	335	
TMP-SPM2	3/6/2018	172	140.5	323	
TMP-SPM2	3/12/2018	20	157.1	475	
TMP-SPM2	3/12/2018	40	188.2	455	
TMP-SPM2	3/12/2018	60	188.0	435	
TMP-SPM2	3/12/2018	80	183.9	415	
TMP-SPM2	3/12/2018	100	199.5	395	
TMP-SPM2	3/12/2018	120	191.7	375	
TMP-SPM2	3/12/2018	140	178.9	355	
TMP-SPM2	3/12/2018	160	156.1	335	
TMP-SPM2	3/12/2018	172	139.2	323	
TMP-SPM2	3/19/2018	20	158.7	475	
TMP-SPM2	3/19/2018	40	189.7	455	
TMP-SPM2	3/19/2018	60	189.5	435	
TMP-SPM2	3/19/2018	80	185.6	415	
TMP-SPM2	3/19/2018	100	201.2	395	
TMP-SPM2	3/19/2018	120	193.2	375	
TMP-SPM2	3/19/2018	140	180.4	355	
TMP-SPM2	3/19/2018	160	157.6	335	
TMP-SPM2	3/19/2018	172	140.7	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	2/20/2018	20	123.9	478	
TMP-SPM3	2/20/2018	40	130.8	458	
TMP-SPM3	2/20/2018	60	126.4	438	
TMP-SPM3	2/20/2018	80	126.8	418	
TMP-SPM3	2/20/2018	85	126.9	413	
TMP-SPM3	2/26/2018	20	124.8	478	
TMP-SPM3	2/26/2018	40	130.0	458	
TMP-SPM3	2/26/2018	60	125.6	438	
TMP-SPM3	2/26/2018	80	126.0	418	
TMP-SPM3	2/26/2018	85	126.1	413	
TMP-SPM3	3/6/2018	20	126.2	478	
TMP-SPM3	3/6/2018	40	130.4	458	
TMP-SPM3	3/6/2018	60	126.1	438	
TMP-SPM3	3/6/2018	80	126.5	418	
TMP-SPM3	3/6/2018	85	126.8	413	
TMP-SPM3	3/12/2018	20	125.7	478	
TMP-SPM3	3/12/2018	40	129.6	458	
TMP-SPM3	3/12/2018	60	125.6	438	
TMP-SPM3	3/12/2018	80	125.9	418	
TMP-SPM3	3/12/2018	85	126.0	413	
TMP-SPM3	3/19/2018	20	127.3	478	
TMP-SPM3	3/19/2018	40	130.8	458	
TMP-SPM3	3/19/2018	60	126.8	438	
TMP-SPM3	3/19/2018	80	127.0	418	
TMP-SPM3	3/19/2018	85	127.2	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	2/20/2018	20	131.0	475	
TMP-SPM4	2/20/2018	40	153.3	455	
TMP-SPM4	2/20/2018	60	158.1	435	
TMP-SPM4	2/20/2018	80	160.6	415	
TMP-SPM4	2/20/2018	100	157.4	395	
TMP-SPM4	2/20/2018	120	148.5	375	
TMP-SPM4	2/20/2018	140	142.1	355	
TMP-SPM4	2/20/2018	160	134.6	335	
TMP-SPM4	2/20/2018	180	127.0	315	
TMP-SPM4	2/20/2018	200	115.2	295	
TMP-SPM4	2/20/2018	220	98.7	275	
TMP-SPM4	2/20/2018	240	91.3	255	
TMP-SPM4	2/26/2018	20	131.3	475	
TMP-SPM4	2/26/2018	40	153.7	455	
TMP-SPM4	2/26/2018	60	158.5	435	
TMP-SPM4	2/26/2018	80	161.0	415	
TMP-SPM4	2/26/2018	100	157.8	395	
TMP-SPM4	2/26/2018	120	149.0	375	
TMP-SPM4	2/26/2018	140	142.6	355	
TMP-SPM4	2/26/2018	160	135.0	335	
TMP-SPM4	2/26/2018	180	127.2	315	
TMP-SPM4	2/26/2018	200	115.2	295	
TMP-SPM4	2/26/2018	220	98.6	275	
TMP-SPM4	2/26/2018	240	91.2	255	
TMP-SPM4	3/6/2018	20	131.4	475	
TMP-SPM4	3/6/2018	40	153.8	455	
TMP-SPM4	3/6/2018	60	158.6	435	
TMP-SPM4	3/6/2018	80	161.0	415	
TMP-SPM4	3/6/2018	100	157.8	395	
TMP-SPM4	3/6/2018	120	148.9	375	
TMP-SPM4	3/6/2018	140	142.6	355	
TMP-SPM4	3/6/2018	160	135.1	335	
TMP-SPM4	3/6/2018	180	127.5	315	
TMP-SPM4	3/6/2018	200	115.6	295	
TMP-SPM4	3/6/2018	220	98.9	275	
TMP-SPM4	3/6/2018	240	91.6	255	
TMP-SPM4	3/12/2018	20	130.5	475	
TMP-SPM4	3/12/2018	40	153	455	
TMP-SPM4	3/12/2018	60	157.9	435	
TMP-SPM4	3/12/2018	80	160.3	415	
TMP-SPM4	3/12/2018	100	157.1	395	
TMP-SPM4	3/12/2018	120	148.2	375	
TMP-SPM4	3/12/2018	140	141.8	355	
TMP-SPM4	3/12/2018	160	134.3	335	
TMP-SPM4	3/12/2018	180	126.6	315	
TMP-SPM4	3/12/2018	200	114.9	295	
TMP-SPM4	3/12/2018	220	98.2	275	
TMP-SPM4	3/12/2018	240	90.7	255	
TMP-SPM4	3/19/2018	20	130.1	475	
TMP-SPM4	3/19/2018	40	152.2	455	
TMP-SPM4	3/19/2018	60	157.0	435	
TMP-SPM4	3/19/2018	80	159.3	415	
TMP-SPM4	3/19/2018	100	156.0	395	
TMP-SPM4	3/19/2018	120	147.2	375	
TMP-SPM4	3/19/2018	140	140.9	355	
TMP-SPM4	3/19/2018	160	133.5	335	
TMP-SPM4	3/19/2018	180	126.0	315	
TMP-SPM4	3/19/2018	200	114.6	295	
TMP-SPM4	3/19/2018	220	98.1	275	
TMP-SPM4	3/19/2018	240	90.8	255	