

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	3/12/2018	20	163.2	473	
TMP-19	3/12/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/12/2018	60	227.5	433	
TMP-19	3/12/2018	80	232.7	413	
TMP-19	3/12/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/19/2018	20	163.8	473	
TMP-19	3/19/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/19/2018	60	226.9	433	
TMP-19	3/19/2018	80	231.9	413	
TMP-19	3/19/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	3/26/2018	20	165.4	473	
TMP-19	3/26/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	3/26/2018	60	229.0	433	
TMP-19	3/26/2018	80	233.7	413	
TMP-19	3/26/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/2/2018	20	166.2	473	
TMP-19	4/2/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/2/2018	60	225.8	433	
TMP-19	4/2/2018	80	230.5	413	
TMP-19	4/2/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/9/2018	20	165.4	473	
TMP-19	4/9/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/9/2018	60	227.4	433	
TMP-19	4/9/2018	80	232.2	413	
TMP-19	4/9/2018	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	3/12/2018	20	128.6	478	
TMP-20	3/12/2018	40	186.7	458	
TMP-20	3/12/2018	60	228.9	438	
TMP-20	3/12/2018	80	240.6	418	
TMP-20	3/12/2018	100	252.6	398	
TMP-20	3/12/2018	120	263.8	378	
TMP-20	3/12/2018	140	260.6	358	
TMP-20	3/19/2018	20	128.5	478	
TMP-20	3/19/2018	40	187.7	458	
TMP-20	3/19/2018	60	228.8	438	
TMP-20	3/19/2018	80	240.4	418	
TMP-20	3/19/2018	100	252.5	398	
TMP-20	3/19/2018	120	263.6	378	
TMP-20	3/19/2018	140	260.4	358	
TMP-20	3/26/2018	20	128.4	478	
TMP-20	3/26/2018	40	188.0	458	
TMP-20	3/26/2018	60	228.7	438	
TMP-20	3/26/2018	80	240.4	418	
TMP-20	3/26/2018	100	252.4	398	
TMP-20	3/26/2018	120	263.8	378	
TMP-20	3/26/2018	140	260.5	358	
TMP-20	4/2/2018	20	127.8	478	
TMP-20	4/2/2018	40	187.7	458	
TMP-20	4/2/2018	60	228.5	438	
TMP-20	4/2/2018	80	240.2	418	
TMP-20	4/2/2018	100	252.1	398	
TMP-20	4/2/2018	120	263.6	378	
TMP-20	4/2/2018	140	260.2	358	
TMP-20	4/9/2018	20	128.5	478	
TMP-20	4/9/2018	40	189.3	458	
TMP-20	4/9/2018	60	229.3	438	
TMP-20	4/9/2018	80	240.9	418	
TMP-20	4/9/2018	100	252.7	398	
TMP-20	4/9/2018	120	264.2	378	
TMP-20	4/9/2018	140	260.8	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	3/12/2018	20	124.1	475	
TMP-10-9N	3/12/2018	40	142.1	455	
TMP-10-9N	3/12/2018	60	145.7	435	
TMP-10-9N	3/12/2018	80	144.3	415	
TMP-10-9N	3/12/2018	100	154.1	395	
TMP-10-9N	3/19/2018	20	124.5	475	
TMP-10-9N	3/19/2018	40	142.3	455	
TMP-10-9N	3/19/2018	60	145.8	435	
TMP-10-9N	3/19/2018	80	144.0	415	
TMP-10-9N	3/19/2018	100	153.8	395	
TMP-10-9N	3/26/2018	20	125.4	475	
TMP-10-9N	3/26/2018	40	143.4	455	
TMP-10-9N	3/26/2018	60	147.6	435	
TMP-10-9N	3/26/2018	80	145.4	415	
TMP-10-9N	3/26/2018	100	155.4	395	
TMP-10-9N	4/2/2018	20	125.2	475	
TMP-10-9N	4/2/2018	40	143.4	455	
TMP-10-9N	4/2/2018	60	147.5	435	
TMP-10-9N	4/2/2018	80	145.3	415	
TMP-10-9N	4/2/2018	100	155.1	395	
TMP-10-9N	4/9/2018	20	125.4	475	
TMP-10-9N	4/9/2018	40	143.2	455	
TMP-10-9N	4/9/2018	60	147.8	435	
TMP-10-9N	4/9/2018	80	145.6	415	
TMP-10-9N	4/9/2018	100	155.2	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	3/12/2018	20	125.0	476	
TMP-10-9S	3/12/2018	40	172.2	456	
TMP-10-9S	3/12/2018	60	196.1	436	
TMP-10-9S	3/12/2018	80	199.6	416	
TMP-10-9S	3/12/2018	100	214.5	396	
TMP-10-9S	3/19/2018	20	124.3	476	
TMP-10-9S	3/19/2018	40	173.8	456	
TMP-10-9S	3/19/2018	60	195.9	436	
TMP-10-9S	3/19/2018	80	198.9	416	
TMP-10-9S	3/19/2018	100	213.9	396	
TMP-10-9S	3/26/2018	20	126.1	476	
TMP-10-9S	3/26/2018	40	175.4	456	
TMP-10-9S	3/26/2018	60	197.6	436	
TMP-10-9S	3/26/2018	80	200.6	416	
TMP-10-9S	3/26/2018	100	215.6	396	
TMP-10-9S	4/2/2018	20	124.7	476	
TMP-10-9S	4/2/2018	40	175.5	456	
TMP-10-9S	4/2/2018	60	196.8	436	
TMP-10-9S	4/2/2018	80	199.6	416	
TMP-10-9S	4/2/2018	100	214.5	396	
TMP-10-9S	4/9/2018	20	124.6	476	
TMP-10-9S	4/9/2018	40	177.4	456	
TMP-10-9S	4/9/2018	60	197.1	436	
TMP-10-9S	4/9/2018	80	199.6	416	
TMP-10-9S	4/9/2018	100	214.5	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	3/12/2018	20	107.5	478	
TMP-10-5N	3/12/2018	40	107.5	458	
TMP-10-5N	3/12/2018	60	102.4	438	
TMP-10-5N	3/12/2018	80	91.9	418	
TMP-10-5N	3/12/2018	100	86.8	398	
TMP-10-5N	3/19/2018	20	107.5	478	
TMP-10-5N	3/19/2018	40	107.5	458	
TMP-10-5N	3/19/2018	60	102.7	438	
TMP-10-5N	3/19/2018	80	92.4	418	
TMP-10-5N	3/19/2018	100	87.3	398	
TMP-10-5N	3/26/2018	20	108.7	478	
TMP-10-5N	3/26/2018	40	108.7	458	
TMP-10-5N	3/26/2018	60	104.3	438	
TMP-10-5N	3/26/2018	80	94.3	418	
TMP-10-5N	3/26/2018	100	89.5	398	
TMP-10-5N	4/2/2018	20	108.5	478	
TMP-10-5N	4/2/2018	40	108.7	458	
TMP-10-5N	4/2/2018	60	104.7	438	
TMP-10-5N	4/2/2018	80	94.4	418	
TMP-10-5N	4/2/2018	100	89.2	398	
TMP-10-5N	4/9/2018	20	108.4	478	
TMP-10-5N	4/9/2018	40	107.8	458	
TMP-10-5N	4/9/2018	60	105.0	438	
TMP-10-5N	4/9/2018	80	94.5	418	
TMP-10-5N	4/9/2018	100	89.1	398	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-10-5S	3/12/2018	20	116.3	477	
TMP-10-5S	3/12/2018	40	151.4	457	
TMP-10-5S	3/12/2018	60	173.6	437	
TMP-10-5S	3/12/2018	80	183.3	417	
TMP-10-5S	3/12/2018	100	197.3	397	
TMP-10-5S	3/19/2018	20	116.4	477	
TMP-10-5S	3/19/2018	40	151.2	457	
TMP-10-5S	3/19/2018	60	173.3	437	
TMP-10-5S	3/19/2018	80	182.7	417	
TMP-10-5S	3/19/2018	100	196.7	397	
TMP-10-5S	3/26/2018	20	118.4	477	
TMP-10-5S	3/26/2018	40	152.8	457	
TMP-10-5S	3/26/2018	60	175.0	437	
TMP-10-5S	3/26/2018	80	184.5	417	
TMP-10-5S	3/26/2018	100	198.6	397	
TMP-10-5S	4/2/2018	20	117.2	477	
TMP-10-5S	4/2/2018	40	151.5	457	
TMP-10-5S	4/2/2018	60	173.8	437	
TMP-10-5S	4/2/2018	80	183.3	417	
TMP-10-5S	4/2/2018	100	197.5	397	
TMP-10-5S	4/9/2018	20	116.8	477	
TMP-10-5S	4/9/2018	40	150.8	457	
TMP-10-5S	4/9/2018	60	173.5	437	
TMP-10-5S	4/9/2018	80	183.3	417	
TMP-10-5S	4/9/2018	100	197.3	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	3/12/2018	20	110.1	476	
TMP-5-9N	3/12/2018	40	145.9	456	
TMP-5-9N	3/12/2018	60	151.6	436	
TMP-5-9N	3/12/2018	80	250.8	416	
TMP-5-9N	3/12/2018	100	261.3	396	
TMP-5-9N	3/19/2018	20	110.5	476	
TMP-5-9N	3/19/2018	40	146.5	456	
TMP-5-9N	3/19/2018	60	151.6	436	
TMP-5-9N	3/19/2018	80	250.8	416	
TMP-5-9N	3/19/2018	100	260.9	396	
TMP-5-9N	3/26/2018	20	110.8	476	
TMP-5-9N	3/26/2018	40	146.7	456	
TMP-5-9N	3/26/2018	60	152.3	436	
TMP-5-9N	3/26/2018	80	251.6	416	
TMP-5-9N	3/26/2018	100	261.6	396	
TMP-5-9N	4/2/2018	20	111.0	476	
TMP-5-9N	4/2/2018	40	147.7	456	
TMP-5-9N	4/2/2018	60	152.4	436	
TMP-5-9N	4/2/2018	80	252.0	416	
TMP-5-9N	4/2/2018	100	261.9	396	
TMP-5-9N	4/9/2018	20	110.4	476	
TMP-5-9N	4/9/2018	40	147.6	456	
TMP-5-9N	4/9/2018	60	151.9	436	
TMP-5-9N	4/9/2018	80	251.4	416	
TMP-5-9N	4/9/2018	100	261.3	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	3/12/2018	20	135.1	476	
TMP-5-9S	3/12/2018	40	200.5	456	
TMP-5-9S	3/12/2018	60	235.2	436	
TMP-5-9S	3/12/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/12/2018	100	263.9	396	
TMP-5-9S	3/19/2018	20	133.8	476	
TMP-5-9S	3/19/2018	40	206.6	456	
TMP-5-9S	3/19/2018	60	233.7	436	
TMP-5-9S	3/19/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/19/2018	100	263.1	396	
TMP-5-9S	3/26/2018	20	133.5	476	
TMP-5-9S	3/26/2018	40	204.6	456	
TMP-5-9S	3/26/2018	60	234.1	436	
TMP-5-9S	3/26/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	3/26/2018	100	263.2	396	
TMP-5-9S	4/2/2018	20	133.5	476	
TMP-5-9S	4/2/2018	40	205	456	
TMP-5-9S	4/2/2018	60	234	436	
TMP-5-9S	4/2/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/2/2018	100	263.5	396	
TMP-5-9S	4/9/2018	20	133.1	476	
TMP-5-9S	4/9/2018	40	207.1	456	
TMP-5-9S	4/9/2018	60	233.9	436	
TMP-5-9S	4/9/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/9/2018	100	263.6	396	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	3/12/2018	20	101.4	475	
TMP-5-5N	3/12/2018	40	96.1	455	
TMP-5-5N	3/12/2018	60	84.2	435	
TMP-5-5N	3/12/2018	80	233.5	415	
TMP-5-5N	3/12/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/19/2018	20	101.0	475	
TMP-5-5N	3/19/2018	40	96.1	455	
TMP-5-5N	3/19/2018	60	85.6	435	
TMP-5-5N	3/19/2018	80	248.8	415	
TMP-5-5N	3/19/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	3/26/2018	20	101.8	475	
TMP-5-5N	3/26/2018	40	95.7	455	
TMP-5-5N	3/26/2018	60	84.1	435	
TMP-5-5N	3/26/2018	80	249.2	415	
TMP-5-5N	3/26/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	4/2/2018	20	102.2	475	
TMP-5-5N	4/2/2018	40	96.3	455	
TMP-5-5N	4/2/2018	60	85.1	435	
TMP-5-5N	4/2/2018	80	249.8	415	
TMP-5-5N	4/2/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	4/9/2018	20	101.6	475	
TMP-5-5N	4/9/2018	40	94.7	455	
TMP-5-5N	4/9/2018	60	84.3	435	
TMP-5-5N	4/9/2018	80	249.3	415	
TMP-5-5N	4/9/2018	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	3/12/2018	20	131.5	474	
TMP-5-5S	3/12/2018	40	190.5	454	
TMP-5-5S	3/12/2018	60	227.9	434	
TMP-5-5S	3/12/2018	80	251.8	414	
TMP-5-5S	3/12/2018	100	255.2	394	
TMP-5-5S	3/19/2018	20	130.7	474	
TMP-5-5S	3/19/2018	40	196.9	454	
TMP-5-5S	3/19/2018	60	227.5	434	
TMP-5-5S	3/19/2018	80	251.1	414	
TMP-5-5S	3/19/2018	100	254.4	394	
TMP-5-5S	3/26/2018	20	131.0	474	
TMP-5-5S	3/26/2018	40	196.0	454	
TMP-5-5S	3/26/2018	60	227.5	434	
TMP-5-5S	3/26/2018	80	251.0	414	
TMP-5-5S	3/26/2018	100	254.2	394	
TMP-5-5S	4/2/2018	20	131.1	474	
TMP-5-5S	4/2/2018	40	197.3	454	
TMP-5-5S	4/2/2018	60	227.6	434	
TMP-5-5S	4/2/2018	80	251.2	414	
TMP-5-5S	4/2/2018	100	254.4	394	
TMP-5-5S	4/9/2018	20	130.7	474	
TMP-5-5S	4/9/2018	40	198.7	454	
TMP-5-5S	4/9/2018	60	227.2	434	
TMP-5-5S	4/9/2018	80	251.0	414	
TMP-5-5S	4/9/2018	100	254.2	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	3/12/2018	20	198.3	474	
TMP-31	3/12/2018	40	228.8	454	
TMP-31	3/12/2018	60	243.9	434	
TMP-31	3/12/2018	80	259.6	414	
TMP-31	3/12/2018	100		394	low resistivity, unreliable
TMP-31	3/12/2018	120	276.5	374	
TMP-31	3/19/2018	20	197.3	474	
TMP-31	3/19/2018	40	226.4	454	
TMP-31	3/19/2018	60	242.4	434	
TMP-31	3/19/2018	80	258.3	414	
TMP-31	3/19/2018	100		394	low resistivity, unreliable
TMP-31	3/19/2018	120	274.9	374	
TMP-31	3/26/2018	20	197.4	474	
TMP-31	3/26/2018	40	227.3	454	
TMP-31	3/26/2018	60	242.8	434	
TMP-31	3/26/2018	80	259.0	414	
TMP-31	3/26/2018	100		394	low resistivity, unreliable
TMP-31	3/26/2018	120	275.7	374	
TMP-31	4/2/2018	20	197.9	474	
TMP-31	4/2/2018	40	225.7	454	
TMP-31	4/2/2018	60	241.9	434	
TMP-31	4/2/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/2/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/2/2018	120	274.9	374	
TMP-31	4/9/2018	20	196.3	474	
TMP-31	4/9/2018	40	226.0	454	
TMP-31	4/9/2018	60	242.5	434	
TMP-31	4/9/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/9/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/9/2018	120	275.7	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	3/12/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	60	241.3	444	
TMP-32	3/12/2018	80	254.8	424	
TMP-32	3/12/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/12/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	60	240.3	444	
TMP-32	3/19/2018	80	253.7	424	
TMP-32	3/19/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/19/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	3/26/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	3/26/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	3/26/2018	60	240.2	444	
TMP-32	3/26/2018	80	253.7	424	
TMP-32	3/26/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	3/26/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	3/26/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	3/26/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	3/26/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	3/26/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	60	240.7	444	
TMP-32	4/2/2018	80	254.2	424	
TMP-32	4/2/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	60	240.4	444	
TMP-32	4/9/2018	80	253.9	424	
TMP-32	4/9/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	3/12/2018	20	171.7	473	
TMP-SPM1	3/12/2018	40	199.7	453	
TMP-SPM1	3/12/2018	60	200.6	433	
TMP-SPM1	3/12/2018	80	196.2	413	
TMP-SPM1	3/12/2018	100	182.6	393	
TMP-SPM1	3/12/2018	120	170.5	373	
TMP-SPM1	3/12/2018	140	160.2	353	
TMP-SPM1	3/12/2018	160	142.6	333	
TMP-SPM1	3/12/2018	180	126.6	313	
TMP-SPM1	3/12/2018	200	108.2	293	
TMP-SPM1	3/12/2018	220	92.2	273	
TMP-SPM1	3/12/2018	240	88.9	253	
TMP-SPM1	3/19/2018	20	173.1	473	
TMP-SPM1	3/19/2018	40	199.3	453	
TMP-SPM1	3/19/2018	60	200.1	433	
TMP-SPM1	3/19/2018	80	195.8	413	
TMP-SPM1	3/19/2018	100	182.1	393	
TMP-SPM1	3/19/2018	120	170.0	373	
TMP-SPM1	3/19/2018	140	159.6	353	
TMP-SPM1	3/19/2018	160	142.1	333	
TMP-SPM1	3/19/2018	180	126.1	313	
TMP-SPM1	3/19/2018	200	107.8	293	
TMP-SPM1	3/19/2018	220	91.9	273	
TMP-SPM1	3/19/2018	240	88.6	253	
TMP-SPM1	3/26/2018	20	171.5	473	
TMP-SPM1	3/26/2018	40	199.2	453	
TMP-SPM1	3/26/2018	60	199.6	433	
TMP-SPM1	3/26/2018	80	195.5	413	
TMP-SPM1	3/26/2018	100	182.1	393	
TMP-SPM1	3/26/2018	120	169.9	373	
TMP-SPM1	3/26/2018	140	159.6	353	
TMP-SPM1	3/26/2018	160	142.1	333	
TMP-SPM1	3/26/2018	180	125.9	313	
TMP-SPM1	3/26/2018	200	107.6	293	
TMP-SPM1	3/26/2018	220	92.0	273	
TMP-SPM1	3/26/2018	240	88.5	253	
TMP-SPM1	4/2/2018	20	173.0	473	
TMP-SPM1	4/2/2018	40	199.7	453	
TMP-SPM1	4/2/2018	60	199.9	433	
TMP-SPM1	4/2/2018	80	195.8	413	
TMP-SPM1	4/2/2018	100	182.5	393	
TMP-SPM1	4/2/2018	120	170.6	373	
TMP-SPM1	4/2/2018	140	160.1	353	
TMP-SPM1	4/2/2018	160	142.5	333	
TMP-SPM1	4/2/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/2/2018	200	108.2	293	
TMP-SPM1	4/2/2018	220	92.5	273	
TMP-SPM1	4/2/2018	240	89.2	253	
TMP-SPM1	4/9/2018	20	171.8	473	
TMP-SPM1	4/9/2018	40	199.4	453	
TMP-SPM1	4/9/2018	60	199.5	433	
TMP-SPM1	4/9/2018	80	195.0	413	
TMP-SPM1	4/9/2018	100	181.9	393	
TMP-SPM1	4/9/2018	120	169.9	373	
TMP-SPM1	4/9/2018	140	159.5	353	
TMP-SPM1	4/9/2018	160	142.1	333	
TMP-SPM1	4/9/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/9/2018	200	107.8	293	
TMP-SPM1	4/9/2018	220	92.1	273	
TMP-SPM1	4/9/2018	240	88.7	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	3/12/2018	20	157.1	475	
TMP-SPM2	3/12/2018	40	188.2	455	
TMP-SPM2	3/12/2018	60	188.0	435	
TMP-SPM2	3/12/2018	80	183.9	415	
TMP-SPM2	3/12/2018	100	199.5	395	
TMP-SPM2	3/12/2018	120	191.7	375	
TMP-SPM2	3/12/2018	140	178.9	355	
TMP-SPM2	3/12/2018	160	156.1	335	
TMP-SPM2	3/12/2018	172	139.2	323	
TMP-SPM2	3/19/2018	20	158.7	475	
TMP-SPM2	3/19/2018	40	189.7	455	
TMP-SPM2	3/19/2018	60	189.5	435	
TMP-SPM2	3/19/2018	80	185.6	415	
TMP-SPM2	3/19/2018	100	201.2	395	
TMP-SPM2	3/19/2018	120	193.2	375	
TMP-SPM2	3/19/2018	140	180.4	355	
TMP-SPM2	3/19/2018	160	157.6	335	
TMP-SPM2	3/19/2018	172	140.7	323	
TMP-SPM2	3/26/2018	20	157.1	475	
TMP-SPM2	3/26/2018	40	189.3	455	
TMP-SPM2	3/26/2018	60	189.2	435	
TMP-SPM2	3/26/2018	80	185.6	415	
TMP-SPM2	3/26/2018	100	201.5	395	
TMP-SPM2	3/26/2018	120	193.2	375	
TMP-SPM2	3/26/2018	140	180.4	355	
TMP-SPM2	3/26/2018	160	157.6	335	
TMP-SPM2	3/26/2018	172	140.7	323	
TMP-SPM2	4/2/2018	20	156.4	475	
TMP-SPM2	4/2/2018	40	188.7	455	
TMP-SPM2	4/2/2018	60	188.8	435	
TMP-SPM2	4/2/2018	80	185.6	415	
TMP-SPM2	4/2/2018	100	201.9	395	
TMP-SPM2	4/2/2018	120	193.6	375	
TMP-SPM2	4/2/2018	140	180.7	355	
TMP-SPM2	4/2/2018	160	157.8	335	
TMP-SPM2	4/2/2018	172	140.7	323	
TMP-SPM2	4/9/2018	20	156.8	475	
TMP-SPM2	4/9/2018	40	189.8	455	
TMP-SPM2	4/9/2018	60	189.5	435	
TMP-SPM2	4/9/2018	80	186.6	415	
TMP-SPM2	4/9/2018	100	202.9	395	
TMP-SPM2	4/9/2018	120	194.3	375	
TMP-SPM2	4/9/2018	140	181.3	355	
TMP-SPM2	4/9/2018	160	158.4	335	
TMP-SPM2	4/9/2018	172	141.5	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	3/12/2018	20	125.7	478	
TMP-SPM3	3/12/2018	40	129.6	458	
TMP-SPM3	3/12/2018	60	125.6	438	
TMP-SPM3	3/12/2018	80	125.9	418	
TMP-SPM3	3/12/2018	85	126.0	413	
TMP-SPM3	3/19/2018	20	127.3	478	
TMP-SPM3	3/19/2018	40	130.8	458	
TMP-SPM3	3/19/2018	60	126.8	438	
TMP-SPM3	3/19/2018	80	127.0	418	
TMP-SPM3	3/19/2018	85	127.2	413	
TMP-SPM3	3/26/2018	20	127.4	478	
TMP-SPM3	3/26/2018	40	130.4	458	
TMP-SPM3	3/26/2018	60	126.6	438	
TMP-SPM3	3/26/2018	80	126.9	418	
TMP-SPM3	3/26/2018	85	127.0	413	
TMP-SPM3	4/2/2018	20	128.5	478	
TMP-SPM3	4/2/2018	40	131.1	458	
TMP-SPM3	4/2/2018	60	127.3	438	
TMP-SPM3	4/2/2018	80	127.5	418	
TMP-SPM3	4/2/2018	85	127.7	413	
TMP-SPM3	4/9/2018	20	128.2	478	
TMP-SPM3	4/9/2018	40	130.5	458	
TMP-SPM3	4/9/2018	60	126.7	438	
TMP-SPM3	4/9/2018	80	127.1	418	
TMP-SPM3	4/9/2018	85	127.2	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	3/12/2018	20	130.5	475	
TMP-SPM4	3/12/2018	40	153	455	
TMP-SPM4	3/12/2018	60	157.9	435	
TMP-SPM4	3/12/2018	80	160.3	415	
TMP-SPM4	3/12/2018	100	157.1	395	
TMP-SPM4	3/12/2018	120	148.2	375	
TMP-SPM4	3/12/2018	140	141.8	355	
TMP-SPM4	3/12/2018	160	134.3	335	
TMP-SPM4	3/12/2018	180	126.6	315	
TMP-SPM4	3/12/2018	200	114.9	295	
TMP-SPM4	3/12/2018	220	98.2	275	
TMP-SPM4	3/12/2018	240	90.7	255	
TMP-SPM4	3/19/2018	20	130.1	475	
TMP-SPM4	3/19/2018	40	152.2	455	
TMP-SPM4	3/19/2018	60	157.0	435	
TMP-SPM4	3/19/2018	80	159.3	415	
TMP-SPM4	3/19/2018	100	156.0	395	
TMP-SPM4	3/19/2018	120	147.2	375	
TMP-SPM4	3/19/2018	140	140.9	355	
TMP-SPM4	3/19/2018	160	133.5	335	
TMP-SPM4	3/19/2018	180	126.0	315	
TMP-SPM4	3/19/2018	200	114.6	295	
TMP-SPM4	3/19/2018	220	98.1	275	
TMP-SPM4	3/19/2018	240	90.8	255	
TMP-SPM4	3/26/2018	20	129.5	475	
TMP-SPM4	3/26/2018	40	151.6	455	
TMP-SPM4	3/26/2018	60	156.5	435	
TMP-SPM4	3/26/2018	80	158.8	415	
TMP-SPM4	3/26/2018	100	155.6	395	
TMP-SPM4	3/26/2018	120	146.8	375	
TMP-SPM4	3/26/2018	140	140.5	355	
TMP-SPM4	3/26/2018	160	133.2	335	
TMP-SPM4	3/26/2018	180	125.8	315	
TMP-SPM4	3/26/2018	200	114.4	295	
TMP-SPM4	3/26/2018	220	98.1	275	
TMP-SPM4	3/26/2018	240	90.8	255	
TMP-SPM4	4/2/2018	20	130.1	475	
TMP-SPM4	4/2/2018	40	152.1	455	
TMP-SPM4	4/2/2018	60	157	435	
TMP-SPM4	4/2/2018	80	159.3	415	
TMP-SPM4	4/2/2018	100	156	395	
TMP-SPM4	4/2/2018	120	147.2	375	
TMP-SPM4	4/2/2018	140	140.9	355	
TMP-SPM4	4/2/2018	160	133.5	335	
TMP-SPM4	4/2/2018	180	126.1	315	
TMP-SPM4	4/2/2018	200	114.8	295	
TMP-SPM4	4/2/2018	220	98.6	275	
TMP-SPM4	4/2/2018	240	91.2	255	
TMP-SPM4	4/9/2018	20	129.8	475	
TMP-SPM4	4/9/2018	40	151.6	455	
TMP-SPM4	4/9/2018	60	156.5	435	
TMP-SPM4	4/9/2018	80	158.7	415	
TMP-SPM4	4/9/2018	100	155.4	395	
TMP-SPM4	4/9/2018	120	146.6	375	
TMP-SPM4	4/9/2018	140	140.4	355	
TMP-SPM4	4/9/2018	160	133.0	335	
TMP-SPM4	4/9/2018	180	125.7	315	
TMP-SPM4	4/9/2018	200	114.5	295	
TMP-SPM4	4/9/2018	220	98.2	275	
TMP-SPM4	4/9/2018	240	90.9	255	