

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	4/2/2018	20	166.2	473	
TMP-19	4/2/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/2/2018	60	225.8	433	
TMP-19	4/2/2018	80	230.5	413	
TMP-19	4/2/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/9/2018	20	165.4	473	
TMP-19	4/9/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/9/2018	60	227.4	433	
TMP-19	4/9/2018	80	232.2	413	
TMP-19	4/9/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/16/2018	20	165.4	473	
TMP-19	4/16/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/16/2018	60	227.0	433	
TMP-19	4/16/2018	80	232.0	413	
TMP-19	4/16/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/23/2018	20	164.0	473	
TMP-19	4/23/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/23/2018	60	226.7	433	
TMP-19	4/23/2018	80	231.5	413	
TMP-19	4/23/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	4/30/2018	20	161.9	473	
TMP-19	4/30/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	4/30/2018	60	225.7	433	
TMP-19	4/30/2018	80	230.7	413	
TMP-19	4/30/2018	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	4/2/2018	20	127.8	478	
TMP-20	4/2/2018	40	187.7	458	
TMP-20	4/2/2018	60	228.5	438	
TMP-20	4/2/2018	80	240.2	418	
TMP-20	4/2/2018	100	252.1	398	
TMP-20	4/2/2018	120	263.6	378	
TMP-20	4/2/2018	140	260.2	358	
TMP-20	4/9/2018	20	128.5	478	
TMP-20	4/9/2018	40	189.3	458	
TMP-20	4/9/2018	60	229.3	438	
TMP-20	4/9/2018	80	240.9	418	
TMP-20	4/9/2018	100	252.7	398	
TMP-20	4/9/2018	120	264.2	378	
TMP-20	4/9/2018	140	260.8	358	
TMP-20	4/16/2018	20	127.6	478	
TMP-20	4/16/2018	40	187.3	458	
TMP-20	4/16/2018	60	228.4	438	
TMP-20	4/16/2018	80	239.9	418	
TMP-20	4/16/2018	100	251.9	398	
TMP-20	4/16/2018	120	263.3	378	
TMP-20	4/16/2018	140	259.7	358	
TMP-20	4/23/2018	20	126.2	478	
TMP-20	4/23/2018	40	186.7	458	
TMP-20	4/23/2018	60	227.5	438	
TMP-20	4/23/2018	80	239.2	418	
TMP-20	4/23/2018	100	251.2	398	
TMP-20	4/23/2018	120	262.8	378	
TMP-20	4/23/2018	140	259.3	358	
TMP-20	4/30/2018	20	126.3	478	
TMP-20	4/30/2018	40	186.6	458	
TMP-20	4/30/2018	60	227.5	438	
TMP-20	4/30/2018	80	239.1	418	
TMP-20	4/30/2018	100	250.7	398	
TMP-20	4/30/2018	120	262.3	378	
TMP-20	4/30/2018	140	258.6	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	4/2/2018	20	125.2	475	
TMP-10-9N	4/2/2018	40	143.4	455	
TMP-10-9N	4/2/2018	60	147.5	435	
TMP-10-9N	4/2/2018	80	145.3	415	
TMP-10-9N	4/2/2018	100	155.1	395	
TMP-10-9N	4/9/2018	20	125.4	475	
TMP-10-9N	4/9/2018	40	143.2	455	
TMP-10-9N	4/9/2018	60	147.8	435	
TMP-10-9N	4/9/2018	80	145.6	415	
TMP-10-9N	4/9/2018	100	155.2	395	
TMP-10-9N	4/16/2018	20	124.7	475	
TMP-10-9N	4/16/2018	40	142.1	455	
TMP-10-9N	4/16/2018	60	147.8	435	
TMP-10-9N	4/16/2018	80	145.3	415	
TMP-10-9N	4/16/2018	100	154.8	395	
TMP-10-9N	4/23/2018	20	124.6	475	
TMP-10-9N	4/23/2018	40	142.4	455	
TMP-10-9N	4/23/2018	60	148.3	435	
TMP-10-9N	4/23/2018	80	145.9	415	
TMP-10-9N	4/23/2018	100	155.1	395	
TMP-10-9N	4/30/2018	20	122.7	475	
TMP-10-9N	4/30/2018	40	140.4	455	
TMP-10-9N	4/30/2018	60	146.6	435	
TMP-10-9N	4/30/2018	80	144.4	415	
TMP-10-9N	4/30/2018	100	153.6	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	4/2/2018	20	124.7	476	
TMP-10-9S	4/2/2018	40	175.5	456	
TMP-10-9S	4/2/2018	60	196.8	436	
TMP-10-9S	4/2/2018	80	199.6	416	
TMP-10-9S	4/2/2018	100	214.5	396	
TMP-10-9S	4/9/2018	20	124.6	476	
TMP-10-9S	4/9/2018	40	177.4	456	
TMP-10-9S	4/9/2018	60	197.1	436	
TMP-10-9S	4/9/2018	80	199.6	416	
TMP-10-9S	4/9/2018	100	214.5	396	
TMP-10-9S	4/16/2018	20	123.9	476	
TMP-10-9S	4/16/2018	40	177.8	456	
TMP-10-9S	4/16/2018	60	196.5	436	
TMP-10-9S	4/16/2018	80	198.8	416	
TMP-10-9S	4/16/2018	100	213.9	396	
TMP-10-9S	4/23/2018	20	123.4	476	
TMP-10-9S	4/23/2018	40	174.9	456	
TMP-10-9S	4/23/2018	60	195.8	436	
TMP-10-9S	4/23/2018	80	198.5	416	
TMP-10-9S	4/23/2018	100	213.4	396	
TMP-10-9S	4/30/2018	20	122.2	476	
TMP-10-9S	4/30/2018	40	172.9	456	
TMP-10-9S	4/30/2018	60	194.8	436	
TMP-10-9S	4/30/2018	80	198.2	416	
TMP-10-9S	4/30/2018	100	213.2	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	4/2/2018	20	108.5	478	
TMP-10-5N	4/2/2018	40	108.7	458	
TMP-10-5N	4/2/2018	60	104.7	438	
TMP-10-5N	4/2/2018	80	94.4	418	
TMP-10-5N	4/2/2018	100	89.2	398	
TMP-10-5N	4/9/2018	20	108.4	478	
TMP-10-5N	4/9/2018	40	107.8	458	
TMP-10-5N	4/9/2018	60	105.0	438	
TMP-10-5N	4/9/2018	80	94.5	418	
TMP-10-5N	4/9/2018	100	89.1	398	
TMP-10-5N	4/16/2018	20	107.8	478	
TMP-10-5N	4/16/2018	40	108.2	458	
TMP-10-5N	4/16/2018	60	107.5	438	
TMP-10-5N	4/16/2018	80	97.3	418	
TMP-10-5N	4/16/2018	100	91.8	398	
TMP-10-5N	4/23/2018	20	107.9	478	
TMP-10-5N	4/23/2018	40	108.4	458	
TMP-10-5N	4/23/2018	60	106.6	438	
TMP-10-5N	4/23/2018	80	96.2	418	
TMP-10-5N	4/23/2018	100	91.1	398	
TMP-10-5N	4/30/2018	20	106.1	478	
TMP-10-5N	4/30/2018	40	107.4	458	
TMP-10-5N	4/30/2018	60	106.0	438	
TMP-10-5N	4/30/2018	80	95.6	418	
TMP-10-5N	4/30/2018	100	89.9	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	4/2/2018	20	117.2	477	
TMP-10-5S	4/2/2018	40	151.5	457	
TMP-10-5S	4/2/2018	60	173.8	437	
TMP-10-5S	4/2/2018	80	183.3	417	
TMP-10-5S	4/2/2018	100	197.5	397	
TMP-10-5S	4/9/2018	20	116.8	477	
TMP-10-5S	4/9/2018	40	150.8	457	
TMP-10-5S	4/9/2018	60	173.5	437	
TMP-10-5S	4/9/2018	80	183.3	417	
TMP-10-5S	4/9/2018	100	197.3	397	
TMP-10-5S	4/16/2018	20	116.0	477	
TMP-10-5S	4/16/2018	40	149.2	457	
TMP-10-5S	4/16/2018	60	172.7	437	
TMP-10-5S	4/16/2018	80	182.7	417	
TMP-10-5S	4/16/2018	100	196.7	397	
TMP-10-5S	4/23/2018	20	115.5	477	
TMP-10-5S	4/23/2018	40	148.1	457	
TMP-10-5S	4/23/2018	60	172.5	437	
TMP-10-5S	4/23/2018	80	182.4	417	
TMP-10-5S	4/23/2018	100	196.4	397	
TMP-10-5S	4/30/2018	20	114.1	477	
TMP-10-5S	4/30/2018	40	146.2	457	
TMP-10-5S	4/30/2018	60	170.9	437	
TMP-10-5S	4/30/2018	80	181.3	417	
TMP-10-5S	4/30/2018	100	195.2	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	4/2/2018	20	111.0	476	
TMP-5-9N	4/2/2018	40	147.7	456	
TMP-5-9N	4/2/2018	60	152.4	436	
TMP-5-9N	4/2/2018	80	252.0	416	
TMP-5-9N	4/2/2018	100	261.9	396	
TMP-5-9N	4/9/2018	20	110.4	476	
TMP-5-9N	4/9/2018	40	147.6	456	
TMP-5-9N	4/9/2018	60	151.9	436	
TMP-5-9N	4/9/2018	80	251.4	416	
TMP-5-9N	4/9/2018	100	261.3	396	
TMP-5-9N	4/16/2018	20	110.2	476	
TMP-5-9N	4/16/2018	40	148.4	456	
TMP-5-9N	4/16/2018	60	152.2	436	
TMP-5-9N	4/16/2018	80	251.4	416	
TMP-5-9N	4/16/2018	100	261.3	396	
TMP-5-9N	4/23/2018	20	109.6	476	
TMP-5-9N	4/23/2018	40	147.8	456	
TMP-5-9N	4/23/2018	60	152.0	436	
TMP-5-9N	4/23/2018	80	251.3	416	
TMP-5-9N	4/23/2018	100	261.0	396	
TMP-5-9N	4/30/2018	20	109.2	476	
TMP-5-9N	4/30/2018	40	147.2	456	
TMP-5-9N	4/30/2018	60	151.8	436	
TMP-5-9N	4/30/2018	80	251.1	416	
TMP-5-9N	4/30/2018	100	260.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	4/2/2018	20	133.5	476	
TMP-5-9S	4/2/2018	40	205	456	
TMP-5-9S	4/2/2018	60	234	436	
TMP-5-9S	4/2/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/2/2018	100	263.5	396	
TMP-5-9S	4/9/2018	20	133.1	476	
TMP-5-9S	4/9/2018	40	207.1	456	
TMP-5-9S	4/9/2018	60	233.9	436	
TMP-5-9S	4/9/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/9/2018	100	263.6	396	
TMP-5-9S	4/16/2018	20	132.6	476	
TMP-5-9S	4/16/2018	40	208.3	456	
TMP-5-9S	4/16/2018	60	233.5	436	
TMP-5-9S	4/16/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/16/2018	100	263.3	396	
TMP-5-9S	4/23/2018	20	131.9	476	
TMP-5-9S	4/23/2018	40	206.7	456	
TMP-5-9S	4/23/2018	60	233.4	436	
TMP-5-9S	4/23/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/23/2018	100	262.8	396	
TMP-5-9S	4/30/2018	20	130.2	476	
TMP-5-9S	4/30/2018	40	204.2	456	
TMP-5-9S	4/30/2018	60	232.3	436	
TMP-5-9S	4/30/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	4/30/2018	100	261.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	4/2/2018	20	102.2	475	
TMP-5-5N	4/2/2018	40	96.3	455	
TMP-5-5N	4/2/2018	60	85.1	435	
TMP-5-5N	4/2/2018	80	249.8	415	
TMP-5-5N	4/2/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	4/9/2018	20	101.6	475	
TMP-5-5N	4/9/2018	40	94.7	455	
TMP-5-5N	4/9/2018	60	84.3	435	
TMP-5-5N	4/9/2018	80	249.3	415	
TMP-5-5N	4/9/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	4/16/2018	20	102.3	475	
TMP-5-5N	4/16/2018	40	97.0	455	
TMP-5-5N	4/16/2018	60	86.4	435	
TMP-5-5N	4/16/2018	80	249.5	415	
TMP-5-5N	4/16/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	4/23/2018	20	101.8	475	
TMP-5-5N	4/23/2018	40	96.7	455	
TMP-5-5N	4/23/2018	60	87.1	435	
TMP-5-5N	4/23/2018	80	249.6	415	
TMP-5-5N	4/23/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	4/30/2018	20	101.9	475	
TMP-5-5N	4/30/2018	40	96.4	455	
TMP-5-5N	4/30/2018	60	85.9	435	
TMP-5-5N	4/30/2018	80	249.8	415	
TMP-5-5N	4/30/2018	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	4/2/2018	20	131.1	474	
TMP-5-5S	4/2/2018	40	197.3	454	
TMP-5-5S	4/2/2018	60	227.6	434	
TMP-5-5S	4/2/2018	80	251.2	414	
TMP-5-5S	4/2/2018	100	254.4	394	
TMP-5-5S	4/9/2018	20	130.7	474	
TMP-5-5S	4/9/2018	40	198.7	454	
TMP-5-5S	4/9/2018	60	227.2	434	
TMP-5-5S	4/9/2018	80	251.0	414	
TMP-5-5S	4/9/2018	100	254.2	394	
TMP-5-5S	4/16/2018	20	130.0	474	
TMP-5-5S	4/16/2018	40	198.5	454	
TMP-5-5S	4/16/2018	60	227.0	434	
TMP-5-5S	4/16/2018	80	250.9	414	
TMP-5-5S	4/16/2018	100	253.2	394	
TMP-5-5S	4/23/2018	20	129.8	474	
TMP-5-5S	4/23/2018	40	198.0	454	
TMP-5-5S	4/23/2018	60	227.1	434	
TMP-5-5S	4/23/2018	80	250.6	414	
TMP-5-5S	4/23/2018	100		394	fluctuating resistivity/no temperature reading could be obtained on 4/23/18
TMP-5-5S	4/30/2018	20	128.5	474	
TMP-5-5S	4/30/2018	40	196.4	454	
TMP-5-5S	4/30/2018	60	226.0	434	
TMP-5-5S	4/30/2018	80	249.6	414	
TMP-5-5S	4/30/2018	100	252.9	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	4/2/2018	20	197.9	474	
TMP-31	4/2/2018	40	225.7	454	
TMP-31	4/2/2018	60	241.9	434	
TMP-31	4/2/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/2/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/2/2018	120	274.9	374	
TMP-31	4/9/2018	20	196.3	474	
TMP-31	4/9/2018	40	226.0	454	
TMP-31	4/9/2018	60	242.5	434	
TMP-31	4/9/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/9/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/9/2018	120	275.7	374	
TMP-31	4/16/2018	20	192.7	474	
TMP-31	4/16/2018	40	225.6	454	
TMP-31	4/16/2018	60	242.3	434	
TMP-31	4/16/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/16/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/16/2018	120	275.6	374	
TMP-31	4/23/2018	20	190.5	474	
TMP-31	4/23/2018	40	225.6	454	
TMP-31	4/23/2018	60	241.8	434	
TMP-31	4/23/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/23/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/23/2018	120	274.9	374	
TMP-31	4/30/2018	20	191.3	474	
TMP-31	4/30/2018	40	225.3	454	
TMP-31	4/30/2018	60	241.3	434	
TMP-31	4/30/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/30/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	4/30/2018	120	274.5	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	4/2/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	60	240.7	444	
TMP-32	4/2/2018	80	254.2	424	
TMP-32	4/2/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/2/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	60	240.4	444	
TMP-32	4/9/2018	80	253.9	424	
TMP-32	4/9/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/9/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/16/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/16/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/16/2018	60	240.7	444	
TMP-32	4/16/2018	80	253.9	424	
TMP-32	4/16/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/16/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/16/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/16/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/16/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/16/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/23/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/23/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/23/2018	60	238.8	444	
TMP-32	4/23/2018	80	253.1	424	
TMP-32	4/23/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/23/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/23/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/23/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/23/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/23/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	4/30/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	4/30/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	4/30/2018	60	239.9	444	
TMP-32	4/30/2018	80	253.9	424	
TMP-32	4/30/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	4/30/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	4/30/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	4/30/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	4/30/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	4/30/2018	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	4/2/2018	20	173.0	473	
TMP-SPM1	4/2/2018	40	199.7	453	
TMP-SPM1	4/2/2018	60	199.9	433	
TMP-SPM1	4/2/2018	80	195.8	413	
TMP-SPM1	4/2/2018	100	182.5	393	
TMP-SPM1	4/2/2018	120	170.6	373	
TMP-SPM1	4/2/2018	140	160.1	353	
TMP-SPM1	4/2/2018	160	142.5	333	
TMP-SPM1	4/2/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/2/2018	200	108.2	293	
TMP-SPM1	4/2/2018	220	92.5	273	
TMP-SPM1	4/2/2018	240	89.2	253	
TMP-SPM1	4/9/2018	20	171.8	473	
TMP-SPM1	4/9/2018	40	199.4	453	
TMP-SPM1	4/9/2018	60	199.5	433	
TMP-SPM1	4/9/2018	80	195.0	413	
TMP-SPM1	4/9/2018	100	181.9	393	
TMP-SPM1	4/9/2018	120	169.9	373	
TMP-SPM1	4/9/2018	140	159.5	353	
TMP-SPM1	4/9/2018	160	142.1	333	
TMP-SPM1	4/9/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/9/2018	200	107.8	293	
TMP-SPM1	4/9/2018	220	92.1	273	
TMP-SPM1	4/9/2018	240	88.7	253	
TMP-SPM1	4/16/2018	20	172.9	473	
TMP-SPM1	4/16/2018	40	200.1	453	
TMP-SPM1	4/16/2018	60	200.7	433	
TMP-SPM1	4/16/2018	80	196.0	413	
TMP-SPM1	4/16/2018	100	183.3	393	
TMP-SPM1	4/16/2018	120	171.7	373	
TMP-SPM1	4/16/2018	140	161.2	353	
TMP-SPM1	4/16/2018	160	143.8	333	
TMP-SPM1	4/16/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/16/2018	200	109.3	293	
TMP-SPM1	4/16/2018	220	93.6	273	
TMP-SPM1	4/16/2018	240	90.0	253	
TMP-SPM1	4/23/2018	20	171.0	473	
TMP-SPM1	4/23/2018	40	198.5	453	
TMP-SPM1	4/23/2018	60	199.0	433	
TMP-SPM1	4/23/2018	80	193.9	413	
TMP-SPM1	4/23/2018	100	181.2	393	
TMP-SPM1	4/23/2018	120	169.1	373	
TMP-SPM1	4/23/2018	140	158.7	353	
TMP-SPM1	4/23/2018	160	141.2	333	
TMP-SPM1	4/23/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/23/2018	200	107.1	293	
TMP-SPM1	4/23/2018	220	91.4	273	
TMP-SPM1	4/23/2018	240	88.2	253	
TMP-SPM1	4/30/2018	20	170.4	473	
TMP-SPM1	4/30/2018	40	198.4	453	
TMP-SPM1	4/30/2018	60	199.2	433	
TMP-SPM1	4/30/2018	80	193.9	413	
TMP-SPM1	4/30/2018	100	181.4	393	
TMP-SPM1	4/30/2018	120	169.4	373	
TMP-SPM1	4/30/2018	140	159.1	353	
TMP-SPM1	4/30/2018	160	141.7	333	
TMP-SPM1	4/30/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	4/30/2018	200	107.6	293	
TMP-SPM1	4/30/2018	220	92.2	273	
TMP-SPM1	4/30/2018	240	88.7	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	4/2/2018	20	156.4	475	
TMP-SPM2	4/2/2018	40	188.7	455	
TMP-SPM2	4/2/2018	60	188.8	435	
TMP-SPM2	4/2/2018	80	185.6	415	
TMP-SPM2	4/2/2018	100	201.9	395	
TMP-SPM2	4/2/2018	120	193.6	375	
TMP-SPM2	4/2/2018	140	180.7	355	
TMP-SPM2	4/2/2018	160	157.8	335	
TMP-SPM2	4/2/2018	172	140.7	323	
TMP-SPM2	4/9/2018	20	156.8	475	
TMP-SPM2	4/9/2018	40	189.8	455	
TMP-SPM2	4/9/2018	60	189.5	435	
TMP-SPM2	4/9/2018	80	186.6	415	
TMP-SPM2	4/9/2018	100	202.9	395	
TMP-SPM2	4/9/2018	120	194.3	375	
TMP-SPM2	4/9/2018	140	181.3	355	
TMP-SPM2	4/9/2018	160	158.4	335	
TMP-SPM2	4/9/2018	172	141.5	323	
TMP-SPM2	4/16/2018	20	156.3	475	
TMP-SPM2	4/16/2018	40	189.4	455	
TMP-SPM2	4/16/2018	60	189.3	435	
TMP-SPM2	4/16/2018	80	186.7	415	
TMP-SPM2	4/16/2018	100	203.2	395	
TMP-SPM2	4/16/2018	120	194.4	375	
TMP-SPM2	4/16/2018	140	181.6	355	
TMP-SPM2	4/16/2018	160	158.6	335	
TMP-SPM2	4/16/2018	172	141.5	323	
TMP-SPM2	4/23/2018	20	156.4	475	
TMP-SPM2	4/23/2018	40	189.1	455	
TMP-SPM2	4/23/2018	60	188.8	435	
TMP-SPM2	4/23/2018	80	186.6	415	
TMP-SPM2	4/23/2018	100	203.3	395	
TMP-SPM2	4/23/2018	120	194.4	375	
TMP-SPM2	4/23/2018	140	181.4	355	
TMP-SPM2	4/23/2018	160	158.4	335	
TMP-SPM2	4/23/2018	172	141.3	323	
TMP-SPM2	4/30/2018	20	154.1	475	
TMP-SPM2	4/30/2018	40	187.0	455	
TMP-SPM2	4/30/2018	60	186.6	435	
TMP-SPM2	4/30/2018	80	184.8	415	
TMP-SPM2	4/30/2018	100	201.8	395	
TMP-SPM2	4/30/2018	120	192.9	375	
TMP-SPM2	4/30/2018	140	180.1	355	
TMP-SPM2	4/30/2018	160	157.1	335	
TMP-SPM2	4/30/2018	172	140.0	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	4/2/2018	20	128.5	478	
TMP-SPM3	4/2/2018	40	131.1	458	
TMP-SPM3	4/2/2018	60	127.3	438	
TMP-SPM3	4/2/2018	80	127.5	418	
TMP-SPM3	4/2/2018	85	127.7	413	
TMP-SPM3	4/9/2018	20	128.2	478	
TMP-SPM3	4/9/2018	40	130.5	458	
TMP-SPM3	4/9/2018	60	126.7	438	
TMP-SPM3	4/9/2018	80	127.1	418	
TMP-SPM3	4/9/2018	85	127.2	413	
TMP-SPM3	4/16/2018	20	128.4	478	
TMP-SPM3	4/16/2018	40	130.4	458	
TMP-SPM3	4/16/2018	60	126.6	438	
TMP-SPM3	4/16/2018	80	127.2	418	
TMP-SPM3	4/16/2018	85	127.3	413	
TMP-SPM3	4/23/2018	20	128.1	478	
TMP-SPM3	4/23/2018	40	130.1	458	
TMP-SPM3	4/23/2018	60	126.3	438	
TMP-SPM3	4/23/2018	80	126.9	418	
TMP-SPM3	4/23/2018	85	127.0	413	
TMP-SPM3	4/30/2018	20	126.0	478	
TMP-SPM3	4/30/2018	40	127.8	458	
TMP-SPM3	4/30/2018	60	123.7	438	
TMP-SPM3	4/30/2018	80	124.4	418	
TMP-SPM3	4/30/2018	85	124.6	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	4/2/2018	20	130.1	475	
TMP-SPM4	4/2/2018	40	152.1	455	
TMP-SPM4	4/2/2018	60	157	435	
TMP-SPM4	4/2/2018	80	159.3	415	
TMP-SPM4	4/2/2018	100	156	395	
TMP-SPM4	4/2/2018	120	147.2	375	
TMP-SPM4	4/2/2018	140	140.9	355	
TMP-SPM4	4/2/2018	160	133.5	335	
TMP-SPM4	4/2/2018	180	126.1	315	
TMP-SPM4	4/2/2018	200	114.8	295	
TMP-SPM4	4/2/2018	220	98.6	275	
TMP-SPM4	4/2/2018	240	91.2	255	
TMP-SPM4	4/9/2018	20	129.8	475	
TMP-SPM4	4/9/2018	40	151.6	455	
TMP-SPM4	4/9/2018	60	156.5	435	
TMP-SPM4	4/9/2018	80	158.7	415	
TMP-SPM4	4/9/2018	100	155.4	395	
TMP-SPM4	4/9/2018	120	146.6	375	
TMP-SPM4	4/9/2018	140	140.4	355	
TMP-SPM4	4/9/2018	160	133.0	335	
TMP-SPM4	4/9/2018	180	125.7	315	
TMP-SPM4	4/9/2018	200	114.5	295	
TMP-SPM4	4/9/2018	220	98.2	275	
TMP-SPM4	4/9/2018	240	90.9	255	
TMP-SPM4	4/16/2018	20	129.6	475	
TMP-SPM4	4/16/2018	40	151.6	455	
TMP-SPM4	4/16/2018	60	156.4	435	
TMP-SPM4	4/16/2018	80	158.6	415	
TMP-SPM4	4/16/2018	100	155.3	395	
TMP-SPM4	4/16/2018	120	146.5	375	
TMP-SPM4	4/16/2018	140	140.3	355	
TMP-SPM4	4/16/2018	160	132.9	335	
TMP-SPM4	4/16/2018	180	125.7	315	
TMP-SPM4	4/16/2018	200	114.6	295	
TMP-SPM4	4/16/2018	220	98.4	275	
TMP-SPM4	4/16/2018	240	91.1	255	
TMP-SPM4	4/23/2018	20	129.2	475	
TMP-SPM4	4/23/2018	40	151.3	455	
TMP-SPM4	4/23/2018	60	156.0	435	
TMP-SPM4	4/23/2018	80	158.2	415	
TMP-SPM4	4/23/2018	100	154.9	395	
TMP-SPM4	4/23/2018	120	146.2	375	
TMP-SPM4	4/23/2018	140	139.9	355	
TMP-SPM4	4/23/2018	160	132.6	335	
TMP-SPM4	4/23/2018	180	125.4	315	
TMP-SPM4	4/23/2018	200	114.4	295	
TMP-SPM4	4/23/2018	220	98.3	275	
TMP-SPM4	4/23/2018	240	90.9	255	
TMP-SPM4	4/30/2018	20	128.9	475	
TMP-SPM4	4/30/2018	40	151.0	455	
TMP-SPM4	4/30/2018	60	155.8	435	
TMP-SPM4	4/30/2018	80	157.9	415	
TMP-SPM4	4/30/2018	100	154.7	395	
TMP-SPM4	4/30/2018	120	145.9	375	
TMP-SPM4	4/30/2018	140	139.8	355	
TMP-SPM4	4/30/2018	160	132.5	335	
TMP-SPM4	4/30/2018	180	125.7	315	
TMP-SPM4	4/30/2018	200	114.4	295	
TMP-SPM4	4/30/2018	220	98.3	275	
TMP-SPM4	4/30/2018	240	91.0	255	