

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-01 12:00	1	0.20	0.90			0.00	0.00	0.00	0.00	21.22	21.40			0.09	0.10
2015-01-01 12:00	2	0.41	1.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 12:00	8			3.29	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-01 12:00	10			1.41	3.00	0.00	0.00	0.00	0.00	19.96	20.00			0.00	0.00
2015-01-01 12:00	12	0.00	0.00	0.32	1.00			0.00	0.00	20.65	20.70			0.00	0.00
2015-01-01 12:00	13			1.50	3.00			0.00	0.00	21.17	21.30	0.00	0.00	0.00	0.00
2015-01-01 13:00	1	0.15	1.00			0.00	0.00	0.00	0.00	21.34	21.40			0.10	0.10
2015-01-01 13:00	2	0.38	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 13:00	8			3.92	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-01 13:00	10			1.32	3.00	0.00	0.00	0.00	0.00	20.04	20.10			0.00	0.00
2015-01-01 13:00	12	0.00	0.00	0.27	2.00			0.00	0.00	20.70	20.70			0.00	0.00
2015-01-01 13:00	13			1.35	3.00			0.00	0.00	21.28	21.40	0.00	0.00	0.00	0.00
2015-01-01 14:00	1	0.07	0.50			0.00	0.00	0.00	0.00	21.35	21.40			0.08	0.10
2015-01-01 14:00	2	0.31	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 14:00	8			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-01 14:00	10			1.28	2.00	0.00	0.00	0.00	0.00	20.11	20.20			0.00	0.00
2015-01-01 14:00	12	0.00	0.00	0.49	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 14:00	13			1.38	2.00			0.00	0.00	21.31	21.40	0.00	0.00	0.00	0.00
2015-01-01 15:00	1	0.07	0.50			0.00	0.00	0.00	0.00	21.35	21.40			0.09	0.10
2015-01-01 15:00	2	0.43	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 15:00	8			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-01 15:00	10			1.38	3.00	0.00	0.00	0.00	0.00	20.12	20.20			0.00	0.00
2015-01-01 15:00	12	0.00	0.00	0.49	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 15:00	13			1.39	4.00			0.00	0.00	21.31	21.40	0.00	0.00	0.00	0.00
2015-01-01 16:00	1	0.06	0.50			0.00	0.00	0.00	0.00	21.25	21.30			0.09	0.10
2015-01-01 16:00	2	0.36	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 16:00	8			3.41	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-01 16:00	10			1.19	2.00	0.00	0.00	0.00	0.00	20.13	20.20			0.00	0.00
2015-01-01 16:00	12	0.00	0.00	1.11	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 16:00	13			1.33	4.00			0.00	0.00	21.28	21.30	0.00	0.00	0.00	0.00
2015-01-01 17:00	1	0.04	0.40			0.00	0.00	0.00	0.00	21.20	21.30			0.07	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-01 17:00	2	0.60	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 17:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-01 17:00	10			1.18	2.00	0.00	0.00	0.00	0.00	20.11	20.20			0.00	0.00
2015-01-01 17:00	12	0.00	0.00	0.92	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 17:00	13			1.31	2.00			0.00	0.00	21.22	21.30	0.00	0.00	0.00	0.00
2015-01-01 18:00	1	0.05	0.60			0.00	0.00	0.00	0.00	21.17	21.30			0.08	0.10
2015-01-01 18:00	2	0.40	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 18:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-01 18:00	10			1.32	3.00	0.00	0.00	0.00	0.00	20.11	20.20			0.00	0.00
2015-01-01 18:00	12	0.00	0.00	1.05	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 18:00	13			1.27	3.00			0.00	0.00	21.18	21.30	0.00	0.00	0.00	0.00
2015-01-01 19:00	1	0.00	0.10			0.00	0.00	0.00	0.00	21.15	21.20			0.08	0.10
2015-01-01 19:00	2	0.56	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 19:00	8			2.81	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-01 19:00	10			1.18	3.00	0.00	0.10	0.00	0.00	20.08	20.20			0.00	0.00
2015-01-01 19:00	12	0.00	0.00	0.81	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 19:00	13			1.41	3.00			0.00	0.00	21.17	21.20	0.00	0.00	0.00	0.00
2015-01-01 20:00	1	0.02	0.20			0.00	0.00	0.00	0.00	21.17	21.20			0.10	0.10
2015-01-01 20:00	2	0.55	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 20:00	8			2.45	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-01 20:00	10			1.42	3.00	0.00	0.00	0.00	0.00	20.05	20.10			0.00	0.00
2015-01-01 20:00	12	0.00	0.00	0.79	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 20:00	13			1.30	2.00			0.00	0.00	21.16	21.20	0.00	0.00	0.00	0.00
2015-01-01 21:00	1	0.02	0.60			0.00	0.00	0.00	0.00	21.15	21.20			0.09	0.10
2015-01-01 21:00	2	0.50	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 21:00	8			2.69	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-01 21:00	10			1.34	3.00	0.00	0.00	0.00	0.00	20.09	20.20			0.00	0.00
2015-01-01 21:00	12	0.00	0.00	0.69	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 21:00	13			1.38	2.00			0.00	0.00	21.18	21.30	0.00	0.00	0.00	0.00
2015-01-01 22:00	1	0.01	0.10			0.00	0.00	0.00	0.00	21.13	21.20			0.10	0.20
2015-01-01 22:00	2	0.49	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-01 22:00	8			2.86	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-01 22:00	10			1.25	3.00	0.00	0.00	0.00	0.00	20.09	20.20			0.00	0.00
2015-01-01 22:00	12	0.00	0.00	0.58	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 22:00	13			1.37	3.00			0.00	0.00	21.22	21.30	0.00	0.00	0.00	0.00
2015-01-01 23:00	1	0.01	0.20			0.00	0.00	0.00	0.00	21.14	21.20			0.15	0.20
2015-01-01 23:00	2	0.46	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 23:00	8			2.85	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-01 23:00	10			1.67	3.00	0.00	0.00	0.00	0.00	20.10	20.20			0.00	0.00
2015-01-01 23:00	12	0.00	0.00	1.03	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-01 23:00	13			1.66	3.00			0.00	0.00	21.22	21.30	0.00	0.00	0.00	0.00
2015-01-02 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	21.02	21.10			0.21	0.30
2015-01-02 00:00	2	0.52	1.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 00:00	8			2.97	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 00:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.07	20.20			0.00	0.00
2015-01-02 00:00	12	0.00	0.00	1.21	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 00:00	13			1.95	3.00			0.00	0.00	21.18	21.20	0.00	0.00	0.00	0.00
2015-01-02 01:00	1	0.02	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.30
2015-01-02 01:00	2	0.54	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 01:00	8			2.18	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 01:00	10			1.39	3.00	0.00	0.00	0.00	0.00	20.03	20.10			0.00	0.00
2015-01-02 01:00	12	0.00	0.00	1.16	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 01:00	13			1.64	3.00			0.00	0.00	21.18	21.20	0.00	0.00	0.00	0.00
2015-01-02 02:00	1	0.01	0.10			0.00	0.10	0.00	0.00	20.90	20.90			0.22	0.30
2015-01-02 02:00	2	0.57	1.30			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 02:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 02:00	10			1.45	4.00	0.00	0.00	0.00	0.00	20.01	20.10			0.00	0.00
2015-01-02 02:00	12	0.00	0.00	1.08	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 02:00	13			1.32	3.00			0.00	0.00	21.17	21.20	0.00	0.00	0.00	0.00
2015-01-02 03:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.30
2015-01-02 03:00	2	0.56	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 03:00	8			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-02 03:00	10			1.17	2.00	0.00	0.00	0.00	0.00	20.02	20.10			0.00	0.00
2015-01-02 03:00	12	0.00	0.00	0.66	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 03:00	13			1.22	3.00			0.00	0.00	21.16	21.20	0.00	0.00	0.00	0.00
2015-01-02 04:00	1	0.06	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.20	0.30
2015-01-02 04:00	2	0.52	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 04:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 04:00	10			1.35	3.00	0.00	0.00	0.00	0.00	20.02	20.10			0.00	0.00
2015-01-02 04:00	12	0.00	0.00	1.00	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 04:00	13			1.18	3.00			0.00	0.00	21.17	21.20	0.00	0.00	0.00	0.00
2015-01-02 05:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.20	0.30
2015-01-02 05:00	2	0.51	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 05:00	8			2.11	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 05:00	10			1.17	2.00	0.00	0.00	0.00	0.00	20.02	20.10			0.00	0.00
2015-01-02 05:00	12	0.00	0.00	0.90	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 05:00	13			1.21	3.00			0.00	0.00	21.17	21.20	0.00	0.00	0.00	0.00
2015-01-02 06:00	1	0.03	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.20
2015-01-02 06:00	2	0.70	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 06:00	8			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 06:00	10			1.47	3.00	0.00	0.00	0.00	0.00	20.03	20.10			0.00	0.00
2015-01-02 06:00	12	0.00	0.00	0.61	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 06:00	13			1.25	3.00			0.00	0.00	21.17	21.20	0.00	0.00	0.00	0.00
2015-01-02 07:00	1	0.03	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.30
2015-01-02 07:00	2	0.62	3.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 07:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 07:00	10			1.13	2.00	0.00	0.00	0.00	0.00	20.02	20.10			0.00	0.00
2015-01-02 07:00	12	0.00	0.00	0.77	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 07:00	13			1.30	3.00			0.00	0.00	21.16	21.20	0.00	0.00	0.00	0.00
2015-01-02 08:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.30
2015-01-02 08:00	2	0.56	1.40			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 08:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 08:00	10			1.26	2.00	0.00	0.10	0.00	0.00	20.01	20.10			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-02 08:00	12	0.00	0.00	0.34	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 08:00	13			1.22	3.00			0.00	0.00	21.12	21.20	0.00	0.00	0.00	0.00
2015-01-02 09:00	1	0.06	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.20
2015-01-02 09:00	2	0.44	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 09:00	8			2.32	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 09:00	10			1.46	3.00	0.00	0.00	0.00	0.00	20.07	20.20			0.00	0.00
2015-01-02 09:00	12	0.00	0.00	1.03	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 09:00	13			1.28	3.00			0.00	0.00	21.18	21.30	0.00	0.00	0.00	0.00
2015-01-02 10:00	1	0.14	0.80			0.00	0.00	0.00	0.00	21.17	21.20			0.12	0.20
2015-01-02 10:00	2	0.56	1.30			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 10:00	8			2.86	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 10:00	10			1.29	3.00	0.00	0.00	0.00	0.00	20.08	20.20			0.00	0.00
2015-01-02 10:00	12	0.00	0.00	0.66	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 10:00	13			1.11	2.00			0.00	0.00	21.20	21.30	0.00	0.00	0.00	0.00
2015-01-02 11:00	1	0.13	0.60			0.00	0.00	0.00	0.00	21.27	21.30			0.12	0.20
2015-01-02 11:00	2	0.45	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 11:00	8			3.10	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 11:00	10			1.31	3.00	0.00	0.00	0.00	0.00	20.10	20.20			0.00	0.00
2015-01-02 11:00	12	0.00	0.00	0.76	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 11:00	13			1.18	2.00			0.00	0.00	21.23	21.30	0.00	0.00	0.00	0.00
2015-01-02 12:00	1	0.09	0.50			0.00	0.00	0.00	0.00	21.28	21.30			0.11	0.20
2015-01-02 12:00	2	0.47	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 12:00	8			3.39	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 12:00	10			1.50	3.00	0.00	0.00	0.00	0.00	20.10	20.20			0.00	0.00
2015-01-02 12:00	12	0.00	0.00	0.63	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 12:00	13			1.31	3.00			0.00	0.00	21.23	21.30	0.00	0.00	0.00	0.00
2015-01-02 13:00	1	0.08	0.50			0.00	0.00	0.00	0.00	21.29	21.30			0.13	0.20
2015-01-02 13:00	2	0.37	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 13:00	8			3.39	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 13:00	10			1.18	3.00	0.00	0.00	0.00	0.00	20.13	20.30			0.00	0.00
2015-01-02 13:00	12	0.00	0.00	0.39	1.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-02 13:00	13			1.39	3.00			0.00	0.00	21.22	21.30	0.00	0.00	0.00	0.00
2015-01-02 14:00	1	0.07	0.50			0.00	0.00	0.00	0.00	21.29	21.30			0.16	0.20
2015-01-02 14:00	2	0.51	3.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 14:00	8			3.21	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 14:00	10			1.24	3.00	0.00	0.00	0.00	0.00	20.13	20.20			0.00	0.00
2015-01-02 14:00	12	0.00	0.00	0.41	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 14:00	13			1.35	3.00			0.00	0.00	21.28	21.30	0.00	0.00	0.00	0.00
2015-01-02 15:00	1	0.06	0.50			0.00	0.00	0.00	0.00	21.22	21.30			0.19	0.30
2015-01-02 15:00	2	0.56	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 15:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 15:00	10			1.57	3.00	0.00	0.00	0.00	0.00	20.13	20.20			0.00	0.00
2015-01-02 15:00	12	0.00	0.00	0.55	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 15:00	13			1.21	2.00			0.00	0.00	21.29	21.30	0.00	0.00	0.00	0.00
2015-01-02 16:00	1	0.10	0.60			0.00	0.00	0.00	0.00	21.20	21.20			0.21	0.30
2015-01-02 16:00	2	0.49	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 16:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 16:00	10			1.20	2.00	0.00	0.00	0.00	0.00	20.11	20.20			0.00	0.00
2015-01-02 16:00	12	0.00	0.00	0.74	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 16:00	13			1.33	3.00			0.00	0.00	21.19	21.30	0.00	0.00	0.00	0.00
2015-01-02 17:00	1	0.03	0.40			0.00	0.00	0.00	0.00	21.19	21.20			0.24	0.40
2015-01-02 17:00	2	0.43	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 17:00	8			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 17:00	10			1.32	2.00	0.00	0.00	0.00	0.00	20.10	20.20			0.00	0.00
2015-01-02 17:00	12	0.00	0.00	0.69	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 17:00	13			1.10	2.00			0.00	0.00	21.19	21.30	0.00	0.00	0.00	0.00
2015-01-02 18:00	1	0.05	0.40			0.00	0.00	0.00	0.00	21.16	21.30			0.28	0.40
2015-01-02 18:00	2	0.46	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 18:00	8			2.84	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 18:00	10			1.17	3.00	0.00	0.00	0.00	0.00	20.07	20.20			0.00	0.00
2015-01-02 18:00	12	0.00	0.00	1.08	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 18:00	13			1.26	2.00			0.00	0.00	21.20	21.20	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-02 19:00	1	0.04	0.40			0.00	0.10	0.00	0.00	21.13	21.20			0.28	0.40
2015-01-02 19:00	2	0.46	0.90			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 19:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 19:00	10			1.66	3.00	0.00	0.00	0.00	0.00	20.06	20.10			0.00	0.00
2015-01-02 19:00	12	0.00	0.00	0.61	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 19:00	13			1.58	3.00			0.00	0.00	21.20	21.20	0.00	0.00	0.00	0.00
2015-01-02 20:00	1	0.03	0.40			0.00	0.00	0.00	0.00	21.12	21.20			0.27	0.40
2015-01-02 20:00	2	0.46	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 20:00	8			2.82	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 20:00	10			1.50	2.00	0.00	0.00	0.00	0.00	20.06	20.10			0.00	0.00
2015-01-02 20:00	12	0.00	0.00	1.05	13.00			0.00	0.00	20.90	20.90			0.00	0.10
2015-01-02 20:00	13			1.49	3.00			0.00	0.00	21.20	21.20	0.00	0.00	0.00	0.00
2015-01-02 21:00	1	0.01	0.20			0.00	0.00	0.00	0.00	21.12	21.20			0.30	0.40
2015-01-02 21:00	2	0.50	1.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 21:00	8			3.18	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 21:00	10			1.97	2.00	0.00	0.10	0.00	0.00	20.07	20.10			0.00	0.00
2015-01-02 21:00	12	0.00	0.00	1.18	4.00			0.00	0.00	20.90	20.90			0.00	0.10
2015-01-02 21:00	13			1.97	2.00			0.00	0.00	21.16	21.20	0.00	0.00	0.00	0.00
2015-01-02 22:00	1	0.01	0.10			0.00	0.00	0.00	0.00	21.10	21.10			0.30	0.30
2015-01-02 22:00	2	0.52	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 22:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 22:00	10			1.86	2.00	0.00	0.00	0.00	0.00	20.06	20.20			0.00	0.00
2015-01-02 22:00	12	0.00	0.00	0.79	1.00			0.00	0.00	20.90	20.90			0.02	0.10
2015-01-02 22:00	13			1.63	2.00			0.00	0.00	21.11	21.20	0.00	0.00	0.00	0.00
2015-01-02 23:00	1	0.03	0.50			0.00	0.00	0.00	0.00	21.10	21.10			0.30	0.40
2015-01-02 23:00	2	0.52	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-02 23:00	8			2.79	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-02 23:00	10			1.66	2.00	0.00	0.00	0.00	0.00	20.06	20.10			0.00	0.00
2015-01-02 23:00	12	0.00	0.00	1.29	14.00			0.00	0.00	20.90	20.90			0.02	0.20
2015-01-02 23:00	13			1.68	2.00			0.00	0.00	21.11	21.20	0.00	0.00	0.00	0.00
2015-01-03 00:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.94	21.10			0.31	0.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-03 00:00	2	0.49	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 00:00	8			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 00:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.06	20.10			0.00	0.00
2015-01-03 00:00	12	0.00	0.00	1.50	15.00			0.00	0.00	20.90	20.90			0.01	0.10
2015-01-03 00:00	13			2.03	3.00			0.00	0.00	21.11	21.20	0.00	0.00	0.00	0.00
2015-01-03 01:00	1	0.07	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.31	0.40
2015-01-03 01:00	2	0.48	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 01:00	8			2.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 01:00	10			2.00	3.00	0.00	0.00	0.00	0.00	20.06	20.10			0.00	0.00
2015-01-03 01:00	12	0.00	0.00	1.13	8.00			0.00	0.00	20.90	20.90			0.01	0.10
2015-01-03 01:00	13			1.97	3.00			0.00	0.00	21.11	21.20	0.00	0.00	0.00	0.00
2015-01-03 02:00	1	0.03	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.40
2015-01-03 02:00	2	0.53	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 02:00	8			3.14	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 02:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.04	20.10			0.00	0.00
2015-01-03 02:00	12	0.00	0.00	1.23	4.00			0.00	0.00	20.90	20.90			0.02	0.10
2015-01-03 02:00	13			1.87	2.00			0.00	0.00	21.10	21.10	0.00	0.00	0.00	0.00
2015-01-03 03:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.32	0.40
2015-01-03 03:00	2	0.53	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 03:00	8			3.86	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 03:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.08	20.20			0.00	0.00
2015-01-03 03:00	12	0.00	0.00	3.27	34.00			0.00	0.00	20.90	20.90			0.03	0.20
2015-01-03 03:00	13			2.00	3.00			0.00	0.00	21.12	21.20	0.00	0.00	0.00	0.00
2015-01-03 04:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.32	0.40
2015-01-03 04:00	2	0.46	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 04:00	8			3.68	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 04:00	10			3.00	3.00	0.00	0.00	0.00	0.00	20.03	20.20			0.00	0.00
2015-01-03 04:00	12	0.00	0.00	1.97	4.00			0.00	0.00	20.90	20.90			0.05	0.20
2015-01-03 04:00	13			2.00	2.00			0.00	0.00	21.12	21.20	0.00	0.00	0.00	0.00
2015-01-03 05:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.31	0.40
2015-01-03 05:00	2	0.55	0.90			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-03 05:00	8			3.17	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 05:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.03	20.10			0.00	0.00
2015-01-03 05:00	12	0.00	0.00	2.51	28.00			0.00	0.00	20.90	20.90			0.06	0.20
2015-01-03 05:00	13			2.00	2.00			0.00	0.00	21.12	21.20	0.00	0.00	0.00	0.00
2015-01-03 06:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.31	0.40
2015-01-03 06:00	2	0.41	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 06:00	8			2.76	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 06:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.05	20.10			0.00	0.00
2015-01-03 06:00	12	0.00	0.00	1.39	16.00			0.00	0.00	20.90	20.90			0.06	0.20
2015-01-03 06:00	13			1.72	2.00			0.00	0.00	21.11	21.20	0.00	0.00	0.00	0.00
2015-01-03 07:00	1	0.03	0.50			0.00	0.10	0.00	0.00	20.90	20.90			0.31	0.40
2015-01-03 07:00	2	0.55	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 07:00	8			3.37	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 07:00	10			2.30	3.00	0.00	0.00	0.00	0.00	20.04	20.10			0.00	0.00
2015-01-03 07:00	12	0.00	0.00	1.57	8.00			0.00	0.00	20.90	20.90			0.07	0.20
2015-01-03 07:00	13			1.92	3.00			0.00	0.00	21.12	21.20	0.00	0.00	0.00	0.00
2015-01-03 08:00	1	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.33	0.40
2015-01-03 08:00	2	0.47	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 08:00	8			3.89	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 08:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.01	20.10			0.00	0.00
2015-01-03 08:00	12	0.00	0.00	1.73	3.00			0.00	0.00	20.90	20.90			0.10	0.20
2015-01-03 08:00	13			2.16	3.00			0.00	0.00	21.11	21.20	0.00	0.00	0.00	0.00
2015-01-03 09:00	1	0.08	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.37	0.50
2015-01-03 09:00	2	0.72	3.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 09:00	8			4.03	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 09:00	10			2.95	3.00	0.00	0.00	0.00	0.00	20.03	20.10			0.00	0.00
2015-01-03 09:00	12	0.00	0.00	1.89	5.00			0.00	0.00	20.90	20.90			0.13	0.20
2015-01-03 09:00	13			2.05	3.00			0.00	0.00	21.03	21.20	0.00	0.00	0.00	0.00
2015-01-03 10:00	1	0.11	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.35	0.50
2015-01-03 10:00	2	0.65	1.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 10:00	8			3.94	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-03 10:00	10			2.40	3.00	0.00	0.00	0.00	0.00	20.04	20.10			0.00	0.00
2015-01-03 10:00	12	0.00	0.00	1.29	2.00			0.00	0.00	20.90	20.90			0.16	0.20
2015-01-03 10:00	13			1.97	2.00			0.00	0.00	21.02	21.20	0.00	0.00	0.00	0.00
2015-01-03 11:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.40
2015-01-03 11:00	2	0.53	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 11:00	8			3.97	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 11:00	10			2.28	3.00	0.00	0.00	0.00	0.00	20.05	20.20			0.00	0.00
2015-01-03 11:00	12	0.00	0.00	1.35	2.00			0.00	0.00	20.90	20.90			0.14	0.20
2015-01-03 11:00	13			1.92	3.00			0.00	0.00	21.17	21.20	0.00	0.00	0.00	0.00
2015-01-03 12:00	1	0.07	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.40
2015-01-03 12:00	2	0.55	1.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 12:00	8			3.86	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 12:00	10			2.24	4.00	0.00	0.00	0.00	0.00	20.03	20.10			0.00	0.00
2015-01-03 12:00	12	0.00	0.00	1.11	3.00			0.00	0.00	20.90	20.90			0.18	0.20
2015-01-03 12:00	13			2.11	5.00			0.00	0.00	20.96	21.20	0.00	0.00	0.00	0.00
2015-01-03 13:00	1	0.08	0.80			0.00	0.00	0.00	0.00	21.16	21.20			0.32	0.40
2015-01-03 13:00	2	0.65	1.70			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 13:00	8			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 13:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.06	20.10			0.00	0.00
2015-01-03 13:00	12	0.00	0.00	1.56	18.00			0.00	0.00	20.90	20.90			0.18	0.20
2015-01-03 13:00	13			2.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 14:00	1	0.08	0.60			0.00	0.00	0.00	0.00	21.17	21.20			0.33	0.40
2015-01-03 14:00	2	0.55	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 14:00	8			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 14:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.06	20.10			0.00	0.00
2015-01-03 14:00	12	0.00	0.00	1.08	2.00			0.00	0.00	20.63	20.90			0.20	0.20
2015-01-03 14:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 15:00	1	0.14	0.50			0.00	0.00	0.00	0.00	21.20	21.20			0.36	0.40
2015-01-03 15:00	2	0.57	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 15:00	8			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 15:00	10			1.90	3.00	0.00	0.00	0.00	0.00	20.08	20.20			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-03 15:00	12	0.00	0.00	1.22	16.00			0.00	0.00	20.61	20.70			0.18	0.20
2015-01-03 15:00	13			1.64	3.00			0.00	0.00	21.13	21.20	0.00	0.00	0.00	0.00
2015-01-03 16:00	1	0.05	0.40			0.00	0.00	0.00	0.00	21.18	21.20			0.34	0.40
2015-01-03 16:00	2	0.39	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 16:00	8			3.93	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 16:00	10			1.60	3.00	0.00	0.00	0.00	0.00	20.10	20.10			0.00	0.00
2015-01-03 16:00	12	0.00	0.00	1.03	12.00			0.00	0.00	20.82	20.90			0.17	0.20
2015-01-03 16:00	13			1.23	3.00			0.00	0.00	21.20	21.30	0.00	0.00	0.00	0.00
2015-01-03 17:00	1	0.07	0.60			0.00	0.00	0.00	0.00	21.16	21.20			0.34	0.40
2015-01-03 17:00	2	0.44	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 17:00	8			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 17:00	10			1.31	3.00	0.00	0.00	0.00	0.00	20.08	20.10			0.00	0.00
2015-01-03 17:00	12	0.00	0.00	0.66	2.00			0.00	0.00	20.90	20.90			0.20	0.20
2015-01-03 17:00	13			1.42	3.00			0.00	0.00	21.20	21.20	0.00	0.00	0.00	0.00
2015-01-03 18:00	1	0.07	0.50			0.00	0.00	0.00	0.00	21.19	21.20			0.34	0.40
2015-01-03 18:00	2	0.49	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 18:00	8			4.03	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 18:00	10			1.78	2.00	0.00	0.10	0.00	0.00	20.08	20.10			0.00	0.00
2015-01-03 18:00	12	0.00	0.00	0.86	12.00			0.00	0.00	20.90	20.90			0.19	0.20
2015-01-03 18:00	13			1.35	3.00			0.00	0.00	21.20	21.20	0.00	0.00	0.00	0.00
2015-01-03 19:00	1	0.07	0.60			0.00	0.00	0.00	0.00	21.19	21.20			0.35	0.40
2015-01-03 19:00	2	0.55	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 19:00	8			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 19:00	10			2.03	3.00	0.00	0.10	0.00	0.00	20.08	20.20			0.00	0.00
2015-01-03 19:00	12	0.00	0.00	1.62	14.00			0.00	0.00	20.90	20.90			0.19	0.20
2015-01-03 19:00	13			1.85	2.00			0.00	0.00	21.20	21.20	0.00	0.00	0.00	0.00
2015-01-03 20:00	1	0.09	0.60			0.00	0.00	0.00	0.00	21.19	21.20			0.35	0.40
2015-01-03 20:00	2	0.48	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 20:00	8			4.03	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 20:00	10			2.08	4.00	0.00	0.10	0.00	0.00	20.09	20.20			0.00	0.00
2015-01-03 20:00	12	0.00	0.00	1.59	12.00			0.00	0.00	20.90	20.90			0.18	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-03 20:00	13			2.00	2.00			0.00	0.00	21.20	21.20	0.00	0.00	0.00	0.00
2015-01-03 21:00	1	0.08	0.80			0.00	0.00	0.00	0.00	21.19	21.20			0.32	0.40
2015-01-03 21:00	2	0.41	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 21:00	8			4.05	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 21:00	10			2.00	2.00	0.01	0.10	0.00	0.00	20.09	20.10			0.00	0.00
2015-01-03 21:00	12	0.00	0.00	1.19	7.00			0.00	0.00	20.90	20.90			0.20	0.20
2015-01-03 21:00	13			1.92	2.00			0.00	0.00	21.20	21.20	0.00	0.00	0.00	0.00
2015-01-03 22:00	1	0.04	0.50			0.00	0.00	0.00	0.00	21.19	21.20			0.38	0.60
2015-01-03 22:00	2	0.32	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 22:00	8			3.92	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 22:00	10			1.86	2.00	0.00	0.00	0.00	0.00	20.04	20.10			0.00	0.00
2015-01-03 22:00	12	0.00	0.00	0.79	3.00			0.00	0.00	20.90	20.90			0.18	0.30
2015-01-03 22:00	13			1.29	3.00			0.00	0.00	21.18	21.30	0.00	0.00	0.00	0.00
2015-01-03 23:00	1	0.03	0.20			0.00	0.00	0.00	0.00	21.20	21.20			0.32	0.50
2015-01-03 23:00	2	0.40	0.80			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-03 23:00	8			4.13	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-03 23:00	10			1.92	3.00	0.00	0.10	0.00	0.00	20.05	20.10			0.00	0.00
2015-01-03 23:00	12	0.00	0.00	1.46	20.00			0.00	0.00	20.90	20.90			0.18	0.30
2015-01-03 23:00	13			1.71	3.00			0.00	0.00	21.16	21.20	0.00	0.00	0.00	0.00
2015-01-04 00:00	1	0.02	0.20			0.00	0.00	0.00	0.00	21.19	21.20			0.33	0.50
2015-01-04 00:00	2	0.40	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-04 00:00	8			4.71	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 00:00	10			2.97	3.00	0.00	0.00	0.00	0.00	20.04	20.10			0.00	0.00
2015-01-04 00:00	12	0.00	0.00	1.92	13.00			0.00	0.00	20.90	20.90			0.20	0.30
2015-01-04 00:00	13			2.50	4.00			0.00	0.00	21.14	21.20	0.00	0.00	0.00	0.00
2015-01-04 01:00	1	0.03	0.40			0.00	0.10	0.00	0.00	21.13	21.20			0.31	0.40
2015-01-04 01:00	2	0.47	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-01-04 01:00	8			4.38	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 01:00	10			2.59	4.00	0.00	0.10	0.00	0.00	20.06	20.10			0.00	0.00
2015-01-04 01:00	12	0.00	0.00	1.62	7.00			0.00	0.00	20.90	20.90			0.20	0.30
2015-01-04 01:00	13			2.08	3.00			0.00	0.00	21.12	21.20	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-04 02:00	1	0.10	0.50			0.02	0.10	0.00	0.00	21.16	21.20			0.34	0.40
2015-01-04 02:00	2	0.33	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-04 02:00	8			4.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 02:00	10			3.00	3.00	0.00	0.00	0.00	0.00	20.07	20.10			0.00	0.00
2015-01-04 02:00	12	0.00	0.00	1.67	2.00			0.00	0.00	20.90	20.90			0.17	0.20
2015-01-04 02:00	13			2.00	2.00			0.00	0.00	21.13	21.20	0.00	0.00	0.00	0.00
2015-01-04 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.10
2015-01-04 10:00	2	0.46	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-01-04 10:00	8			2.46	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2015-01-04 10:00	10			1.29	2.00	0.00	0.00	0.00	0.00					0.00	0.00
2015-01-04 10:00	12	0.00	0.00	0.62	2.00			0.00	0.00	20.73	20.90			0.01	0.20
2015-01-04 10:00	13			1.25	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 11:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.10
2015-01-04 11:00	2	0.57	1.10			0.00	0.10	0.00	0.00	20.90	20.90			0.02	0.10
2015-01-04 11:00	8			2.00	2.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.00
2015-01-04 11:00	10			1.56	3.00	0.00	0.00	0.00	0.00					0.00	0.00
2015-01-04 11:00	12	0.00	0.00	0.84	12.00			0.00	0.00	20.60	20.70			0.03	0.20
2015-01-04 11:00	13			1.29	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2015-01-04 12:00	2	0.65	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-01-04 12:00	8			2.00	2.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.00
2015-01-04 12:00	10			1.03	2.00	0.00	0.00	0.00	0.00					0.00	0.00
2015-01-04 12:00	12	0.00	0.00	0.78	14.00			0.00	0.00	20.58	20.60			0.01	0.20
2015-01-04 12:00	13			1.27	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-01-04 13:00	2	0.66	1.60			0.00	0.00	0.00	0.00	20.88	20.90			0.04	0.30
2015-01-04 13:00	8			2.00	2.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.10
2015-01-04 13:00	10			1.16	2.00	0.00	0.00	0.00	0.00					0.00	0.00
2015-01-04 13:00	12	0.00	0.00	0.29	4.00			0.00	0.00	20.53	20.60			0.00	0.10
2015-01-04 13:00	13			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-04 14:00	2	0.66	1.20			0.00	0.00	0.00	0.00	20.57	20.60			0.03	0.30
2015-01-04 14:00	8			2.00	2.00			0.00	0.00	20.51	20.60	0.00	0.00	0.01	0.20
2015-01-04 14:00	10			1.22	2.00	0.00	0.00	0.00	0.00					0.00	0.00
2015-01-04 14:00	12	0.00	0.00	0.24	1.00			0.00	0.00	20.50	20.50			0.01	0.10
2015-01-04 14:00	13			1.22	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-01-04 15:00	2	0.70	1.20			0.00	0.00	0.00	0.00	20.52	20.60			0.04	0.30
2015-01-04 15:00	8			1.97	2.00			0.00	0.00	20.49	20.60	0.00	0.00	0.01	0.10
2015-01-04 15:00	10			1.03	3.00	0.00	0.00	0.00	0.00					0.00	0.00
2015-01-04 15:00	12	0.00	0.00	0.53	10.00			0.00	0.00	20.50	20.50			0.00	0.10
2015-01-04 15:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-01-04 16:00	2	0.73	1.30			0.00	0.00	0.00	0.00	20.51	20.60			0.07	0.30
2015-01-04 16:00	8			2.00	2.00			0.00	0.00	20.51	20.60	0.00	0.00	0.01	0.10
2015-01-04 16:00	10			0.94	2.00	0.00	0.00	0.00	0.00					0.00	0.10
2015-01-04 16:00	12	0.00	0.00	0.64	13.00			0.00	0.00	20.83	23.80			0.01	0.10
2015-01-04 16:00	13			1.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-04 17:00	2	0.70	1.30			0.00	0.00	0.00	0.00	20.51	20.60			0.17	0.50
2015-01-04 17:00	8			1.71	2.00			0.00	0.00	20.49	20.60	0.00	0.00	0.01	0.10
2015-01-04 17:00	10			1.32	4.00	0.00	0.00	0.00	0.00					0.00	0.00
2015-01-04 17:00	12	0.00	0.00	0.35	2.00			0.00	0.00	20.54	20.90			0.02	0.10
2015-01-04 17:00	13			1.30	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 18:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-04 18:00	2	0.72	1.50			0.00	0.00	0.00	0.00	20.52	20.60			0.10	0.30
2015-01-04 18:00	8			1.78	3.00			0.00	0.00	20.46	20.50	0.00	0.00	0.02	0.20
2015-01-04 18:00	10			1.00	2.00	0.00	0.00	0.00	0.00					0.00	0.00
2015-01-04 18:00	12	0.00	0.00	0.84	12.00			0.00	0.00	20.50	20.60			0.01	0.10
2015-01-04 18:00	13			1.31	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-01-04 19:00	2	0.80	1.60			0.00	0.00	0.00	0.00	20.47	20.50			0.12	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-04 19:00	8			1.55	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.01	0.10
2015-01-04 19:00	10			1.06	2.00	0.00	0.00	0.00	0.00					0.00	0.00
2015-01-04 19:00	12	0.00	0.00	0.49	9.00			0.00	0.00	20.52	20.60			0.00	0.10
2015-01-04 19:00	13			1.17	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 20:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-01-04 20:00	2	0.71	1.40			0.00	0.00	0.00	0.00	20.50	20.50			0.16	0.70
2015-01-04 20:00	8			1.50	3.00			0.00	0.00	20.47	20.50	0.00	0.00	0.01	0.10
2015-01-04 20:00	10			1.21	4.00	0.00	0.00	0.00	0.00					0.00	0.00
2015-01-04 20:00	12	0.00	0.00	0.18	2.00			0.00	0.00	20.53	20.60			0.00	0.10
2015-01-04 20:00	13			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-04 21:00	2	0.82	1.70					0.00	0.00	20.48	20.50			0.21	0.70
2015-01-04 21:00	8			1.18	2.00			0.00	0.00	20.44	20.50	0.00	0.00	0.01	0.10
2015-01-04 21:00	10			1.05	3.00	0.00	0.00	0.00	0.00					0.01	0.10
2015-01-04 21:00	12	0.00	0.00	0.62	4.00			0.00	0.00	20.51	20.90			0.01	0.10
2015-01-04 21:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-04 22:00	2	0.86	1.70					0.00	0.00	20.41	20.50			0.25	0.50
2015-01-04 22:00	8			1.32	2.00			0.00	0.00	20.49	20.90	0.00	0.00	0.01	0.10
2015-01-04 22:00	10			1.16	4.00	0.00	0.00	0.00	0.00					0.00	0.00
2015-01-04 22:00	12	0.00	0.00	0.21	2.00			0.00	0.00	20.50	20.50			0.01	0.20
2015-01-04 22:00	13			1.27	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-04 23:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-04 23:00	2	0.73	1.20					0.00	0.00	20.40	20.40			0.28	0.70
2015-01-04 23:00	8			1.10	2.00			0.00	0.00	20.48	20.90	0.00	0.00	0.00	0.10
2015-01-04 23:00	10			1.12	3.00	0.00	0.00	0.00	0.00					0.00	0.00
2015-01-04 23:00	12	0.00	0.00	0.13	1.00			0.00	0.00	20.61	21.70			0.03	0.20
2015-01-04 23:00	13			1.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-05 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 00:00	2	0.88	1.50					0.00	0.00	20.40	20.40			0.31	0.50
2015-01-05 00:00	8			0.97	2.00			0.00	0.00	20.49	20.90	0.00	0.00	0.00	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-05 00:00	10			1.13	3.00	0.00	0.00	0.00	0.00					0.00	0.10
2015-01-05 00:00	12	0.00	0.00	0.37	6.00			0.00	0.00	20.75	21.80			0.02	0.10
2015-01-05 00:00	13			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-05 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 01:00	2	0.68	1.40					0.00	0.00	20.40	20.50			0.30	0.50
2015-01-05 01:00	8			1.05	2.00			0.00	0.00	20.43	20.70	0.00	0.00	0.00	0.00
2015-01-05 01:00	10			1.05	3.00	0.00	0.00	0.00	0.00					0.00	0.00
2015-01-05 01:00	12	0.00	0.00	0.75	12.00			0.00	0.00	20.85	21.50			0.02	0.20
2015-01-05 01:00	13			1.15	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-05 02:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 02:00	2	0.83	1.40					0.00	0.00	20.40	20.50			0.34	0.70
2015-01-05 02:00	8			1.05	3.00			0.00	0.00	20.46	20.70	0.00	0.00	0.01	0.20
2015-01-05 02:00	10			1.05	2.00	0.00	0.00	0.00	0.00					0.01	0.10
2015-01-05 02:00	12	0.00	0.00	0.15	2.00			0.00	0.00	20.70	21.60			0.02	0.10
2015-01-05 02:00	13			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-05 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 03:00	2	0.86	1.40					0.00	0.00	20.39	20.40			0.40	0.70
2015-01-05 03:00	8			1.05	2.00			0.00	0.00	20.43	20.60	0.00	0.00	0.00	0.00
2015-01-05 03:00	10			1.03	3.00	0.00	0.00	0.00	0.00					0.00	0.10
2015-01-05 03:00	12	0.00	0.00	0.18	2.00			0.00	0.00	20.70	22.50			0.02	0.10
2015-01-05 03:00	13			1.21	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-05 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 04:00	2	0.75	1.40					0.00	0.00	20.40	20.40			0.37	0.50
2015-01-05 04:00	8			1.08	3.00			0.00	0.00	20.41	20.60	0.00	0.00	0.00	0.00
2015-01-05 04:00	10			1.06	2.00	0.00	0.00	0.00	0.00					0.01	0.10
2015-01-05 04:00	12	0.00	0.00	0.18	1.00			0.00	0.00	20.65	21.90			0.01	0.10
2015-01-05 04:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-05 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 05:00	2	0.96	1.70					0.00	0.00	20.39	20.40			0.36	0.50
2015-01-05 05:00	8			1.12	3.00			0.00	0.00	20.41	20.60	0.00	0.00	0.00	0.00
2015-01-05 05:00	10			1.05	2.00	0.00	0.00	0.00	0.00					0.01	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-05 05:00	12	0.00	0.00	0.84	16.00			0.00	0.00	20.42	20.90			0.00	0.10
2015-01-05 05:00	13			1.26	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-05 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 06:00	2	0.93	1.60					0.00	0.00	20.38	20.40			0.39	0.70
2015-01-05 06:00	8			1.15	2.00					20.38	20.70	0.00	0.00	0.00	0.00
2015-01-05 06:00	10			1.12	3.00	0.00	0.00	0.00	0.00					0.00	0.10
2015-01-05 06:00	12	0.00	0.00	0.15	1.00			0.00	0.00	20.57	21.60			0.01	0.10
2015-01-05 06:00	13			1.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-05 07:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 07:00	2	0.94	1.60					0.00	0.00	20.34	20.40			0.36	0.90
2015-01-05 07:00	8			1.05	2.00			0.00	0.00	20.76	20.90	0.00	0.00	0.04	0.20
2015-01-05 07:00	10			1.05	3.00	0.00	0.00	0.00	0.00	20.91	21.30			0.00	0.10
2015-01-05 07:00	12	0.02	0.90	0.33	4.00			0.00	0.00	20.52	20.90			0.03	0.20
2015-01-05 07:00	13			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-05 08:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 08:00	2	1.00	1.90					0.00	0.00	20.32	20.40			0.22	0.70
2015-01-05 08:00	8			0.92	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.20
2015-01-05 08:00	10			1.08	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-01-05 08:00	12	0.00	0.00	0.08	1.00			0.00	0.00	20.40	20.40			0.01	0.10
2015-01-05 08:00	13			1.25	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-05 09:00	1	0.07	0.80			0.00	0.10	0.00	0.00	20.90	20.90			0.02	0.10
2015-01-05 09:00	2	0.26	1.40			0.00	0.10	0.00	0.00	20.77	20.90			0.11	0.50
2015-01-05 09:00	8			1.41	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.30
2015-01-05 09:00	10			1.05	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 09:00	12	0.00	0.00	0.49	6.00			0.00	0.00	20.42	20.50			0.00	0.10
2015-01-05 09:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-05 10:00	1	0.12	1.00			0.00	0.10	0.00	0.00	20.90	20.90			0.05	0.10
2015-01-05 10:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.50
2015-01-05 10:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.20
2015-01-05 10:00	10			0.95	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 10:00	12	0.00	0.00	0.28	3.00			0.00	0.00	20.43	20.50			0.00	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-01-05 10:00	13			1.23	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-01-05 11:00	1	0.02	0.40			0.00	0.00	0.00	0.00	21.05	21.20			0.02	0.10
2015-01-05 11:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 11:00	8			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.20
2015-01-05 11:00	10			1.08	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 11:00	12	0.00	0.00	0.27	3.00			0.00	0.00	20.45	20.60			0.00	0.20
2015-01-05 11:00	13			0.95	2.00			0.00	0.00	21.11	21.20	0.00	0.00	0.00	0.00
2015-01-05 12:00	1	0.02	0.40			0.00	0.00	0.00	0.00	21.02	21.20			0.02	0.10
2015-01-05 12:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-01-05 12:00	8			2.64	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.20
2015-01-05 12:00	10			1.14	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-01-05 12:00	12	0.00	0.00	0.43	8.00			0.00	0.00	20.47	20.50			0.00	0.00
2015-01-05 12:00	13			1.14	2.00			0.00	0.00	21.19	21.30	0.00	0.00	0.00	0.00