

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-01-04 12:00	1	0.04	0.50			0.00	0.00	0.00	0.00	20.65	20.70			0.10	0.60
2016-01-04 12:00	2	0.06	0.90			0.01	0.10	0.00	0.00	20.90	20.90			0.06	0.40
2016-01-04 12:00	5			3.83	4.00			0.00	0.00	20.64	20.70	0.00	0.00	0.00	0.00
2016-01-04 12:00	8			2.66	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 12:00	10			1.58	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 12:00	12	0.00	0.00	0.61	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 12:00	13			1.57	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 13:00	1	0.04	0.50			0.00	0.00	0.00	0.00	20.85	20.90			0.21	1.00
2016-01-04 13:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.30
2016-01-04 13:00	5			3.76	4.00			0.00	0.00	20.81	20.90	0.00	0.00	0.00	0.00
2016-01-04 13:00	8			3.13	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 13:00	10			1.68	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 13:00	12	0.00	0.00	0.74	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 13:00	13			1.63	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 14:00	1	0.05	0.60			0.00	0.00	0.00	0.00	20.74	20.90			0.02	0.30
2016-01-04 14:00	2	0.07	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2016-01-04 14:00	5			3.97	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 14:00	8			3.80	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.60
2016-01-04 14:00	10			1.51	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 14:00	12	0.00	0.00	1.38	35.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 14:00	13			1.46	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 15:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.60	20.60			0.01	0.30
2016-01-04 15:00	2	0.04	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2016-01-04 15:00	5			3.89	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 15:00	8			3.56	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.60
2016-01-04 15:00	10			1.62	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 15:00	12	0.00	0.00	0.44	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 15:00	13			1.41	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 16:00	1	0.01	0.40			0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2016-01-04 16:00	2	0.02	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.30
2016-01-04 16:00	5			3.67	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-01-04 16:00	8			3.51	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 16:00	10			1.66	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 16:00	12	0.00	0.00	0.95	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 16:00	13			1.34	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 17:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.64	20.70			0.01	0.30
2016-01-04 17:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.25	0.50
2016-01-04 17:00	5			3.92	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 17:00	8			2.87	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	1.20
2016-01-04 17:00	10			1.33	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 17:00	12	0.00	0.00	0.33	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 17:00	13			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 18:00	1	0.02	0.10			0.00	0.00	0.00	0.00	20.72	20.90			0.00	0.00
2016-01-04 18:00	2	0.03	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.50
2016-01-04 18:00	5			3.79	4.00			0.00	0.00	20.74	20.90	0.00	0.00	0.00	0.00
2016-01-04 18:00	8			2.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.60
2016-01-04 18:00	10			1.51	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 18:00	12	0.00	0.00	0.63	9.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 18:00	13			1.15	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 19:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.67	20.90			0.00	0.00
2016-01-04 19:00	2	0.01	0.20			0.00	0.10	0.00	0.00	20.90	20.90			0.36	0.50
2016-01-04 19:00	5			3.51	4.00			0.00	0.00	20.62	20.90	0.00	0.00	0.00	0.00
2016-01-04 19:00	8			1.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 19:00	10			1.41	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 19:00	12	0.00	0.00	0.16	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 19:00	13			1.29	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2016-01-04 20:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00
2016-01-04 20:00	2	0.06	0.80			0.01	0.10	0.00	0.00	20.90	20.90			0.42	0.60
2016-01-04 20:00	5			3.87	5.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2016-01-04 20:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.60
2016-01-04 20:00	10			1.21	3.00	0.00	0.00	0.00	0.00	20.87	20.90			0.00	0.00
2016-01-04 20:00	12	0.00	0.10	0.59	8.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-01-04 20:00	13			1.51	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 21:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.48	20.50			0.00	0.00
2016-01-04 21:00	2	0.07	0.40			0.00	0.10	0.00	0.00	20.90	20.90			0.50	0.60
2016-01-04 21:00	5			3.68	4.00			0.00	0.00	20.45	20.60	0.00	0.00	0.00	0.00
2016-01-04 21:00	8			1.86	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.60
2016-01-04 21:00	10			1.30	3.00	0.00	0.00	0.00	0.00	20.76	20.90			0.00	0.00
2016-01-04 21:00	12	0.01	0.20	0.92	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 21:00	13			1.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2016-01-04 22:00	1	0.06	0.60			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2016-01-04 22:00	2	0.15	1.90			0.02	0.20	0.00	0.00	20.90	20.90			0.51	0.70
2016-01-04 22:00	5			3.78	4.00			0.00	0.00	20.45	20.60	0.00	0.00	0.00	0.00
2016-01-04 22:00	8			1.41	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-04 22:00	10			1.41	2.00	0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2016-01-04 22:00	12	0.00	0.00	1.16	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 22:00	13			1.92	4.00			0.00	0.00	20.79	20.90	0.00	0.00	0.01	0.10
2016-01-04 23:00	1	0.07	0.30			0.00	0.00	0.00	0.00	20.59	20.90			0.00	0.00
2016-01-04 23:00	2	0.22	2.70			0.00	0.10	0.00	0.00	20.90	20.90			0.54	0.70
2016-01-04 23:00	5			3.69	4.00			0.00	0.00	20.43	20.50	0.00	0.00	0.00	0.00
2016-01-04 23:00	8			1.31	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.60
2016-01-04 23:00	10			1.31	3.00	0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2016-01-04 23:00	12	0.00	0.10	0.33	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-04 23:00	13			1.47	4.00			0.00	0.00	20.55	20.70	0.00	0.00	0.02	0.10
2016-01-05 00:00	1	0.04	0.20			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2016-01-05 00:00	2	0.12	0.50			0.01	0.10	0.00	0.00	20.90	20.90			0.56	0.70
2016-01-05 00:00	5			3.59	4.00			0.00	0.00	20.42	20.50	0.00	0.00	0.00	0.00
2016-01-05 00:00	8			1.38	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.60
2016-01-05 00:00	10			1.38	2.00	0.00	0.00	0.00	0.00	20.55	20.60			0.00	0.00
2016-01-05 00:00	12	0.00	0.10	0.69	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-05 00:00	13			1.66	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.04	0.10
2016-01-05 01:00	1	0.03	0.50			0.00	0.00	0.00	0.00	20.42	20.90			0.00	0.00
2016-01-05 01:00	2	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.57	0.70

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-01-05 01:00	5			3.37	4.00			0.00	0.00	20.47	20.50	0.00	0.00	0.00	0.00
2016-01-05 01:00	8			1.20	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.60
2016-01-05 01:00	10			1.46	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2016-01-05 01:00	12	0.00	0.10	0.21	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-05 01:00	13			1.44	2.00			0.00	0.00	20.51	20.60	0.00	0.00	0.07	0.10
2016-01-05 02:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.40	20.90			0.00	0.00
2016-01-05 02:00	2	0.10	0.70			0.02	0.10	0.00	0.00	20.90	20.90			0.64	0.70
2016-01-05 02:00	5			3.79	5.00			0.00	0.00	20.43	20.90	0.00	0.00	0.00	0.00
2016-01-05 02:00	8			1.12	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.60
2016-01-05 02:00	10			1.44	3.00	0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2016-01-05 02:00	12	0.00	0.10	0.18	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-05 02:00	13			1.57	3.00			0.00	0.00	20.48	20.50	0.00	0.00	0.10	0.10
2016-01-05 03:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.32	20.40			0.00	0.00
2016-01-05 03:00	2	0.16	0.60			0.02	0.10	0.00	0.00	20.90	20.90			0.70	1.00
2016-01-05 03:00	5			3.92	6.00			0.00	0.00	20.46	20.90	0.00	0.00	0.00	0.00
2016-01-05 03:00	8			1.15	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.27	1.30
2016-01-05 03:00	10			1.43	3.00	0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2016-01-05 03:00	12	0.01	0.10	1.08	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-05 03:00	13			1.58	3.00			0.00	0.00	20.49	20.50	0.00	0.00	0.09	0.10
2016-01-05 04:00	1	0.04	0.80			0.00	0.00	0.00	0.00	20.37	20.90			0.00	0.00
2016-01-05 04:00	2	0.23	0.80			0.03	0.20	0.00	0.00	20.90	20.90			0.77	1.00
2016-01-05 04:00	5			3.85	4.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.00
2016-01-05 04:00	8			1.26	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.31	1.90
2016-01-05 04:00	10			1.46	3.00	0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2016-01-05 04:00	12	0.01	0.10	0.49	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-05 04:00	13			1.49	3.00			0.00	0.00	20.40	20.40	0.00	0.00	0.10	0.10
2016-01-05 05:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.34	20.40			0.00	0.00
2016-01-05 05:00	2	0.19	0.80			0.03	0.10	0.00	0.00	20.90	20.90			0.76	1.00
2016-01-05 05:00	5			3.57	5.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.00
2016-01-05 05:00	8			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.46	2.50
2016-01-05 05:00	10			1.66	3.00	0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-01-05 05:00	12	0.03	0.40	1.14	11.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-05 05:00	13			1.35	3.00			0.00	0.00	20.40	20.40	0.00	0.00	0.10	0.20
2016-01-05 06:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.33	20.40			0.00	0.00
2016-01-05 06:00	2	0.14	0.50			0.02	0.10	0.00	0.00	20.90	20.90			0.75	1.00
2016-01-05 06:00	5			3.59	4.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.00
2016-01-05 06:00	8			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.51	1.20
2016-01-05 06:00	10			1.47	2.00	0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2016-01-05 06:00	12	0.00	0.00	0.76	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-05 06:00	13			1.38	3.00			0.00	0.00	20.44	20.50	0.00	0.00	0.10	0.10
2016-01-05 07:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.36	20.90			0.00	0.00
2016-01-05 07:00	2	0.17	0.70			0.03	0.10	0.00	0.00	20.90	20.90			0.70	1.00
2016-01-05 07:00	5			3.70	5.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.00
2016-01-05 07:00	8			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.34	1.90
2016-01-05 07:00	10			1.51	3.00	0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2016-01-05 07:00	12	0.02	0.50	0.62	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-05 07:00	13			1.56	3.00			0.00	0.00	20.46	20.50	0.00	0.00	0.10	0.10
2016-01-05 14:00	1	0.21	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2016-01-05 14:00	2	0.44	1.20			0.00	0.00	0.00	0.00	20.75	20.90			0.04	0.20
2016-01-05 14:00	5			3.69	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2016-01-05 14:00	8			8.05	10.00			0.00	0.00	21.41	21.50	0.00	0.00	0.40	1.90
2016-01-05 14:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.46	21.60			0.00	0.00
2016-01-05 14:00	12	0.00	0.00	1.17	13.00			0.00	0.00	21.04	21.30			0.00	0.00
2016-01-05 14:00	13			1.37	2.00			0.00	0.00	20.73	20.90	0.00	0.00	0.00	0.00
2016-01-05 15:00	1	0.19	0.70			0.00	0.00	0.00	0.00	20.87	20.90			0.08	0.80
2016-01-05 15:00	2	0.43	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2016-01-05 15:00	5			3.89	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2016-01-05 15:00	8			7.65	9.00			0.00	0.00	21.46	21.50	0.00	0.00	0.60	2.50
2016-01-05 15:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.60	21.70			0.00	0.00
2016-01-05 15:00	12	0.00	0.00	1.00	4.00			0.00	0.00	21.23	21.30			0.00	0.00
2016-01-05 15:00	13			1.39	2.00			0.00	0.00	20.63	20.90	0.00	0.00	0.00	0.00
2016-01-05 16:00	1	0.08	0.40			0.00	0.00	0.00	0.00	20.61	20.70			0.08	0.80

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-01-05 16:00	2	0.54	1.60			0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.50
2016-01-05 16:00	5			3.92	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2016-01-05 16:00	8			5.26	7.00			0.00	0.00	21.42	21.50	0.00	0.00	0.70	1.90
2016-01-05 16:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.62	21.70			0.00	0.00
2016-01-05 16:00	12	0.00	0.00	1.35	18.00			0.00	0.00	21.24	21.30			0.00	0.00
2016-01-05 16:00	13			1.18	2.00			0.00	0.00	20.57	20.70	0.00	0.00	0.00	0.00
2016-01-05 17:00	1	0.11	0.70			0.00	0.00	0.00	0.00	20.56	20.60			0.01	0.20
2016-01-05 17:00	2	0.68	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.43	0.60
2016-01-05 17:00	5			3.93	5.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2016-01-05 17:00	8			3.50	4.00			0.00	0.00	21.33	21.40	0.00	0.00	0.92	1.90
2016-01-05 17:00	10			1.54	3.00	0.00	0.00	0.00	0.00	21.44	21.50			0.00	0.00
2016-01-05 17:00	12	0.00	0.00	1.03	16.00			0.00	0.00	21.19	21.30			0.00	0.00
2016-01-05 17:00	13			1.39	2.00			0.00	0.00	20.51	20.60	0.00	0.00	0.05	0.10
2016-01-05 18:00	1	0.10	0.60			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2016-01-05 18:00	2	0.89	1.60			0.00	0.10	0.00	0.00	20.66	20.90			0.56	0.80
2016-01-05 18:00	5			3.69	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.00
2016-01-05 18:00	8			2.53	3.00			0.00	0.00	21.23	21.30	0.00	0.00	1.15	2.50
2016-01-05 18:00	10			1.61	3.00	0.00	0.00	0.00	0.00	21.31	21.40			0.00	0.00
2016-01-05 18:00	12	0.00	0.00	0.60	5.00			0.00	0.00	21.01	21.10			0.00	0.00
2016-01-05 18:00	13			1.39	4.00			0.00	0.00	20.49	20.50	0.00	0.00	0.09	0.10
2016-01-05 19:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2016-01-05 19:00	2	0.81	1.20			0.00	0.00	0.00	0.00	20.60	20.60			0.58	0.70
2016-01-05 19:00	5			3.90	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-01-05 19:00	8			2.33	4.00			0.00	0.00	21.20	21.20	0.00	0.00	1.17	2.50
2016-01-05 19:00	10			1.65	2.00	0.00	0.00	0.00	0.00	21.24	21.30			0.00	0.00
2016-01-05 19:00	12	0.00	0.00	0.67	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-05 19:00	13			1.25	3.00			0.00	0.00	20.45	20.50	0.00	0.00	0.10	0.10
2016-01-06 08:00	1	0.08	0.30			0.00	0.00	0.00	0.00	20.36	20.40			0.00	0.00
2016-01-06 08:00	2	1.11	1.70			0.02	0.10	0.00	0.00	20.47	20.50			0.71	1.00
2016-01-06 08:00	5			3.80	5.00			0.00	0.00	20.49	20.50	0.00	0.00	0.00	0.00
2016-01-06 08:00	8			1.37	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.99	1.90

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-01-06 08:00	10			1.52	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-01-06 08:00	12	0.04	0.20	1.24	15.00			0.00	0.00	20.90	20.90			0.07	0.10
2016-01-06 08:00	13			1.11	2.00			0.00	0.00	20.34	20.40	0.00	0.00	0.16	0.20
2016-01-06 09:00	1	0.19	0.70			0.00	0.00	0.00	0.00	20.45	20.50			0.00	0.20
2016-01-06 09:00	2	0.93	1.70			0.00	0.10	0.00	0.00	20.49	20.60			0.59	0.80
2016-01-06 09:00	5			3.92	4.00			0.00	0.00	20.56	20.60	0.00	0.00	0.00	0.00
2016-01-06 09:00	8			1.88	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.97	2.50
2016-01-06 09:00	10			1.68	3.00	0.00	0.00	0.00	0.00	20.96	21.20			0.00	0.00
2016-01-06 09:00	12	0.01	0.10	0.72	8.00			0.00	0.00	20.90	20.90			0.00	0.10
2016-01-06 09:00	13			1.21	2.00			0.00	0.00	20.39	20.50	0.00	0.00	0.11	0.20
2016-01-06 10:00	1	0.19	0.60			0.00	0.00	0.00	0.00	20.46	20.50			0.01	0.20
2016-01-06 10:00	2	0.94	1.50			0.00	0.00	0.00	0.00	20.56	20.60			0.44	0.60
2016-01-06 10:00	5			3.85	4.00			0.00	0.00	20.62	20.70	0.00	0.00	0.01	0.20
2016-01-06 10:00	8			2.00	2.00			0.00	0.00	21.03	21.20	0.00	0.00	0.71	1.90
2016-01-06 10:00	10			1.72	2.00	0.00	0.00	0.00	0.00	21.19	21.30			0.00	0.00
2016-01-06 10:00	12	0.02	0.40	0.68	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-06 10:00	13			1.49	2.00			0.00	0.00	20.41	20.50	0.00	0.00	0.10	0.10
2016-01-06 11:00	1	0.20	0.80			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.20
2016-01-06 11:00	2	0.79	1.70			0.00	0.00	0.00	0.00	20.59	20.60			0.37	0.60
2016-01-06 11:00	5			3.95	5.00			0.00	0.00	20.81	20.90	0.00	0.00	0.01	0.20
2016-01-06 11:00	8			2.51	4.00			0.00	0.00	21.21	21.30	0.00	0.00	0.64	1.90
2016-01-06 11:00	10			1.88	4.00	0.00	0.00	0.00	0.00	21.23	21.30			0.00	0.00
2016-01-06 11:00	12	0.01	0.10	0.83	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-06 11:00	13			1.43	3.00			0.00	0.00	20.42	20.50	0.00	0.00	0.08	0.10
2016-01-06 12:00	1	0.22	0.60			0.00	0.00	0.00	0.00	20.55	20.60			0.09	0.50
2016-01-06 12:00	2	0.95	2.20			0.01	0.10	0.00	0.00	20.55	20.60			0.21	0.50
2016-01-06 12:00	5			3.77	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2016-01-06 12:00	8			3.16	5.00			0.00	0.00	21.21	21.30	0.00	0.00	0.52	1.90
2016-01-06 12:00	10			1.74	2.00	0.00	0.00	0.00	0.00	21.24	21.40			0.00	0.00
2016-01-06 12:00	12	0.02	0.40	0.76	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-06 12:00	13			1.57	4.00			0.00	0.00	20.50	20.60	0.00	0.00	0.01	0.10

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-01-06 13:00	1	0.16	0.60			0.00	0.00	0.00	0.00	20.66	20.70			0.07	0.50
2016-01-06 13:00	2	0.48	1.10			0.00	0.00	0.00	0.00	20.81	20.90			0.09	0.40
2016-01-06 13:00	5			3.92	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.20
2016-01-06 13:00	8			4.00	5.00			0.00	0.00	21.29	21.40	0.00	0.00	0.29	1.90
2016-01-06 13:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.35	21.50			0.00	0.00
2016-01-06 13:00	12	0.00	0.00	1.05	12.00			0.00	0.00	20.93	21.20			0.00	0.00
2016-01-06 13:00	13			1.50	3.00			0.00	0.00	20.62	20.90	0.00	0.00	0.00	0.00
2016-01-06 14:00	1	0.14	0.80			0.00	0.00	0.00	0.00	20.67	20.70			0.09	0.50
2016-01-06 14:00	2	0.50	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.30
2016-01-06 14:00	5			3.85	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2016-01-06 14:00	8			3.95	4.00			0.00	0.00	21.34	21.40	0.00	0.00	0.47	1.20
2016-01-06 14:00	10			2.00	3.00	0.00	0.00	0.00	0.00	21.44	21.50			0.00	0.00
2016-01-06 14:00	12	0.00	0.00	0.81	5.00			0.00	0.00	21.17	21.20			0.00	0.00
2016-01-06 14:00	13			1.20	2.00			0.00	0.00	20.63	20.70	0.00	0.00	0.00	0.00
2016-01-06 15:00	1	0.15	0.60			0.00	0.00	0.00	0.00	20.70	20.70			0.13	0.80
2016-01-06 15:00	2	0.61	1.80			0.01	0.10	0.00	0.00	20.90	20.90			0.23	0.60
2016-01-06 15:00	5			3.79	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2016-01-06 15:00	8			3.93	4.00			0.00	0.00	21.31	21.40	0.00	0.00	0.53	1.90
2016-01-06 15:00	10			2.00	3.00	0.00	0.00	0.00	0.00	21.42	21.50			0.00	0.00
2016-01-06 15:00	12	0.00	0.00	0.87	2.00			0.00	0.00	21.21	21.30			0.00	0.00
2016-01-06 15:00	13			1.23	3.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2016-01-06 16:00	1	0.18	1.30			0.00	0.00	0.00	0.00	20.65	20.70			0.09	0.80
2016-01-06 16:00	2	0.68	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.50
2016-01-06 16:00	5			3.97	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2016-01-06 16:00	8			3.12	4.00			0.00	0.00	21.30	21.40	0.00	0.00	0.54	1.20
2016-01-06 16:00	10			1.87	2.00	0.00	0.00	0.00	0.00	21.42	21.50			0.00	0.00
2016-01-06 16:00	12	0.00	0.00	0.72	1.00			0.00	0.00	21.20	21.20			0.00	0.00
2016-01-06 16:00	13			1.45	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2016-01-06 17:00	1	0.11	0.60			0.00	0.00	0.00	0.00	20.60	20.70			0.11	0.80
2016-01-06 17:00	2	0.80	1.70			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.60
2016-01-06 17:00	5			3.97	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-01-06 17:00	8			2.95	3.00			0.00	0.00	21.29	21.30	0.00	0.00	0.59	1.90
2016-01-06 17:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.38	21.40			0.00	0.00
2016-01-06 17:00	12	0.00	0.00	1.78	16.00			0.00	0.00	21.16	21.20			0.00	0.00
2016-01-06 17:00	13			1.41	3.00			0.00	0.00	20.54	20.70	0.00	0.00	0.04	0.10
2016-01-06 18:00	1	0.08	0.50			0.00	0.00	0.00	0.00	20.61	20.70			0.05	0.50
2016-01-06 18:00	2	0.67	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.38	0.60
2016-01-06 18:00	5			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2016-01-06 18:00	8			2.70	3.00			0.00	0.00	21.30	21.40	0.00	0.00	0.72	1.90
2016-01-06 18:00	10			2.00	3.00	0.00	0.00	0.00	0.00	21.34	21.40			0.00	0.00
2016-01-06 18:00	12	0.00	0.00	0.63	1.00			0.00	0.00	21.16	21.20			0.00	0.00
2016-01-06 18:00	13			1.62	3.00			0.00	0.00	20.52	20.60	0.00	0.00	0.09	0.10
2016-01-06 19:00	2	0.81	1.60			0.00	0.10	0.00	0.00	20.90	20.90			0.46	0.60
2016-01-06 19:00	5			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2016-01-06 19:00	8			2.32	3.00			0.00	0.00	21.26	21.30	0.00	0.00	0.72	1.90
2016-01-06 19:00	10			1.83	2.00	0.00	0.00	0.00	0.00	21.34	21.40			0.00	0.00
2016-01-06 19:00	12	0.00	0.00	0.88	7.00			0.00	0.00	21.11	21.20			0.00	0.00
2016-01-06 19:00	13			1.33	2.00			0.00	0.00	20.52	20.60	0.00	0.00	0.09	0.10
2016-01-06 20:00	2	0.73	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.46	0.60
2016-01-06 20:00	5			3.74	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2016-01-06 20:00	8			2.07	3.00			0.00	0.00	21.27	21.30	0.00	0.00	0.60	1.90
2016-01-06 20:00	10			1.81	2.00	0.00	0.00	0.00	0.00	21.30	21.40			0.00	0.00
2016-01-06 20:00	12	0.00	0.00	1.21	16.00			0.00	0.00	21.10	21.20			0.00	0.00
2016-01-06 20:00	13			1.29	3.00			0.00	0.00	20.50	20.50	0.00	0.00	0.10	0.10
2016-01-06 21:00	2	0.80	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.49	0.60
2016-01-06 21:00	5			3.83	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.10
2016-01-06 21:00	8			2.00	2.00			0.00	0.00	21.29	21.30	0.00	0.00	0.68	1.90
2016-01-06 21:00	10			1.81	2.00	0.00	0.00	0.00	0.00	21.29	21.40			0.00	0.00
2016-01-06 21:00	12	0.00	0.10	1.59	12.00			0.00	0.00	21.11	21.20			0.00	0.00
2016-01-06 21:00	13			1.29	2.00			0.00	0.00	20.50	20.50	0.00	0.00	0.10	0.20
2016-01-06 22:00	2	0.72	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.51	0.60
2016-01-06 22:00	8			1.98	2.00			0.00	0.00	21.28	21.30	0.00	0.00	0.78	1.90

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-01-06 22:00	10			1.80	3.00	0.00	0.00	0.00	0.00	21.29	21.30			0.00	0.00
2016-01-06 22:00	12	0.00	0.00	1.00	13.00			0.00	0.00	21.12	21.20			0.00	0.00
2016-01-06 22:00	13			1.35	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.12	0.20
2016-01-06 23:00	2	0.75	1.70			0.00	0.00	0.00	0.00	20.90	20.90			0.53	0.70
2016-01-06 23:00	8			2.00	2.00			0.00	0.00	21.27	21.30	0.00	0.00	0.92	1.90
2016-01-06 23:00	10			1.88	3.00	0.00	0.00	0.00	0.00	21.29	21.40			0.00	0.00
2016-01-06 23:00	12	0.00	0.00	0.68	2.00			0.00	0.00	20.94	21.20			0.00	0.00
2016-01-06 23:00	13			1.38	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.10	0.20
2016-01-07 00:00	2	0.67	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.51	0.60
2016-01-07 00:00	8			1.98	2.00			0.00	0.00	21.26	21.30	0.00	0.00	0.67	1.90
2016-01-07 00:00	10			1.86	3.00	0.00	0.00	0.00	0.00	21.28	21.40			0.00	0.00
2016-01-07 00:00	12	0.00	0.10	0.90	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-07 00:00	13			1.33	2.00			0.00	0.00	20.49	20.50	0.00	0.00	0.10	0.20
2016-01-07 01:00	2	0.80	1.50			0.00	0.00	0.00	0.00	20.70	20.90			0.52	0.70
2016-01-07 01:00	8			1.93	2.00			0.00	0.00	21.27	21.30	0.00	0.00	0.78	1.90
2016-01-07 01:00	10			1.80	2.00	0.00	0.00	0.00	0.00	21.30	21.40			0.00	0.00
2016-01-07 01:00	12	0.00	0.00	0.38	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-07 01:00	13			1.41	2.00			0.00	0.00	20.50	20.50	0.00	0.00	0.10	0.10
2016-01-07 02:00	2	0.80	1.40			0.00	0.00	0.00	0.00	20.61	20.70			0.52	0.70
2016-01-07 02:00	8			1.98	2.00			0.00	0.00	21.26	21.30	0.00	0.00	0.67	1.90
2016-01-07 02:00	10			1.67	3.00	0.00	0.00	0.00	0.00	21.25	21.30			0.00	0.00
2016-01-07 02:00	12	0.00	0.00	0.68	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-07 02:00	13			1.46	3.00			0.00	0.00	20.50	20.50	0.00	0.00	0.10	0.20
2016-01-07 03:00	2	0.83	1.40			0.00	0.00	0.00	0.00	20.60	20.70			0.48	0.80
2016-01-07 03:00	8			2.00	2.00			0.00	0.00	21.24	21.30	0.00	0.00	0.72	1.90
2016-01-07 03:00	10			1.91	4.00	0.00	0.00	0.00	0.00	21.24	21.30			0.00	0.00
2016-01-07 03:00	12	0.00	0.00	0.51	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-07 03:00	13			1.27	2.00			0.00	0.00	20.50	20.50	0.00	0.00	0.10	0.10
2016-01-07 04:00	2	0.84	1.50			0.00	0.00	0.00	0.00	20.59	20.60			0.50	0.60
2016-01-07 04:00	8			2.00	2.00			0.00	0.00	21.24	21.30	0.00	0.00	0.69	1.90
2016-01-07 04:00	10			1.78	2.00	0.00	0.00	0.00	0.00	21.23	21.30			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-01-07 04:00	12	0.00	0.00	0.71	9.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-07 04:00	13			1.44	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.11	0.20
2016-01-07 05:00	2	0.74	1.30			0.00	0.00	0.00	0.00	20.61	20.70			0.56	0.70
2016-01-07 05:00	8			2.00	2.00			0.00	0.00	21.21	21.30	0.00	0.00	0.82	1.90
2016-01-07 05:00	10			1.69	3.00	0.00	0.00	0.00	0.00	21.25	21.30			0.00	0.00
2016-01-07 05:00	12	0.00	0.00	0.93	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-07 05:00	13			1.41	2.00			0.00	0.00	20.50	20.60	0.00	0.00	0.13	0.20
2016-01-07 06:00	2	0.74	1.70			0.00	0.00	0.00	0.00	20.63	20.70			0.47	0.60
2016-01-07 06:00	8			1.98	2.00			0.00	0.00	21.23	21.30	0.00	0.00	0.69	1.90
2016-01-07 06:00	10			1.69	2.00	0.00	0.00	0.00	0.00	21.23	21.30			0.00	0.00
2016-01-07 06:00	12	0.01	0.10	0.84	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-07 06:00	13			1.33	3.00			0.00	0.00	20.49	20.50	0.00	0.00	0.11	0.20
2016-01-07 07:00	2	0.87	1.60			0.00	0.00	0.00	0.00	20.66	20.70			0.48	0.60
2016-01-07 07:00	8			2.00	2.00			0.00	0.00	21.27	21.30	0.00	0.00	0.78	1.90
2016-01-07 07:00	10			1.64	3.00	0.00	0.00	0.00	0.00	21.28	21.30			0.00	0.00
2016-01-07 07:00	12	0.00	0.10	0.72	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-07 07:00	13			1.15	2.00			0.00	0.00	20.49	20.50	0.00	0.00	0.10	0.10
2016-01-07 08:00	1	0.46	0.70			0.03	0.10	0.00	0.00	20.36	20.50			0.04	0.50
2016-01-07 08:00	2	0.96	1.70			0.00	0.10	0.00	0.00	20.61	20.70			0.52	0.60
2016-01-07 08:00	5			3.64	4.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2016-01-07 08:00	8			2.00	2.00			0.00	0.00	21.24	21.30	0.00	0.00	0.67	1.90
2016-01-07 08:00	10			1.81	3.00	0.00	0.00	0.00	0.00	21.28	21.40			0.00	0.00
2016-01-07 08:00	12	0.01	0.10	1.28	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-07 08:00	13			1.45	3.00			0.00	0.00	20.48	20.50	0.00	0.00	0.10	0.10
2016-01-07 09:00	1	0.53	1.20			0.01	0.10	0.00	0.00	20.52	20.70			0.06	0.20
2016-01-07 09:00	2	0.82	1.60			0.00	0.00	0.00	0.00	20.58	20.60			0.41	0.60
2016-01-07 09:00	5			3.70	4.00			0.00	0.00	20.63	20.70	0.00	0.00	0.00	0.00
2016-01-07 09:00	8			1.98	2.00			0.00	0.00	21.22	21.30	0.00	0.00	0.51	1.20
2016-01-07 09:00	10			1.83	3.00	0.00	0.00	0.00	0.00	21.27	21.40			0.00	0.00
2016-01-07 09:00	12	0.00	0.00	0.72	10.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-07 09:00	13			1.38	2.00			0.00	0.00	20.50	20.60	0.00	0.00	0.10	0.10

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-01-07 10:00	1	0.53	1.20			0.00	0.10	0.00	0.00	20.83	20.90			0.08	0.50
2016-01-07 10:00	2	0.81	1.50			0.00	0.00	0.00	0.00	20.62	20.70			0.36	0.80
2016-01-07 10:00	5			3.94	7.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.10
2016-01-07 10:00	8			2.75	4.00			0.00	0.00	21.23	21.30	0.00	0.00	0.43	1.20
2016-01-07 10:00	10			1.83	3.00	0.00	0.00	0.00	0.00	21.32	21.40			0.00	0.00
2016-01-07 10:00	12	0.01	0.10	0.70	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-07 10:00	13			1.55	3.00			0.00	0.00	20.59	20.60	0.00	0.00	0.08	0.10
2016-01-07 11:00	1	0.59	1.30			0.00	0.10	0.00	0.00	20.90	20.90			0.67	1.40
2016-01-07 11:00	2	0.72	1.40			0.00	0.00	0.00	0.00	20.83	20.90			0.25	0.50
2016-01-07 11:00	5			3.87	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2016-01-07 11:00	8			3.03	4.00			0.00	0.00	21.26	21.30	0.00	0.00	0.43	1.90
2016-01-07 11:00	10			1.98	2.00	0.00	0.00	0.00	0.00	21.39	21.50			0.00	0.00
2016-01-07 11:00	12	0.00	0.00	1.02	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-07 11:00	13			1.41	3.00			0.00	0.00	20.60	20.70	0.00	0.00	0.03	0.10
2016-01-07 12:00	1	0.56	1.10			0.00	0.10	0.00	0.00	20.90	20.90			1.03	1.70
2016-01-07 12:00	2	0.68	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.40
2016-01-07 12:00	5			3.73	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.20
2016-01-07 12:00	8			2.96	3.00			0.00	0.00	21.29	21.40	0.00	0.00	0.43	1.20
2016-01-07 12:00	10			2.00	3.00	0.00	0.00	0.00	0.00	21.38	21.40			0.00	0.00
2016-01-07 12:00	12	0.00	0.10	0.92	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-01-07 12:00	13			1.40	2.00			0.00	0.00	20.61	20.70	0.00	0.00	0.04	0.10