

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-02 12:00	1	0.12	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 12:00	2	0.23	1.70			0.00	0.00	0.00	0.00	20.88	20.90			0.00	0.00
2017-02-02 12:00	5			3.82	4.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2017-02-02 12:00	8			0.27	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 12:00	10			1.82	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 12:00	12	0.17	0.80	1.03	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 12:00	13			1.55	3.00			0.00	0.00	20.88	20.90	0.00	0.00	0.00	0.00
2017-02-02 13:00	1	0.07	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2017-02-02 13:00	2	0.14	1.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 13:00	5			3.65	4.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.00
2017-02-02 13:00	8			0.07	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2017-02-02 13:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 13:00	12	0.18	1.00	1.15	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 13:00	13			1.37	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 14:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.40
2017-02-02 14:00	2	0.13	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 14:00	5			3.93	5.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.00
2017-02-02 14:00	8			0.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2017-02-02 14:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 14:00	12	0.09	0.40	1.18	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 14:00	13			1.45	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 15:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 15:00	2	0.09	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 15:00	5			3.63	5.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2017-02-02 15:00	8			0.22	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 15:00	10			1.77	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 15:00	12	0.03	0.50	1.07	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 15:00	13			1.53	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 16:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 16:00	2	0.20	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 16:00	5			3.65	5.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-02 16:00	8			0.02	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 16:00	10			1.60	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 16:00	12	0.00	0.10	1.10	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 16:00	13			1.53	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 17:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.81	20.90			0.00	0.00
2017-02-02 17:00	2	0.24	2.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 17:00	5			3.78	4.00			0.00	0.00	20.50	20.50	0.00	0.10	0.00	0.00
2017-02-02 17:00	8			0.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 17:00	10			1.65	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 17:00	12	0.02	0.30	0.88	3.00			0.00	0.00	20.90	20.90			0.01	0.10
2017-02-02 17:00	13			1.15	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2017-02-02 18:00	2	0.18	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2017-02-02 18:00	5			3.57	4.00			0.00	0.00	20.54	20.90	0.00	0.00	0.00	0.00
2017-02-02 18:00	8			0.08	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 18:00	10			1.62	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 18:00	12	0.06	0.60	0.98	2.00			0.00	0.00	20.90	20.90			0.01	0.20
2017-02-02 18:00	13			1.32	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 19:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.10
2017-02-02 19:00	2	0.40	1.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 19:00	5			3.61	4.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00
2017-02-02 19:00	8			0.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 19:00	10			1.52	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 19:00	12	0.03	0.40	0.86	1.00			0.00	0.00	20.90	20.90			0.05	0.20
2017-02-02 19:00	13			1.61	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 20:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2017-02-02 20:00	2	0.18	1.80			0.00	0.00	0.00	0.00	20.67	20.90			0.00	0.00
2017-02-02 20:00	5			3.65	4.00			0.00	0.00	20.50	20.50	0.00	0.10	0.00	0.00
2017-02-02 20:00	8			0.05	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 20:00	10			1.63	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 20:00	12	0.05	0.60	0.87	2.00			0.00	0.00	20.90	20.90			0.07	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-02 20:00	13			1.18	2.00			0.00	0.00	20.67	20.90	0.00	0.00	0.00	0.00
2017-02-02 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2017-02-02 21:00	2	0.29	1.30			0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2017-02-02 21:00	5			3.45	4.00			0.00	0.00	20.44	20.50	0.00	0.00	0.00	0.00
2017-02-02 21:00	8			0.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 21:00	10			1.52	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-02 21:00	12	0.07	0.90	1.02	2.00			0.00	0.00	20.90	20.90			0.10	0.20
2017-02-02 21:00	13			1.73	3.00			0.00	0.00	20.59	20.70	0.00	0.00	0.00	0.00
2017-02-02 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.45	20.60			0.00	0.00
2017-02-02 22:00	2	0.49	2.20			0.01	0.10	0.00	0.00	20.59	20.70			0.00	0.00
2017-02-02 22:00	5			3.77	4.00			0.00	0.00	20.40	20.40	0.00	0.10	0.00	0.00
2017-02-02 22:00	8			0.03	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 22:00	10			1.73	4.00	0.00	0.00	0.00	0.00	20.85	20.90			0.00	0.00
2017-02-02 22:00	12	0.02	0.30	1.00	2.00			0.00	0.00	20.90	20.90			0.10	0.30
2017-02-02 22:00	13			1.33	3.00			0.00	0.00	20.59	20.70	0.00	0.00	0.00	0.00
2017-02-02 23:00	1	0.01	0.30			0.00	0.00			20.41	20.50			0.00	0.00
2017-02-02 23:00	2	0.38	1.70			0.01	0.10	0.00	0.00	20.58	20.70			0.00	0.00
2017-02-02 23:00	5			3.73	5.00			0.00	0.00	20.37	20.40	0.00	0.10	0.00	0.00
2017-02-02 23:00	8			0.07	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-02 23:00	10			1.53	3.00	0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2017-02-02 23:00	12	0.06	0.70	0.93	2.00			0.00	0.00	20.90	20.90			0.14	0.30
2017-02-02 23:00	13			1.27	3.00			0.00	0.00	20.58	20.70	0.00	0.00	0.00	0.00
2017-02-03 00:00	1	0.00	0.00			0.00	0.00			20.40	20.50			0.00	0.00
2017-02-03 00:00	2	0.56	1.90			0.00	0.10	0.00	0.00	20.59	20.90			0.00	0.00
2017-02-03 00:00	5			3.80	7.00			0.00	0.00	20.33	20.40	0.00	0.00	0.00	0.00
2017-02-03 00:00	8			0.08	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 00:00	10			1.80	3.00	0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.00
2017-02-03 00:00	12	0.03	0.30	1.08	2.00			0.00	0.00	20.90	20.90			0.16	0.30
2017-02-03 00:00	13			1.42	3.00			0.00	0.00	20.59	20.90	0.00	0.00	0.00	0.00
2017-02-03 01:00	1	0.00	0.10			0.00	0.00			20.40	20.50			0.00	0.00
2017-02-03 01:00	2	0.25	1.40			0.00	0.10	0.00	0.00	20.58	20.70			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-03 01:00	5			3.83	4.00			0.00	0.00	20.38	20.40	0.00	0.10	0.00	0.00
2017-02-03 01:00	8			0.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 01:00	10			1.92	3.00	0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2017-02-03 01:00	12	0.01	0.20	1.03	3.00			0.00	0.00	20.90	20.90			0.15	0.20
2017-02-03 01:00	13			1.43	3.00			0.00	0.00	20.58	20.70	0.00	0.00	0.00	0.00
2017-02-03 02:00	1	0.00	0.00			0.00	0.00			20.40	20.50			0.00	0.00
2017-02-03 02:00	2	0.24	1.40			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2017-02-03 02:00	5			3.75	4.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.00
2017-02-03 02:00	8			0.07	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 02:00	10			1.82	3.00	0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2017-02-03 02:00	12	0.03	0.30	0.98	3.00			0.00	0.00	20.90	20.90			0.16	0.20
2017-02-03 02:00	13			1.57	3.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2017-02-03 03:00	1	0.00	0.10			0.00	0.00			20.41	20.50			0.00	0.00
2017-02-03 03:00	2	0.52	2.60			0.01	0.10	0.00	0.00	20.57	20.60			0.00	0.00
2017-02-03 03:00	5			3.70	4.00			0.00	0.00	20.34	20.50	0.00	0.10	0.00	0.00
2017-02-03 03:00	8			0.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 03:00	10			1.50	2.00	0.00	0.00	0.00	0.00	20.59	20.60			0.00	0.00
2017-02-03 03:00	12	0.03	0.30	0.90	3.00			0.00	0.00	20.82	20.90			0.19	0.30
2017-02-03 03:00	13			1.43	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2017-02-03 04:00	1	0.00	0.00			0.00	0.00			20.39	20.50			0.00	0.00
2017-02-03 04:00	2	0.19	1.70			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2017-02-03 04:00	5			3.55	5.00			0.00	0.00	20.35	20.40	0.00	0.10	0.00	0.00
2017-02-03 04:00	8			0.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 04:00	10			1.67	3.00	0.00	0.00	0.00	0.00	20.58	20.60			0.00	0.00
2017-02-03 04:00	12	0.04	0.40	1.00	2.00			0.00	0.00	20.56	20.60			0.20	0.40
2017-02-03 04:00	13			1.57	2.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2017-02-03 05:00	1	0.01	0.20			0.00	0.00			20.34	20.40			0.00	0.00
2017-02-03 05:00	2	0.41	1.60			0.01	0.10	0.00	0.00	20.51	20.60			0.00	0.00
2017-02-03 05:00	5			3.88	5.00			0.00	0.00	20.35	20.40	0.00	0.00	0.00	0.00
2017-02-03 05:00	8			0.05	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 05:00	10			1.80	3.00	0.00	0.00	0.00	0.00	20.56	20.60			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-03 05:00	12	0.05	0.40	0.93	2.00			0.00	0.00	20.52	20.60			0.20	0.40
2017-02-03 05:00	13			1.53	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2017-02-03 06:00	1	0.00	0.10			0.00	0.00			20.35	20.40			0.00	0.00
2017-02-03 06:00	2	0.60	1.90			0.01	0.10	0.00	0.00	20.51	20.60			0.00	0.00
2017-02-03 06:00	5			3.72	4.00			0.00	0.00	20.30	20.40	0.00	0.00	0.00	0.00
2017-02-03 06:00	8			0.00	0.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 06:00	10			1.60	3.00	0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2017-02-03 06:00	12	0.06	0.70	0.87	2.00			0.00	0.00	20.54	20.60			0.20	0.40
2017-02-03 06:00	13			1.58	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2017-02-03 07:00	1	0.00	0.10			0.00	0.00			20.34	20.40			0.00	0.00
2017-02-03 07:00	2	0.19	1.20			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2017-02-03 07:00	5			3.77	5.00			0.00	0.00	20.28	20.30	0.00	0.10	0.00	0.00
2017-02-03 07:00	8			0.02	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 07:00	10			1.63	2.00	0.00	0.00	0.00	0.00	20.58	20.60			0.00	0.00
2017-02-03 07:00	12	0.03	0.30	0.95	2.00			0.00	0.00	20.52	20.60			0.18	0.30
2017-02-03 07:00	13			1.50	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2017-02-03 08:00	1	0.03	0.60			0.00	0.00			20.39	20.50			0.00	0.00
2017-02-03 08:00	2	0.37	1.50			0.00	0.10	0.00	0.00	20.57	20.60			0.00	0.00
2017-02-03 08:00	5			3.70	5.00			0.00	0.00	20.31	20.40	0.00	0.10	0.00	0.00
2017-02-03 08:00	8			0.02	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 08:00	10			1.70	2.00	0.00	0.00	0.00	0.00	20.57	20.70			0.00	0.00
2017-02-03 08:00	12	0.03	0.40	0.87	2.00			0.00	0.00	20.58	20.60			0.17	0.30
2017-02-03 08:00	13			1.42	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2017-02-03 09:00	1	0.13	0.70			0.00	0.00			20.43	20.50			0.00	0.00
2017-02-03 09:00	2	0.38	1.90			0.00	0.00	0.00	0.00	20.57	20.70			0.00	0.00
2017-02-03 09:00	5			3.93	5.00			0.00	0.00	20.37	20.40	0.00	0.10	0.00	0.00
2017-02-03 09:00	8			0.07	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 09:00	10			1.75	3.00	0.00	0.00	0.00	0.00	20.57	20.70			0.00	0.00
2017-02-03 09:00	12	0.06	0.40	0.93	3.00			0.00	0.00	20.62	20.70			0.15	0.40
2017-02-03 09:00	13			1.47	4.00			0.00	0.00	20.57	20.70	0.00	0.00	0.00	0.00
2017-02-03 10:00	1	0.22	0.80			0.00	0.00			20.68	20.90			0.00	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-03 10:00	2	0.20	1.10			0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2017-02-03 10:00	5			3.73	4.00			0.00	0.00	20.43	20.50	0.00	0.00	0.00	0.00
2017-02-03 10:00	8			0.02	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 10:00	10			1.82	2.00	0.00	0.00	0.00	0.00	20.75	20.90			0.00	0.00
2017-02-03 10:00	12	0.08	0.60	0.85	1.00			0.00	0.00	20.66	20.70			0.05	0.20
2017-02-03 10:00	13			1.53	3.00			0.00	0.00	20.62	20.70	0.00	0.00	0.00	0.00
2017-02-03 11:00	1	0.15	0.70			0.00	0.00			20.90	20.90			0.00	0.10
2017-02-03 11:00	2	0.35	1.20			0.00	0.00	0.00	0.00	20.65	20.70			0.00	0.00
2017-02-03 11:00	5			3.63	4.00			0.00	0.00	20.47	20.50	0.00	0.00	0.00	0.00
2017-02-03 11:00	8			0.15	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 11:00	10			1.78	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 11:00	12	0.15	0.70	1.07	3.00			0.00	0.00	20.78	20.90			0.03	0.20
2017-02-03 11:00	13			1.40	2.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.00
2017-02-03 12:00	1	0.06	0.30			0.00	0.00			20.90	20.90			0.00	0.00
2017-02-03 12:00	2	0.20	1.20			0.00	0.00	0.00	0.00	20.88	20.90			0.00	0.00
2017-02-03 12:00	5			3.73	4.00			0.00	0.00	20.50	20.50	0.00	0.10	0.00	0.00
2017-02-03 12:00	8			0.03	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 12:00	10			1.83	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 12:00	12	0.17	0.80	1.05	2.00			0.00	0.00	20.90	20.90			0.00	0.20
2017-02-03 12:00	13			1.42	3.00			0.00	0.00	20.88	20.90	0.00	0.00	0.00	0.00
2017-02-03 13:00	1	0.05	0.40			0.00	0.00			20.90	20.90			0.01	0.20
2017-02-03 13:00	2	0.27	1.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 13:00	5			3.83	4.00			0.00	0.00	20.52	20.60	0.00	0.10	0.00	0.00
2017-02-03 13:00	8			0.17	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 13:00	10			1.93	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 13:00	12	0.27	0.80	1.13	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 13:00	13			1.47	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 14:00	1	0.01	0.20			0.00	0.00			20.90	20.90			0.00	0.00
2017-02-03 14:00	2	0.19	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 14:00	5			3.70	4.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2017-02-03 14:00	8			0.08	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-03 14:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 14:00	12	0.18	0.80	1.07	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 14:00	13			1.60	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 15:00	1	0.02	0.40			0.00	0.00			20.90	20.90			0.00	0.00
2017-02-03 15:00	2	0.19	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 15:00	5			3.70	5.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2017-02-03 15:00	8			0.03	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2017-02-03 15:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 15:00	12	0.06	0.40	1.27	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 15:00	13			1.60	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 16:00	1	0.02	0.20			0.00	0.00			20.90	20.90			0.00	0.00
2017-02-03 16:00	2	0.32	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 16:00	5			3.67	5.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.00
2017-02-03 16:00	8			0.13	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 16:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 16:00	12	0.03	0.40	1.12	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 16:00	13			1.43	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 17:00	1	0.00	0.10			0.00	0.00			20.84	20.90			0.00	0.00
2017-02-03 17:00	2	0.23	2.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 17:00	5			3.87	5.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.00
2017-02-03 17:00	8			0.08	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 17:00	10			1.88	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 17:00	12	0.01	0.30	1.00	2.00			0.00	0.00	20.90	20.90			0.02	0.20
2017-02-03 17:00	13			1.28	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 18:00	1	0.00	0.20			0.00	0.00			20.60	20.70			0.00	0.00
2017-02-03 18:00	2	0.43	1.70			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 18:00	5			3.72	5.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2017-02-03 18:00	8			0.02	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 18:00	10			1.63	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 18:00	12	0.02	0.40	1.00	3.00			0.00	0.00	20.90	20.90			0.13	0.20
2017-02-03 18:00	13			1.60	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-03 19:00	1	0.01	0.40			0.00	0.00			20.54	20.70			0.00	0.00
2017-02-03 19:00	2	0.22	2.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-03 19:00	5			3.43	5.00			0.00	0.00	20.47	20.50	0.00	0.10	0.00	0.00
2017-02-03 19:00	8			0.07	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 19:00	10			1.65	3.00	0.00	0.00	0.00	0.00	20.86	20.90			0.00	0.00
2017-02-03 19:00	12	0.03	0.50	0.95	2.00			0.00	0.00	20.90	20.90			0.20	0.40
2017-02-03 19:00	13			1.20	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 20:00	1	0.01	0.30			0.00	0.00			20.43	20.50			0.00	0.00
2017-02-03 20:00	2	0.34	2.00			0.00	0.10	0.00	0.00	20.63	20.90			0.00	0.00
2017-02-03 20:00	5			3.87	5.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.00
2017-02-03 20:00	8			0.03	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 20:00	10			1.80	3.00	0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2017-02-03 20:00	12	0.07	0.50	0.93	3.00			0.00	0.00	20.69	20.90			0.26	0.40
2017-02-03 20:00	13			1.47	3.00			0.00	0.00	20.63	20.90	0.00	0.00	0.00	0.00
2017-02-03 21:00	1	0.05	0.30			0.00	0.00			20.41	20.50			0.00	0.00
2017-02-03 21:00	2	0.61	2.20			0.00	0.00	0.00	0.00	20.55	20.60			0.00	0.00
2017-02-03 21:00	5			3.58	4.00			0.00	0.00	20.40	20.40	0.00	0.10	0.00	0.00
2017-02-03 21:00	8			0.05	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 21:00	10			1.62	3.00	0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2017-02-03 21:00	12	0.13	0.90	0.85	2.00			0.00	0.00	20.51	20.60			0.30	0.50
2017-02-03 21:00	13			1.42	3.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.00
2017-02-03 22:00	1	0.06	0.40			0.00	0.00			20.41	20.50			0.00	0.00
2017-02-03 22:00	2	0.39	1.80			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2017-02-03 22:00	5			3.75	5.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.00
2017-02-03 22:00	8			0.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 22:00	10			1.77	3.00	0.00	0.00	0.00	0.00	20.46	20.60			0.00	0.00
2017-02-03 22:00	12	0.09	0.50	0.93	2.00			0.00	0.00	20.50	20.60			0.32	0.60
2017-02-03 22:00	13			1.45	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2017-02-03 23:00	1	0.02	0.30			0.00	0.00			20.38	20.40			0.00	0.00
2017-02-03 23:00	2	0.64	2.10			0.00	0.10	0.00	0.00	20.51	20.60			0.00	0.00
2017-02-03 23:00	5			3.98	4.00			0.00	0.00	20.35	20.40	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-03 23:00	8			0.03	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-03 23:00	10			1.62	3.00	0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.00
2017-02-03 23:00	12	0.20	0.90	0.85	2.00			0.00	0.00	20.50	20.50			0.36	0.50
2017-02-03 23:00	13			1.43	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2017-02-04 00:00	1	0.01	0.30			0.00	0.00			20.40	20.40			0.00	0.00
2017-02-04 00:00	2	0.70	2.50			0.01	0.10	0.00	0.00	20.44	20.50			0.00	0.00
2017-02-04 00:00	5			3.83	4.00			0.00	0.00	20.32	20.40	0.00	0.10	0.00	0.00
2017-02-04 00:00	8			0.07	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 00:00	10			1.77	3.00	0.00	0.00	0.00	0.00	20.39	20.50			0.00	0.00
2017-02-04 00:00	12	0.30	0.80	0.92	2.00			0.00	0.00	20.42	20.50			0.39	0.60
2017-02-04 00:00	13			1.52	3.00			0.00	0.00	20.44	20.50	0.00	0.00	0.00	0.00
2017-02-04 01:00	1	0.01	0.50			0.00	0.00			20.36	20.40			0.00	0.00
2017-02-04 01:00	2	0.45	2.20			0.00	0.10	0.00	0.00	20.43	20.50			0.00	0.00
2017-02-04 01:00	5			3.87	4.00			0.00	0.00	20.32	20.40	0.00	0.00	0.00	0.00
2017-02-04 01:00	8			0.12	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 01:00	10			1.63	3.00	0.00	0.00	0.00	0.00	20.38	20.50			0.00	0.00
2017-02-04 01:00	12	0.12	0.60	1.00	3.00			0.00	0.00	20.40	20.50			0.42	0.60
2017-02-04 01:00	13			1.63	4.00			0.00	0.00	20.43	20.50	0.00	0.00	0.00	0.00
2017-02-04 02:00	1	0.00	0.10			0.00	0.00			20.31	20.40			0.00	0.00
2017-02-04 02:00	2	0.66	2.00			0.01	0.10	0.00	0.00	20.44	20.50			0.00	0.00
2017-02-04 02:00	5			3.67	4.00			0.00	0.00	20.30	20.30	0.00	0.10	0.00	0.00
2017-02-04 02:00	8			0.03	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 02:00	10			1.68	3.00	0.00	0.00	0.00	0.00	20.37	20.50			0.00	0.00
2017-02-04 02:00	12	0.06	0.60	0.90	2.00			0.00	0.00	20.40	20.40			0.38	0.50
2017-02-04 02:00	13			1.42	3.00			0.00	0.00	20.44	20.50	0.00	0.00	0.00	0.00
2017-02-04 03:00	1	0.00	0.10			0.00	0.00			20.31	20.40			0.00	0.00
2017-02-04 03:00	2	0.47	2.40			0.01	0.10	0.00	0.00	20.43	20.50			0.00	0.00
2017-02-04 03:00	5			3.65	6.00			0.00	0.00	20.29	20.30	0.00	0.10	0.00	0.00
2017-02-04 03:00	8			0.02	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 03:00	10			1.42	3.00	0.00	0.00	0.00	0.00	20.36	20.40			0.00	0.00
2017-02-04 03:00	12	0.04	0.40	0.78	1.00			0.00	0.00	20.40	20.40			0.37	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-04 03:00	13			1.38	2.00			0.00	0.00	20.43	20.50	0.00	0.00	0.00	0.00
2017-02-04 04:00	1	0.00	0.10			0.00	0.00			20.33	20.40			0.00	0.00
2017-02-04 04:00	2	0.34	1.70			0.00	0.10	0.00	0.00	20.41	20.50			0.00	0.00
2017-02-04 04:00	5			3.60	6.00			0.00	0.00	20.31	20.40	0.00	0.10	0.00	0.00
2017-02-04 04:00	8			0.12	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 04:00	10			1.48	3.00	0.00	0.00	0.00	0.00	20.38	20.50			0.00	0.00
2017-02-04 04:00	12	0.04	0.40	0.83	1.00			0.00	0.00	20.42	20.50			0.35	0.50
2017-02-04 04:00	13			1.35	4.00			0.00	0.00	20.41	20.50	0.00	0.00	0.00	0.00
2017-02-04 05:00	1	0.01	0.20			0.00	0.00			20.36	20.40			0.00	0.00
2017-02-04 05:00	2	0.58	2.10			0.01	0.20	0.00	0.00	20.56	20.60			0.00	0.00
2017-02-04 05:00	5			3.67	5.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2017-02-04 05:00	8			0.05	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 05:00	10			1.18	3.00	0.00	0.00	0.00	0.00	20.43	20.50			0.00	0.00
2017-02-04 05:00	12	0.06	0.50	0.90	2.00			0.00	0.00	20.44	20.50			0.29	0.60
2017-02-04 05:00	13			1.50	3.00			0.00	0.00	20.56	20.60	0.00	0.00	0.00	0.00
2017-02-04 06:00	1	0.00	0.10			0.00	0.00			20.34	20.40			0.00	0.00
2017-02-04 06:00	2	0.61	1.90			0.01	0.10	0.00	0.00	20.54	20.60			0.00	0.00
2017-02-04 06:00	5			3.60	4.00			0.00	0.00	20.34	20.40	0.00	0.10	0.00	0.00
2017-02-04 06:00	8			0.02	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 06:00	10			1.30	3.00	0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2017-02-04 06:00	12	0.05	0.40	0.92	2.00			0.00	0.00	20.45	20.50			0.25	0.60
2017-02-04 06:00	13			1.43	2.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2017-02-04 07:00	1	0.01	0.10			0.00	0.00			20.37	20.40			0.00	0.00
2017-02-04 07:00	2	0.40	2.00			0.01	0.10	0.00	0.00	20.45	20.60			0.00	0.00
2017-02-04 07:00	5			3.82	4.00			0.00	0.00	20.32	20.40	0.00	0.00	0.00	0.00
2017-02-04 07:00	8			0.07	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 07:00	10			1.33	3.00	0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2017-02-04 07:00	12	0.06	0.40	0.85	2.00			0.00	0.00	20.45	20.50			0.26	0.50
2017-02-04 07:00	13			1.37	3.00			0.00	0.00	20.45	20.60	0.00	0.00	0.00	0.00
2017-02-04 08:00	1	0.01	0.10			0.00	0.00			20.40	20.50			0.00	0.10
2017-02-04 08:00	2	0.47	2.00			0.00	0.10	0.00	0.00	20.51	20.60			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-04 08:00	5			3.85	6.00			0.00	0.00	20.31	20.40	0.00	0.00	0.00	0.00
2017-02-04 08:00	8			0.08	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 08:00	10			1.22	3.00	0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00
2017-02-04 08:00	12	0.08	0.50	0.92	1.00			0.00	0.00	20.54	20.60			0.22	0.40
2017-02-04 08:00	13			1.52	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2017-02-04 09:00	1	0.06	0.90			0.00	0.00			20.47	20.50			0.00	0.00
2017-02-04 09:00	2	0.17	0.80			0.00	0.00	0.00	0.00	20.56	20.60			0.00	0.00
2017-02-04 09:00	5			3.93	5.00			0.00	0.00	20.39	20.40	0.00	0.10	0.00	0.00
2017-02-04 09:00	8			0.05	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 09:00	10			1.30	3.00	0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2017-02-04 09:00	12	0.08	0.50	1.03	2.00			0.00	0.00	20.62	20.70			0.16	0.30
2017-02-04 09:00	13			1.58	3.00			0.00	0.00	20.56	20.60	0.00	0.00	0.00	0.00
2017-02-04 10:00	1	0.19	0.90			0.00	0.00	0.00	0.00	20.54	20.70			0.00	0.00
2017-02-04 10:00	2	0.26	1.00			0.00	0.00	0.00	0.00	20.56	20.60			0.00	0.00
2017-02-04 10:00	5			3.75	4.00			0.00	0.00	20.43	20.50	0.00	0.00	0.00	0.00
2017-02-04 10:00	8			0.07	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 10:00	10			1.42	3.00	0.00	0.00	0.00	0.00	20.72	20.90			0.00	0.00
2017-02-04 10:00	12	0.15	0.70	0.93	2.00			0.00	0.00	20.67	20.70			0.05	0.20
2017-02-04 10:00	13			1.58	3.00			0.00	0.00	20.56	20.60	0.00	0.00	0.00	0.00
2017-02-04 11:00	1	0.17	0.70			0.00	0.00	0.00	0.00	20.77	20.90			0.00	0.10
2017-02-04 11:00	2	0.25	1.30			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2017-02-04 11:00	5			3.88	4.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2017-02-04 11:00	8			0.03	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 11:00	10			1.67	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 11:00	12	0.19	0.60	0.98	2.00			0.00	0.00	20.88	20.90			0.00	0.00
2017-02-04 11:00	13			1.65	3.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2017-02-04 12:00	1	0.12	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 12:00	2	0.14	0.80			0.00	0.00	0.00	0.00	20.80	20.90			0.00	0.00
2017-02-04 12:00	5			3.68	4.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2017-02-04 12:00	8			0.15	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2017-02-04 12:00	10			1.88	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-04 12:00	12	0.20	0.60	0.98	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 12:00	13			1.67	3.00			0.00	0.00	20.80	20.90	0.00	0.00	0.00	0.00
2017-02-04 13:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2017-02-04 13:00	2	0.17	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 13:00	5			3.82	4.00			0.00	0.00	20.81	20.90	0.00	0.00	0.00	0.00
2017-02-04 13:00	8			0.18	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2017-02-04 13:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 13:00	12	0.02	0.30	1.05	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 13:00	13			1.47	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 14:00	1	0.04	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 14:00	2	0.09	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 14:00	5			3.87	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 14:00	8			0.17	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 14:00	10			1.90	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 14:00	12	0.04	0.40	0.98	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 14:00	13			1.50	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 15:00	1	0.02	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 15:00	2	0.24	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 15:00	5			3.70	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 15:00	8			0.05	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 15:00	10			1.93	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 15:00	12	0.06	0.60	1.07	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 15:00	13			1.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 16:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 16:00	2	0.16	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 16:00	5			3.87	4.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2017-02-04 16:00	8			0.15	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 16:00	10			1.93	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 16:00	12	0.02	0.30	1.07	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 16:00	13			1.57	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 17:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-04 17:00	2	0.11	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 17:00	5			3.73	4.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.00
2017-02-04 17:00	8			0.08	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 17:00	10			1.77	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 17:00	12	0.04	0.30	1.07	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 17:00	13			1.58	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 18:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 18:00	2	0.15	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 18:00	5			3.87	6.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.00
2017-02-04 18:00	8			0.07	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 18:00	10			1.65	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 18:00	12	0.06	0.60	0.98	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 18:00	13			1.37	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 19:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 19:00	2	0.14	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 19:00	5			3.93	5.00			0.00	0.00	20.60	20.70	0.00	0.10	0.00	0.00
2017-02-04 19:00	8			0.02	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 19:00	10			1.76	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 19:00	12	0.08	0.60	1.00	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 19:00	13			1.69	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 20:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 20:00	2	0.24	1.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 20:00	5			3.78	5.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2017-02-04 20:00	8			0.25	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 20:00	10			1.85	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 20:00	12	0.03	0.30	1.03	2.00			0.00	0.00	20.90	20.90			0.00	0.10
2017-02-04 20:00	13			1.47	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 21:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.68	20.90			0.00	0.00
2017-02-04 21:00	2	0.21	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 21:00	5			3.72	4.00			0.00	0.00	20.59	20.60	0.00	0.10	0.00	0.00
2017-02-04 21:00	8			0.17	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-04 21:00	10			1.77	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 21:00	12	0.01	0.20	1.02	3.00			0.00	0.00	20.90	20.90			0.01	0.10
2017-02-04 21:00	13			1.62	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 22:00	1	0.04	0.50			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2017-02-04 22:00	2	0.40	1.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 22:00	5			3.90	4.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2017-02-04 22:00	8			0.03	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 22:00	10			1.97	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 22:00	12	0.05	0.40	1.07	2.00			0.00	0.00	20.90	20.90			0.08	0.30
2017-02-04 22:00	13			1.65	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 23:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2017-02-04 23:00	2	0.16	1.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 23:00	5			3.75	5.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.00
2017-02-04 23:00	8			0.12	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-04 23:00	10			1.92	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-04 23:00	12	0.05	0.50	1.07	3.00			0.00	0.00	20.90	20.90			0.06	0.20
2017-02-04 23:00	13			1.80	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 00:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.57	20.70			0.00	0.00
2017-02-05 00:00	2	0.22	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 00:00	5			3.82	4.00			0.00	0.00	20.50	20.50	0.00	0.00	0.00	0.00
2017-02-05 00:00	8			0.12	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 00:00	10			1.95	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 00:00	12	0.03	0.30	1.00	2.00			0.00	0.00	20.90	20.90			0.07	0.20
2017-02-05 00:00	13			1.80	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 01:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00
2017-02-05 01:00	2	0.23	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 01:00	5			3.92	4.00			0.00	0.00	20.48	20.50	0.00	0.00	0.00	0.00
2017-02-05 01:00	8			0.30	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 01:00	10			1.88	2.00	0.00	0.00	0.00	0.00	20.83	20.90			0.00	0.00
2017-02-05 01:00	12	0.04	0.30	1.02	2.00			0.00	0.00	20.90	20.90			0.04	0.30
2017-02-05 01:00	13			1.55	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-05 02:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2017-02-05 02:00	2	0.24	1.80			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 02:00	5			3.75	4.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2017-02-05 02:00	8			0.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 02:00	10			1.97	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 02:00	12	0.05	0.30	1.05	3.00			0.00	0.00	20.90	20.90			0.11	0.30
2017-02-05 02:00	13			1.45	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 03:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.53	20.70			0.00	0.10
2017-02-05 03:00	2	0.22	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 03:00	5			3.92	4.00			0.00	0.00	20.57	20.60	0.00	0.10	0.00	0.00
2017-02-05 03:00	8			0.12	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 03:00	10			1.82	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 03:00	12	0.06	0.40	1.03	3.00			0.00	0.00	20.90	20.90			0.12	0.40
2017-02-05 03:00	13			1.42	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 04:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.10
2017-02-05 04:00	2	0.18	1.20			0.00	0.00	0.00	0.00	20.86	20.90			0.00	0.00
2017-02-05 04:00	5			3.90	5.00			0.00	0.00	20.53	20.60	0.00	0.10	0.00	0.00
2017-02-05 04:00	8			0.20	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 04:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 04:00	12	0.03	0.30	1.03	2.00			0.00	0.00	20.90	20.90			0.08	0.20
2017-02-05 04:00	13			1.63	3.00			0.00	0.00	20.86	20.90	0.00	0.00	0.00	0.00
2017-02-05 05:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.54	20.60			0.10	0.40
2017-02-05 05:00	2	0.34	2.10			0.00	0.10	0.00	0.00	20.81	20.90			0.00	0.00
2017-02-05 05:00	5			3.78	4.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00
2017-02-05 05:00	8			0.15	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 05:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.89	20.90			0.00	0.00
2017-02-05 05:00	12	0.03	0.40	1.00	2.00			0.00	0.00	20.90	20.90			0.11	0.20
2017-02-05 05:00	13			1.73	3.00			0.00	0.00	20.81	20.90	0.00	0.00	0.00	0.00
2017-02-05 06:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.55	20.60			0.29	0.50
2017-02-05 06:00	2	0.16	1.10			0.00	0.00	0.00	0.00	20.89	20.90			0.00	0.00
2017-02-05 06:00	5			3.73	4.00			0.00	0.00	20.49	20.50	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-05 06:00	8			0.28	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 06:00	10			1.93	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 06:00	12	0.03	0.30	0.97	3.00			0.00	0.00	20.90	20.90			0.12	0.40
2017-02-05 06:00	13			1.60	3.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00
2017-02-05 07:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.52	20.60			0.45	0.60
2017-02-05 07:00	2	0.16	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 07:00	5			3.98	5.00			0.00	0.00	20.48	20.50	0.00	0.00	0.00	0.00
2017-02-05 07:00	8			0.25	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 07:00	10			1.92	4.00	0.00	0.00	0.00	0.00	20.88	20.90			0.00	0.00
2017-02-05 07:00	12	0.04	0.30	1.00	2.00			0.00	0.00	20.90	20.90			0.12	0.40
2017-02-05 07:00	13			1.75	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 08:00	1	0.09	0.50			0.00	0.00	0.00	0.00	20.53	20.60			0.34	0.60
2017-02-05 08:00	2	0.34	1.60			0.00	0.00	0.00	0.00	20.73	20.90			0.00	0.00
2017-02-05 08:00	5			3.93	5.00			0.00	0.00	20.49	20.50	0.00	0.00	0.00	0.00
2017-02-05 08:00	8			0.15	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 08:00	10			1.98	2.00	0.00	0.00	0.00	0.00	20.86	20.90			0.00	0.00
2017-02-05 08:00	12	0.12	0.60	0.98	2.00			0.00	0.00	20.90	20.90			0.07	0.20
2017-02-05 08:00	13			1.68	3.00			0.00	0.00	20.73	20.90	0.00	0.10	0.00	0.00
2017-02-05 09:00	1	0.35	0.90			0.00	0.00	0.00	0.00	20.61	20.90			0.01	0.20
2017-02-05 09:00	2	0.12	0.80			0.00	0.00	0.00	0.00	20.74	20.90			0.00	0.00
2017-02-05 09:00	5			3.93	6.00			0.00	0.00	20.57	20.70	0.00	0.10	0.00	0.00
2017-02-05 09:00	8			0.37	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 09:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 09:00	12	0.12	0.70	1.10	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 09:00	13			1.73	3.00			0.00	0.00	20.74	20.90	0.00	0.00	0.00	0.00
2017-02-05 10:00	1	0.56	1.20			0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2017-02-05 10:00	2	0.28	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2017-02-05 10:00	5			3.97	5.00			0.00	0.00	20.77	20.90	0.00	0.00	0.00	0.00
2017-02-05 10:00	8			0.38	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2017-02-05 10:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 10:00	12	0.16	0.70	0.98	2.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-05 10:00	13			1.98	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 11:00	1	0.51	1.00			0.00	0.10	0.00	0.00	20.90	20.90			0.01	0.10
2017-02-05 11:00	2	0.16	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2017-02-05 11:00	5			3.93	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 11:00	8			0.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.10
2017-02-05 11:00	10			1.98	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 11:00	12	0.31	0.80	1.10	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 11:00	13			1.75	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 12:00	1	0.39	1.00			0.00	0.10	0.00	0.00	20.90	20.90			0.02	0.20
2017-02-05 12:00	2	0.24	1.60			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.10
2017-02-05 12:00	5			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 12:00	8			1.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.18	0.20
2017-02-05 12:00	10			2.45	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 12:00	12	0.33	0.80	1.95	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 12:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 13:00	1	0.17	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.30
2017-02-05 13:00	2	0.18	1.00			0.00	0.10	0.00	0.00	20.90	20.90			0.04	0.10
2017-02-05 13:00	5			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 13:00	8			1.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	0.30
2017-02-05 13:00	10			2.72	4.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 13:00	12	0.39	0.90	2.57	4.00			0.00	0.00	21.12	21.30			0.00	0.00
2017-02-05 13:00	13			1.90	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 14:00	1	0.08	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 14:00	2	0.11	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2017-02-05 14:00	5			4.02	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 14:00	8			1.25	3.00			0.00	0.00	21.21	21.30	0.00	0.00	0.20	0.30
2017-02-05 14:00	10			3.22	4.00	0.00	0.00	0.00	0.00	20.99	21.20			0.00	0.00
2017-02-05 14:00	12	0.23	0.90	3.87	6.00			0.00	0.00	21.28	21.30			0.00	0.00
2017-02-05 14:00	13			1.82	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 15:00	1	0.10	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 15:00	2	0.11	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-05 15:00	5			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 15:00	8			1.08	3.00			0.00	0.00	21.30	21.30	0.00	0.00	0.20	0.20
2017-02-05 15:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.93	21.20			0.00	0.00
2017-02-05 15:00	12	0.14	0.80	2.98	4.00			0.00	0.00	21.23	21.30			0.00	0.00
2017-02-05 15:00	13			1.98	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 16:00	1	0.06	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.20
2017-02-05 16:00	2	0.10	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2017-02-05 16:00	5			3.93	5.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2017-02-05 16:00	8			1.03	2.00			0.00	0.00	21.31	21.40	0.00	0.00	0.20	0.20
2017-02-05 16:00	10			2.75	4.00	0.00	0.00	0.00	0.00	20.94	21.20			0.00	0.00
2017-02-05 16:00	12	0.04	0.50	2.18	3.00			0.00	0.00	21.24	21.30			0.00	0.00
2017-02-05 16:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 17:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.30
2017-02-05 17:00	2	0.14	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2017-02-05 17:00	5			4.02	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 17:00	8			1.12	2.00			0.00	0.00	21.29	21.40	0.00	0.00	0.20	0.20
2017-02-05 17:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 17:00	12	0.00	0.00	1.87	2.00			0.00	0.00	21.13	21.20			0.00	0.00
2017-02-05 17:00	13			1.75	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 18:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 18:00	2	0.13	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 18:00	5			3.98	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 18:00	8			0.93	2.00			0.00	0.00	21.18	21.30	0.00	0.00	0.08	0.20
2017-02-05 18:00	10			1.98	3.00	0.00	0.00	0.00	0.00	20.91	21.30			0.00	0.00
2017-02-05 18:00	12	0.03	0.30	1.63	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 18:00	13			1.82	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 19:00	1	0.07	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2017-02-05 19:00	2	0.19	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 19:00	5			4.03	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 19:00	8			0.92	1.00			0.00	0.00	21.17	21.30	0.00	0.00	0.03	0.20
2017-02-05 19:00	10			1.98	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-05 19:00	12	0.06	0.80	1.30	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 19:00	13			1.88	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 20:00	1	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2017-02-05 20:00	2	0.10	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 20:00	5			3.98	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 20:00	8			0.78	2.00			0.00	0.00	21.02	21.20	0.00	0.00	0.01	0.10
2017-02-05 20:00	10			2.02	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 20:00	12	0.13	0.60	1.03	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 20:00	13			1.87	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 21:00	1	0.07	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2017-02-05 21:00	2	0.14	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 21:00	5			3.93	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 21:00	8			0.80	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2017-02-05 21:00	10			2.02	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 21:00	12	0.09	0.40	1.08	3.00			0.00	0.00	20.90	20.90			0.00	0.10
2017-02-05 21:00	13			1.90	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 22:00	1	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90				
2017-02-05 22:00	2	0.18	1.60			0.00	0.00	0.00	0.00	20.92	21.50			0.00	0.00
2017-02-05 22:00	5			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 22:00	8			0.77	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2017-02-05 22:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 22:00	12	0.06	0.40	1.12	2.00			0.00	0.00	20.90	20.90			0.00	0.10
2017-02-05 22:00	13			1.82	2.00			0.00	0.00	20.92	21.50	0.00	0.00	0.00	0.00
2017-02-05 23:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90				
2017-02-05 23:00	2	0.31	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 23:00	5			3.87	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 23:00	8			0.70	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-05 23:00	10			1.98	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-05 23:00	12	0.07	0.40	1.07	2.00			0.00	0.00	20.90	20.90			0.08	0.20
2017-02-05 23:00	13			1.93	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 00:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90				

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-06 00:00	2	0.27	1.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 00:00	5			3.97	5.00			0.00	0.00	20.80	20.90	0.00	0.00	0.00	0.00
2017-02-06 00:00	8			0.80	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 00:00	10			2.00	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 00:00	12	0.12	0.50	1.05	2.00			0.00	0.00	20.90	20.90			0.17	0.30
2017-02-06 00:00	13			1.62	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 01:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.87	20.90				
2017-02-06 01:00	2	0.27	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 01:00	5			3.92	4.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2017-02-06 01:00	8			0.82	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 01:00	10			2.02	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 01:00	12	0.08	0.70	1.12	2.00			0.00	0.00	20.90	20.90			0.12	0.20
2017-02-06 01:00	13			1.93	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 02:00	1	0.04	0.60			0.00	0.00	0.00	0.00	20.78	20.90				
2017-02-06 02:00	2	0.22	2.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 02:00	5			3.97	5.00			0.00	0.00	20.60	20.60	0.00	0.10	0.00	0.00
2017-02-06 02:00	8			0.60	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 02:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 02:00	12	0.06	0.50	1.08	2.00			0.00	0.00	20.90	20.90			0.33	0.50
2017-02-06 02:00	13			1.87	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 03:00	1	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90				
2017-02-06 03:00	2	0.31	2.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 03:00	5			4.05	6.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2017-02-06 03:00	8			0.45	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 03:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 03:00	12	0.13	0.60	1.08	2.00			0.00	0.00	20.90	20.90			0.36	0.50
2017-02-06 03:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 04:00	1	0.05	0.50			0.00	0.00	0.00	0.00	20.90	20.90				
2017-02-06 04:00	2	0.20	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 04:00	5			3.95	5.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2017-02-06 04:00	8			0.70	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-06 04:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 04:00	12	0.10	0.50	1.08	2.00			0.00	0.00	20.90	20.90			0.33	0.50
2017-02-06 04:00	13			1.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 05:00	1	0.06	0.60			0.00	0.00	0.00	0.00	20.90	20.90				
2017-02-06 05:00	2	0.40	1.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 05:00	5			4.00	5.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2017-02-06 05:00	8			0.42	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 05:00	10			1.98	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 05:00	12	0.11	0.70	1.08	3.00			0.00	0.00	20.90	20.90			0.34	0.60
2017-02-06 05:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 06:00	1	0.06	0.40			0.00	0.00	0.00	0.00	20.74	20.90				
2017-02-06 06:00	2	0.30	1.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 06:00	5			3.92	5.00			0.00	0.00	20.49	20.60	0.00	0.00	0.00	0.00
2017-02-06 06:00	8			0.70	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 06:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.71	20.90			0.00	0.00
2017-02-06 06:00	12	0.17	0.90	1.05	3.00			0.00	0.00	20.90	20.90			0.06	0.50
2017-02-06 06:00	13			1.75	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 07:00	1	0.11	0.90			0.00	0.00	0.00	0.00	20.71	20.90				
2017-02-06 07:00	2	0.16	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 07:00	5			3.93	6.00			0.00	0.00	20.53	20.60	0.00	0.10	0.00	0.00
2017-02-06 07:00	8			0.25	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2017-02-06 07:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 07:00	12	0.16	0.60	1.07	2.00			0.00	0.00	20.90	20.90			0.00	0.10
2017-02-06 07:00	13			1.78	3.00			0.00	0.00	20.90	20.90	0.00	0.00		
2017-02-06 08:00	1	0.09	0.70			0.00	0.00	0.00	0.00	20.90	20.90				
2017-02-06 08:00	2	0.31	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 08:00	5			3.87	4.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2017-02-06 08:00	8			0.22	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.40
2017-02-06 08:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 08:00	12	0.21	0.80	1.30	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 08:00	13			1.77	4.00			0.00	0.00	20.90	20.90	0.00	0.00		

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2017-02-06 09:00	1	0.22	0.70			0.00	0.00	0.00	0.00	20.90	20.90				
2017-02-06 09:00	2	0.11	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 09:00	5			3.93	5.00			0.00	0.00	20.62	20.70	0.00	0.00	0.00	0.00
2017-02-06 09:00	8			0.77	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.40
2017-02-06 09:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 09:00	12	0.19	0.60	1.25	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 09:00	13			1.68	4.00			0.00	0.00	20.90	20.90	0.00	0.00		
2017-02-06 10:00	1	0.12	0.50			0.00	0.00	0.00	0.00	20.90	20.90				
2017-02-06 10:00	2	0.18	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 10:00	5			3.85	5.00			0.00	0.00	20.66	20.70	0.00	0.00	0.00	0.00
2017-02-06 10:00	8			0.78	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.10
2017-02-06 10:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 10:00	12	0.16	0.70	1.58	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 10:00	13			1.70	3.00			0.00	0.00	20.90	20.90	0.00	0.00		
2017-02-06 11:00	1	0.21	0.80			0.00	0.00	0.00	0.00	20.90	20.90				
2017-02-06 11:00	2	0.09	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 11:00	5			4.00	6.00			0.00	0.00	20.69	20.70	0.00	0.00	0.00	0.00
2017-02-06 11:00	8			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.20
2017-02-06 11:00	10			2.02	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 11:00	12	0.23	0.70	1.82	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2017-02-06 11:00	13			1.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00		