

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-25 12:00	1	0.06	0.60			0.00	0.00	0.00	0.00	20.53	20.60			0.10	1.60
2016-02-25 12:00	2	0.15	0.50					0.00	0.00	20.54	20.70			0.45	0.50
2016-02-25 12:00	5			3.71	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.02	0.30
2016-02-25 12:00	8			1.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.48	1.30
2016-02-25 12:00	10			1.73	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 12:00	12	0.54	1.30	0.97	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 12:00	13			1.68	3.00			0.00	0.00	20.69	20.70	0.00	0.00	0.00	0.00
2016-02-25 13:00	1	0.07	0.40			0.00	0.00	0.00	0.00	20.54	20.60			0.15	0.80
2016-02-25 13:00	2	0.17	0.70					0.00	0.00	20.60	20.60			0.48	0.70
2016-02-25 13:00	5			3.74	4.00			0.00	0.00	20.92	21.40	0.00	0.00	0.03	0.30
2016-02-25 13:00	8			1.32	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.59	1.30
2016-02-25 13:00	10			1.68	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 13:00	12	0.42	0.90	1.14	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 13:00	13			1.68	2.00			0.00	0.00	20.88	20.90	0.00	0.00	0.00	0.00
2016-02-25 14:00	1	0.05	0.60			0.00	0.10	0.00	0.00	20.50	20.60			0.02	0.80
2016-02-25 14:00	2	0.29	0.90					0.00	0.00	20.55	20.60			0.41	0.50
2016-02-25 14:00	5			3.50	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.40
2016-02-25 14:00	8			1.15	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.75	1.30
2016-02-25 14:00	10			1.85	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 14:00	12	0.50	1.50	0.46	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 14:00	13			1.79	2.00			0.00	0.00	20.72	20.90	0.00	0.00	0.00	0.00
2016-02-25 15:00	1	0.07	0.40			0.00	0.10	0.00	0.00	20.52	20.60			0.20	0.80
2016-02-25 15:00	2	0.12	0.40					0.00	0.00	20.60	20.60			0.33	0.50
2016-02-25 15:00	5			3.58	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.03	0.60
2016-02-25 15:00	8			1.20	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.49	1.30
2016-02-25 15:00	10			1.61	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 15:00	12	0.68	1.50	0.90	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 15:00	13			1.88	2.00			0.00	0.00	20.87	20.90	0.00	0.00	0.00	0.00
2016-02-25 16:00	1	0.05	0.40			0.00	0.00	0.00	0.00	20.52	20.60			0.17	1.60
2016-02-25 16:00	2	0.15	0.60					0.00	0.00	20.61	20.70			0.30	0.50
2016-02-25 16:00	5			3.53	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.04	0.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-25 16:00	8			1.84	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.61	1.30
2016-02-25 16:00	10			1.88	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 16:00	12	0.34	1.30	0.90	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 16:00	13			1.56	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-25 17:00	1	0.07	0.40			0.00	0.00	0.00	0.00	20.55	20.60			0.20	1.60
2016-02-25 17:00	2	0.21	1.70					0.00	0.00	20.57	20.60			0.34	0.50
2016-02-25 17:00	5			3.51	4.00			0.00	0.00	20.90	20.90	0.02	0.10	0.02	0.40
2016-02-25 17:00	8			1.53	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.51	1.30
2016-02-25 17:00	10			1.76	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 17:00	12	0.32	0.80	1.00	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 17:00	13			1.53	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-25 18:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.57	20.60			0.10	0.80
2016-02-25 18:00	2	0.16	0.60					0.00	0.00	20.61	20.70			0.41	0.50
2016-02-25 18:00	5			3.61	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.01	0.20
2016-02-25 18:00	8			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.65	1.30
2016-02-25 18:00	10			1.50	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 18:00	12	0.36	0.90	0.83	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 18:00	13			1.61	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-25 19:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2016-02-25 19:00	2	0.22	0.60					0.00	0.00	20.60	20.60			0.49	0.60
2016-02-25 19:00	5			3.17	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.10
2016-02-25 19:00	8			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.74	1.70
2016-02-25 19:00	10			1.50	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 19:00	12	0.40	0.90	0.64	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 19:00	13			1.44	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-25 20:00	1	0.05	0.40			0.00	0.00	0.00	0.00	20.49	20.50			0.00	0.00
2016-02-25 20:00	2	0.21	0.60					0.00	0.00	20.62	20.70			0.51	0.70
2016-02-25 20:00	5			3.53	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.10
2016-02-25 20:00	8			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.71	1.30
2016-02-25 20:00	10			1.56	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 20:00	12	0.36	0.80	0.50	1.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-25 20:00	13			1.51	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-25 21:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.49	20.50			0.02	0.80
2016-02-25 21:00	2	0.20	0.80					0.00	0.00	20.60	20.60			0.54	0.70
2016-02-25 21:00	5			3.65	5.00			0.00	0.00	20.90	20.90	0.01	0.10	0.01	0.20
2016-02-25 21:00	8			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.81	1.70
2016-02-25 21:00	10			1.73	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 21:00	12	0.51	1.20	0.33	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 21:00	13			1.70	3.00			0.00	0.00	20.62	20.90	0.00	0.00	0.00	0.00
2016-02-25 22:00	1	0.02	0.70			0.00	0.00	0.00	0.00	20.45	20.50			0.00	0.00
2016-02-25 22:00	2	0.24	0.80					0.00	0.00	20.57	20.60			0.60	0.80
2016-02-25 22:00	5			3.50	4.00			0.00	0.00	20.91	21.40	0.00	0.10	0.01	0.20
2016-02-25 22:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.90	1.70
2016-02-25 22:00	10			1.66	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 22:00	12	0.50	1.20	0.62	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 22:00	13			1.79	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2016-02-25 23:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.40	20.50			0.00	0.00
2016-02-25 23:00	2	0.25	0.70					0.00	0.00	20.52	20.60			0.60	0.80
2016-02-25 23:00	5			3.37	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.01	0.20
2016-02-25 23:00	8			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.90	2.10
2016-02-25 23:00	10			1.64	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 23:00	12	0.55	1.30	0.45	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-25 23:00	13			1.67	3.00			0.00	0.00	20.63	20.70	0.00	0.00	0.00	0.00
2016-02-26 00:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2016-02-26 00:00	2	0.27	0.70					0.00	0.00	20.51	20.60			0.69	1.00
2016-02-26 00:00	5			3.26	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.02	0.30
2016-02-26 00:00	8			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.99	2.10
2016-02-26 00:00	10			1.30	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 00:00	12	0.48	0.90	0.26	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 00:00	13			1.54	2.00			0.00	0.00	20.63	20.70	0.00	0.00	0.00	0.00
2016-02-26 01:00	1	0.05	0.30			0.00	0.00	0.00	0.00	20.38	20.40			0.02	0.80
2016-02-26 01:00	2	0.22	0.80					0.00	0.00	20.51	20.60			0.56	0.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-26 01:00	5			3.38	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.01	0.30
2016-02-26 01:00	8			0.95	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.94	2.10
2016-02-26 01:00	10			1.63	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 01:00	12	0.56	1.30	0.27	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 01:00	13			1.68	2.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2016-02-26 02:00	1	0.05	0.40			0.00	0.00	0.00	0.00	20.38	20.40			0.00	0.00
2016-02-26 02:00	2	0.27	1.40					0.00	0.00	20.52	20.60			0.57	0.70
2016-02-26 02:00	5			3.35	5.00			0.00	0.00	20.90	20.90	0.02	0.10	0.01	0.20
2016-02-26 02:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.93	2.10
2016-02-26 02:00	10			1.58	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 02:00	12	0.63	1.20	0.82	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 02:00	13			1.73	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2016-02-26 03:00	1	0.04	0.80			0.00	0.00	0.00	0.00	20.40	20.40			0.04	0.80
2016-02-26 03:00	2	0.26	2.10					0.00	0.00	20.52	20.60			0.56	0.70
2016-02-26 03:00	5			3.31	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.02	0.30
2016-02-26 03:00	8			1.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.81	1.70
2016-02-26 03:00	10			1.54	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 03:00	12	0.55	1.10	0.71	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 03:00	13			1.79	2.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2016-02-26 04:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.40	20.50			0.04	0.80
2016-02-26 04:00	2	0.22	0.70					0.00	0.00	20.50	20.60			0.66	0.80
2016-02-26 04:00	5			3.45	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.01	0.10
2016-02-26 04:00	8			1.02	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.00	2.10
2016-02-26 04:00	10			1.73	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 04:00	12	0.50	1.20	0.40	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 04:00	13			1.64	2.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.00
2016-02-26 05:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.40	20.50			0.00	0.00
2016-02-26 05:00	2	0.31	0.80					0.00	0.00	20.52	20.90			0.75	0.90
2016-02-26 05:00	5			3.24	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2016-02-26 05:00	8			1.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.91	1.70
2016-02-26 05:00	10			1.19	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-26 05:00	12	0.57	0.90	0.63	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 05:00	13			1.61	3.00			0.00	0.00	20.59	20.60	0.00	0.00	0.07	0.30
2016-02-26 06:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.33	20.40			0.02	0.80
2016-02-26 06:00	2	0.35	0.80					0.00	0.00	20.52	20.60			0.76	0.80
2016-02-26 06:00	5			3.38	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.01	0.10
2016-02-26 06:00	8			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.89	1.70
2016-02-26 06:00	10			1.75	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 06:00	12	0.61	1.30	0.43	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 06:00	13			1.82	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.31	0.50
2016-02-26 07:00	1	0.05	0.40			0.00	0.00	0.00	0.00	20.36	20.40			0.00	0.00
2016-02-26 07:00	2	0.44	1.00					0.00	0.00	20.48	20.50			0.72	0.90
2016-02-26 07:00	5			3.62	4.00			0.00	0.00	20.82	20.90	0.01	0.10	0.02	0.30
2016-02-26 07:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.77	1.70
2016-02-26 07:00	10			1.40	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 07:00	12	0.71	1.30	0.68	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 07:00	13			1.65	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.40	0.70
2016-02-26 08:00	1	0.07	0.70			0.01	0.10	0.00	0.00	20.44	20.50			0.12	0.80
2016-02-26 08:00	2	0.40	0.80			0.00	0.00	0.00	0.00	20.61	20.90			0.40	0.70
2016-02-26 08:00	5			3.46	4.00			0.00	0.00	20.88	20.90	0.01	0.10	0.01	0.30
2016-02-26 08:00	8			0.97	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.84	2.10
2016-02-26 08:00	10			1.43	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 08:00	12	1.03	10.90	0.26	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 08:00	13			1.71	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.05	0.30
2016-02-26 09:00	1	0.08	0.90			0.00	0.10	0.00	0.00	20.57	20.60			0.06	0.80
2016-02-26 09:00	2	0.38	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2016-02-26 09:00	5			3.47	4.00			0.00	0.00	20.90	20.90	0.02	0.10	0.01	0.20
2016-02-26 09:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.64	1.30
2016-02-26 09:00	10			1.56	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 09:00	12	0.63	1.20	0.55	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 09:00	13			1.65	3.00			0.00	0.00	20.79	20.90	0.00	0.00	0.00	0.00
2016-02-26 10:00	1	0.03	0.50			0.00	0.00	0.00	0.00	20.55	20.60			0.14	0.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-26 10:00	2	0.36	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2016-02-26 10:00	5			3.43	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.04	0.60
2016-02-26 10:00	8			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.76	1.30
2016-02-26 10:00	10			1.78	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 10:00	12	0.48	1.20	0.44	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 10:00	13			1.61	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-26 11:00	1	0.06	0.60			0.00	0.00	0.00	0.00	20.56	20.60			0.04	0.80
2016-02-26 11:00	2	0.49	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.20
2016-02-26 11:00	5			3.36	4.00			0.00	0.00	20.90	20.90	0.02	0.10	0.04	0.60
2016-02-26 11:00	8			1.15	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.70	1.70
2016-02-26 11:00	10			1.66	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 11:00	12	0.51	0.90	0.61	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 11:00	13			1.56	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-26 12:00	1	0.07	0.40			0.00	0.10	0.00	0.00	20.54	20.60			0.15	0.80
2016-02-26 12:00	2	0.53	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.20
2016-02-26 12:00	5			3.51	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.00	0.10
2016-02-26 12:00	8			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.49	1.70
2016-02-26 12:00	10			1.77	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 12:00	12	0.56	1.20	1.32	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 12:00	13			1.31	3.00			0.00	0.00	20.79	20.90	0.00	0.00	0.00	0.00
2016-02-26 13:00	1	0.06	0.50			0.00	0.00	0.00	0.00	20.57	20.60			0.37	1.60
2016-02-26 13:00	2	0.50	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2016-02-26 13:00	5			3.51	4.00			0.00	0.00	20.91	21.40	0.01	0.10	0.03	0.30
2016-02-26 13:00	8			1.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.46	1.70
2016-02-26 13:00	10			1.68	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 13:00	12	0.58	1.10	0.48	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 13:00	13			1.59	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-26 14:00	1	0.08	0.50			0.01	0.10	0.00	0.00	20.59	20.60			0.42	1.60
2016-02-26 14:00	2	0.45	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2016-02-26 14:00	5			3.32	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.03	0.40
2016-02-26 14:00	8			1.53	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.46	1.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-26 14:00	10			1.83	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 14:00	12	0.56	1.20	0.29	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 14:00	13			1.57	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-26 15:00	1	0.09	0.50			0.01	0.10	0.00	0.00	20.64	20.70			0.32	1.60
2016-02-26 15:00	2	0.40	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2016-02-26 15:00	5			3.79	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.30
2016-02-26 15:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.45	1.30
2016-02-26 15:00	10			1.91	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 15:00	12	0.37	1.10	0.67	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 15:00	13			1.86	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-26 16:00	1	0.07	0.50			0.00	0.00	0.00	0.00	20.63	20.70			0.36	2.40
2016-02-26 16:00	2	0.40	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2016-02-26 16:00	5			3.66	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.30
2016-02-26 16:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.51	1.30
2016-02-26 16:00	10			2.00	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 16:00	12	0.44	1.10	1.47	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 16:00	13			1.81	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-26 17:00	1	0.04	0.80			0.00	0.00	0.00	0.00	20.56	20.60			0.18	1.60
2016-02-26 17:00	2	0.37	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2016-02-26 17:00	5			3.37	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.30
2016-02-26 17:00	8			1.66	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.50	1.30
2016-02-26 17:00	10			1.73	3.00	0.00	0.00	0.00	0.00	20.99	21.20			0.00	0.00
2016-02-26 17:00	12	0.16	0.70	0.85	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 17:00	13			1.68	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-26 18:00	1	0.09	0.60			0.00	0.00	0.00	0.00	20.55	20.60			0.12	1.60
2016-02-26 18:00	2	0.41	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.20
2016-02-26 18:00	5			3.68	5.00			0.00	0.00	20.90	20.90			0.03	0.40
2016-02-26 18:00	8			1.21	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.73	1.30
2016-02-26 18:00	10			1.82	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 18:00	12	0.30	0.80	0.60	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 18:00	13			1.51	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-26 19:00	1	0.18	0.60			0.00	0.00	0.00	0.00	20.56	20.60			0.00	0.00
2016-02-26 19:00	2	0.73	4.40			0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.30
2016-02-26 19:00	5			3.63	5.00			0.00	0.00	20.90	20.90			0.01	0.10
2016-02-26 19:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.76	1.70
2016-02-26 19:00	10			1.69	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 19:00	12	0.58	1.20	0.73	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 19:00	13			1.71	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-26 20:00	1	0.16	0.50			0.00	0.00	0.00	0.00	20.49	20.60			0.04	0.80
2016-02-26 20:00	2	0.59	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.22	0.40
2016-02-26 20:00	5			3.67	5.00			0.00	0.00	20.90	20.90			0.01	0.10
2016-02-26 20:00	8			0.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	1.04	1.70
2016-02-26 20:00	10			1.47	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 20:00	12	0.69	1.30	0.47	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 20:00	13			1.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-26 21:00	1	0.11	0.60			0.00	0.00	0.00	0.00	20.49	20.50			0.02	0.80
2016-02-26 21:00	2	0.71	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.50
2016-02-26 21:00	5			3.50	4.00			0.00	0.00	20.90	20.90			0.01	0.20
2016-02-26 21:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.92	2.10
2016-02-26 21:00	10			1.50	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 21:00	12	0.61	1.50	0.65	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 21:00	13			1.49	3.00			0.00	0.00	20.62	20.90	0.00	0.00	0.00	0.00
2016-02-26 22:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.44	20.50			0.04	0.80
2016-02-26 22:00	2	0.65	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.36	0.60
2016-02-26 22:00	5			3.42	5.00			0.00	0.00	20.90	20.90			0.00	0.10
2016-02-26 22:00	8			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.84	1.70
2016-02-26 22:00	10			1.78	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 22:00	12	0.65	1.20	0.32	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 22:00	13			1.81	3.00			0.00	0.00	20.65	20.70	0.00	0.00	0.05	0.30
2016-02-26 23:00	1	0.04	0.50			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2016-02-26 23:00	2	0.59	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.39	0.70
2016-02-26 23:00	5			3.70	4.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-26 23:00	8			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.83	1.70
2016-02-26 23:00	10			1.82	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 23:00	12	0.58	1.50	0.44	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-26 23:00	13			1.68	2.00			0.00	0.00	20.65	20.70	0.00	0.00	0.15	0.30
2016-02-27 00:00	1	0.04	0.60			0.00	0.00	0.00	0.00	20.37	20.40			0.00	0.00
2016-02-27 00:00	2	0.56	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.33	0.50
2016-02-27 00:00	5			3.62	4.00			0.00	0.00	20.90	20.90			0.01	0.20
2016-02-27 00:00	8			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.98	1.70
2016-02-27 00:00	10			1.55	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 00:00	12	0.51	1.20	0.57	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 00:00	13			1.67	3.00			0.00	0.00	20.64	20.70	0.00	0.00	0.30	0.40
2016-02-27 01:00	1	0.06	0.40			0.00	0.00	0.00	0.00	20.35	20.40			0.00	0.00
2016-02-27 01:00	2	0.60	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.42	0.60
2016-02-27 01:00	5			3.83	4.00			0.00	0.00	20.90	20.90			0.02	0.30
2016-02-27 01:00	8			1.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.96	1.70
2016-02-27 01:00	10			1.71	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 01:00	12	0.54	1.30	0.71	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 01:00	13			1.59	3.00			0.00	0.00	20.66	20.70	0.00	0.00	0.40	0.70
2016-02-27 02:00	1	0.09	0.70			0.00	0.00	0.00	0.00	20.37	20.40			0.00	0.00
2016-02-27 02:00	2	0.57	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.39	0.70
2016-02-27 02:00	5			3.49	4.00			0.00	0.00	20.90	20.90			0.01	0.20
2016-02-27 02:00	8			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.78	1.70
2016-02-27 02:00	10			1.66	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 02:00	12	0.72	1.20	0.46	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 02:00	13			1.79	2.00			0.00	0.00	20.62	20.70	0.00	0.00	0.66	0.80
2016-02-27 03:00	1	0.05	0.50			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2016-02-27 03:00	2	0.59	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.38	0.50
2016-02-27 03:00	5			3.41	4.00			0.00	0.00	20.90	20.90			0.01	0.20
2016-02-27 03:00	8			0.95	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.88	1.70
2016-02-27 03:00	10			1.62	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 03:00	12	0.76	1.50	0.50	1.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-27 03:00	13			1.72	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.76	1.00
2016-02-27 04:00	1	0.05	0.30			0.00	0.00	0.00	0.00	20.39	20.40			0.04	0.80
2016-02-27 04:00	2	0.51	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.38	0.50
2016-02-27 04:00	5			3.76	6.00			0.00	0.00	20.90	20.90			0.02	0.30
2016-02-27 04:00	8			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.94	1.70
2016-02-27 04:00	10			1.58	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 04:00	12	0.71	1.60	1.10	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 04:00	13			1.54	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.91	1.00
2016-02-27 05:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.38	20.40			0.06	0.80
2016-02-27 05:00	2	0.68	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.41	0.50
2016-02-27 05:00	5			3.87	4.00			0.00	0.00	20.90	20.90			0.01	0.10
2016-02-27 05:00	8			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.82	1.70
2016-02-27 05:00	10			1.88	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 05:00	12	0.70	1.70	0.59	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 05:00	13			1.98	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.89	1.00
2016-02-27 06:00	1	0.08	0.50			0.00	0.00	0.00	0.00	20.33	20.40			0.00	0.00
2016-02-27 06:00	2	0.58	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.60
2016-02-27 06:00	5			3.89	4.00			0.00	0.00	20.90	20.90			0.02	0.30
2016-02-27 06:00	8			1.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.89	1.70
2016-02-27 06:00	10			1.82	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 06:00	12	0.77	1.60	0.45	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 06:00	13			1.92	3.00			0.00	0.00	20.59	20.60	0.00	0.00	0.75	1.00
2016-02-27 07:00	1	0.18	0.70			0.00	0.00	0.00	0.00	20.39	20.50			0.00	0.00
2016-02-27 07:00	2	0.73	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.26	0.50
2016-02-27 07:00	5			3.68	4.00			0.00	0.00	20.90	20.90			0.03	0.40
2016-02-27 07:00	8			1.02	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.88	1.70
2016-02-27 07:00	10			1.81	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 07:00	12	0.85	1.50	0.93	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 07:00	13			1.81	2.00			0.00	0.00	20.57	20.60	0.00	0.00	0.79	1.10
2016-02-27 08:00	1	0.13	0.60					0.00	0.00	20.53	20.60				
2016-02-27 08:00	2	0.45	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-27 08:00	5			3.81	4.00			0.00	0.00	20.90	20.90			0.05	0.30
2016-02-27 08:00	8			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.59	1.30
2016-02-27 08:00	10			1.97	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 08:00	12	0.73	1.50	0.84	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 08:00	13			1.84	2.00			0.00	0.00	20.73	20.90	0.00	0.00	0.06	0.30
2016-02-27 09:00	1	0.19	0.60					0.00	0.00	20.62	20.70				
2016-02-27 09:00	2	0.43	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 09:00	5			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2016-02-27 09:00	8			1.42	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.51	1.30
2016-02-27 09:00	10			1.92	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 09:00	12	0.61	1.20	0.73	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 09:00	13			1.89	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 10:00	1	0.23	0.80					0.00	0.00	20.83	20.90				
2016-02-27 10:00	2	0.32	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 10:00	5			3.89	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2016-02-27 10:00	8			1.90	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.19	0.80
2016-02-27 10:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 10:00	12	0.66	1.10	0.83	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 10:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 11:00	1	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.20	1.60
2016-02-27 11:00	2	0.30	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 11:00	5			3.94	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 11:00	8			3.24	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.80
2016-02-27 11:00	10			1.94	2.00	0.00	0.00	0.00	0.00	21.11	21.20			0.00	0.00
2016-02-27 11:00	12	0.72	1.20	0.81	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 11:00	13			1.84	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 12:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.36	2.40
2016-02-27 12:00	2	0.17	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 12:00	5			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 12:00	8			4.23	5.00			0.00	0.00	21.19	21.30	0.00	0.00	0.01	0.40
2016-02-27 12:00	10			2.23	3.00	0.00	0.00	0.00	0.00	21.24	21.40			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-27 12:00	12	0.63	1.20	1.46	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 12:00	13			1.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 13:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.43	4.00
2016-02-27 13:00	2	0.09	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 13:00	5			3.84	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 13:00	8			5.90	9.00			0.00	0.00	21.28	21.30	0.00	0.00	0.05	0.80
2016-02-27 13:00	10			2.82	4.00	0.00	0.00	0.00	0.00	21.33	21.40			0.00	0.00
2016-02-27 13:00	12	0.51	1.20	1.53	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 13:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 14:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.80	3.20
2016-02-27 14:00	2	0.20	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 14:00	5			3.86	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 14:00	8			4.76	8.00			0.00	0.00	21.31	21.40	0.00	0.00	0.19	0.80
2016-02-27 14:00	10			2.94	3.00	0.00	0.00	0.00	0.00	21.38	21.50			0.00	0.00
2016-02-27 14:00	12	0.33	0.80	1.92	3.00			0.00	0.00	20.92	21.20			0.00	0.00
2016-02-27 14:00	13			2.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 15:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.31	1.60
2016-02-27 15:00	2	0.14	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 15:00	5			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 15:00	8			4.44	6.00			0.00	0.00	21.33	21.40	0.00	0.00	0.02	0.40
2016-02-27 15:00	10			3.03	4.00	0.00	0.00	0.00	0.00	21.43	21.50			0.00	0.00
2016-02-27 15:00	12	0.23	0.80	2.59	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 15:00	13			2.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.10	1.60
2016-02-27 16:00	2	0.14	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 16:00	5			3.87	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 16:00	8			4.95	8.00			0.00	0.00	21.36	21.40	0.00	0.00	0.17	0.80
2016-02-27 16:00	10			2.95	4.00	0.00	0.00	0.00	0.00	21.41	21.50			0.00	0.00
2016-02-27 16:00	12	0.13	0.50	2.60	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 16:00	13			2.03	3.00			0.00	0.00	20.94	21.20	0.00	0.00	0.00	0.00
2016-02-27 17:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.14	2.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-27 17:00	2	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 17:00	5			3.83	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 17:00	8			4.55	6.00			0.00	0.00	21.36	21.40	0.00	0.00	0.30	0.80
2016-02-27 17:00	10			2.55	3.00	0.00	0.00	0.00	0.00	21.44	21.50			0.00	0.00
2016-02-27 17:00	12	0.04	0.50	2.08	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 17:00	13			1.95	3.00			0.00	0.00	21.22	21.30	0.00	0.00	0.00	0.00
2016-02-27 18:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.25	1.60
2016-02-27 18:00	2	0.25	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 18:00	5			3.88	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 18:00	8			2.77	4.00			0.00	0.00	21.29	21.40	0.00	0.00	0.62	1.70
2016-02-27 18:00	10			2.11	3.00	0.00	0.00	0.00	0.00	21.37	21.50			0.00	0.00
2016-02-27 18:00	12	0.21	0.70	1.87	18.00			0.00	0.00	20.90	20.90			0.06	0.10
2016-02-27 18:00	13			1.77	2.00			0.00	0.00	21.08	21.30	0.00	0.00	0.00	0.00
2016-02-27 19:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 19:00	2	0.35	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 19:00	5			3.85	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 19:00	8			1.92	2.00			0.00	0.00	21.18	21.30	0.00	0.00	0.66	1.30
2016-02-27 19:00	10			1.97	2.00	0.00	0.00	0.00	0.00	21.27	21.40			0.00	0.00
2016-02-27 19:00	12	0.35	1.10	1.66	16.00			0.00	0.00	20.90	20.90			0.10	0.20
2016-02-27 19:00	13			1.79	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 20:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 20:00	2	0.24	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 20:00	5			3.73	5.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2016-02-27 20:00	8			1.78	2.00			0.00	0.00	20.93	21.30	0.00	0.00	0.74	1.70
2016-02-27 20:00	10			2.03	3.00	0.00	0.00	0.00	0.00	21.21	21.30			0.00	0.00
2016-02-27 20:00	12	0.32	0.90	1.08	2.00			0.00	0.00	20.90	20.90			0.10	0.10
2016-02-27 20:00	13			1.88	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 21:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 21:00	2	0.30	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 21:00	5			3.86	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 21:00	8			2.07	4.00			0.00	0.00	20.91	21.10	0.00	0.00	0.72	1.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-27 21:00	10			1.95	2.00	0.00	0.00	0.00	0.00	21.19	21.30			0.00	0.00
2016-02-27 21:00	12	0.33	1.10	1.37	12.00			0.00	0.00	20.90	20.90			0.08	0.20
2016-02-27 21:00	13			1.82	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 22:00	2	0.19	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 22:00	5			3.80	5.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2016-02-27 22:00	8			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.71	1.30
2016-02-27 22:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.21	21.30			0.00	0.00
2016-02-27 22:00	12	0.29	1.20	2.08	16.00			0.00	0.00	20.90	20.90			0.08	0.20
2016-02-27 22:00	13			1.92	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 23:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 23:00	2	0.29	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-27 23:00	5			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-27 23:00	8			2.00	2.00			0.00	0.00	21.01	21.20	0.00	0.00	0.68	1.30
2016-02-27 23:00	10			1.97	3.00	0.00	0.00	0.00	0.00	21.19	21.30			0.00	0.00
2016-02-27 23:00	12	0.29	1.30	1.14	4.00			0.00	0.00	20.90	20.90			0.09	0.20
2016-02-27 23:00	13			1.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 00:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.80
2016-02-28 00:00	2	0.20	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 00:00	5			3.90	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 00:00	8			1.88	2.00			0.00	0.00	21.02	21.20	0.00	0.00	0.78	1.70
2016-02-28 00:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.23	21.60			0.00	0.00
2016-02-28 00:00	12	0.28	0.70	1.10	2.00			0.00	0.00	20.90	20.90			0.11	0.20
2016-02-28 00:00	13			1.98	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 01:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 01:00	2	0.24	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 01:00	5			3.89	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 01:00	8			1.66	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.77	1.70
2016-02-28 01:00	10			2.03	3.00	0.00	0.00	0.00	0.00	21.19	21.30			0.00	0.00
2016-02-28 01:00	12	0.36	0.80	1.05	3.00			0.00	0.00	20.90	20.90			0.11	0.20
2016-02-28 01:00	13			1.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-28 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 02:00	2	0.20	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 02:00	5			3.69	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 02:00	8			1.59	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.83	1.70
2016-02-28 02:00	10			1.97	3.00	0.00	0.00	0.00	0.00	21.19	21.30			0.00	0.00
2016-02-28 02:00	12	0.32	1.10	1.08	2.00			0.00	0.00	20.83	20.90			0.11	0.20
2016-02-28 02:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 03:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.80
2016-02-28 03:00	2	0.25	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 03:00	5			3.70	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 03:00	8			1.63	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.67	1.30
2016-02-28 03:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.15	21.20			0.00	0.00
2016-02-28 03:00	12	0.30	1.10	1.31	4.00			0.00	0.00	20.63	20.70			0.11	0.20
2016-02-28 03:00	13			1.71	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 04:00	2	0.21	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 04:00	5			3.74	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 04:00	8			1.74	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.77	1.70
2016-02-28 04:00	10			2.00	3.00	0.00	0.00	0.00	0.00	21.08	21.20			0.00	0.00
2016-02-28 04:00	12	0.33	1.10	1.65	22.00			0.00	0.00	20.63	20.70			0.11	0.20
2016-02-28 04:00	13			1.87	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 05:00	2	0.28	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 05:00	5			3.71	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 05:00	8			1.88	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.71	1.30
2016-02-28 05:00	10			1.95	2.00	0.00	0.00	0.00	0.00	21.07	21.20			0.00	0.00
2016-02-28 05:00	12	0.34	0.90	1.20	5.00			0.00	0.00	20.66	20.70			0.14	0.20
2016-02-28 05:00	13			1.81	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 06:00	2	0.24	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 06:00	5			3.78	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-28 06:00	8			1.82	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.60	1.30
2016-02-28 06:00	10			1.92	3.00	0.00	0.00	0.00	0.00	21.14	21.30			0.00	0.00
2016-02-28 06:00	12	0.30	0.80	1.10	2.00			0.00	0.00	20.63	20.70			0.13	0.20
2016-02-28 06:00	13			1.86	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 07:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 07:00	2	0.28	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 07:00	5			3.87	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 07:00	8			1.78	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.70	1.30
2016-02-28 07:00	10			1.98	2.00	0.00	0.00	0.00	0.00	21.01	21.20			0.00	0.00
2016-02-28 07:00	12	0.36	0.80	1.15	4.00			0.00	0.00	20.60	20.70			0.12	0.20
2016-02-28 07:00	13			1.92	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 08:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.31	1.60
2016-02-28 08:00	2	0.33	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 08:00	5			3.85	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 08:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	1.70
2016-02-28 08:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.99	21.20			0.00	0.00
2016-02-28 08:00	12	0.44	1.50	1.25	4.00			0.00	0.00	20.59	20.60			0.10	0.20
2016-02-28 08:00	13			2.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 09:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.06	1.60
2016-02-28 09:00	2	0.26	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 09:00	5			3.90	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 09:00	8			2.20	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	0.80
2016-02-28 09:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.18	21.30			0.00	0.00
2016-02-28 09:00	12	0.42	0.90	1.08	2.00			0.00	0.00	20.66	20.70			0.09	0.10
2016-02-28 09:00	13			1.86	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 10:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.21	1.60
2016-02-28 10:00	2	0.19	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 10:00	5			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 10:00	8			3.15	4.00			0.00	0.00	20.92	21.20	0.00	0.00	0.07	0.40
2016-02-28 10:00	10			2.31	3.00	0.00	0.00	0.00	0.00	21.25	21.40			0.00	0.00
2016-02-28 10:00	12	0.37	0.90	1.38	3.00			0.00	0.00	20.90	20.90			0.05	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-28 10:00	13			1.90	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 11:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.24	1.60
2016-02-28 11:00	2	0.15	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 11:00	5			3.83	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2016-02-28 11:00	8			3.98	5.00			0.00	0.00	21.20	21.30	0.00	0.00	0.05	0.40
2016-02-28 11:00	10			2.86	3.00	0.00	0.00	0.00	0.00	21.32	21.40			0.00	0.00
2016-02-28 11:00	12	0.33	0.80	1.74	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 11:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 12:00	1	0.06	0.50			0.00	0.10	0.00	0.00	20.90	20.90			0.91	3.20
2016-02-28 12:00	2	0.14	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 12:00	5			3.94	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2016-02-28 12:00	8			3.66	4.00			0.00	0.00	21.28	21.30	0.00	0.00	0.04	0.40
2016-02-28 12:00	10			3.55	5.00	0.00	0.00	0.00	0.00	21.35	21.40			0.00	0.00
2016-02-28 12:00	12	0.32	0.80	1.95	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 12:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 13:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.78	2.40
2016-02-28 13:00	2	0.07	0.50			0.00	0.00	0.00	0.00	20.98	21.20			0.00	0.00
2016-02-28 13:00	5			3.75	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2016-02-28 13:00	8			4.54	5.00			0.00	0.00	21.31	21.40	0.00	0.00	0.06	0.80
2016-02-28 13:00	10			4.15	5.00	0.00	0.00	0.00	0.00	21.40	21.50			0.00	0.00
2016-02-28 13:00	12	0.16	0.70	1.92	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 13:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 14:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.19	1.60
2016-02-28 14:00	2	0.09	0.50			0.00	0.00	0.00	0.00	21.14	21.20			0.00	0.00
2016-02-28 14:00	5			3.89	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 14:00	8			4.23	8.00			0.00	0.00	21.32	21.40	0.00	0.00	0.14	0.80
2016-02-28 14:00	10			3.49	4.00	0.00	0.00	0.00	0.00	21.39	21.50			0.00	0.00
2016-02-28 14:00	12	0.06	0.30	3.16	18.00			0.00	0.00	20.90	20.90			0.00	0.10
2016-02-28 14:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 15:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.80
2016-02-28 15:00	2	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-28 15:00	5			3.80	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 15:00	8			3.05	4.00			0.00	0.00	21.25	21.30	0.00	0.00	0.15	0.80
2016-02-28 15:00	10			3.15	4.00	0.00	0.00	0.00	0.00	21.33	21.50			0.00	0.00
2016-02-28 15:00	12	0.04	0.30	1.92	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 15:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 16:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.80
2016-02-28 16:00	2	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2016-02-28 16:00	5			3.85	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 16:00	8			3.79	6.00			0.00	0.00	21.22	21.30	0.00	0.00	0.18	0.80
2016-02-28 16:00	10			2.89	3.00	0.00	0.00	0.00	0.00	21.33	21.40			0.00	0.00
2016-02-28 16:00	12	0.01	0.10	1.84	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 16:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 17:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.80
2016-02-28 17:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2016-02-28 17:00	5			3.79	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 17:00	8			3.82	4.00			0.00	0.00	21.30	21.30	0.00	0.00	0.35	1.30
2016-02-28 17:00	10			2.31	3.00	0.00	0.00	0.00	0.00	21.31	21.40			0.00	0.00
2016-02-28 17:00	12	0.01	0.20	2.44	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 17:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 18:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.38	2.40
2016-02-28 18:00	2	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.30
2016-02-28 18:00	5			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2016-02-28 18:00	8			3.19	5.00			0.00	0.00	21.23	21.30	0.00	0.00	0.47	1.30
2016-02-28 18:00	10			2.71	3.00	0.00	0.00	0.00	0.00	21.27	21.40			0.00	0.00
2016-02-28 18:00	12	0.01	0.20	1.58	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 18:00	13			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 19:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.33	2.40
2016-02-28 19:00	2	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.30
2016-02-28 19:00	5			3.90	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 19:00	8			3.05	4.00			0.00	0.00	21.21	21.30	0.00	0.00	0.41	1.30
2016-02-28 19:00	10			2.45	4.00	0.00	0.00	0.00	0.00	21.26	21.30			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-28 19:00	12	0.02	0.10	1.85	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 19:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.80
2016-02-28 20:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.26	0.50
2016-02-28 20:00	5			4.03	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 20:00	8			2.08	3.00			0.00	0.00	21.18	21.30	0.00	0.00	0.71	1.30
2016-02-28 20:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.26	21.40			0.00	0.00
2016-02-28 20:00	12	0.00	0.00	1.28	3.00			0.00	0.00	20.90	20.90			0.00	0.10
2016-02-28 20:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 21:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 21:00	2	0.08	0.50			0.01	0.10	0.00	0.00	20.90	20.90			0.35	0.70
2016-02-28 21:00	5			3.83	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2016-02-28 21:00	8			1.95	2.00			0.00	0.00	21.18	21.20	0.00	0.00	0.95	1.70
2016-02-28 21:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.22	21.30			0.00	0.00
2016-02-28 21:00	12	0.01	0.20	1.10	2.00			0.00	0.00	20.90	20.90			0.01	0.10
2016-02-28 21:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 22:00	2	0.11	0.60			0.01	0.10	0.00	0.00	20.63	20.90			0.50	0.90
2016-02-28 22:00	5			3.78	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2016-02-28 22:00	8			1.62	3.00			0.00	0.00	20.90	20.90	0.00	0.00	1.05	1.70
2016-02-28 22:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.11	21.60			0.00	0.00
2016-02-28 22:00	12	0.08	0.40	1.26	11.00			0.00	0.00	20.90	20.90			0.05	0.10
2016-02-28 22:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 23:00	2	0.12	0.60			0.01	0.10	0.00	0.00	20.60	20.70			0.61	0.80
2016-02-28 23:00	5			3.68	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-28 23:00	8			1.28	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.13	2.10
2016-02-28 23:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-28 23:00	12	0.05	0.30	1.71	14.00			0.00	0.00	20.90	20.90			0.09	0.10
2016-02-28 23:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-29 00:00	2	0.12	0.50			0.00	0.10	0.00	0.00	20.59	20.60			0.64	0.80
2016-02-29 00:00	5			4.03	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 00:00	8			1.20	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.24	2.10
2016-02-29 00:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 00:00	12	0.14	0.50	1.18	2.00			0.00	0.00	20.90	20.90			0.09	0.10
2016-02-29 00:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.66	20.90			0.00	0.00
2016-02-29 01:00	2	0.12	0.50			0.00	0.00	0.00	0.00	20.54	20.60			0.67	0.80
2016-02-29 01:00	5			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2016-02-29 01:00	8			1.28	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.26	2.10
2016-02-29 01:00	10			1.98	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 01:00	12	0.07	0.50	1.41	14.00			0.00	0.00	20.90	20.90			0.09	0.10
2016-02-29 01:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.62	20.70			0.02	0.80
2016-02-29 02:00	2	0.12	0.60			0.00	0.10	0.00	0.00	20.55	20.60			0.74	0.80
2016-02-29 02:00	5			3.78	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 02:00	8			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	1.22	2.60
2016-02-29 02:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 02:00	12	0.14	0.70	1.74	18.00			0.00	0.00	20.90	20.90			0.10	0.10
2016-02-29 02:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.56	20.70			0.00	0.00
2016-02-29 03:00	2	0.18	0.80			0.02	0.10	0.00	0.00	20.58	20.60			0.78	0.80
2016-02-29 03:00	5			3.62	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2016-02-29 03:00	8			1.23	3.00			0.00	0.00	20.90	20.90	0.00	0.00	1.20	1.70
2016-02-29 03:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 03:00	12	0.14	0.70	1.45	14.00			0.00	0.00	20.90	20.90			0.10	0.10
2016-02-29 03:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 04:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2016-02-29 04:00	2	0.21	0.80			0.01	0.10	0.00	0.00	20.53	20.60			0.79	1.00
2016-02-29 04:00	5			3.92	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2016-02-29 04:00	8			1.22	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.30	2.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-29 04:00	10			1.98	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 04:00	12	0.18	0.90	1.45	10.00			0.00	0.00	20.90	20.90			0.10	0.10
2016-02-29 04:00	13			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.00
2016-02-29 05:00	2	0.30	1.80			0.01	0.10	2.71	3.10	20.50	20.50			0.87	1.10
2016-02-29 05:00	5			3.87	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2016-02-29 05:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.27	2.60
2016-02-29 05:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 05:00	12	0.16	0.50	0.68	2.00			0.00	0.00	20.90	20.90			0.10	0.10
2016-02-29 05:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2016-02-29 06:00	2	0.28	0.90			0.01	0.10	3.15	3.20	20.56	20.60			0.89	1.00
2016-02-29 06:00	5			3.89	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 06:00	8			1.21	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.42	2.10
2016-02-29 06:00	10			1.77	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 06:00	12	0.23	0.70	1.00	2.00			0.00	0.00	20.70	20.90			0.10	0.20
2016-02-29 06:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.56	20.60			0.02	0.80
2016-02-29 07:00	2	0.31	1.20			0.03	0.10	2.76	3.20	20.48	20.90			0.82	1.00
2016-02-29 07:00	5			3.81	4.00			0.00	0.00	20.68	20.90	0.00	0.00	0.00	0.00
2016-02-29 07:00	8			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.36	2.10
2016-02-29 07:00	10			1.89	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 07:00	12	0.29	0.80	1.36	16.00			0.00	0.00	20.54	20.60			0.10	0.20
2016-02-29 07:00	13			1.87	2.00			0.00	0.00	20.73	20.90	0.00	0.00	0.00	0.00
2016-02-29 08:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.79	20.90			0.02	0.80
2016-02-29 08:00	2	0.23	0.70			0.02	0.10	1.84	2.30	20.44	20.50			0.52	0.90
2016-02-29 08:00	5			3.84	5.00			0.00	0.00	20.64	20.70	0.00	0.10	0.00	0.00
2016-02-29 08:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.99	1.70
2016-02-29 08:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 08:00	12	0.29	0.80	1.25	16.00			0.00	0.00	20.61	20.70			0.10	0.10
2016-02-29 08:00	13			1.95	4.00			0.00	0.00	20.89	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-29 09:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.80
2016-02-29 09:00	2	0.17	1.00			0.01	0.10	0.19	1.40	20.48	20.60			0.18	0.50
2016-02-29 09:00	5			3.95	6.00			0.00	0.00	20.87	20.90	0.00	0.10	0.00	0.00
2016-02-29 09:00	8			1.76	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.83	1.30
2016-02-29 09:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 09:00	12	0.24	0.90	1.31	16.00			0.00	0.00	20.61	20.70			0.05	0.10
2016-02-29 09:00	13			1.85	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 10:00	1	0.04	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.08	1.60
2016-02-29 10:00	2	0.08	0.30			0.00	0.00	0.00	0.00	20.56	20.60			0.00	0.00
2016-02-29 10:00	5			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 10:00	8			2.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	0.80
2016-02-29 10:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.07	21.20			0.00	0.00
2016-02-29 10:00	12	0.29	0.80	1.03	9.00			0.00	0.00	20.82	20.90			0.00	0.10
2016-02-29 10:00	13			1.79	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 11:00	1	0.04	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.16	1.60
2016-02-29 11:00	2	0.04	0.40			0.00	0.00	0.00	0.00	20.79	20.90			0.00	0.00
2016-02-29 11:00	5			3.95	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 11:00	8			3.00	4.00			0.00	0.00	21.07	21.30	0.00	0.00	0.22	0.80
2016-02-29 11:00	10			2.05	3.00	0.00	0.00	0.00	0.00	21.23	21.30			0.00	0.00
2016-02-29 11:00	12	0.18	0.80	1.18	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 11:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 12:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.80
2016-02-29 12:00	2	0.12	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 12:00	5			3.76	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 12:00	8			3.62	5.00			0.00	0.00	21.08	21.30	0.00	0.00	0.09	0.80
2016-02-29 12:00	10			2.38	4.00	0.00	0.00	0.00	0.00	21.29	21.40			0.00	0.00
2016-02-29 12:00	12	0.23	0.70	1.22	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 12:00	13			1.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00