

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-29 12:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.80
2016-02-29 12:00	2	0.12	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 12:00	5			3.76	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 12:00	8			3.62	5.00			0.00	0.00	21.08	21.30	0.00	0.00	0.09	0.80
2016-02-29 12:00	10			2.38	4.00	0.00	0.00	0.00	0.00	21.29	21.40			0.00	0.00
2016-02-29 12:00	12	0.23	0.70	1.22	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 12:00	13			1.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 13:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.80
2016-02-29 13:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 13:00	5			3.87	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 13:00	8			3.75	5.00			0.00	0.00	21.23	21.30	0.00	0.00	0.06	0.40
2016-02-29 13:00	10			3.11	4.00	0.00	0.00	0.00	0.00	21.33	21.50			0.00	0.00
2016-02-29 13:00	12	0.25	0.70	1.89	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 13:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 14:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.80
2016-02-29 14:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 14:00	5			3.65	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 14:00	8			5.00	9.00			0.00	0.00	21.32	21.40	0.00	0.00	0.05	0.40
2016-02-29 14:00	10			3.70	4.00	0.00	0.00	0.00	0.00	21.42	21.50			0.00	0.00
2016-02-29 14:00	12	0.13	0.70	2.63	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 14:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 15:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.80
2016-02-29 15:00	2	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 15:00	5			3.81	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 15:00	8			4.86	8.00			0.00	0.00	21.35	21.40	0.00	0.00	0.04	0.40
2016-02-29 15:00	10			2.95	4.00	0.00	0.00	0.00	0.00	21.43	21.50			0.00	0.00
2016-02-29 15:00	12	0.08	0.40	3.80	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 15:00	13			2.55	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 16:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.80
2016-02-29 16:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 16:00	5			3.78	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-29 16:00	8			5.66	8.00			0.00	0.00	21.39	21.40	0.00	0.00	0.09	0.40
2016-02-29 16:00	10			3.79	5.00	0.00	0.00	0.00	0.00	21.44	21.50			0.00	0.00
2016-02-29 16:00	12	0.08	1.30	4.49	24.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 16:00	13			3.35	5.00			0.00	0.00	20.99	21.30	0.00	0.00	0.00	0.00
2016-02-29 17:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.25	2.40
2016-02-29 17:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2016-02-29 17:00	5			3.92	5.00			0.00	0.00	21.02	21.20	0.00	0.10	0.00	0.00
2016-02-29 17:00	8			5.33	8.00			0.00	0.00	21.42	21.50	0.00	0.00	0.30	1.30
2016-02-29 17:00	10			3.17	4.00	0.00	0.00	0.00	0.00	21.44	21.50			0.00	0.00
2016-02-29 17:00	12	0.00	0.00	3.82	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 17:00	13			2.32	4.00			0.00	0.00	21.28	21.40	0.00	0.00	0.00	0.00
2016-02-29 18:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 18:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.20
2016-02-29 18:00	5			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2016-02-29 18:00	8			3.44	4.00			0.00	0.00	21.31	21.40	0.00	0.00	0.50	1.70
2016-02-29 18:00	10			2.38	3.00	0.00	0.00	0.00	0.00	21.38	21.50			0.00	0.00
2016-02-29 18:00	12	0.00	0.10	1.56	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 18:00	13			1.95	3.00			0.00	0.00	21.07	21.30	0.00	0.00	0.00	0.00
2016-02-29 19:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.16	2.40
2016-02-29 19:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.30
2016-02-29 19:00	5			3.82	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 19:00	8			2.24	3.00			0.00	0.00	21.21	21.30	0.00	0.00	0.64	1.70
2016-02-29 19:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.29	21.40			0.00	0.00
2016-02-29 19:00	12	0.02	0.30	1.90	22.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 19:00	13			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 20:00	2	0.09	0.40			0.00	0.10	0.00	0.00	20.90	20.90			0.26	0.60
2016-02-29 20:00	5			3.92	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 20:00	8			2.00	2.00			0.00	0.00	21.18	21.20	0.00	0.00	0.84	1.70
2016-02-29 20:00	10			2.05	4.00	0.00	0.00	0.00	0.00	21.23	21.30			0.00	0.00
2016-02-29 20:00	12	0.04	0.30	1.71	16.00			0.00	0.00	20.90	20.90			0.01	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-02-29 20:00	13			1.89	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 21:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.80
2016-02-29 21:00	2	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.36	0.50
2016-02-29 21:00	5			3.92	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 21:00	8			1.93	2.00			0.00	0.00	21.16	21.20	0.00	0.00	0.68	1.70
2016-02-29 21:00	10			1.95	2.00	0.00	0.00	0.00	0.00	21.19	21.30			0.00	0.00
2016-02-29 21:00	12	0.05	0.40	1.77	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 21:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.80
2016-02-29 22:00	2	0.08	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.50
2016-02-29 22:00	5			3.76	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 22:00	8			2.02	3.00			0.00	0.00	21.15	21.20	0.00	0.00	0.71	1.70
2016-02-29 22:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.14	21.30			0.00	0.00
2016-02-29 22:00	12	0.05	0.30	1.40	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 22:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-02-29 23:00	2	0.06	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.33	0.50
2016-02-29 23:00	5			3.80	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-02-29 23:00	8			2.00	2.00			0.00	0.00	20.94	21.10	0.00	0.00	0.84	1.70
2016-02-29 23:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.12	21.20			0.00	0.00
2016-02-29 23:00	12	0.07	0.40	1.05	2.00			0.00	0.00	20.90	20.90			0.00	0.10
2016-02-29 23:00	13			1.90	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 00:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.80
2016-03-01 00:00	2	0.07	0.60			0.00	0.10	0.00	0.00	20.90	20.90			0.37	0.50
2016-03-01 00:00	5			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2016-03-01 00:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.82	1.30
2016-03-01 00:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.05	21.20			0.00	0.00
2016-03-01 00:00	12	0.03	0.20	1.08	3.00			0.00	0.00	20.90	20.90			0.02	0.10
2016-03-01 00:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 01:00	2	0.06	0.30			0.00	0.00	0.00	0.00	20.68	20.90			0.43	0.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-01 01:00	5			3.81	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 01:00	8			1.85	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.98	1.70
2016-03-01 01:00	10			1.97	2.00	0.00	0.00	0.00	0.00	21.01	21.20			0.00	0.00
2016-03-01 01:00	12	0.06	0.30	1.08	3.00			0.00	0.00	20.90	20.90			0.01	0.10
2016-03-01 01:00	13			1.93	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 02:00	2	0.14	0.70			0.00	0.00	0.00	0.00	20.64	20.70			0.49	0.70
2016-03-01 02:00	5			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2016-03-01 02:00	8			1.79	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.94	1.70
2016-03-01 02:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.99	21.20			0.00	0.00
2016-03-01 02:00	12	0.12	0.40	1.05	3.00			0.00	0.00	20.90	20.90			0.02	0.10
2016-03-01 02:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 03:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 03:00	2	0.06	0.30			0.00	0.10	0.00	0.00	20.60	20.70			0.50	0.70
2016-03-01 03:00	5			3.88	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 03:00	8			1.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.97	1.70
2016-03-01 03:00	10			1.98	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 03:00	12	0.09	0.80	1.24	6.00			0.00	0.00	20.90	20.90			0.02	0.10
2016-03-01 03:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 04:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 04:00	2	0.13	0.60			0.00	0.10	0.00	0.00	20.60	20.70			0.56	0.80
2016-03-01 04:00	5			3.74	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2016-03-01 04:00	8			1.78	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.16	2.10
2016-03-01 04:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 04:00	12	0.14	0.80	1.55	19.00			0.00	0.00	20.90	20.90			0.04	0.10
2016-03-01 04:00	13			1.90	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 05:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 05:00	2	0.14	0.80			0.00	0.00	0.00	0.00	20.60	20.70			0.57	0.70
2016-03-01 05:00	5			3.81	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 05:00	8			1.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	1.09	2.10
2016-03-01 05:00	10			2.05	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-01 05:00	12	0.12	0.50	1.49	14.00			0.00	0.00	20.90	20.90			0.05	0.10
2016-03-01 05:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 06:00	2	0.17	0.70			0.00	0.00	0.00	0.00	20.60	20.70			0.62	0.80
2016-03-01 06:00	5			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2016-03-01 06:00	8			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.94	1.30
2016-03-01 06:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 06:00	12	0.09	0.40	1.57	4.00			0.00	0.00	20.90	20.90			0.05	0.10
2016-03-01 06:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 07:00	2	0.12	0.60			0.00	0.10	0.00	0.00	20.62	20.70			0.66	1.00
2016-03-01 07:00	5			4.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 07:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.09	1.70
2016-03-01 07:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 07:00	12	0.07	0.40	1.84	4.00			0.00	0.00	20.90	20.90			0.06	0.10
2016-03-01 07:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.80
2016-03-01 08:00	2	0.08	0.40			0.01	0.20	0.00	0.00	20.63	20.90			0.70	1.10
2016-03-01 08:00	5			4.05	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 08:00	8			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.05	2.10
2016-03-01 08:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.04	21.80			0.00	0.00
2016-03-01 08:00	12	0.06	0.70	1.38	3.00			0.00	0.00	20.90	20.90			0.08	0.10
2016-03-01 08:00	13			2.08	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.68	20.90			0.00	0.00
2016-03-01 09:00	2	0.13	0.60			0.00	0.10	0.00	0.00	20.59	20.70			0.81	0.90
2016-03-01 09:00	5			3.92	4.00			0.00	0.00	20.90	20.90	0.01	0.10	0.01	0.20
2016-03-01 09:00	8			1.40	3.00			0.00	0.00	20.90	20.90	0.00	0.00	1.11	2.10
2016-03-01 09:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 09:00	12	0.09	0.40	1.21	3.00			0.00	0.00	20.90	20.90			0.10	0.10
2016-03-01 09:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.78	20.90			0.28	1.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-01 13:00	2	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.44	0.70
2016-03-01 13:00	5			3.93	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 13:00	8			1.00	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 13:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 13:00	12	0.00	0.00	2.00	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 13:00	13			1.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.11	0.90
2016-03-01 14:00	2	0.17	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.68	0.80
2016-03-01 14:00	5			3.94	6.00			0.00	0.00	20.64	20.90	0.00	0.00	0.00	0.00
2016-03-01 14:00	8			0.98	2.00			0.00	0.00	21.84	22.20	0.00	0.00	0.00	0.00
2016-03-01 14:00	10			1.73	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 14:00	12	0.00	0.00	0.90	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 14:00	13			1.86	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-01 15:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2016-03-01 15:00	2	0.16	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.73	0.80
2016-03-01 15:00	5			3.89	4.00			0.00	0.00	20.53	20.60	0.00	0.10	0.00	0.00
2016-03-01 15:00	8			1.16	4.00			0.00	0.00	22.24	22.40	0.00	0.00	0.00	0.00
2016-03-01 15:00	10			1.63	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 15:00	12	0.07	2.90	0.80	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 15:00	13			1.76	3.00			0.00	0.00	20.65	20.90	0.00	0.00	0.00	0.00
2016-03-01 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2016-03-01 16:00	2	0.24	0.80			0.00	0.00	1.41	3.00	20.90	20.90			0.74	0.90
2016-03-01 16:00	5			3.95	4.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2016-03-01 16:00	8			0.95	2.00			0.00	0.00	22.29	22.30	0.00	0.00	0.00	0.00
2016-03-01 16:00	10			1.62	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 16:00	12	0.00	0.00	0.88	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 16:00	13			1.78	3.00			0.00	0.00	20.55	20.60	0.00	0.00	0.00	0.00
2016-03-01 17:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.46	20.50			0.02	0.90
2016-03-01 17:00	2	0.39	4.90			0.00	0.00	3.01	3.10	20.90	20.90			0.77	0.90
2016-03-01 17:00	5			3.90	4.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2016-03-01 17:00	8			0.97	1.00			0.00	0.00	22.24	22.30	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-01 17:00	10			1.77	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 17:00	12	0.00	0.00	0.72	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 17:00	13			1.92	2.00			0.00	0.00	20.56	20.60	0.00	0.00	0.00	0.00
2016-03-01 18:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.41	20.50			0.07	0.90
2016-03-01 18:00	2	0.26	1.30			0.00	0.00	3.11	3.20	20.73	20.90			0.80	1.00
2016-03-01 18:00	5			3.78	4.00			0.00	0.00	20.50	20.50	0.00	0.00	0.00	0.00
2016-03-01 18:00	8			1.05	3.00			0.00	0.00	22.22	22.30	0.00	0.00	0.00	0.00
2016-03-01 18:00	10			1.71	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 18:00	12	0.00	0.00	1.00	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 18:00	13			1.74	2.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.00
2016-03-01 19:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.37	20.40			0.07	0.90
2016-03-01 19:00	2	0.29	1.00			0.00	0.00	3.23	3.40	20.61	20.70			0.84	1.00
2016-03-01 19:00	5			3.95	5.00			0.00	0.00	20.43	20.50	0.00	0.00	0.00	0.00
2016-03-01 19:00	8			0.95	2.00			0.00	0.00	22.21	22.30	0.00	0.00	0.00	0.00
2016-03-01 19:00	10			1.44	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 19:00	12	0.00	0.00	0.95	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 19:00	13			1.60	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2016-03-01 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.36	20.40			0.03	0.90
2016-03-01 20:00	2	0.28	0.80			0.00	0.00	3.35	3.40	20.77	20.90			0.88	1.00
2016-03-01 20:00	5			4.00	5.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.00
2016-03-01 20:00	8			1.08	2.00			0.00	0.00	22.20	22.30	0.00	0.00	0.00	0.00
2016-03-01 20:00	10			1.68	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 20:00	12	0.00	0.00	1.62	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 20:00	13			1.72	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2016-03-01 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.27	20.40			0.00	0.00
2016-03-01 21:00	2	0.28	0.90			0.00	0.00	3.53	3.80	20.89	20.90			0.91	1.10
2016-03-01 21:00	5			3.97	4.00			0.00	0.00	20.58	22.00	0.00	0.00	0.00	0.00
2016-03-01 21:00	8			1.05	2.00			0.00	0.00	22.19	22.20	0.00	0.00	0.00	0.00
2016-03-01 21:00	10			1.74	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 21:00	12	0.00	0.00	0.72	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 21:00	13			1.68	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-01 22:00	1	0.00	0.00			0.00	0.00	0.21	3.00	20.26	20.30			0.00	0.00
2016-03-01 22:00	2	0.31	1.00			0.00	0.00	3.80	3.90	20.62	20.70			0.98	1.20
2016-03-01 22:00	5			3.93	4.00			0.00	0.00	20.44	20.50	0.00	0.00	0.00	0.00
2016-03-01 22:00	8			1.00	2.00			0.00	0.00	22.13	22.20	0.00	0.00	0.00	0.00
2016-03-01 22:00	10			1.49	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 22:00	12	0.00	0.00	1.23	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 22:00	13			1.54	2.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00
2016-03-01 23:00	1	0.01	0.20			0.00	0.00	3.04	3.10	20.21	20.30			0.05	0.90
2016-03-01 23:00	2	0.42	1.00			0.00	0.00	3.91	4.00	20.60	20.60			1.01	1.10
2016-03-01 23:00	5			3.67	5.00			0.00	0.00	20.39	20.40	0.00	0.10	0.00	0.00
2016-03-01 23:00	8			0.81	1.00			0.00	0.00	22.13	22.20	0.00	0.00	0.00	0.00
2016-03-01 23:00	10			1.40	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 23:00	12	0.00	0.00	0.72	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-01 23:00	13			1.78	2.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00
2016-03-02 00:00	1	0.00	0.00			0.00	0.00	3.11	3.20	20.21	20.30			0.00	0.00
2016-03-02 00:00	2	0.33	0.80			0.00	0.00	3.94	4.00	20.59	20.60			1.02	1.10
2016-03-02 00:00	5			3.63	4.00			0.00	0.00	20.40	20.40	0.00	0.00	0.00	0.00
2016-03-02 00:00	8			1.06	2.00			0.00	0.00	22.14	22.20	0.00	0.00	0.00	0.00
2016-03-02 00:00	10			1.41	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 00:00	12	0.00	0.00	0.56	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 00:00	13			1.47	3.00			0.00	0.00	20.45	20.50	0.00	0.00	0.00	0.00
2016-03-02 09:00	1	0.06	0.30			0.00	0.00	1.54	1.80	20.32	20.40			0.37	2.70
2016-03-02 09:00	2	0.36	0.90			0.00	0.00	2.26	2.50	20.54	20.60			0.58	0.70
2016-03-02 09:00	5			4.00	5.00			0.00	0.00	20.43	20.50	0.00	0.00	0.00	0.00
2016-03-02 09:00	8			0.87	1.00			0.00	0.00	22.10	22.20	0.00	0.00	0.00	0.00
2016-03-02 09:00	10			1.19	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 09:00	12	0.00	0.00	1.24	10.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 09:00	13			1.77	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2016-03-02 10:00	1	0.03	0.30			0.00	0.00	0.06	1.10	20.44	20.50			0.45	1.80
2016-03-02 10:00	2	0.24	1.20			0.00	0.00	1.80	2.00	20.58	20.70			0.51	0.70
2016-03-02 10:00	5			3.95	4.00			0.00	0.00	20.50	20.60	0.00	0.10	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-02 10:00	8			1.08	2.00			0.00	0.00	22.19	22.30	0.00	0.00	0.00	0.00
2016-03-02 10:00	10			1.32	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 10:00	12	0.00	0.00	0.35	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 10:00	13			1.83	3.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2016-03-02 11:00	1	0.09	0.50			0.00	0.00	0.00	0.00	20.52	20.60			0.66	1.80
2016-03-02 11:00	2	0.35	0.90			0.00	0.00	1.31	1.90	20.60	20.70			0.48	1.00
2016-03-02 11:00	5			3.78	4.00			0.00	0.00	20.59	20.60	0.00	0.00	0.00	0.00
2016-03-02 11:00	8			1.14	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.50
2016-03-02 11:00	10			1.27	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 11:00	12	0.00	0.00	0.63	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 11:00	13			1.72	2.00			0.00	0.00	20.61	20.90	0.00	0.00	0.00	0.00
2016-03-02 12:00	1	0.08	0.40			0.00	0.00	0.00	0.00	20.61	20.70			1.04	2.70
2016-03-02 12:00	2	0.12	0.60			0.00	0.00	0.00	0.00	20.62	20.70			0.29	0.50
2016-03-02 12:00	5			3.85	4.00			0.00	0.00	20.58	20.70	0.00	0.00	0.00	0.00
2016-03-02 12:00	8			1.21	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.50
2016-03-02 12:00	10			1.71	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 12:00	12	0.00	0.00	1.00	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 12:00	13			1.84	2.00			0.00	0.00	20.78	20.90	0.00	0.00	0.00	0.00
2016-03-02 13:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.88	20.90			1.42	3.60
2016-03-02 13:00	2	0.11	0.90			0.00	0.00	0.00	0.00	20.75	20.90			0.17	0.40
2016-03-02 13:00	5			3.88	5.00			0.00	0.00	20.76	20.90	0.00	0.00	0.00	0.00
2016-03-02 13:00	8			1.76	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-02 13:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.10	21.30			0.00	0.00
2016-03-02 13:00	12	0.00	0.00	1.03	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 13:00	13			1.62	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-02 14:00	1	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.92	2.70
2016-03-02 14:00	2	0.06	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.80
2016-03-02 14:00	5			3.92	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-02 14:00	8			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-02 14:00	10			1.87	2.00	0.00	0.00	0.00	0.00	21.30	21.40			0.00	0.00
2016-03-02 14:00	12	0.00	0.00	0.94	3.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-02 14:00	13			1.58	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-02 15:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.79	20.90			0.41	1.80
2016-03-02 15:00	2	0.13	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.41	0.70
2016-03-02 15:00	5			3.89	6.00			0.00	0.00	20.84	20.90	0.00	0.00	0.00	0.00
2016-03-02 15:00	8			1.56	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.50
2016-03-02 15:00	10			1.97	2.00	0.00	0.00	0.00	0.00	21.26	21.40			0.00	0.00
2016-03-02 15:00	12	0.00	0.00	0.97	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 15:00	13			1.76	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-02 16:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.52	20.60			0.50	1.80
2016-03-02 16:00	2	0.21	2.00			0.00	0.00	0.00	0.00	20.90	20.90			0.51	0.60
2016-03-02 16:00	5			3.83	4.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2016-03-02 16:00	8			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.50
2016-03-02 16:00	10			1.90	2.00	0.00	0.00	0.00	0.00	21.16	21.30			0.00	0.00
2016-03-02 16:00	12	0.00	0.00	1.16	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 16:00	13			1.58	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-02 17:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.50	20.60			0.59	1.80
2016-03-02 17:00	2	0.25	1.70			0.00	0.00	0.00	0.00	20.90	20.90			0.54	0.70
2016-03-02 17:00	5			3.90	4.00			0.00	0.00	20.53	20.60	0.00	0.00	0.00	0.00
2016-03-02 17:00	8			1.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.50
2016-03-02 17:00	10			1.62	2.00	0.00	0.00	0.00	0.00	20.92	21.20			0.00	0.00
2016-03-02 17:00	12	0.00	0.00	0.70	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 17:00	13			1.79	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-02 18:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.44	20.50			0.23	1.80
2016-03-02 18:00	2	0.19	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.54	0.70
2016-03-02 18:00	5			3.81	5.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2016-03-02 18:00	8			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	1.10
2016-03-02 18:00	10			1.60	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 18:00	12	0.00	0.00	0.57	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 18:00	13			1.86	2.00			0.00	0.00	20.83	20.90	0.00	0.00	0.00	0.00
2016-03-02 19:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.40	20.50			0.23	0.90
2016-03-02 19:00	2	0.18	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.54	0.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-02 19:00	5			3.89	4.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2016-03-02 19:00	8			0.83	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-02 19:00	10			1.70	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 19:00	12	0.00	0.00	0.61	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 19:00	13			1.73	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-02 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.13	0.90
2016-03-02 20:00	2	0.19	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.60	0.70
2016-03-02 20:00	5			3.90	6.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2016-03-02 20:00	10			1.70	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 20:00	12	0.00	0.00	1.00	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 20:00	13			1.90	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-02 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.05	0.90
2016-03-02 21:00	2	0.19	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.63	0.70
2016-03-02 21:00	5			3.75	4.00			0.00	0.00	20.56	20.60	0.00	0.00	0.00	0.00
2016-03-02 21:00	10			1.88	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 21:00	12	0.00	0.00	0.83	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 21:00	13			1.63	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-02 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.02	0.90
2016-03-02 22:00	2	0.19	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.63	0.70
2016-03-02 22:00	5			3.79	4.00			0.00	0.00	20.57	20.60	0.00	0.00	0.00	0.00
2016-03-02 22:00	10			1.55	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 22:00	12	0.00	0.00	0.69	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 22:00	13			1.79	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-02 23:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.40	20.40			0.13	0.90
2016-03-02 23:00	2	0.21	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.66	0.80
2016-03-02 23:00	5			4.05	5.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2016-03-02 23:00	10			1.74	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 23:00	12	0.00	0.00	1.42	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-02 23:00	13			1.74	2.00			0.00	0.00	20.87	20.90	0.00	0.00	0.00	0.00
2016-03-03 09:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.46	20.60			0.67	2.70
2016-03-03 09:00	2	0.18	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.86	1.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-03 09:00	5			3.90	4.00			0.00	0.00	20.50	20.50	0.00	0.00	0.00	0.00
2016-03-03 09:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.42	1.10
2016-03-03 09:00	10			2.00	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-03 09:00	12	0.00	0.00	1.41	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-03 09:00	13			2.00	2.00			0.00	0.00	20.62	20.70	0.00	0.00	0.16	0.30
2016-03-03 10:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.51	20.60			0.47	1.80
2016-03-03 10:00	2	0.18	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.93	1.00
2016-03-03 10:00	5			3.94	5.00			0.00	0.00	20.51	20.60	0.00	0.10	0.00	0.00
2016-03-03 10:00	8			1.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	1.10
2016-03-03 10:00	10			2.06	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-03 10:00	12	0.00	0.00	1.11	3.00			0.00	0.00	20.90	20.90			0.01	0.10
2016-03-03 10:00	13			1.97	2.00			0.00	0.00	20.60	20.70	0.00	0.00	0.20	0.30
2016-03-03 11:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.52	20.60			0.36	1.80
2016-03-03 11:00	2	0.24	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.95	1.20
2016-03-03 11:00	5			3.90	4.00			0.00	0.00	20.51	20.60	0.00	0.10	0.00	0.00
2016-03-03 11:00	8			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.50
2016-03-03 11:00	10			1.95	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-03 11:00	12	0.00	0.00	1.43	15.00			0.00	0.00	20.90	20.90			0.07	0.10
2016-03-03 11:00	13			2.02	3.00			0.00	0.00	20.64	20.90	0.00	0.00	0.21	0.40
2016-03-03 12:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.50	20.60			0.36	0.90
2016-03-03 12:00	2	0.25	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.85	1.20
2016-03-03 12:00	5			4.05	5.00			0.00	0.00	20.51	20.60	0.00	0.00	0.00	0.00
2016-03-03 12:00	8			1.58	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.50
2016-03-03 12:00	10			1.98	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-03 12:00	12	0.00	0.00	1.63	14.00			0.00	0.00	20.90	20.90			0.03	0.10
2016-03-03 12:00	13			1.98	3.00			0.00	0.00	20.85	20.90	0.00	0.00	0.20	0.30