

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-02 12:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-02 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.12	21.30			0.00	0.00
2015-03-02 12:00	8			0.92	1.00			0.00	0.00	21.44	21.50	0.01	0.10	0.00	0.10
2015-03-02 12:00	10			1.03	2.00	0.00	0.00	0.00	0.00	20.66	20.90			0.13	0.80
2015-03-02 12:00	12	0.00	0.00	0.15	1.00			0.00	0.00	20.90	20.90			0.04	0.20
2015-03-02 12:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-02 13:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-02 13:00	2	0.01	0.40			0.00	0.00	0.00	0.00	21.20	21.20			0.00	0.00
2015-03-02 13:00	8			1.00	2.00			0.00	0.00	21.49	21.60	0.02	0.10	0.01	0.10
2015-03-02 13:00	10			1.05	2.00	0.00	0.00	0.00	0.00	20.89	20.90			0.12	0.50
2015-03-02 13:00	12	0.00	0.00	0.20	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-02 13:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-02 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-02 14:00	2	0.02	0.50			0.00	0.00	0.00	0.00	21.20	21.30			0.00	0.00
2015-03-02 14:00	8			1.10	2.00			0.00	0.00	21.56	21.60	0.01	0.10	0.01	0.10
2015-03-02 14:00	10			1.03	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.80
2015-03-02 14:00	12	0.00	0.00	0.13	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-02 14:00	13			0.95	1.00			0.00	0.00	21.05	21.30	0.00	0.00	0.00	0.00
2015-03-02 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.84	20.90			0.00	0.00
2015-03-02 15:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.24	21.30			0.00	0.00
2015-03-02 15:00	8			1.08	3.00			0.00	0.00	21.58	21.70	0.01	0.10	0.01	0.10
2015-03-02 15:00	10			1.05	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.50
2015-03-02 15:00	12	0.01	0.20	0.27	2.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-03-02 15:00	13			1.14	3.00			0.00	0.00	21.18	21.30	0.00	0.00	0.00	0.00
2015-03-02 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.60			0.00	0.00
2015-03-02 16:00	2	0.04	0.80			0.00	0.00	0.00	0.00	21.15	21.20			0.00	0.00
2015-03-02 16:00	8			1.10	3.00			0.00	0.00	21.58	21.70	0.01	0.10	0.01	0.10
2015-03-02 16:00	10			1.00	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.20
2015-03-02 16:00	12	0.00	0.00	0.13	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-02 16:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-02 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-02 17:00	2	0.07	1.10			0.00	0.00	0.00	0.00	21.12	21.20			0.00	0.00
2015-03-02 17:00	8			1.05	2.00			0.00	0.00	21.60	21.60	0.00	0.10	0.02	0.10
2015-03-02 17:00	10			0.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.50
2015-03-02 17:00	12	0.00	0.00	0.67	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-02 17:00	13			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-02 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.47	20.50			0.00	0.00
2015-03-02 18:00	2	0.08	3.20			0.00	0.00	0.00	0.00	21.04	21.20			0.00	0.00
2015-03-02 18:00	8			0.93	1.00			0.00	0.00	21.55	21.70	0.01	0.10	0.04	0.20
2015-03-02 18:00	10			1.02	2.00	0.00	0.00	0.00	0.00	20.70	20.90			0.32	0.80
2015-03-02 18:00	12	0.00	0.00	0.13	1.00			0.00	0.00	20.90	20.90			0.05	0.20
2015-03-02 18:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.10
2015-03-02 19:00	1	0.00	0.00			0.00	0.00	0.07	3.00	20.40	20.40			0.00	0.00
2015-03-02 19:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-02 19:00	8			1.00	2.00			0.00	0.00	21.45	21.50	0.00	0.00	0.03	0.20
2015-03-02 19:00	10			1.10	2.00	0.00	0.00	0.00	0.00	20.59	20.60			0.40	1.10
2015-03-02 19:00	12	0.00	0.00	0.26	5.00			0.00	0.00	20.90	20.90			0.17	0.70
2015-03-02 19:00	13			1.24	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.20
2015-03-02 20:00	1	0.00	0.00			0.00	0.00	3.00	3.00	20.40	20.40			0.00	0.00
2015-03-02 20:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-02 20:00	8			0.92	2.00			0.00	0.00	21.42	21.50	0.02	0.10	0.03	0.10
2015-03-02 20:00	10			1.15	3.00	0.00	0.00	0.00	0.00	20.54	20.60			0.48	1.10
2015-03-02 20:00	12	0.00	0.00	0.13	2.00			0.00	0.00	20.90	20.90			0.19	0.70
2015-03-02 20:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.20
2015-03-02 21:00	1	0.00	0.00			0.00	0.00	3.00	3.00	20.40	20.40			0.00	0.00
2015-03-02 21:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-02 21:00	8			0.76	1.00			0.00	0.00	21.42	21.50	0.01	0.10	0.01	0.10
2015-03-02 21:00	10			1.03	3.00	0.00	0.00	0.00	0.00	20.53	20.60			0.41	1.10
2015-03-02 21:00	12	0.00	0.00	0.47	11.00			0.00	0.00	20.90	20.90			0.21	0.40
2015-03-02 21:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.20
2015-03-02 22:00	1	0.00	0.00			0.00	0.00	2.98	3.00	20.40	20.40			0.00	0.00
2015-03-02 22:00	2	0.01	0.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-02 22:00	8			0.81	2.00			0.00	0.00	21.40	21.50	0.02	0.10	0.01	0.10
2015-03-02 22:00	10			0.94	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.38	1.10
2015-03-02 22:00	12	0.01	0.10	0.14	1.00			0.00	0.00	20.90	20.90			0.16	0.70
2015-03-02 22:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.20
2015-03-02 23:00	1	0.00	0.00			0.00	0.00	3.00	3.00	20.40	20.40			0.00	0.00
2015-03-02 23:00	2	0.01	0.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-02 23:00	8			0.95	1.00			0.00	0.00	21.41	21.50	0.00	0.10	0.01	0.10
2015-03-02 23:00	10			1.00	2.00	0.00	0.00	0.00	0.00	20.55	20.60			0.38	1.10
2015-03-02 23:00	12	0.00	0.10	0.50	10.00			0.00	0.00	20.90	20.90			0.18	0.70
2015-03-02 23:00	13			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.10
2015-03-03 00:00	1	0.00	0.00			0.00	0.00	2.99	3.00	20.40	20.40			0.00	0.00
2015-03-03 00:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 00:00	8			0.98	1.00			0.00	0.00	21.41	21.50	0.01	0.10	0.03	0.20
2015-03-03 00:00	10			1.10	3.00	0.00	0.00	0.00	0.00	20.55	20.70			0.33	0.80
2015-03-03 00:00	12	0.00	0.00	0.10	2.00			0.00	0.00	20.90	20.90			0.15	0.40
2015-03-03 00:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.20
2015-03-03 01:00	1	0.00	0.00			0.00	0.00	2.93	3.00	20.40	20.40			0.00	0.00
2015-03-03 01:00	2	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 01:00	8			1.00	2.00			0.00	0.00	21.41	21.50	0.00	0.10	0.03	0.10
2015-03-03 01:00	10			1.05	2.00	0.00	0.00	0.00	0.00	20.54	20.60			0.38	1.10
2015-03-03 01:00	12	0.00	0.10	0.18	3.00			0.00	0.00	20.90	20.90			0.14	0.40
2015-03-03 01:00	13			1.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.20
2015-03-03 02:00	1	0.00	0.00			0.00	0.00	2.91	3.00	20.39	20.40			0.00	0.00
2015-03-03 02:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 02:00	8			1.08	3.00			0.00	0.00	21.40	21.40	0.01	0.10	0.02	0.10
2015-03-03 02:00	10			0.95	2.00	0.00	0.00	0.00	0.00	20.56	20.60			0.36	1.10
2015-03-03 02:00	12	0.01	0.20	0.26	4.00			0.00	0.00	20.90	20.90			0.10	0.40
2015-03-03 02:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.20
2015-03-03 03:00	1	0.00	0.00			0.00	0.00	2.89	2.90	20.40	20.50			0.00	0.00
2015-03-03 03:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 03:00	8			1.00	2.00			0.00	0.00	21.40	21.40	0.01	0.10	0.04	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-03 03:00	10			1.13	3.00	0.00	0.00	0.00	0.00	20.54	20.60			0.32	0.80
2015-03-03 03:00	12	0.00	0.00	0.98	16.00			0.00	0.00	20.90	20.90			0.07	0.40
2015-03-03 03:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.10
2015-03-03 04:00	1	0.00	0.00			0.00	0.00	2.84	2.90	20.35	20.40			0.00	0.00
2015-03-03 04:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 04:00	8			0.98	1.00			0.00	0.00	21.40	21.40	0.01	0.10	0.03	0.20
2015-03-03 04:00	10			1.03	2.00	0.00	0.00	0.00	0.00	20.54	20.60			0.38	1.10
2015-03-03 04:00	12	0.00	0.00	0.24	3.00			0.00	0.00	20.90	20.90			0.13	0.40
2015-03-03 04:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2015-03-03 05:00	1	0.00	0.00			0.00	0.00	2.82	2.90	20.37	20.40			0.00	0.00
2015-03-03 05:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 05:00	8			1.03	2.00			0.00	0.00	21.40	21.40	0.01	0.10	0.08	0.30
2015-03-03 05:00	10			1.15	2.00	0.00	0.00	0.00	0.00	20.53	20.60			0.37	0.80
2015-03-03 05:00	12	0.01	0.20	1.12	16.00			0.00	0.00	20.90	20.90			0.15	0.70
2015-03-03 05:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.20
2015-03-03 06:00	1	0.00	0.00			0.00	0.00	2.97	3.00	20.39	20.40			0.00	0.00
2015-03-03 06:00	2	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 06:00	8			1.00	2.00			0.00	0.00	21.40	21.40	0.00	0.10	0.06	0.20
2015-03-03 06:00	10			1.56	3.00	0.00	0.00	0.00	0.00	20.53	20.60			0.41	1.10
2015-03-03 06:00	12	0.01	0.30	0.88	6.00			0.00	0.00	20.90	20.90			0.29	0.70
2015-03-03 06:00	13			1.46	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.20
2015-03-03 07:00	1	0.00	0.00			0.00	0.00	2.99	3.00	20.33	20.40			0.08	0.20
2015-03-03 07:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 07:00	8			1.10	3.00			0.00	0.00	21.40	21.40	0.01	0.10	0.06	0.20
2015-03-03 07:00	10			1.13	2.00	0.00	0.00	0.00	0.00	20.53	20.60			0.42	1.10
2015-03-03 07:00	12	0.00	0.00	0.44	3.00			0.00	0.00	20.90	20.90			0.36	0.70
2015-03-03 07:00	13			1.23	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.10
2015-03-03 08:00	1	0.00	0.00			0.00	0.00	2.78	2.90	20.36	20.50			0.13	0.30
2015-03-03 08:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 08:00	8			1.08	2.00			0.00	0.00	21.42	21.50	0.01	0.10	0.02	0.10
2015-03-03 08:00	10			1.14	3.00	0.00	0.00	0.00	0.00	20.52	20.60			0.43	0.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-03 08:00	12	0.02	0.40	0.26	2.00			0.00	0.00	20.90	20.90			0.38	0.70
2015-03-03 08:00	13			1.17	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2015-03-03 09:00	1	0.00	0.00			0.00	0.00	2.53	2.60	20.40	20.40			0.31	0.50
2015-03-03 09:00	2	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 09:00	8			1.00	2.00			0.00	0.00	21.41	21.50	0.02	0.10	0.01	0.10
2015-03-03 09:00	10			1.04	2.00	0.00	0.00	0.00	0.00	20.54	20.70			0.42	1.10
2015-03-03 09:00	12	0.01	0.10	0.04	1.00			0.00	0.00	20.90	20.90			0.56	0.70
2015-03-03 09:00	13			1.09	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.10
2015-03-03 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.20
2015-03-03 12:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 12:00	8			2.47	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-03 12:00	10			1.22	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 12:00	12	0.00	0.00	0.63	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 12:00	13			1.22	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.10
2015-03-03 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.89	20.90			0.61	0.90
2015-03-03 13:00	2	0.06	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.50
2015-03-03 13:00	8			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-03 13:00	10			1.54	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.30
2015-03-03 13:00	12	0.00	0.00	0.56	1.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-03-03 13:00	13			1.31	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2015-03-03 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.60			0.73	0.90
2015-03-03 14:00	2	0.20	1.40			0.00	0.10	0.00	0.00	20.90	20.90			0.09	0.30
2015-03-03 14:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-03 14:00	10			1.38	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.60
2015-03-03 14:00	12	0.00	0.00	0.45	1.00			0.00	0.00	20.90	20.90			0.06	0.50
2015-03-03 14:00	13			1.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.10
2015-03-03 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.60			0.80	0.90
2015-03-03 15:00	2	0.21	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.50
2015-03-03 15:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-03 15:00	10			1.18	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.60
2015-03-03 15:00	12	0.00	0.00	0.18	1.00			0.00	0.00	20.90	20.90			0.03	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-03 15:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-03-03 16:00	1	0.00	0.00			0.00	0.10	0.00	0.00	20.60	20.60			0.41	0.70
2015-03-03 16:00	2	0.13	1.00			0.00	0.10	0.00	0.00	20.90	20.90			0.08	0.70
2015-03-03 16:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-03 16:00	10			1.29	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-03 16:00	12	0.00	0.00	0.87	16.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-03-03 16:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-03-03 17:00	1	0.00	0.00			0.00	0.10	0.00	0.00	20.58	20.60			0.09	0.30
2015-03-03 17:00	2	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.30
2015-03-03 17:00	8			2.10	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-03 17:00	10			1.35	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.30
2015-03-03 17:00	12	0.00	0.00	0.45	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 17:00	13			1.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-03-03 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.05	0.20
2015-03-03 18:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.30
2015-03-03 18:00	8			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-03 18:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.60
2015-03-03 18:00	12	0.00	0.00	0.82	13.00			0.00	0.00	20.90	20.90			0.05	0.50
2015-03-03 18:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.20
2015-03-03 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.05	0.10
2015-03-03 19:00	2	0.02	0.30			0.00	0.10	0.00	0.00	20.90	20.90			0.03	0.30
2015-03-03 19:00	8			2.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-03 19:00	10			1.34	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-03 19:00	12	0.00	0.00	0.78	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 19:00	13			1.25	3.00			0.00	0.00	20.88	20.90	0.00	0.00	0.12	0.20
2015-03-03 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.56	20.60			0.02	0.10
2015-03-03 20:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.30
2015-03-03 20:00	8			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-03 20:00	10			1.51	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.30
2015-03-03 20:00	12	0.00	0.00	1.65	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 20:00	13			1.32	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-03 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.10
2015-03-03 21:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.50
2015-03-03 21:00	8			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-03 21:00	10			1.55	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.30
2015-03-03 21:00	12	0.00	0.00	0.64	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-03 21:00	13			1.13	2.00			0.00	0.00	20.86	20.90	0.00	0.00	0.12	0.20
2015-03-03 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.10
2015-03-03 22:00	2	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.70
2015-03-03 22:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-03 22:00	10			1.74	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.60
2015-03-03 22:00	12	0.00	0.00	1.68	13.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-03-03 22:00	13			1.51	2.00			0.00	0.00	20.62	20.70	0.00	0.00	0.13	0.20
2015-03-03 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.50			0.00	0.00
2015-03-03 23:00	2	0.06	0.30			0.01	0.10	0.00	0.00	20.86	20.90			0.29	0.70
2015-03-03 23:00	8			2.39	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-03 23:00	10			2.68	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.14	0.60
2015-03-03 23:00	12	0.00	0.00	1.71	12.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-03-03 23:00	13			2.00	2.00			0.00	0.00	20.60	20.70	0.00	0.00	0.13	0.20
2015-03-04 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.38	20.40			0.00	0.00
2015-03-04 00:00	2	0.06	0.40			0.00	0.10	0.00	0.00	20.62	20.70			0.48	0.70
2015-03-04 00:00	8			2.28	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 00:00	10			2.43	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.14	0.60
2015-03-04 00:00	12	0.00	0.00	1.42	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 00:00	13			2.03	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.14	0.20
2015-03-04 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2015-03-04 01:00	2	0.03	0.30			0.01	0.10			20.60	20.60			0.46	0.90
2015-03-04 01:00	8			2.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 01:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.60
2015-03-04 01:00	12	0.00	0.00	1.05	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 01:00	13			1.30	3.00			0.00	0.00	20.62	20.70	0.00	0.00	0.14	0.20
2015-03-04 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.35	20.40			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-04 02:00	2	0.06	0.30			0.01	0.10			20.60	20.60			0.48	0.70
2015-03-04 02:00	8			1.85	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 02:00	10			1.93	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.60
2015-03-04 02:00	12	0.00	0.00	0.69	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 02:00	13			1.34	3.00			0.00	0.00	20.63	20.70	0.00	0.00	0.15	0.20
2015-03-04 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.35	20.40			0.00	0.00
2015-03-04 03:00	2	0.04	0.30			0.01	0.10			20.58	20.60			0.48	0.70
2015-03-04 03:00	8			1.53	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 03:00	10			1.59	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.60
2015-03-04 03:00	12	0.00	0.00	0.69	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 03:00	13			0.97	2.00			0.00	0.00	20.67	20.70	0.00	0.00	0.15	0.20
2015-03-04 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2015-03-04 04:00	2	0.06	0.30			0.01	0.10			20.52	20.60			0.54	0.90
2015-03-04 04:00	8			1.55	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 04:00	10			1.32	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.30
2015-03-04 04:00	12	0.00	0.00	0.46	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 04:00	13			1.03	2.00			0.00	0.00	20.63	20.70	0.00	0.00	0.18	0.20
2015-03-04 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.40	20.40			0.00	0.00
2015-03-04 05:00	2	0.08	0.30			0.00	0.10			20.57	20.60			0.58	0.90
2015-03-04 05:00	8			1.19	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 05:00	10			1.27	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.60
2015-03-04 05:00	12	0.00	0.00	0.62	17.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-03-04 05:00	13			1.03	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.19	0.30
2015-03-04 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.36	20.40			0.00	0.00
2015-03-04 06:00	2	0.10	0.60			0.00	0.00			20.50	20.60			0.75	1.10
2015-03-04 06:00	8			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 06:00	10			1.23	3.00	0.00	0.00	0.00	0.00	20.77	20.90			0.08	0.30
2015-03-04 06:00	12	0.00	0.00	0.68	14.00			0.00	0.00	20.90	20.90			0.05	0.50
2015-03-04 06:00	13			1.11	2.00			0.00	0.00	20.58	20.70	0.00	0.00	0.19	0.20
2015-03-04 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.27	20.40			0.00	0.00
2015-03-04 07:00	2	0.05	0.30			0.00	0.00			20.44	20.50			0.89	1.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-04 07:00	8			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 07:00	10			1.20	3.00	0.00	0.00	0.00	0.00	20.57	20.90			0.27	0.90
2015-03-04 07:00	12	0.00	0.00	0.10	1.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-03-04 07:00	13			1.15	3.00			0.00	0.00	20.53	20.60	0.00	0.00	0.20	0.20
2015-03-04 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.25	20.30			0.00	0.00
2015-03-04 08:00	2	0.16	0.70			0.00	0.00			20.39	20.50			1.10	1.30
2015-03-04 08:00	8			0.98	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 08:00	10			1.03	2.00	0.00	0.00	0.00	0.00	20.53	20.60			0.23	0.60
2015-03-04 08:00	12	0.00	0.00	0.58	19.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-03-04 08:00	13			1.10	3.00			0.00	0.00	20.51	20.60	0.00	0.00	0.20	0.20
2015-03-04 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.22	20.30			0.00	0.00
2015-03-04 09:00	2	0.14	0.50			0.00	0.00			20.33	20.40			1.11	1.30
2015-03-04 09:00	8			1.07	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 09:00	10			1.11	2.00	0.00	0.00	0.00	0.00	20.50	20.60			0.20	0.60
2015-03-04 09:00	12	0.00	0.00	0.46	10.00			0.00	0.00	20.90	20.90			0.01	0.50
2015-03-04 09:00	13			1.05	2.00			0.00	0.00	20.46	20.60	0.00	0.00	0.20	0.30
2015-03-04 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.18	20.20			0.00	0.00
2015-03-04 10:00	2	0.15	0.80			0.00	0.10	0.00	0.00	20.32	20.90			1.08	1.50
2015-03-04 10:00	8			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 10:00	10			1.41	3.00	0.00	0.00	0.00	0.00	20.48	20.60			0.24	0.90
2015-03-04 10:00	12	0.00	0.00	0.65	14.00			0.00	0.00	20.90	20.90			0.02	0.50
2015-03-04 10:00	13			1.30	3.00			0.00	0.00	20.41	20.50	0.00	0.00	0.21	0.30
2015-03-04 11:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.22	20.30			0.00	0.00
2015-03-04 11:00	2	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 11:00	8			1.03	2.00			0.00	0.00	20.68	20.90	0.00	0.00	0.00	0.00
2015-03-04 11:00	10			1.31	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.15	0.60
2015-03-04 11:00	12	0.00	0.00	0.75	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 11:00	13			0.94	2.00			0.00	0.00	20.47	20.60	0.00	0.00	0.20	0.20
2015-03-04 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.22	20.30			0.00	0.00
2015-03-04 12:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 12:00	8			1.11	2.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-04 12:00	10			1.13	3.00	0.00	0.00	0.00	0.00	20.51	20.60			0.18	0.90
2015-03-04 12:00	12	0.00	0.00	0.37	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 12:00	13			0.90	2.00			0.00	0.00	20.50	20.60	0.00	0.00	0.20	0.20
2015-03-04 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.30			0.00	0.00
2015-03-04 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-03-04 13:00	8			1.13	3.00			0.00	0.00	20.64	20.70	0.00	0.00	0.00	0.00
2015-03-04 13:00	10			1.03	2.00	0.00	0.00	0.00	0.00	20.55	20.60			0.15	0.90
2015-03-04 13:00	12	0.00	0.00	0.92	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 13:00	13			1.03	2.00			0.00	0.00	20.50	20.50	0.00	0.00	0.20	0.20
2015-03-04 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.24	20.30			0.00	0.00
2015-03-04 14:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-03-04 14:00	8			0.97	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 14:00	10			0.94	2.00	0.00	0.00	0.00	0.00	20.53	20.60			0.15	0.60
2015-03-04 14:00	12	0.00	0.00	0.34	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 14:00	13			1.03	2.00			0.00	0.00	20.51	20.60	0.00	0.00	0.20	0.20
2015-03-04 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.22	20.30			0.00	0.00
2015-03-04 15:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 15:00	8			0.97	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 15:00	10			0.97	2.00	0.00	0.00	0.00	0.00	20.54	20.60			0.16	0.60
2015-03-04 15:00	12	0.00	0.00	0.18	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 15:00	13			1.13	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.20	0.20
2015-03-04 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.22	20.40			0.00	0.00
2015-03-04 16:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 16:00	8			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 16:00	10			0.95	1.00	0.00	0.00	0.00	0.00	20.55	20.60			0.20	0.60
2015-03-04 16:00	12	0.00	0.00	0.15	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 16:00	13			1.08	3.00			0.00	0.00	20.50	20.60	0.00	0.00	0.20	0.20
2015-03-04 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.22	20.30			0.00	0.00
2015-03-04 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 17:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 17:00	10			1.15	3.00	0.00	0.00	0.00	0.00	20.53	20.60			0.17	0.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-04 17:00	12	0.00	0.00	0.61	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 17:00	13			0.97	2.00			0.00	0.00	20.49	20.60	0.00	0.00	0.20	0.20
2015-03-04 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.25	20.30			0.00	0.00
2015-03-04 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 18:00	8			0.87	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 18:00	10			1.14	3.00	0.00	0.00	0.00	0.00	20.53	20.60			0.23	0.60
2015-03-04 18:00	12	0.00	0.00	0.42	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 18:00	13			1.13	2.00			0.00	0.00	20.50	20.60	0.00	0.00	0.20	0.20
2015-03-04 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.25	20.30			0.00	0.00
2015-03-04 19:00	2	0.09	1.70			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-03-04 19:00	8			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-04 19:00	10			0.97	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.16	0.60
2015-03-04 19:00	12	0.00	0.00	0.95	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 19:00	13			0.95	1.00			0.00	0.00	20.54	20.60	0.00	0.00	0.20	0.20
2015-03-04 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.21	20.30			0.00	0.00
2015-03-04 20:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2015-03-04 20:00	8			0.95	1.00			0.00	0.00	20.72	20.90	0.00	0.00	0.00	0.00
2015-03-04 20:00	10			1.20	3.00	0.00	0.00	0.00	0.00	20.49	20.60			0.17	0.60
2015-03-04 20:00	12	0.00	0.00	0.33	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 20:00	13			0.95	1.00			0.00	0.00	20.52	20.60	0.00	0.00	0.20	0.20
2015-03-04 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.20			0.00	0.00
2015-03-04 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.10
2015-03-04 21:00	8			1.08	3.00			0.00	0.00	20.59	20.70	0.00	0.00	0.00	0.00
2015-03-04 21:00	10			1.10	3.00	0.00	0.00	0.00	0.00	20.51	20.60			0.25	0.60
2015-03-04 21:00	12	0.00	0.00	0.36	11.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 21:00	13			0.95	1.00			0.00	0.00	20.46	20.60	0.00	0.00	0.20	0.20
2015-03-04 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.20			0.00	0.00
2015-03-04 22:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2015-03-04 22:00	8			0.97	2.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.00
2015-03-04 22:00	10			1.03	2.00	0.00	0.00	0.00	0.00	20.50	20.60			0.24	0.90
2015-03-04 22:00	12	0.00	0.00	0.81	16.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-04 22:00	13			1.09	2.00			0.00	0.00	20.44	20.60	0.00	0.00	0.20	0.20
2015-03-04 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.20			0.00	0.00
2015-03-04 23:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-03-04 23:00	8			0.95	1.00			1.16	3.00	20.73	20.90	0.00	0.00	0.00	0.00
2015-03-04 23:00	10			0.95	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.21	0.60
2015-03-04 23:00	12	0.00	0.00	0.13	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-04 23:00	13			0.95	2.00			0.00	0.00	20.40	20.50	0.00	0.00	0.20	0.20
2015-03-05 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.20	20.20			0.00	0.00
2015-03-05 00:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.30
2015-03-05 00:00	8			1.08	3.00			3.06	3.30	20.63	20.70	0.00	0.00	0.00	0.00
2015-03-05 00:00	10			1.05	2.00	0.00	0.00	0.00	0.00	20.50	20.60			0.30	0.90
2015-03-05 00:00	12	0.00	0.00	0.13	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-05 00:00	13			0.94	1.00			0.00	0.00	20.42	20.50	0.00	0.00	0.20	0.20
2015-03-05 01:00	1	0.00	0.00			0.00	0.00	1.48	3.10	20.16	20.20			0.00	0.00
2015-03-05 01:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.50
2015-03-05 01:00	8			1.05	3.00			3.26	3.50	20.60	20.70	0.00	0.00	0.00	0.00
2015-03-05 01:00	10			1.00	2.00	0.00	0.00	0.00	0.00	20.42	20.50			0.23	0.90
2015-03-05 01:00	12	0.00	0.00	0.48	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-05 01:00	13			1.03	2.00			0.00	0.00	20.43	20.50	0.00	0.00	0.20	0.20
2015-03-05 02:00	1	0.00	0.00			0.00	0.00	3.09	3.10	20.10	20.10			0.00	0.00
2015-03-05 02:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.30
2015-03-05 02:00	8			0.80	2.00			3.33	3.40	20.55	20.60	0.00	0.00	0.00	0.00
2015-03-05 02:00	10			1.10	2.00	0.00	0.00	0.00	0.00	20.40	20.50			0.26	0.60
2015-03-05 02:00	12	0.00	0.00	0.44	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-05 02:00	13			1.13	2.00			0.00	0.00	20.36	20.40	0.00	0.00	0.21	0.30
2015-03-05 03:00	1	0.00	0.00			0.00	0.00	3.24	3.40	20.10	20.10			0.00	0.00
2015-03-05 03:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.50
2015-03-05 03:00	8			1.03	2.00			3.31	3.50	20.56	20.60	0.00	0.00	0.00	0.00
2015-03-05 03:00	10			1.05	2.00	0.00	0.00	0.00	0.00	20.40	20.50			0.29	0.60
2015-03-05 03:00	12	0.00	0.00	0.63	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-05 03:00	13			1.03	2.00			0.00	0.00	20.37	20.50	0.00	0.00	0.20	0.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-05 04:00	1	0.00	0.00			0.00	0.00	3.24	3.30	20.10	20.10			0.00	0.00
2015-03-05 04:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.30
2015-03-05 04:00	8			1.03	2.00			3.33	3.50	20.56	20.60	0.00	0.00	0.00	0.00
2015-03-05 04:00	10			1.13	3.00	0.00	0.00	0.00	0.00	20.38	20.40			0.24	0.90
2015-03-05 04:00	12	0.00	0.00	0.34	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-05 04:00	13			1.08	3.00			0.00	0.00	20.40	20.50	0.00	0.00	0.20	0.20
2015-03-05 05:00	1	0.00	0.00			0.00	0.00	3.31	3.40	20.10	20.20			0.00	0.00
2015-03-05 05:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.14	0.50
2015-03-05 05:00	8			0.85	2.00			3.45	3.70	20.56	20.60	0.00	0.00	0.00	0.00
2015-03-05 05:00	10			1.00	1.00	0.00	0.00	0.00	0.00	20.37	20.40			0.36	0.60
2015-03-05 05:00	12	0.00	0.00	0.54	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-05 05:00	13			1.03	3.00			0.00	0.00	20.38	20.50	0.00	0.00	0.20	0.20
2015-03-05 06:00	1	0.00	0.00			0.00	0.00	3.48	3.60	20.11	20.20			0.00	0.00
2015-03-05 06:00	2	0.02	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.50
2015-03-05 06:00	8			0.88	1.00			3.69	3.90	20.55	20.60	0.00	0.00	0.00	0.00
2015-03-05 06:00	10			1.28	3.00	0.00	0.00	0.00	0.00	20.32	20.40			0.38	0.90
2015-03-05 06:00	12	0.00	0.00	0.50	12.00			0.00	0.00	20.90	20.90			0.03	0.20
2015-03-05 06:00	13			0.97	1.00			0.00	0.00	20.41	20.50	0.00	0.00	0.20	0.20
2015-03-05 07:00	1	0.00	0.00			0.00	0.10	3.24	3.60	20.05	20.10			0.00	0.00
2015-03-05 07:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.50
2015-03-05 07:00	8			0.82	2.00			3.67	3.90	20.45	20.60	0.00	0.00	0.00	0.00
2015-03-05 07:00	10			0.97	3.00	0.00	0.00	0.00	0.00	20.28	20.40			0.28	0.90
2015-03-05 07:00	12	0.00	0.00	0.34	10.00			0.00	0.00	20.90	20.90			0.07	0.50
2015-03-05 07:00	13			1.13	3.00			0.00	0.00	20.36	20.40	0.00	0.00	0.20	0.30
2015-03-05 08:00	1	0.00	0.00			0.01	0.10	2.44	2.70	20.14	20.20			0.00	0.00
2015-03-05 08:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-03-05 08:00	8			0.68	2.00			3.21	3.60	20.49	20.60	0.00	0.00	0.00	0.00
2015-03-05 08:00	10			1.02	2.00	0.00	0.00	0.00	0.00	20.32	20.40			0.29	0.60
2015-03-05 08:00	12	0.00	0.00	0.17	2.00			0.00	0.00	20.90	20.90			0.01	0.50
2015-03-05 08:00	13			1.05	3.00			0.00	0.00	20.48	20.60	0.00	0.00	0.20	0.20
2015-03-05 09:00	1	0.00	0.00			0.02	0.20	1.77	2.10	20.27	20.40			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-05 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-05 09:00	8			1.02	2.00			1.98	3.00	20.52	20.60	0.00	0.00	0.00	0.00
2015-03-05 09:00	10			1.10	2.00	0.00	0.00	0.00	0.00	20.45	20.60			0.20	0.60
2015-03-05 09:00	12	0.00	0.00	0.41	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-05 09:00	13			0.97	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.17	0.20
2015-03-05 10:00	1	0.00	0.00			0.01	0.20	0.21	1.30	20.41	20.50			0.00	0.00
2015-03-05 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-05 10:00	8			1.13	2.00			0.00	0.00	20.78	20.90	0.00	0.00	0.00	0.00
2015-03-05 10:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.19	0.90
2015-03-05 10:00	12	0.00	0.00	0.21	2.00			0.00	0.00	20.90	20.90			0.05	0.50
2015-03-05 10:00	13			1.03	2.00			0.00	0.00	20.62	20.70	0.00	0.00	0.16	0.20
2015-03-05 11:00	1	0.00	0.00			0.01	0.10	0.00	0.00	20.55	20.70			0.00	0.00
2015-03-05 11:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-05 11:00	8			1.28	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-05 11:00	10			1.08	2.00	0.00	0.00	0.00	0.00	20.56	20.60			0.19	0.90
2015-03-05 11:00	12	0.00	0.00	0.15	4.00			0.00	0.00	20.90	20.90			0.03	0.50
2015-03-05 11:00	13			1.17	3.00			0.00	0.00	20.63	20.70	0.00	0.00	0.14	0.20
2015-03-05 12:00	1	0.00	0.00			0.00	0.10	0.00	0.00	20.56	20.60			0.00	0.00
2015-03-05 12:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-05 12:00	8			1.68	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-05 12:00	10			1.18	4.00	0.00	0.00	0.00	0.00	20.63	20.90			0.12	0.60
2015-03-05 12:00	12	0.00	0.00	0.15	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-05 12:00	13			1.11	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.15	0.20