

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-07 08:00	1	0.08	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.45	3.60
2016-03-07 08:00	2	0.18	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 08:00	5			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-07 08:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-07 09:00	1	0.12	0.90			0.00	0.00	0.00	0.00	21.13	21.20			1.70	4.50
2016-03-07 09:00	2	0.15	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 09:00	5			4.00	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-07 09:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.70	1.10
2016-03-07 09:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 09:00	12	0.00	0.00	2.00	23.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 09:00	13			1.92	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-07 10:00	1	0.09	0.30			0.00	0.00	0.00	0.00	21.21	21.30			2.16	3.60
2016-03-07 10:00	2	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 10:00	5			3.81	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-07 10:00	8			2.08	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.75	2.30
2016-03-07 10:00	10			2.00	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 10:00	12	0.00	0.00	1.13	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 10:00	13			1.88	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-07 11:00	8			2.82	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.38	1.70
2016-03-07 11:00	10			2.12	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 11:00	12	0.00	0.00	1.86	23.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 12:00	1	0.30	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 12:00	5			1.00	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-07 12:00	8			3.38	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.15	1.10
2016-03-07 12:00	10			3.07	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 12:00	12	0.00	0.00	2.46	22.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 12:00	13			0.00	0.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-07 13:00	1	0.23	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.90
2016-03-07 13:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.30
2016-03-07 13:00	5			3.18	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-07 13:00	8			4.07	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	1.10
2016-03-07 13:00	10			3.15	5.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 13:00	12	0.00	0.00	2.13	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 13:00	13			1.61	2.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2016-03-07 14:00	1	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 14:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2016-03-07 14:00	5			3.87	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.41	0.50
2016-03-07 14:00	8			4.10	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.50
2016-03-07 14:00	10			3.33	5.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 14:00	12	0.00	0.00	2.89	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 14:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-07 15:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2016-03-07 15:00	5			3.68	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.46	0.50
2016-03-07 15:00	8			4.24	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	1.70
2016-03-07 15:00	10			3.85	5.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 15:00	12	0.00	0.00	2.97	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 15:00	13			1.97	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 16:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.90
2016-03-07 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.30
2016-03-07 16:00	5			3.83	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.47	0.50
2016-03-07 16:00	8			4.61	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.50
2016-03-07 16:00	10			3.68	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 16:00	12	0.00	0.00	3.22	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 16:00	13			1.98	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 17:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.30
2016-03-07 17:00	5			3.68	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.44	0.50
2016-03-07 17:00	8			4.18	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.30	1.70
2016-03-07 17:00	10			3.36	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 17:00	12	0.00	0.00	2.15	4.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-07 17:00	13			1.92	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 18:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.33	0.50
2016-03-07 18:00	5			3.77	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.39	0.60
2016-03-07 18:00	8			3.55	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.38	1.10
2016-03-07 18:00	10			3.06	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 18:00	12	0.00	0.00	1.95	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 18:00	13			1.97	2.00			0.00	0.00	20.90	20.90			0.01	0.10
2016-03-07 19:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.49	0.60
2016-03-07 19:00	5			3.95	6.00			0.00	0.00	20.90	20.90	0.00	0.10	0.38	0.50
2016-03-07 19:00	8			3.54	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.40	1.70
2016-03-07 19:00	10			2.18	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 19:00	12	0.00	0.00	1.61	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 19:00	13			1.82	3.00			0.00	0.00	20.90	20.90			0.05	0.10
2016-03-07 20:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.63	0.90
2016-03-07 20:00	5			3.71	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	0.50
2016-03-07 20:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.63	1.70
2016-03-07 20:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 20:00	12	0.00	0.00	1.46	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 20:00	13			1.95	2.00			0.00	0.00	20.90	20.90			0.12	0.20
2016-03-07 21:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.71	0.90
2016-03-07 21:00	5			3.81	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.19	0.50
2016-03-07 21:00	8			2.92	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.46	1.70
2016-03-07 21:00	10			2.08	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 21:00	12	0.00	0.00	1.89	26.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 21:00	13			1.97	3.00			0.00	0.00	20.90	20.90			0.22	0.30
2016-03-07 22:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.90
2016-03-07 22:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.83	1.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-07 22:00	5			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.50
2016-03-07 22:00	8			2.79	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.76	1.70
2016-03-07 22:00	10			2.05	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 22:00	12	0.00	0.00	1.16	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 22:00	13			1.83	3.00			0.00	0.00	20.90	20.90			0.28	0.50
2016-03-07 23:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.20	1.80
2016-03-07 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.92	1.10
2016-03-07 23:00	5			3.81	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.50
2016-03-07 23:00	8			2.73	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.68	1.70
2016-03-07 23:00	10			2.08	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 23:00	12	0.00	0.00	1.73	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-07 23:00	13			1.67	2.00			0.00	0.00	20.90	20.90			0.37	0.50
2016-03-08 00:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.90
2016-03-08 00:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.97	1.10
2016-03-08 00:00	5			3.89	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.50
2016-03-08 00:00	8			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.56	1.70
2016-03-08 00:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 00:00	12	0.00	0.00	1.28	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 00:00	13			1.93	4.00			0.00	0.00	20.90	20.90			0.41	0.60
2016-03-08 01:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.90
2016-03-08 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.96	1.10
2016-03-08 01:00	5			3.79	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.50
2016-03-08 01:00	8			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.60	1.70
2016-03-08 01:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 01:00	12	0.00	0.00	1.33	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 01:00	13			1.74	2.00			0.00	0.00	20.90	20.90			0.45	0.50
2016-03-08 02:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 02:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.93	1.10
2016-03-08 02:00	5			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.26	0.50
2016-03-08 02:00	8			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.76	1.70
2016-03-08 02:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-08 02:00	12	0.00	0.00	1.21	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 02:00	13			1.80	4.00			0.00	0.00	20.90	20.90			0.41	0.60
2016-03-08 03:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 03:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.84	1.00
2016-03-08 03:00	5			3.90	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.50
2016-03-08 03:00	8			2.25	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.56	1.10
2016-03-08 03:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 03:00	12	0.00	0.00	1.40	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 03:00	13			1.85	4.00			0.00	0.00	20.90	20.90			0.39	0.50
2016-03-08 04:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.90
2016-03-08 04:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.80	0.90
2016-03-08 04:00	5			3.92	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.50
2016-03-08 04:00	8			2.31	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.63	1.70
2016-03-08 04:00	10			2.02	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 04:00	12	0.00	0.00	1.24	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 04:00	13			1.84	2.00			0.00	0.00	20.90	20.90			0.38	0.50
2016-03-08 05:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.09	1.80
2016-03-08 05:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.87	1.00
2016-03-08 05:00	5			3.89	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.50
2016-03-08 05:00	8			2.07	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.42	1.70
2016-03-08 05:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 05:00	12	0.00	0.00	1.38	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 05:00	13			1.84	3.00			0.00	0.00	20.90	20.90			0.36	0.50
2016-03-08 06:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.90
2016-03-08 06:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.91	1.10
2016-03-08 06:00	5			3.89	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.50
2016-03-08 06:00	8			2.17	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.65	1.70
2016-03-08 06:00	10			1.98	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 06:00	12	0.00	0.00	1.57	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 06:00	13			1.66	3.00			0.00	0.00	20.90	20.90			0.42	0.50
2016-03-08 07:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-08 07:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.94	1.10
2016-03-08 07:00	5			3.90	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.19	0.50
2016-03-08 07:00	8			2.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.40	1.70
2016-03-08 07:00	10			2.05	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 07:00	12	0.00	0.00	1.32	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 07:00	13			1.92	2.00			0.00	0.00	20.90	20.90			0.48	0.60
2016-03-08 08:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.90
2016-03-08 08:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.88	1.00
2016-03-08 08:00	5			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	0.50
2016-03-08 08:00	8			2.31	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.61	1.70
2016-03-08 08:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 08:00	12	0.00	0.00	1.16	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 08:00	13			1.89	2.00			0.00	0.00	20.90	20.90			0.44	0.50
2016-03-08 09:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.83	1.00
2016-03-08 09:00	5			3.73	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.33	0.50
2016-03-08 09:00	8			2.92	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.43	1.10
2016-03-08 09:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 09:00	12	0.00	0.00	1.28	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 09:00	13			1.75	2.00			0.00	0.00	20.90	20.90			0.45	0.50
2016-03-08 10:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.90
2016-03-08 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.62	0.80
2016-03-08 10:00	5			3.82	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.35	0.50
2016-03-08 10:00	8			3.51	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.40	1.70
2016-03-08 10:00	10			2.05	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 10:00	12	0.00	0.00	2.08	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 10:00	13			1.90	3.00			0.00	0.00	20.90	20.90			0.35	0.50
2016-03-08 11:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 11:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.37	0.60
2016-03-08 11:00	5			3.84	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.38	0.50
2016-03-08 11:00	8			3.87	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.15	1.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-08 11:00	10			2.68	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 11:00	12	0.00	0.00	2.08	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 11:00	13			1.82	3.00			0.00	0.00	20.90	20.90			0.23	0.40
2016-03-08 12:00	1	0.05	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.13	1.80
2016-03-08 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.40
2016-03-08 12:00	5			3.82	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.48	0.50
2016-03-08 12:00	8			4.26	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.50
2016-03-08 12:00	10			3.70	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 12:00	12	0.00	0.00	2.14	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 12:00	13			2.00	3.00			0.00	0.00	20.90	20.90			0.19	0.30
2016-03-08 13:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.50
2016-03-08 13:00	5			3.83	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.47	0.50
2016-03-08 13:00	8			4.13	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.19	1.10
2016-03-08 13:00	10			3.20	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 13:00	12	0.00	0.00	2.07	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 13:00	13			2.00	3.00			0.00	0.00	20.90	20.90			0.15	0.30
2016-03-08 14:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.09	1.80
2016-03-08 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.82	20.90			0.26	0.50
2016-03-08 14:00	5			3.77	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.50	0.60
2016-03-08 14:00	8			4.42	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	1.10
2016-03-08 14:00	10			3.00	3.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 14:00	12	0.00	0.00	2.18	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 14:00	13			1.92	2.00			0.00	0.00	20.90	20.90			0.13	0.30
2016-03-08 15:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.90
2016-03-08 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.30
2016-03-08 15:00	5			3.85	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.50	0.60
2016-03-08 15:00	8			5.21	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	1.10
2016-03-08 15:00	10			3.50	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 15:00	12	0.00	0.00	2.47	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 15:00	13			1.97	3.00			0.00	0.00	20.90	20.90			0.07	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-08 16:00	1	0.03	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.37	0.60
2016-03-08 16:00	5			3.78	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.48	0.80
2016-03-08 16:00	8			4.93	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	1.70
2016-03-08 16:00	10			3.11	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 16:00	12	0.00	0.00	1.98	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 16:00	13			1.83	2.00			0.00	0.00	20.90	20.90			0.17	0.30
2016-03-08 17:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.90
2016-03-08 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.63	0.80
2016-03-08 17:00	5			3.83	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.39	0.50
2016-03-08 17:00	8			4.38	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.35	1.70
2016-03-08 17:00	10			2.83	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 17:00	12	0.00	0.00	1.74	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 17:00	13			1.60	3.00			0.00	0.00	20.90	20.90			0.34	0.50
2016-03-08 18:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.90
2016-03-08 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.87	1.00
2016-03-08 18:00	5			3.79	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.26	0.50
2016-03-08 18:00	8			4.07	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.47	1.70
2016-03-08 18:00	10			2.22	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 18:00	12	0.00	0.00	2.44	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 18:00	13			1.74	2.00			0.00	0.00	20.90	20.90			0.50	0.60
2016-03-08 19:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.95	1.10
2016-03-08 19:00	5			3.79	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.50
2016-03-08 19:00	8			3.88	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.53	1.70
2016-03-08 19:00	10			2.05	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 19:00	12	0.00	0.00	2.68	38.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 19:00	13			1.75	2.00			0.00	0.00	20.90	20.90			0.61	0.70
2016-03-08 20:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.90
2016-03-08 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.12	1.40
2016-03-08 20:00	5			3.97	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.34	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-08 20:00	8			3.59	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.72	1.70
2016-03-08 20:00	10			2.32	4.00	0.00	0.00	0.00	0.00	20.70	20.90			0.00	0.00
2016-03-08 20:00	12	0.00	0.00	1.44	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 20:00	13			1.92	2.00			0.00	0.00	20.90	20.90			0.69	0.80
2016-03-08 21:00	1	0.01	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.65	1.90
2016-03-08 21:00	5			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.47	0.50
2016-03-08 21:00	8			3.48	4.00			0.00	0.00	20.90	20.90	0.00	0.00	1.26	2.30
2016-03-08 21:00	10			2.97	4.00	0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2016-03-08 21:00	12	0.00	0.00	1.89	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 21:00	13			2.00	2.00			0.00	0.00	20.90	20.90			0.76	0.90
2016-03-08 22:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.90
2016-03-08 22:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.99	2.20
2016-03-08 22:00	5			3.85	4.00			0.00	0.00	20.90	20.90	0.00	0.00	1.01	1.60
2016-03-08 22:00	8			3.16	4.00			0.00	0.00	20.90	20.90	0.00	0.00	1.34	2.90
2016-03-08 22:00	10			2.62	3.00	0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00
2016-03-08 22:00	12	0.00	0.00	1.82	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 22:00	13			2.00	2.00			0.00	0.00	20.90	20.90			0.83	0.90
2016-03-08 23:00	1	0.02	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.85	2.10
2016-03-08 23:00	5			3.82	4.00			0.00	0.00	20.90	20.90	0.00	0.00	1.31	1.50
2016-03-08 23:00	8			3.02	4.00			0.00	0.00	20.90	20.90	0.00	0.00	1.35	2.30
2016-03-08 23:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2016-03-08 23:00	12	0.00	0.00	1.53	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-08 23:00	13			2.00	2.00			0.00	0.00	20.90	20.90			0.82	0.90
2016-03-09 00:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.14	1.80
2016-03-09 00:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.61	1.90
2016-03-09 00:00	5			3.74	4.00			0.00	0.00	20.90	20.90	0.00	0.00	1.22	1.50
2016-03-09 00:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.92	1.70
2016-03-09 00:00	10			1.98	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2016-03-09 00:00	12	0.00	0.00	1.11	3.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-09 00:00	13			1.70	3.00			0.00	0.00	20.90	20.90			0.82	0.90
2016-03-09 01:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.90
2016-03-09 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.48	1.60
2016-03-09 01:00	5			3.79	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.92	1.10
2016-03-09 01:00	8			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.83	2.30
2016-03-09 01:00	10			1.98	3.00	0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2016-03-09 01:00	12	0.00	0.00	1.47	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 01:00	13			1.58	2.00			0.00	0.00	20.90	20.90			0.79	0.90
2016-03-09 02:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.89	20.90			0.12	1.80
2016-03-09 02:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.46	1.70
2016-03-09 02:00	5			3.87	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.51	0.80
2016-03-09 02:00	8			3.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.75	2.30
2016-03-09 02:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.56	20.60			0.00	0.00
2016-03-09 02:00	12	0.00	0.00	1.08	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 02:00	13			1.72	3.00			0.00	0.00	20.90	20.90			0.80	0.90
2016-03-09 03:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 03:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.51	1.70
2016-03-09 03:00	5			3.91	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.51	0.60
2016-03-09 03:00	8			3.45	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.61	1.70
2016-03-09 03:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2016-03-09 03:00	12	0.00	0.00	1.26	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 03:00	13			1.76	4.00			0.00	0.00	20.90	20.90			0.82	0.90
2016-03-09 04:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 04:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.54	1.70
2016-03-09 04:00	5			3.79	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.60	1.00
2016-03-09 04:00	8			3.68	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.92	2.30
2016-03-09 04:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2016-03-09 04:00	12	0.00	0.00	1.03	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 04:00	13			1.97	3.00			0.00	0.00	20.90	20.90			0.81	0.90
2016-03-09 05:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 05:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.52	1.90

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-09 05:00	5			3.78	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.82	1.00
2016-03-09 05:00	8			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	1.03	2.30
2016-03-09 05:00	10			2.00	3.00	0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2016-03-09 05:00	12	0.00	0.00	1.15	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 05:00	13			1.41	3.00			0.00	0.00	20.90	20.90			0.75	0.90
2016-03-09 06:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 06:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.50	1.60
2016-03-09 06:00	5			3.65	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.98	1.10
2016-03-09 06:00	8			4.08	5.00			0.00	0.00	20.90	20.90	0.00	0.00	1.09	2.30
2016-03-09 06:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2016-03-09 06:00	12	0.00	0.00	1.22	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 06:00	13			1.58	4.00			0.00	0.00	20.90	20.90			0.76	0.90
2016-03-09 07:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 07:00	2	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			1.50	1.60
2016-03-09 07:00	5			3.76	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.97	1.00
2016-03-09 07:00	8			5.08	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.75	1.70
2016-03-09 07:00	10			2.05	4.00	0.00	0.00	0.00	0.00	20.55	20.60			0.00	0.00
2016-03-09 07:00	12	0.00	0.00	1.28	10.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 07:00	13			1.25	2.00			0.00	0.00	20.90	20.90			0.75	0.90
2016-03-09 08:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 08:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			1.39	1.50
2016-03-09 08:00	5			3.69	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.87	1.00
2016-03-09 08:00	8			6.00	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.59	1.70
2016-03-09 08:00	10			2.06	4.00	0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.00
2016-03-09 08:00	12	0.00	0.00	1.24	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 08:00	13			1.53	2.00			0.00	0.00	20.90	20.90			0.72	0.90
2016-03-09 09:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.45	1.90
2016-03-09 09:00	5			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.68	1.00
2016-03-09 09:00	8			7.62	11.00			0.00	0.00	20.90	20.90	0.00	0.00	0.64	1.70
2016-03-09 09:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-09 09:00	12	0.00	0.00	1.28	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 09:00	13			1.92	3.00			0.00	0.00	20.90	20.90			0.74	0.90
2016-03-09 10:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.90
2016-03-09 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.72	2.00
2016-03-09 10:00	5			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.77	1.10
2016-03-09 10:00	8			7.90	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.96	2.30
2016-03-09 10:00	10			2.02	3.00	0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2016-03-09 10:00	12	0.00	0.00	1.46	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 10:00	13			2.03	4.00			0.00	0.00	20.90	20.90			0.83	0.90
2016-03-09 11:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 11:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.93	2.20
2016-03-09 11:00	5			3.98	4.00			0.00	0.00	20.90	20.90	0.00	0.00	1.01	1.30
2016-03-09 11:00	8			7.95	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.77	1.70
2016-03-09 11:00	10			2.02	3.00	0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2016-03-09 11:00	12	0.00	0.00	1.51	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 11:00	13			1.86	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.79	0.90
2016-03-09 12:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 12:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			1.65	2.00
2016-03-09 12:00	5			3.79	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.98	1.10
2016-03-09 12:00	8			9.00	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.36	1.70
2016-03-09 12:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2016-03-09 12:00	12	0.00	0.00	2.13	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 12:00	13			1.73	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-09 13:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 13:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			1.17	1.40
2016-03-09 13:00	5			3.70	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.61	1.00
2016-03-09 13:00	8			11.54	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.38	1.10
2016-03-09 13:00	10			2.05	4.00	0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2016-03-09 13:00	12	0.00	0.00	1.39	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 13:00	13			1.56	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-09 14:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-09 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.90	1.20
2016-03-09 14:00	5			3.92	4.00			0.00	0.00	20.90	20.90	0.00	0.10	0.52	0.60
2016-03-09 14:00	8			13.27	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.40	1.10
2016-03-09 14:00	10			2.00	3.00	0.00	0.00	0.00	0.00	20.82	20.90			0.00	0.00
2016-03-09 14:00	12	0.00	0.00	2.30	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 14:00	13			1.70	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-09 15:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.89	1.00
2016-03-09 15:00	5			3.88	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.49	0.60
2016-03-09 15:00	8			12.83	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.42	1.10
2016-03-09 15:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 15:00	12	0.00	0.00	2.03	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 15:00	13			1.56	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-09 16:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.84	1.00
2016-03-09 16:00	5			3.92	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.45	0.60
2016-03-09 16:00	8			13.68	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.32	1.70
2016-03-09 16:00	10			2.11	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 16:00	12	0.00	0.00	1.53	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 16:00	13			1.73	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-09 17:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.94	1.20
2016-03-09 17:00	5			3.73	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.43	0.60
2016-03-09 17:00	8			12.95	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.40	1.10
2016-03-09 17:00	10			2.02	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 17:00	12	0.00	0.00	1.46	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 17:00	13			1.62	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-09 18:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.11	1.20
2016-03-09 18:00	5			3.77	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.47	0.50
2016-03-09 18:00	8			12.10	15.00			0.00	0.00	20.90	20.90	0.00	0.00	0.39	1.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-09 18:00	10			2.08	3.00	0.00	0.00	0.00	0.00	20.78	20.90			0.00	0.00
2016-03-09 18:00	12	0.00	0.00	1.26	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 18:00	13			1.76	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-09 19:00	1	0.04	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.25	1.40
2016-03-09 19:00	5			3.83	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.49	0.60
2016-03-09 19:00	8			11.03	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.64	1.70
2016-03-09 19:00	10			2.06	3.00	0.00	0.00	0.00	0.00	20.63	20.70			0.00	0.00
2016-03-09 19:00	12	0.00	0.00	1.39	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 19:00	13			1.81	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-09 20:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.11	1.80
2016-03-09 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.37	1.60
2016-03-09 20:00	5			4.06	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.61	0.80
2016-03-09 20:00	8			10.42	11.00			0.00	0.00	20.90	20.90	0.00	0.00	0.61	1.70
2016-03-09 20:00	10			2.00	3.00	0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2016-03-09 20:00	12	0.00	0.00	1.28	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 20:00	13			1.86	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-09 21:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.90
2016-03-09 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.58	1.90
2016-03-09 21:00	5			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.93	1.30
2016-03-09 21:00	8			9.51	11.00			0.00	0.00	20.90	20.90	0.00	0.00	0.70	1.70
2016-03-09 21:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2016-03-09 21:00	12	0.00	0.00	1.28	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 21:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2016-03-09 22:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 22:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.82	2.10
2016-03-09 22:00	5			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	1.41	2.00
2016-03-09 22:00	8			8.95	12.00			0.00	0.00	20.90	20.90	0.00	0.00	1.18	2.30
2016-03-09 22:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.55	20.60			0.00	0.00
2016-03-09 22:00	12	0.00	0.00	1.54	3.00			0.00	0.00	20.90	20.90			0.01	0.10
2016-03-09 22:00	13			1.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-09 23:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-09 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.92	2.10
2016-03-09 23:00	5			4.03	5.00			0.00	0.00	20.90	20.90	0.01	0.10	1.81	2.30
2016-03-09 23:00	8			8.15	9.00			0.00	0.00	20.90	20.90	0.00	0.00	1.27	2.90
2016-03-09 23:00	10			2.37	3.00	0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2016-03-09 23:00	12	0.00	0.00	2.21	15.00			0.00	0.00	20.90	20.90			0.09	0.10
2016-03-09 23:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2016-03-10 00:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-10 00:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.96	2.20
2016-03-10 00:00	5			4.33	6.00			0.00	0.00	20.90	20.90	0.00	0.00	1.24	1.60
2016-03-10 00:00	8			8.44	9.00			0.00	0.00	20.90	20.90	0.00	0.00	1.67	3.50
2016-03-10 00:00	10			3.28	4.00	0.00	0.00	0.00	0.00	20.54	20.70			0.00	0.00
2016-03-10 00:00	12	0.00	0.00	2.84	12.00			0.00	0.00	20.90	20.90			0.17	0.30
2016-03-10 00:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2016-03-10 01:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2016-03-10 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.87	2.00
2016-03-10 01:00	5			4.19	6.00			0.00	0.00	20.90	20.90	0.00	0.00	1.05	1.30
2016-03-10 01:00	8			7.95	9.00			0.00	0.00	20.90	20.90	0.00	0.00	1.43	2.90
2016-03-10 01:00	10			2.77	4.00	0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.10
2016-03-10 01:00	12	0.00	0.00	2.05	3.00			0.00	0.00	20.90	20.90			0.15	0.30
2016-03-10 01:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2016-03-10 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.63	20.90			0.00	0.00
2016-03-10 02:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.87	2.00
2016-03-10 02:00	5			4.10	6.00			0.00	0.00	20.90	20.90	0.00	0.00	1.02	1.30
2016-03-10 02:00	8			7.56	9.00			0.00	0.00	20.90	20.90	0.00	0.00	1.18	2.30
2016-03-10 02:00	10			2.88	4.00	0.00	0.00	0.00	0.00	20.54	20.90			0.00	0.00
2016-03-10 02:00	12	0.00	0.00	2.05	4.00			0.00	0.00	20.90	20.90			0.10	0.10
2016-03-10 02:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2016-03-10 03:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2016-03-10 03:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.92	2.10
2016-03-10 03:00	5			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	1.41	1.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-10 03:00	8			7.30	9.00			0.00	0.00	20.90	20.90	0.00	0.00	1.04	1.70
2016-03-10 03:00	10			2.63	4.00	0.00	0.00	0.00	0.00	20.51	20.60			0.01	0.10
2016-03-10 03:00	12	0.00	0.00	2.08	3.00			0.00	0.00	20.90	20.90			0.20	0.20
2016-03-10 03:00	13			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2016-03-10 04:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.55	20.60			0.00	0.00
2016-03-10 04:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			1.83	2.20
2016-03-10 04:00	5			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	1.47	2.00
2016-03-10 04:00	8			6.83	8.00			0.00	0.00	20.90	20.90	0.00	0.00	1.38	2.30
2016-03-10 04:00	10			2.74	4.00	0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2016-03-10 04:00	12	0.00	0.00	2.05	5.00			0.00	0.00	20.90	20.90			0.16	0.20
2016-03-10 04:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.20
2016-03-10 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.56	20.60			0.00	0.00
2016-03-10 05:00	2	0.00	0.00			0.00	0.00	0.22	3.00	20.90	20.90			1.72	2.00
2016-03-10 05:00	5			4.17	5.00			0.00	0.00	20.90	20.90	0.00	0.00	1.03	1.30
2016-03-10 05:00	8			6.82	8.00			0.00	0.00	20.90	20.90	0.00	0.00	1.41	2.30
2016-03-10 05:00	10			2.91	4.00	0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2016-03-10 05:00	12	0.00	0.00	2.58	18.00			0.00	0.00	20.90	20.90			0.04	0.10
2016-03-10 05:00	13			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.20
2016-03-10 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2016-03-10 06:00	2	0.00	0.10			0.00	0.00	2.97	3.10	20.90	20.90			1.80	2.20
2016-03-10 06:00	5			4.07	6.00			0.00	0.00	20.90	20.90	0.00	0.10	1.08	1.50
2016-03-10 06:00	8			6.82	9.00			0.00	0.00	20.90	20.90	0.00	0.00	1.45	2.30
2016-03-10 06:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.48	20.50			0.00	0.00
2016-03-10 06:00	12	0.00	0.00	3.00	13.00			0.00	0.00	20.90	20.90			0.06	0.10
2016-03-10 06:00	13			2.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2016-03-10 07:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2016-03-10 07:00	2	0.02	0.20			0.00	0.00	3.06	3.30	20.90	20.90			1.74	2.20
2016-03-10 07:00	5			4.00	6.00			0.00	0.00	20.89	20.90	0.00	0.00	0.95	1.30
2016-03-10 07:00	8			6.18	7.00			0.00	0.00	20.75	20.90	0.00	0.00	1.74	3.50
2016-03-10 07:00	10			2.95	3.00	0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2016-03-10 07:00	12	0.00	0.00	2.55	16.00			0.00	0.00	20.70	20.90			0.12	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-10 07:00	13			2.00	2.00			0.00	0.00	20.83	20.90	0.00	0.00	0.10	0.10
2016-03-10 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2016-03-10 08:00	2	0.01	0.20			0.00	0.10	3.06	3.30	20.90	20.90			1.71	2.20
2016-03-10 08:00	5			4.00	5.00			0.00	0.00	20.69	20.70	0.00	0.00	0.52	0.60
2016-03-10 08:00	8			5.95	7.00			0.00	0.00	20.67	20.90	0.00	0.00	1.56	2.30
2016-03-10 08:00	10			2.38	3.00	0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.10
2016-03-10 08:00	12	0.00	0.00	2.30	9.00			0.00	0.00	20.68	20.70			0.09	0.10
2016-03-10 08:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.20
2016-03-10 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2016-03-10 09:00	2	0.01	0.30			0.00	0.00	3.00	3.20	20.90	20.90			1.58	1.90
2016-03-10 09:00	5			3.85	5.00			0.00	0.00	20.73	21.20	0.00	0.10	0.51	0.80
2016-03-10 09:00	8			5.78	6.00			0.00	0.00	20.63	20.90	0.00	0.00	1.54	2.30
2016-03-10 09:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.41	20.50			0.00	0.00
2016-03-10 09:00	12	0.00	0.00	2.03	3.00			0.00	0.00	20.70	20.70			0.00	0.00
2016-03-10 09:00	13			2.00	2.00			0.00	0.00	20.73	20.90	0.00	0.00	0.11	0.20
2016-03-10 10:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2016-03-10 10:00	2	0.00	0.00			0.01	0.10	2.77	3.00	20.90	20.90			1.45	1.70
2016-03-10 10:00	5			4.13	7.00			0.00	0.00	20.76	20.90	0.00	0.00	0.58	0.80
2016-03-10 10:00	8			5.85	7.00			0.00	0.00	20.62	20.70	0.00	0.00	1.27	2.30
2016-03-10 10:00	10			2.07	4.00	0.00	0.00	0.00	0.00	20.44	20.50			0.00	0.10
2016-03-10 10:00	12	0.00	0.00	1.75	4.00			0.00	0.00	20.67	20.70			0.00	0.10
2016-03-10 10:00	13			2.03	3.00			0.00	0.00	20.88	20.90	0.00	0.00	0.09	0.10
2016-03-10 11:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2016-03-10 11:00	2	0.04	1.50			0.00	0.00	2.72	2.80	20.90	20.90			1.32	1.60
2016-03-10 11:00	5			4.03	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.57	1.00
2016-03-10 11:00	8			6.17	8.00			0.00	0.00	20.78	20.90	0.00	0.00	1.11	2.30
2016-03-10 11:00	10			2.34	3.00	0.00	0.00	0.00	0.00	20.49	20.60			0.00	0.10
2016-03-10 11:00	12	0.00	0.00	2.30	14.00			0.00	0.00	20.86	20.90			0.00	0.00
2016-03-10 11:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.10
2016-03-10 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2016-03-10 12:00	2	0.03	0.20			0.00	0.00	2.63	2.70	20.90	20.90			1.28	1.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2016-03-10 12:00	5			3.86	4.00			0.00	0.00	20.81	20.90	0.00	0.00	0.56	0.60
2016-03-10 12:00	8			6.17	7.00			0.00	0.00	20.87	20.90	0.00	0.00	1.00	1.70
2016-03-10 12:00	10			2.17	3.00	0.00	0.00	0.00	0.00	20.42	20.50			0.02	0.10
2016-03-10 12:00	12	0.00	0.00	2.00	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2016-03-10 12:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10