

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-16 12:00	1	0.53	1.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 12:00	2	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 12:00	8			5.75	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 12:00	10			3.50	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 12:00	12	0.00	0.00	2.68	26.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 12:00	13			1.46	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 13:00	1	0.78	1.30			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 13:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 13:00	8			7.00	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 13:00	10			3.87	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 13:00	12	0.00	0.00	2.38	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 13:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 14:00	1	0.62	1.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 14:00	2	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 14:00	8			8.50	11.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 14:00	10			4.40	7.00	0.00	0.00	0.00	0.00	21.06	21.20			0.00	0.00
2015-03-16 14:00	12	0.00	0.00	3.71	11.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 14:00	13			1.93	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 15:00	1	0.65	1.20			0.00	0.10	0.00	0.00	21.11	21.20			0.00	0.00
2015-03-16 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 15:00	8			8.69	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 15:00	10			4.86	7.00	0.00	0.00	0.00	0.00	21.20	21.30			0.00	0.00
2015-03-16 15:00	12	0.00	0.00	4.79	10.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 15:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 16:00	1	0.57	1.10			0.00	0.00	0.00	0.00	21.16	21.20			0.00	0.00
2015-03-16 16:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 16:00	8			9.14	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 16:00	10			5.18	7.00	0.00	0.10	0.00	0.00	21.20	21.30			0.00	0.00
2015-03-16 16:00	12	0.00	0.00	5.72	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 16:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 17:00	1	0.40	1.10			0.00	0.10	0.00	0.00	21.20	21.30			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-16 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 17:00	8			9.35	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 17:00	10			5.37	7.00	0.00	0.00	0.00	0.00	21.18	21.20			0.00	0.00
2015-03-16 17:00	12	0.00	0.00	6.47	9.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 17:00	13			2.50	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 18:00	1	0.12	0.80			0.01	0.10	0.00	0.00	20.94	21.20			0.00	0.10
2015-03-16 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.22	21.30			0.00	0.00
2015-03-16 18:00	8			9.00	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 18:00	10			6.13	8.00	0.00	0.00	0.00	0.00	21.22	21.30			0.00	0.00
2015-03-16 18:00	12	0.00	0.00	6.32	9.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 18:00	13			2.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 19:00	1	0.12	1.10			0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.10
2015-03-16 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.20	21.30			0.00	0.00
2015-03-16 19:00	8			8.63	11.00			0.00	0.00	21.17	21.30	0.00	0.00	0.00	0.00
2015-03-16 19:00	10			4.56	6.00	0.00	0.00	0.00	0.00	21.20	21.30			0.00	0.00
2015-03-16 19:00	12	0.00	0.00	3.73	16.00			0.00	0.00	21.01	21.20			0.00	0.00
2015-03-16 19:00	13			1.80	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 20:00	1	0.05	0.40			0.02	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 20:00	2	0.01	0.10			0.00	0.00	0.00	0.00	21.13	21.20			0.00	0.00
2015-03-16 20:00	8			6.14	8.00			0.00	0.00	20.92	21.20	0.00	0.00	0.00	0.10
2015-03-16 20:00	10			3.05	4.00	0.00	0.00	0.00	0.00	21.06	21.20			0.00	0.00
2015-03-16 20:00	12	0.00	0.00	2.11	3.00			0.00	0.00	21.06	21.20			0.00	0.00
2015-03-16 20:00	13			1.22	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 21:00	1	0.05	0.90			0.00	0.10	0.00	0.00	20.90	20.90			0.07	0.30
2015-03-16 21:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.04	21.20			0.00	0.00
2015-03-16 21:00	8			5.45	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 21:00	10			2.18	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 21:00	12	0.00	0.00	1.68	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 21:00	13			1.23	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 22:00	1	0.04	0.30			0.00	0.10	0.00	0.00	20.90	20.90			0.26	0.30
2015-03-16 22:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-16 22:00	8			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-16 22:00	10			2.13	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 22:00	12	0.00	0.00	1.16	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 22:00	13			1.27	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-16 23:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.40	0.50
2015-03-16 23:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.30
2015-03-16 23:00	8			3.71	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-16 23:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 23:00	12	0.00	0.00	1.14	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-16 23:00	13			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 00:00	1	0.03	0.30			0.01	0.10	0.00	0.00	20.90	20.90			0.46	0.60
2015-03-17 00:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2015-03-17 00:00	8			3.15	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 00:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 00:00	12	0.00	0.00	1.14	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 00:00	13			1.22	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 01:00	1	0.04	0.30			0.01	0.10	0.00	0.00	20.90	20.90			0.45	0.60
2015-03-17 01:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.30
2015-03-17 01:00	8			3.16	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 01:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 01:00	12	0.00	0.00	1.57	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 01:00	13			1.24	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 02:00	1	0.04	0.40			0.00	0.10	0.00	0.00	20.90	20.90			0.48	0.60
2015-03-17 02:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2015-03-17 02:00	8			3.18	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-17 02:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 02:00	12	0.00	0.00	1.05	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 02:00	13			1.22	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 03:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.64	0.90
2015-03-17 03:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2015-03-17 03:00	8			3.21	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-17 03:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 03:00	12	0.00	0.00	1.10	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 03:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 04:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.70	1.30
2015-03-17 04:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.30
2015-03-17 04:00	8			3.18	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 04:00	10			2.02	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 04:00	12	0.00	0.00	1.18	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 04:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.40
2015-03-17 05:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.30
2015-03-17 05:00	8			2.92	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2015-03-17 05:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 05:00	12	0.00	0.00	2.03	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 05:00	13			1.23	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 06:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2015-03-17 06:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.33	0.70
2015-03-17 06:00	8			2.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-17 06:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 06:00	12	0.00	0.00	1.36	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 06:00	13			1.32	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 07:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2015-03-17 07:00	2	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.64	1.50
2015-03-17 07:00	8			1.92	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2015-03-17 07:00	10			1.81	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 07:00	12	0.00	0.00	1.65	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 07:00	13			1.28	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-17 08:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.10
2015-03-17 08:00	2	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.61	1.60
2015-03-17 08:00	8			1.44	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-17 08:00	10			1.30	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-17 08:00	12	0.00	0.00	1.00	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 08:00	13			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 09:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.10
2015-03-17 09:00	2	0.08	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.76	1.70
2015-03-17 09:00	8			1.18	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-17 09:00	10			1.53	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 09:00	12	0.00	0.00	1.30	15.00			0.00	0.00	20.90	20.90			0.06	0.50
2015-03-17 09:00	13			0.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-17 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.10
2015-03-17 10:00	2	0.07	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.90	1.70
2015-03-17 10:00	8			1.21	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-17 10:00	10			1.28	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 10:00	12	0.00	0.00	1.08	3.00			0.00	0.00	20.90	20.90			0.04	0.20
2015-03-17 10:00	13			1.16	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 11:00	1	0.08	0.50			0.03	0.10	0.00	0.00	20.90	20.90			0.00	0.10
2015-03-17 11:00	2	0.09	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.45	1.30
2015-03-17 11:00	8			1.14	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.30
2015-03-17 11:00	10			1.46	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 11:00	12	0.00	0.00	1.38	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 11:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 12:00	1	0.16	0.70			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 12:00	2	0.02	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.20	0.90
2015-03-17 12:00	8			1.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-17 12:00	10			1.35	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 12:00	12	0.00	0.00	0.97	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 12:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 15:00	2	0.20	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2015-03-17 15:00	8			4.14	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-17 15:00	10			1.92	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 15:00	12	0.39	0.70	1.00	1.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-17 15:00	13			0.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 16:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 16:00	2	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 16:00	8			3.98	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-17 16:00	10			2.00	2.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-03-17 16:00	12	0.26	1.00	1.05	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 16:00	13			0.89	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 17:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 17:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 17:00	8			3.43	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 17:00	10			2.00	2.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-03-17 17:00	12	0.11	0.50	2.11	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 17:00	13			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 18:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.40
2015-03-17 18:00	8			3.11	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-17 18:00	10			2.00	2.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-03-17 18:00	12	0.10	0.50	1.86	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 18:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 19:00	2	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.44	1.20
2015-03-17 19:00	8			2.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2015-03-17 19:00	10			1.92	2.00			0.00	0.00	20.90	20.90			0.05	0.20
2015-03-17 19:00	12	0.10	0.80	1.21	4.00			0.00	0.00	20.90	20.90			0.12	1.40
2015-03-17 19:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-17 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-17 20:00	2	0.12	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.80	1.70
2015-03-17 20:00	8			1.39	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-17 20:00	10			1.81	3.00			0.00	0.00	20.61	20.90			0.05	0.50
2015-03-17 20:00	12	0.13	0.40	1.63	19.00			0.00	0.00	20.90	20.90			0.31	0.90
2015-03-17 20:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-17 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.74	20.90			0.00	0.00
2015-03-17 21:00	2	0.08	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.97	1.50
2015-03-17 21:00	8			1.23	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2015-03-17 21:00	10			1.30	3.00			0.00	0.00	20.51	20.60			0.14	0.80
2015-03-17 21:00	12	0.26	0.90	0.89	2.00			0.00	0.00	20.90	20.90			0.54	1.40
2015-03-17 21:00	13			1.17	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-17 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2015-03-17 22:00	2	0.13	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.15	1.50
2015-03-17 22:00	8			1.00	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-17 22:00	10			1.41	2.00			0.00	0.00	20.48	20.50			0.16	0.80
2015-03-17 22:00	12	0.24	0.80	1.00	2.00			0.00	0.00	20.90	20.90			0.72	1.40
2015-03-17 22:00	13			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.10
2015-03-17 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.00
2015-03-17 23:00	2	0.19	1.00			0.00	0.00	0.00	0.00	20.67	20.90			1.22	1.70
2015-03-17 23:00	8			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-17 23:00	10			1.28	2.00			0.00	0.00	20.44	20.50			0.19	0.80
2015-03-17 23:00	12	0.29	0.80	0.95	2.00			0.00	0.00	20.83	20.90			0.98	1.40
2015-03-17 23:00	13			1.14	2.00			0.00	0.00	20.88	20.90	0.00	0.00	0.05	0.10
2015-03-18 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.60			0.00	0.00
2015-03-18 00:00	2	0.17	0.60			0.00	0.00	0.00	0.00	20.61	20.70			1.46	1.70
2015-03-18 00:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.20
2015-03-18 00:00	10			1.19	2.00			0.00	0.00	20.43	20.50			0.30	0.80
2015-03-18 00:00	12	0.31	1.00	0.92	2.00			0.00	0.00	20.61	20.70			1.28	1.80
2015-03-18 00:00	13			0.97	2.00			0.00	0.00	20.62	20.70	0.00	0.00	0.08	0.10
2015-03-18 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2015-03-18 01:00	2	0.12	0.40			0.00	0.00	0.00	0.00	20.60	20.60			1.38	1.70
2015-03-18 01:00	8			1.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.20
2015-03-18 01:00	10			1.51	3.00			0.00	0.00	20.39	20.50			0.34	0.80
2015-03-18 01:00	12	0.37	1.00	1.00	3.00			0.00	0.00	20.60	20.60			1.34	1.80
2015-03-18 01:00	13			1.00	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.07	0.10
2015-03-18 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-18 02:00	2	0.12	0.70			0.00	0.00	0.00	0.00	20.60	20.60			1.42	2.00
2015-03-18 02:00	8			1.00	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-18 02:00	10			1.36	3.00			0.00	0.00	20.39	20.50			0.35	0.80
2015-03-18 02:00	12	0.45	1.00	0.91	1.00			0.00	0.00	20.60	20.70			1.26	1.80
2015-03-18 02:00	13			1.14	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.08	0.10
2015-03-18 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2015-03-18 03:00	2	0.13	0.60			0.00	0.00	0.00	0.00	20.54	20.60			1.26	2.50
2015-03-18 03:00	8			1.00	2.00			0.81	3.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-18 03:00	10			1.24	3.00			0.00	0.00	20.40	20.40			0.39	0.80
2015-03-18 03:00	12	0.37	0.80	2.28	26.00			0.00	0.00	20.62	20.70			1.29	1.40
2015-03-18 03:00	13			1.16	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.06	0.10
2015-03-18 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-03-18 04:00	2	0.18	0.70			0.00	0.00	0.00	0.00	20.53	20.60			1.41	2.50
2015-03-18 04:00	8			0.91	2.00			2.88	3.00	20.90	20.90	0.00	0.00	0.03	0.20
2015-03-18 04:00	10			1.32	3.00			0.00	0.00	20.36	20.40			0.26	1.10
2015-03-18 04:00	12	0.33	0.80	0.84	9.00			0.00	0.00	20.64	20.70			1.37	1.40
2015-03-18 04:00	13			1.00	1.00			0.00	0.00	20.60	20.60	0.00	0.00	0.07	0.10
2015-03-18 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2015-03-18 05:00	2	0.15	0.40			0.00	0.00	0.00	0.00	20.52	20.60			1.38	2.00
2015-03-18 05:00	8			1.00	1.00			2.78	3.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-18 05:00	10			1.58	4.00			0.00	0.00	20.39	20.50			0.28	0.80
2015-03-18 05:00	12	0.40	1.00	0.59	1.00			0.00	0.00	20.62	20.70			1.32	1.40
2015-03-18 05:00	13			1.11	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.06	0.10
2015-03-18 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2015-03-18 06:00	2	0.26	0.70			0.00	0.00	0.00	0.00	20.51	20.60			1.52	2.50
2015-03-18 06:00	8			1.03	3.00			2.87	3.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-18 06:00	10			1.22	2.00			0.00	0.00	20.39	20.50			0.28	1.10
2015-03-18 06:00	12	0.44	0.90	1.29	15.00			0.00	0.00	20.64	20.70			1.39	1.40
2015-03-18 06:00	13			1.16	3.00			0.00	0.00	20.59	20.60	0.00	0.00	0.07	0.10
2015-03-18 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2015-03-18 07:00	2	0.16	0.50			0.00	0.00	0.00	0.00	20.50	20.50			1.60	2.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-18 07:00	8			0.92	2.00			2.88	3.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-18 07:00	10			1.18	2.00			0.00	0.00	20.38	20.50			0.28	0.80
2015-03-18 07:00	12	0.49	1.10	1.14	16.00			0.00	0.00	20.63	20.70			1.34	1.80
2015-03-18 07:00	13			1.00	2.00			0.00	0.00	20.57	20.60	0.00	0.00	0.07	0.10
2015-03-18 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2015-03-18 08:00	2	0.19	0.60			0.00	0.00	0.00	0.00	20.50	20.60			1.45	2.00
2015-03-18 08:00	8			1.03	2.00			2.73	2.90	20.90	20.90	0.00	0.00	0.04	0.30
2015-03-18 08:00	10			1.14	2.00	0.01	0.10	0.00	0.00	20.54	20.90			0.16	0.50
2015-03-18 08:00	12	0.48	0.90	0.74	3.00			0.00	0.00	20.60	20.70			1.35	1.40
2015-03-18 08:00	13			1.08	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.06	0.10
2015-03-18 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-03-18 09:00	2	0.16	0.60			0.00	0.00	0.00	0.00	20.55	20.60			1.31	1.50
2015-03-18 09:00	8			0.93	1.00			2.43	2.60	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-18 09:00	10			1.41	3.00	0.00	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-18 09:00	12	0.51	1.00	1.15	14.00			0.00	0.00	20.60	20.70			1.02	1.40
2015-03-18 09:00	13			1.20	3.00			0.00	0.00	20.60	20.60	0.00	0.00	0.04	0.10
2015-03-18 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2015-03-18 10:00	2	0.14	0.60			0.00	0.00	0.00	0.00	20.51	20.60			1.16	1.70
2015-03-18 10:00	8			0.95	2.00			2.22	2.40	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-18 10:00	10			1.15	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-18 10:00	12	0.49	1.10	0.41	2.00			0.00	0.00	20.60	20.70			0.85	1.40
2015-03-18 10:00	13			1.08	2.00			0.00	0.00	20.60	20.70	0.00	0.00	0.02	0.10
2015-03-18 11:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2015-03-18 11:00	2	0.13	0.60			0.00	0.00	0.00	0.00	20.58	20.70			1.08	1.70
2015-03-18 11:00	8			0.95	2.00			1.75	2.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-18 11:00	10			1.23	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-18 11:00	12	0.49	1.00	1.90	30.00			0.00	0.00	20.61	20.70			0.37	0.90
2015-03-18 11:00	13			1.21	3.00			0.00	0.00	20.68	20.90	0.00	0.00	0.01	0.10
2015-03-18 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2015-03-18 12:00	2	0.18	0.60			0.00	0.00	0.00	0.00	20.57	20.60			0.80	2.00
2015-03-18 12:00	8			1.13	3.00			1.44	1.60	20.90	20.90	0.00	0.00	0.01	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-18 12:00	10			1.48	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-18 12:00	12	0.32	0.90	1.11	20.00			0.00	0.00	20.80	20.90			0.20	0.90
2015-03-18 12:00	13			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-18 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2015-03-18 13:00	2	0.17	0.80			0.00	0.00	0.00	0.00	20.60	20.70			0.84	2.00
2015-03-18 13:00	8			1.00	2.00			1.25	1.40	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-18 13:00	10			1.65	3.00	0.03	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-18 13:00	12	0.33	0.90	0.61	2.00			0.00	0.00	20.88	20.90			0.08	0.90
2015-03-18 13:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-18 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2015-03-18 14:00	2	0.13	0.90			0.00	0.00	0.00	0.00	20.61	20.70			0.72	2.00
2015-03-18 14:00	8			1.15	2.00			0.09	1.20	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-18 14:00	10			1.49	2.00	0.03	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-18 14:00	12	0.38	0.90	0.50	2.00			0.00	0.00	20.90	20.90			0.08	0.40
2015-03-18 14:00	13			0.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-18 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2015-03-18 15:00	2	0.11	0.50			0.00	0.00	0.00	0.00	20.61	20.70			0.91	1.70
2015-03-18 15:00	8			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-18 15:00	10			1.28	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-18 15:00	12	0.29	0.80	1.00	12.00			0.00	0.00	20.90	20.90			0.13	0.40
2015-03-18 15:00	13			1.14	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-18 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2015-03-18 16:00	2	0.18	1.30			0.00	0.00	0.00	0.00	20.69	20.70			0.94	1.50
2015-03-18 16:00	8			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-18 16:00	10			1.44	3.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-18 16:00	12	0.22	0.70	0.97	3.00			0.00	0.00	20.90	20.90			0.42	1.40
2015-03-18 16:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-18 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2015-03-18 17:00	2	0.08	0.60			0.00	0.00	0.00	0.00	20.66	20.70			1.13	1.70
2015-03-18 17:00	8			1.36	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-18 17:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-18 17:00	12	0.22	0.90	0.97	2.00			0.00	0.00	20.90	20.90			0.85	1.40
2015-03-18 17:00	13			1.32	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-18 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2015-03-18 18:00	8			1.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2015-03-18 18:00	10			2.00	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-18 18:00	12	0.26	0.80	0.97	4.00			0.00	0.00	20.90	20.90			1.01	1.80
2015-03-18 18:00	13			1.34	3.00			0.00	0.00	20.71	20.90	0.00	0.00	0.03	0.10
2015-03-18 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2015-03-18 19:00	8			1.29	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-18 19:00	10			2.00	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-18 19:00	12	0.37	0.80	1.45	14.00			0.00	0.00	20.90	20.90			1.07	1.40
2015-03-18 19:00	13			1.66	4.00			0.00	0.00	20.60	20.70	0.00	0.00	0.04	0.10
2015-03-18 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2015-03-18 20:00	8			1.20	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-18 20:00	10			1.72	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-18 20:00	12	0.49	0.90	0.86	1.00			0.00	0.00	20.90	20.90			0.95	1.40
2015-03-18 20:00	13			1.47	2.00			0.00	0.00	20.59	20.60	0.00	0.00	0.04	0.10
2015-03-18 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-03-18 21:00	8			1.16	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2015-03-18 21:00	10			1.92	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-18 21:00	12	0.40	0.80	1.73	15.00			0.00	0.00	20.90	20.90			1.25	1.80
2015-03-18 21:00	13			1.82	3.00			0.00	0.00	20.58	20.60	0.00	0.00	0.02	0.10
2015-03-18 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2015-03-18 22:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-18 22:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-18 22:00	12	0.46	1.20	1.08	3.00			0.00	0.00	20.90	20.90			1.38	1.80
2015-03-18 22:00	13			1.43	2.00			0.00	0.00	20.59	20.60	0.00	0.00	0.04	0.10
2015-03-18 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.46	20.50			0.00	0.00
2015-03-18 23:00	8			1.00	2.00			0.84	3.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-18 23:00	10			1.93	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-18 23:00	12	0.34	0.90	1.00	3.00			0.00	0.00	20.90	20.90			1.31	1.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-18 23:00	13			1.37	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.06	0.10
2015-03-19 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.47	20.60			0.00	0.00
2015-03-19 00:00	8			0.95	2.00			2.98	3.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-19 00:00	10			1.63	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 00:00	12	0.37	0.80	0.70	1.00			0.00	0.00	20.90	20.90			1.34	1.40
2015-03-19 00:00	13			1.39	3.00			0.00	0.00	20.60	20.60	0.00	0.00	0.04	0.10
2015-03-19 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.49	20.60			0.00	0.00
2015-03-19 01:00	8			1.03	2.00			2.92	3.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-19 01:00	10			1.56	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-19 01:00	12	0.42	0.90	0.98	14.00			0.00	0.00	20.90	20.90			1.29	1.40
2015-03-19 01:00	13			1.15	3.00			0.00	0.00	20.60	20.60	0.00	0.00	0.05	0.10
2015-03-19 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2015-03-19 02:00	8			0.92	2.00			2.81	2.90	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-19 02:00	10			1.33	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 02:00	12	0.43	1.10	0.83	3.00			0.00	0.00	20.90	20.90			1.22	1.40
2015-03-19 02:00	13			1.18	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.03	0.10
2015-03-19 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-03-19 03:00	8			1.03	2.00			2.85	3.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-19 03:00	10			1.43	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.02	0.20
2015-03-19 03:00	12	0.39	0.90	0.69	1.00			0.00	0.00	20.90	20.90			1.26	1.40
2015-03-19 03:00	13			1.03	3.00			0.00	0.00	20.60	20.60	0.00	0.00	0.05	0.10
2015-03-19 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2015-03-19 04:00	8			1.03	2.00			2.82	3.00	20.90	20.90	0.00	0.00	0.03	0.20
2015-03-19 04:00	10			1.23	2.00	0.01	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 04:00	12	0.37	1.00	1.37	17.00			0.00	0.00	20.90	20.90			1.29	1.40
2015-03-19 04:00	13			0.98	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.04	0.10
2015-03-19 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2015-03-19 05:00	8			1.00	3.00			2.76	2.80	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-19 05:00	10			1.19	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 05:00	12	0.41	1.00	1.05	8.00			0.00	0.00	20.90	20.90			1.20	1.40
2015-03-19 05:00	13			1.05	2.00			0.00	0.00	20.58	20.60	0.00	0.00	0.03	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-19 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2015-03-19 06:00	8			0.98	2.00			2.85	3.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-19 06:00	10			1.22	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 06:00	12	0.46	1.10	0.59	2.00			0.00	0.00	20.90	20.90			1.18	1.40
2015-03-19 06:00	13			1.07	3.00			0.00	0.00	20.59	20.60	0.00	0.00	0.04	0.10
2015-03-19 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.49	20.50			0.00	0.00
2015-03-19 07:00	8			0.92	2.00			2.95	3.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-19 07:00	10			1.30	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-19 07:00	12	0.45	0.90	0.74	8.00			0.00	0.00	20.90	20.90			1.23	1.40
2015-03-19 07:00	13			1.16	2.00			0.00	0.00	20.60	20.60	0.00	0.00	0.06	0.10
2015-03-19 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2015-03-19 08:00	8			1.08	3.00			2.68	2.90	20.76	20.90	0.00	0.00	0.01	0.10
2015-03-19 08:00	10			1.31	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 08:00	12	0.47	1.00	0.95	3.00			0.00	0.00	20.90	20.90			1.04	1.80
2015-03-19 08:00	13			1.05	2.00			0.00	0.00	20.59	20.60	0.00	0.00	0.06	0.10
2015-03-19 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.48	20.60			0.00	0.00
2015-03-19 09:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.39	0.70
2015-03-19 09:00	8			0.95	2.00			2.33	2.40	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-19 09:00	10			1.42	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 09:00	12	0.55	1.00	0.68	2.00			0.00	0.00	20.90	20.90			0.79	1.40
2015-03-19 09:00	13			1.20	2.00			0.00	0.00	20.57	20.70	0.00	0.00	0.02	0.10
2015-03-19 10:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.54	20.60			0.00	0.00
2015-03-19 10:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.32	1.50
2015-03-19 10:00	8			1.03	2.00			1.92	2.20	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-19 10:00	10			1.44	3.00	0.04	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 10:00	12	0.58	1.10	0.70	4.00			0.00	0.00	20.89	20.90			0.28	0.90
2015-03-19 10:00	13			1.00	2.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2015-03-19 11:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2015-03-19 11:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.70
2015-03-19 11:00	8			1.08	3.00			1.49	1.60	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-19 11:00	10			1.57	4.00	0.03	0.10	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-19 11:00	12	0.36	0.90	0.78	2.00			0.00	0.00	20.90	20.90			0.07	0.90
2015-03-19 11:00	13			1.14	3.00			0.00	0.00	20.64	20.70	0.00	0.00	0.00	0.00
2015-03-19 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2015-03-19 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.20
2015-03-19 12:00	8			1.46	3.00			0.85	1.50	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-19 12:00	10			1.63	3.00	0.04	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 12:00	12	0.42	1.10	0.71	2.00			0.00	0.00	20.90	20.90			0.05	0.40
2015-03-19 12:00	13			1.03	2.00			0.00	0.00	20.69	20.90	0.00	0.00	0.00	0.10