

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-19 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2015-03-19 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.20
2015-03-19 12:00	8			1.46	3.00			0.85	1.50	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-19 12:00	10			1.63	3.00	0.04	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 12:00	12	0.42	1.10	0.71	2.00			0.00	0.00	20.90	20.90			0.05	0.40
2015-03-19 12:00	13			1.03	2.00			0.00	0.00	20.69	20.90	0.00	0.00	0.00	0.10
2015-03-19 13:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.78	20.90			0.00	0.00
2015-03-19 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 13:00	8			1.53	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.30
2015-03-19 13:00	10			1.67	3.00	0.04	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 13:00	12	0.34	0.90	1.17	12.00			0.00	0.00	20.90	20.90			0.07	0.90
2015-03-19 13:00	13			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-19 14:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 14:00	2	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 14:00	8			1.66	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2015-03-19 14:00	10			1.74	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 14:00	12	0.36	1.20	1.32	17.00			0.00	0.00	20.90	20.90			0.05	0.40
2015-03-19 14:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-19 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 15:00	2	0.02	0.90			0.00	0.00	0.00	0.00	21.08	21.20			0.00	0.00
2015-03-19 15:00	8			1.92	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.30
2015-03-19 15:00	10			1.66	3.00	0.03	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 15:00	12	0.39	0.90	0.79	1.00			0.00	0.00	20.90	20.90			0.02	0.40
2015-03-19 15:00	13			0.95	1.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-19 16:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.20	21.20			0.00	0.00
2015-03-19 16:00	8			1.89	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2015-03-19 16:00	10			1.63	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 16:00	12			0.92	3.00			0.00	0.00	20.90	20.90			0.01	0.40
2015-03-19 16:00	13			1.19	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-19 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-19 17:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.18	21.20			0.04	0.20
2015-03-19 17:00	8			1.68	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-19 17:00	10			1.67	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 17:00	12			1.37	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 17:00	13			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-19 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.75	20.90			0.00	0.00
2015-03-19 18:00	2	0.01	0.10			0.00	0.00	0.00	0.00	21.10	21.20			0.36	1.20
2015-03-19 18:00	8			1.23	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-19 18:00	10			1.26	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-19 18:00	12			0.84	3.00			0.00	0.00	20.90	20.90				
2015-03-19 18:00	13			1.16	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-19 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2015-03-19 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.11	21.20			0.31	1.20
2015-03-19 19:00	8			1.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-19 19:00	10			1.57	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-19 19:00	12			1.55	16.00			0.00	0.00	20.90	20.90				
2015-03-19 19:00	13			1.21	3.00			0.00	0.00	20.64	20.90	0.00	0.00	0.01	0.10
2015-03-19 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.05	0.20
2015-03-19 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.93	21.10			0.14	0.70
2015-03-19 20:00	8			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-19 20:00	10			1.64	4.00	0.00	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-19 20:00	12			0.76	1.00			0.00	0.00	20.90	20.90				
2015-03-19 20:00	13			1.31	3.00			0.00	0.00	20.60	20.70	0.00	0.00	0.01	0.10
2015-03-19 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.40	0.80
2015-03-19 21:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.23	0.70
2015-03-19 21:00	8			1.46	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-19 21:00	10			1.95	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.03	0.20
2015-03-19 21:00	12			1.00	2.00			0.00	0.00	20.90	20.90				
2015-03-19 21:00	13			1.43	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.01	0.10
2015-03-19 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.72	0.90
2015-03-19 22:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.70

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-19 22:00	8			1.24	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-19 22:00	10			1.79	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.02	0.20
2015-03-19 22:00	12			1.38	16.00			0.00	0.00	20.90	20.90				
2015-03-19 22:00	13			1.13	2.00			0.00	0.00	20.52	20.60	0.00	0.00	0.01	0.10
2015-03-19 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.67	0.80
2015-03-19 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.23	0.70
2015-03-19 23:00	8			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-19 23:00	10			1.68	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-19 23:00	12			0.67	2.00			0.00	0.00	20.90	20.90				
2015-03-19 23:00	13			1.06	2.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.10
2015-03-20 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.53	0.80
2015-03-20 00:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.23	0.70
2015-03-20 00:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 00:00	10			1.61	3.00	0.02	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-20 00:00	12			1.05	16.00			0.00	0.00	20.90	20.90				
2015-03-20 00:00	13			1.08	3.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00
2015-03-20 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.54	0.70
2015-03-20 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.23	0.40
2015-03-20 01:00	8			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 01:00	10			1.49	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-20 01:00	12			1.33	11.00			0.00	0.00	20.90	20.90				
2015-03-20 01:00	13			1.08	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2015-03-20 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.55	20.60			0.73	0.90
2015-03-20 02:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.70
2015-03-20 02:00	8			1.03	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2015-03-20 02:00	10			1.41	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 02:00	12			1.31	14.00			0.00	0.00	20.90	20.90				
2015-03-20 02:00	13			1.22	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.10
2015-03-20 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.81	0.90
2015-03-20 03:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.70
2015-03-20 03:00	8			1.18	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-20 03:00	10			1.45	3.00	0.00	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-20 03:00	12			1.13	13.00			0.00	0.00	20.90	20.90				
2015-03-20 03:00	13			1.08	2.00			0.00	0.00	20.53	20.60	0.00	0.00	0.01	0.10
2015-03-20 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.74	0.90
2015-03-20 04:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.33	0.70
2015-03-20 04:00	8			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 04:00	10			1.38	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.02	0.20
2015-03-20 04:00	12			0.67	2.00			0.00	0.00	20.90	20.90				
2015-03-20 04:00	13			1.26	4.00			0.00	0.00	20.53	20.60	0.00	0.00	0.01	0.10
2015-03-20 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.60	0.80
2015-03-20 05:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.35	0.70
2015-03-20 05:00	8			1.17	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 05:00	10			1.35	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-20 05:00	12			0.82	4.00			0.00	0.00	20.90	20.90				
2015-03-20 05:00	13			1.08	2.00			0.00	0.00	20.58	20.60	0.00	0.00	0.01	0.10
2015-03-20 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.49	0.90
2015-03-20 06:00	2	0.03	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.27	0.70
2015-03-20 06:00	8			0.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-20 06:00	10			1.36	3.00	0.00	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-20 06:00	12			1.13	18.00			0.00	0.00	20.90	20.90				
2015-03-20 06:00	13			1.13	3.00			0.00	0.00	20.59	20.60	0.00	0.00	0.02	0.10
2015-03-20 07:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.50	20.50			0.34	0.70
2015-03-20 07:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.36	0.70
2015-03-20 07:00	8			1.10	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 07:00	10			1.31	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.02	0.50
2015-03-20 07:00	12			0.83	2.00			0.00	0.00	20.90	20.90				
2015-03-20 07:00	13			1.10	2.00			0.00	0.00	20.59	20.60	0.00	0.00	0.02	0.10
2015-03-20 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.03	0.20
2015-03-20 08:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.32	0.90
2015-03-20 08:00	8			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 08:00	10			1.11	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.02	0.20

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-20 08:00	12			0.95	8.00			0.00	0.00	20.90	20.90				
2015-03-20 08:00	13			1.23	2.00			0.00	0.00	20.58	20.60	0.00	0.00	0.02	0.10
2015-03-20 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2015-03-20 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.27	0.70
2015-03-20 09:00	8			1.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 09:00	10			1.24	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 09:00	12	0.01	0.10	0.81	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 09:00	13			1.16	3.00			0.00	0.00	20.58	20.70	0.00	0.00	0.01	0.10
2015-03-20 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-03-20 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.70
2015-03-20 10:00	8			1.37	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 10:00	10			1.39	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 10:00	12	0.03	0.20	1.13	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 10:00	13			1.13	3.00			0.00	0.00	20.55	20.60	0.00	0.00	0.02	0.10
2015-03-20 11:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2015-03-20 11:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.27	0.70
2015-03-20 11:00	8			1.27	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 11:00	10			1.36	3.00	0.02	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-20 11:00	12	0.01	0.20	0.69	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 11:00	13			1.14	3.00			0.00	0.00	20.57	20.70	0.00	0.00	0.01	0.10
2015-03-20 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2015-03-20 12:00	2	0.06	2.00			0.00	0.00	0.00	0.00	20.90	20.90			0.26	1.00
2015-03-20 12:00	8			1.26	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 12:00	10			1.39	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 12:00	12	0.06	0.30	0.74	4.00			0.00	0.00	20.90	20.90			0.03	0.90
2015-03-20 12:00	13			1.16	2.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00
2015-03-20 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2015-03-20 13:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.50
2015-03-20 13:00	8			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-20 13:00	10			1.34	2.00	0.03	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 13:00	12	0.02	0.20	1.05	4.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-20 13:00	13			1.23	3.00			0.00	0.00	20.62	20.70	0.00	0.00	0.00	0.10
2015-03-20 14:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.82	20.90			0.00	0.00
2015-03-20 14:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 14:00	8			2.58	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 14:00	10			1.61	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 14:00	12	0.05	0.50	1.18	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 14:00	13			1.03	2.00			0.00	0.00	20.87	20.90	0.00	0.00	0.00	0.00
2015-03-20 15:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 15:00	2	0.02	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 15:00	8			4.78	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 15:00	10			1.97	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 15:00	12	0.03	0.40	1.31	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 15:00	13			1.11	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-20 16:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.15	21.30			0.00	0.00
2015-03-20 16:00	8			8.81	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-20 16:00	10			2.03	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 16:00	12	0.00	0.10	1.78	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 16:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-20 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.33	21.40			0.00	0.00
2015-03-20 17:00	8			10.18	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-20 17:00	10			2.05	3.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 17:00	12	0.00	0.00	2.17	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 17:00	13			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-20 18:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-03-20 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.35	21.40			0.00	0.00
2015-03-20 18:00	8			7.22	11.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-20 18:00	10			1.97	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 18:00	12	0.00	0.00	1.24	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 18:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-20 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.26	21.30			0.00	0.00
2015-03-20 19:00	8			4.14	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 19:00	10			1.91	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 19:00	12	0.00	0.00	1.75	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 19:00	13			1.14	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-20 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-03-20 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.20	21.20			0.03	0.40
2015-03-20 20:00	8			3.19	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 20:00	10			1.75	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-20 20:00	12	0.01	0.20	1.03	3.00			0.00	0.00	20.90	20.90			0.01	0.40
2015-03-20 20:00	13			1.15	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-20 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.20
2015-03-20 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.17	21.20			0.35	1.00
2015-03-20 21:00	8			2.38	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 21:00	10			1.24	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-20 21:00	12	0.01	0.10	1.13	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 21:00	13			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-20 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.18	0.30
2015-03-20 22:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.11	21.20			0.29	1.00
2015-03-20 22:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-20 22:00	10			1.32	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-20 22:00	12	0.03	0.20	1.67	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 22:00	13			1.08	3.00			0.00	0.00	20.86	20.90	0.00	0.00	0.00	0.00
2015-03-20 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.75	20.90			0.60	1.00
2015-03-20 23:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.96	21.10			0.11	0.40
2015-03-20 23:00	8			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-20 23:00	10			1.27	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-20 23:00	12	0.02	0.30	1.16	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-20 23:00	13			1.13	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.10
2015-03-21 00:00	1	0.01	0.40			0.00	0.00	0.00	0.00	20.60	20.60			0.42	0.90

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-21 00:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.25	0.70
2015-03-21 00:00	8			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-21 00:00	10			1.30	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.02	0.50
2015-03-21 00:00	12	0.07	0.30	1.32	12.00			0.00	0.00	20.90	20.90			0.01	0.40
2015-03-21 00:00	13			1.26	2.00			0.00	0.00	20.60	20.70	0.00	0.00	0.02	0.10
2015-03-21 01:00	1	0.03	0.60			0.00	0.00	0.00	0.00	20.57	20.60			0.29	0.60
2015-03-21 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.90
2015-03-21 01:00	8			1.59	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.10
2015-03-21 01:00	10			1.50	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.04	0.20
2015-03-21 01:00	12	0.09	0.50	1.18	10.00			0.00	0.00	20.90	20.90			0.02	0.40
2015-03-21 01:00	13			1.14	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.01	0.10
2015-03-21 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.42	0.60
2015-03-21 02:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.70
2015-03-21 02:00	8			1.32	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-21 02:00	10			1.42	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.03	0.20
2015-03-21 02:00	12	0.08	0.30	1.03	2.00			0.00	0.00	20.90	20.90			0.06	0.40
2015-03-21 02:00	13			1.20	2.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.10
2015-03-21 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.55	20.60			0.55	0.80
2015-03-21 03:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.31	0.70
2015-03-21 03:00	8			1.17	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.10
2015-03-21 03:00	10			1.44	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.05	0.50
2015-03-21 03:00	12	0.05	0.40	1.27	15.00			0.00	0.00	20.90	20.90			0.01	0.40
2015-03-21 03:00	13			1.16	3.00			0.00	0.00	20.59	20.70	0.00	0.00	0.01	0.10
2015-03-21 04:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.56	20.60			0.69	0.90
2015-03-21 04:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.27	0.70
2015-03-21 04:00	8			1.53	4.00			0.00	0.00	20.74	20.90	0.00	0.00	0.04	0.10
2015-03-21 04:00	10			1.54	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.04	0.50
2015-03-21 04:00	12	0.05	0.30	1.19	13.00			0.00	0.00	20.90	20.90			0.02	0.40
2015-03-21 04:00	13			1.24	3.00			0.00	0.00	20.58	20.60	0.00	0.00	0.01	0.10
2015-03-21 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.54	20.60			0.24	0.50
2015-03-21 05:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.35	0.70



Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-21 05:00	8			1.38	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-21 05:00	10			1.54	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.03	0.20
2015-03-21 05:00	12	0.03	0.30	0.79	1.00			0.00	0.00	20.90	20.90			0.03	0.40
2015-03-21 05:00	13			1.21	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.02	0.10
2015-03-21 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.48	0.80
2015-03-21 06:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.38	0.70
2015-03-21 06:00	8			1.29	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-21 06:00	10			1.54	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.04	0.50
2015-03-21 06:00	12	0.05	0.30	1.32	14.00			0.00	0.00	20.90	20.90			0.03	0.40
2015-03-21 06:00	13			1.33	3.00			0.00	0.00	20.56	20.60	0.00	0.00	0.03	0.10
2015-03-21 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.77	1.00
2015-03-21 07:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.70
2015-03-21 07:00	8			1.53	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-21 07:00	10			1.35	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.07	0.50
2015-03-21 07:00	12	0.04	0.30	0.89	3.00			0.00	0.00	20.90	20.90			0.02	0.40
2015-03-21 07:00	13			1.05	3.00			0.00	0.00	20.52	20.60	0.00	0.00	0.01	0.10
2015-03-21 08:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.57	20.70			0.32	0.80
2015-03-21 08:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.70
2015-03-21 08:00	8			1.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-21 08:00	10			1.84	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-21 08:00	12	0.12	0.50	0.92	2.00			0.00	0.00	20.90	20.90			0.01	0.40
2015-03-21 08:00	13			1.17	3.00			0.00	0.00	20.59	20.70	0.00	0.00	0.00	0.00
2015-03-21 09:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.83	20.90			0.02	0.20
2015-03-21 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 09:00	8			2.94	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-21 09:00	10			1.84	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-21 09:00	12	0.06	0.50	1.05	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 09:00	13			1.00	2.00			0.00	0.00	20.81	20.90	0.00	0.00	0.00	0.00
2015-03-21 10:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.93	21.20			0.00	0.00
2015-03-21 10:00	8			4.03	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-21 10:00	10			2.05	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 10:00	12	0.08	0.70	1.24	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 10:00	13			1.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 11:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 11:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.16	21.20			0.00	0.00
2015-03-21 11:00	8			5.65	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-21 11:00	10			2.08	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 11:00	12	0.06	0.40	1.87	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 11:00	13			1.14	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 12:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.17	21.20			0.00	0.00
2015-03-21 12:00	8			8.97	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 12:00	10			2.33	3.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 12:00	12	0.02	0.60	2.64	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 12:00	13			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 13:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-03-21 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.25	21.30			0.00	0.00
2015-03-21 13:00	8			8.69	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 13:00	10			2.84	4.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 13:00	12	0.00	0.10	3.86	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 13:00	13			1.18	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 14:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.23	21.30			0.00	0.00
2015-03-21 14:00	8			10.00	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 14:00	10			2.97	3.00	0.02	0.10	0.00	0.00	21.01	21.20			0.00	0.00
2015-03-21 14:00	12	0.00	0.00	4.85	26.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 14:00	13			1.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 15:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.34	21.40			0.00	0.00
2015-03-21 15:00	8			11.19	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 15:00	10			3.50	6.00	0.01	0.10	0.00	0.00	21.18	21.30			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-21 15:00	12	0.00	0.00	4.17	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 15:00	13			1.59	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 16:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.35	21.40			0.00	0.00
2015-03-21 16:00	8			10.93	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 16:00	10			3.51	4.00	0.01	0.10	0.00	0.00	21.18	21.20			0.00	0.00
2015-03-21 16:00	12	0.00	0.00	4.10	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 16:00	13			1.38	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 17:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.43	21.60			0.00	0.00
2015-03-21 17:00	8			12.05	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 17:00	10			3.38	4.00	0.00	0.00	0.00	0.00	21.17	21.30			0.00	0.00
2015-03-21 17:00	12	0.00	0.00	4.05	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 17:00	13			1.46	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.52	21.60			0.00	0.00
2015-03-21 18:00	8			10.47	14.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 18:00	10			3.02	4.00	0.01	0.10	0.00	0.00	21.19	21.30			0.00	0.00
2015-03-21 18:00	12	0.00	0.00	3.05	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 18:00	13			1.50	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.38	21.50			0.00	0.00
2015-03-21 19:00	8			6.95	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-21 19:00	10			2.05	3.00	0.01	0.10	0.00	0.00	21.08	21.30			0.00	0.00
2015-03-21 19:00	12	0.00	0.00	1.86	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 19:00	13			1.19	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 20:00	2	0.03	1.00			0.00	0.00	0.00	0.00	21.33	21.40			0.00	0.00
2015-03-21 20:00	8			4.17	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 20:00	10			1.97	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 20:00	12	0.00	0.00	1.19	3.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-21 20:00	13			1.22	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 21:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-03-21 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.30	21.30			0.00	0.00
2015-03-21 21:00	8			3.12	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 21:00	10			1.97	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 21:00	12	0.00	0.00	1.06	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 21:00	13			1.24	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 22:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-03-21 22:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.25	21.30			0.00	0.00
2015-03-21 22:00	8			2.62	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-21 22:00	10			1.95	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 22:00	12	0.00	0.00	1.86	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 22:00	13			1.14	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-21 23:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-21 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.22	21.30			0.00	0.00
2015-03-21 23:00	8			2.06	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-21 23:00	10			1.89	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 23:00	12	0.01	0.10	1.05	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-21 23:00	13			1.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-03-22 00:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.21	21.30			0.00	0.00
2015-03-22 00:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-22 00:00	10			1.87	2.00	0.04	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 00:00	12	0.01	0.20	1.62	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 00:00	13			1.18	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-03-22 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.21	21.30			0.00	0.00
2015-03-22 01:00	8			1.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-22 01:00	10			1.97	2.00	0.04	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-22 01:00	12	0.01	0.20	1.40	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 01:00	13			1.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-22 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.40
2015-03-22 02:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.20	21.20			0.01	0.20
2015-03-22 02:00	8			1.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2015-03-22 02:00	10			1.92	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 02:00	12	0.01	0.20	1.36	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 02:00	13			1.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.20	0.50
2015-03-22 03:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.18	21.20			0.07	0.40
2015-03-22 03:00	8			1.43	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-03-22 03:00	10			1.92	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 03:00	12	0.01	0.10	1.28	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 03:00	13			1.33	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.40
2015-03-22 04:00	2	0.01	0.20			0.00	0.00	0.00	0.00	21.18	21.20			0.26	1.00
2015-03-22 04:00	8			1.50	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-22 04:00	10			1.73	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-22 04:00	12	0.01	0.30	0.95	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 04:00	13			1.32	3.00			0.00	0.00	20.71	20.90	0.00	0.00	0.00	0.00
2015-03-22 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.30
2015-03-22 05:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.16	21.20			0.58	1.50
2015-03-22 05:00	8			1.48	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-22 05:00	10			1.66	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.20
2015-03-22 05:00	12	0.00	0.00	1.35	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 05:00	13			1.03	2.00			0.00	0.00	20.64	20.70	0.00	0.00	0.00	0.00
2015-03-22 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-22 06:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.13	21.20			0.59	1.20
2015-03-22 06:00	8			1.28	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-22 06:00	10			1.74	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 06:00	12	0.01	0.10	1.13	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 06:00	13			1.15	2.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.00
2015-03-22 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-22 07:00	2	0.01	0.10			0.00	0.00	0.00	0.00	21.12	21.20			0.28	1.00
2015-03-22 07:00	8			1.06	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2015-03-22 07:00	10			1.84	3.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 07:00	12	0.01	0.10	0.91	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 07:00	13			1.28	3.00			0.00	0.00	20.66	20.70	0.00	0.00	0.00	0.00
2015-03-22 08:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.80	20.90			0.00	0.00
2015-03-22 08:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.98	21.20			0.20	1.00
2015-03-22 08:00	8			1.22	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-22 08:00	10			1.58	3.00	0.02	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-22 08:00	12	0.08	0.50	1.02	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 08:00	13			1.29	3.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.10
2015-03-22 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.87	20.90			0.00	0.00
2015-03-22 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 09:00	8			1.88	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.10
2015-03-22 09:00	10			2.03	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-22 09:00	12	0.07	0.50	0.89	2.00			0.00	0.00	20.85	20.90			0.00	0.00
2015-03-22 09:00	13			1.13	2.00			0.00	0.00	20.77	20.90	0.00	0.00	0.00	0.00
2015-03-22 10:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.06	21.20			0.02	0.70
2015-03-22 10:00	8			2.46	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-22 10:00	10			2.00	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 10:00	12	0.03	0.30	1.66	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 10:00	13			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 11:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 11:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.20	21.30			0.00	0.00
2015-03-22 11:00	8			3.20	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-22 11:00	10			2.03	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 11:00	12	0.01	0.10	1.39	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 11:00	13			1.18	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.25	21.30			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-22 12:00	8			4.11	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 12:00	10			2.03	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 12:00	12	0.00	0.00	2.59	23.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 12:00	13			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.31	21.40			0.00	0.00
2015-03-22 13:00	8			4.48	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 13:00	10			2.39	3.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 13:00	12	0.00	0.00	2.15	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 13:00	13			1.12	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 14:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.28	21.40			0.00	0.00
2015-03-22 14:00	8			4.29	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 14:00	10			2.43	3.00	0.01	0.10	0.00	0.00	21.08	21.20			0.00	0.00
2015-03-22 14:00	12	0.01	0.20	1.97	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 14:00	13			1.10	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.28	21.40			0.00	0.00
2015-03-22 15:00	8			5.03	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 15:00	10			3.62	5.00	0.01	0.10	0.00	0.00	21.20	21.30			0.00	0.00
2015-03-22 15:00	12	0.00	0.00	2.76	29.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 15:00	13			1.13	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 16:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.28	21.40			0.00	0.00
2015-03-22 16:00	8			5.11	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 16:00	10			3.15	4.00	0.01	0.10	0.00	0.00	21.19	21.30			0.00	0.00
2015-03-22 16:00	12	0.01	0.10	2.23	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 16:00	13			1.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.31	21.40			0.00	0.00
2015-03-22 17:00	8			5.09	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-22 17:00	10			3.28	4.00	0.02	0.10	0.00	0.00	21.13	21.20			0.00	0.00
2015-03-22 17:00	12	0.00	0.10	2.78	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 17:00	13			1.17	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.42	21.50			0.00	0.00
2015-03-22 18:00	8			5.15	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 18:00	10			3.10	4.00	0.03	0.10	0.00	0.00	21.16	21.40			0.00	0.00
2015-03-22 18:00	12	0.00	0.00	2.90	11.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 18:00	13			1.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.38	21.40			0.01	0.20
2015-03-22 19:00	8			3.79	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 19:00	10			2.56	3.00	0.00	0.00	0.00	0.00	21.24	21.40			0.00	0.00
2015-03-22 19:00	12	0.00	0.00	1.51	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 19:00	13			1.27	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.33	21.40			0.00	0.00
2015-03-22 20:00	8			2.24	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-22 20:00	10			2.00	2.00	0.01	0.10	0.00	0.00	20.96	21.20			0.00	0.00
2015-03-22 20:00	12	0.00	0.00	1.24	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 20:00	13			1.16	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.26	21.40			0.01	0.20
2015-03-22 21:00	8			1.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-22 21:00	10			1.78	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 21:00	12	0.00	0.00	1.38	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 21:00	13			1.28	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 22:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.25	21.30			0.01	0.20
2015-03-22 22:00	8			1.68	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2015-03-22 22:00	10			1.68	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00



Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-22 22:00	12	0.00	0.10	0.92	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 22:00	13			1.08	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-22 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.20	21.20			0.02	0.40
2015-03-22 23:00	8			1.37	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2015-03-22 23:00	10			1.51	3.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 23:00	12	0.00	0.10	1.08	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-22 23:00	13			1.26	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 00:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.20	21.30			0.21	1.20
2015-03-23 00:00	8			1.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.10
2015-03-23 00:00	10			1.70	3.00	0.03	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 00:00	12	0.01	0.20	1.03	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 00:00	13			1.26	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 01:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.16	21.20			0.50	1.20
2015-03-23 01:00	8			1.05	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2015-03-23 01:00	10			1.44	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.20
2015-03-23 01:00	12	0.00	0.10	1.10	3.00			0.00	0.00	20.90	20.90			0.06	0.90
2015-03-23 01:00	13			1.18	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.81	20.90			0.00	0.00
2015-03-23 02:00	2	0.00	0.00			0.00	0.00	0.00	0.00	21.11	21.20			0.29	0.90
2015-03-23 02:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2015-03-23 02:00	10			1.38	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 02:00	12	0.01	0.20	1.05	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 02:00	13			1.11	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.60			0.00	0.00
2015-03-23 03:00	2	0.00	0.10			0.00	0.00	0.00	0.00	21.10	21.10			0.17	0.40
2015-03-23 03:00	8			1.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-03-23 03:00	10			1.32	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 03:00	12	0.01	0.10	1.03	2.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-23 03:00	13			1.16	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.00	0.00
2015-03-23 04:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.91	21.10			0.30	0.70
2015-03-23 04:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.30
2015-03-23 04:00	10			1.46	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-23 04:00	12	0.02	0.10	0.90	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 04:00	13			1.25	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-23 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.57	20.70			0.00	0.00
2015-03-23 05:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.70
2015-03-23 05:00	8			1.05	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-23 05:00	10			1.57	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-23 05:00	12	0.02	0.20	1.59	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 05:00	13			1.21	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-23 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2015-03-23 06:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.90
2015-03-23 06:00	8			1.18	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-23 06:00	10			1.62	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 06:00	12	0.02	0.20	1.53	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 06:00	13			1.29	4.00			0.00	0.00	20.84	20.90	0.00	0.00	0.02	0.10
2015-03-23 07:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.53	20.60			0.00	0.00
2015-03-23 07:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.38	0.90
2015-03-23 07:00	8			0.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-23 07:00	10			1.68	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 07:00	12	0.03	0.20	0.68	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 07:00	13			1.13	2.00			0.00	0.00	20.62	20.70	0.00	0.00	0.01	0.10
2015-03-23 08:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2015-03-23 08:00	2	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.24	1.20
2015-03-23 08:00	8			1.17	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-23 08:00	10			1.47	3.00	0.04	0.20	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 08:00	12	0.14	0.50	0.89	1.00			0.00	0.00	20.90	20.90			0.02	0.40
2015-03-23 08:00	13			1.21	3.00			0.00	0.00	20.61	20.70	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-03-23 09:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.81	20.90			0.00	0.00
2015-03-23 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-03-23 09:00	8			1.59	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-23 09:00	10			1.95	3.00	0.03	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 09:00	12	0.08	1.00	1.16	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 09:00	13			1.28	3.00			0.00	0.00	20.75	20.90	0.00	0.00	0.00	0.10
2015-03-23 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2015-03-23 10:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 10:00	8			1.98	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-23 10:00	10			2.05	4.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 10:00	12	0.03	0.20	1.35	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 10:00	13			1.21	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-23 11:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.98	1.60
2015-03-23 11:00	2	0.00	0.20			0.00	0.00	0.00	0.00	21.14	21.20			0.00	0.00
2015-03-23 11:00	8			2.42	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-03-23 11:00	10			2.69	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 11:00	12	0.03	0.50	1.79	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 11:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-03-23 12:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.85	1.90
2015-03-23 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.93	21.10			0.00	0.00
2015-03-23 12:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-03-23 12:00	10			2.05	4.00	0.03	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 12:00	12	0.10	1.10	1.98	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-03-23 12:00	13			1.46	4.00			0.00	0.00	20.81	20.90	0.00	0.00	0.00	0.00