

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-09 12:00	1	0.01	0.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 12:00	2	0.31	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-04-09 12:00	8			17.49	23.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 12:00	10			3.59	4.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 12:00	12	0.00	0.00	2.62	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 12:00	13			2.18	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 13:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 13:00	2	0.28	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 13:00	8			18.13	22.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 13:00	10			4.00	5.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 13:00	12	0.00	0.00	4.55	29.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 13:00	13			2.92	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 14:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 14:00	2	0.33	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 14:00	8			19.83	25.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 14:00	10			4.48	6.00	0.03	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 14:00	12	0.00	0.00	5.00	9.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 14:00	13			3.56	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 15:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 15:00	2	0.29	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 15:00	8			19.66	25.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 15:00	10			4.31	6.00	0.03	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 15:00	12	0.00	0.00	5.72	10.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 15:00	13			3.84	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 16:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 16:00	2	0.30	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 16:00	8			19.05	25.00			0.00	0.00	21.15	21.20	0.00	0.00	0.00	0.00
2015-04-09 16:00	10			4.51	7.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 16:00	12	0.00	0.00	6.18	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 16:00	13			4.61	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 17:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-09 17:00	2	0.25	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 17:00	8			16.68	19.00			0.00	0.00	21.19	21.20	0.00	0.00	0.00	0.00
2015-04-09 17:00	10			4.08	6.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 17:00	12	0.00	0.00	6.03	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 17:00	13			4.59	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 18:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-04-09 18:00	2	0.13	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2015-04-09 18:00	8			21.33	26.00			0.00	0.00	21.19	21.20	0.00	0.00	0.00	0.10
2015-04-09 18:00	10			4.78	6.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 18:00	12	0.00	0.00	4.63	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 18:00	13			3.72	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.42	1.00
2015-04-09 19:00	2	0.21	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.70
2015-04-09 19:00	8			21.74	28.00			0.00	0.00	21.18	21.30	0.00	0.00	0.00	0.10
2015-04-09 19:00	10			5.18	8.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 19:00	12	0.00	0.00	4.00	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 19:00	13			2.84	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.45	1.00
2015-04-09 20:00	2	0.35	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.81	1.50
2015-04-09 20:00	8			19.78	24.00			0.00	0.00	20.95	21.10	0.00	0.00	0.00	0.00
2015-04-09 20:00	10			3.21	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 20:00	12	0.00	0.00	2.03	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 20:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.50
2015-04-09 21:00	2	0.32	0.90			0.00	0.00	0.00	0.00	20.90	20.90			1.24	1.70
2015-04-09 21:00	8			14.26	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-04-09 21:00	10			2.67	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 21:00	12	0.00	0.00	1.61	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 21:00	13			1.76	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 22:00	2	0.51	1.10			0.00	0.00	0.00	0.00	20.90	20.90			1.51	1.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-09 22:00	8			11.05	14.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-09 22:00	10			2.00	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 22:00	12	0.00	0.00	1.10	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 22:00	13			1.72	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-09 23:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 23:00	2	0.53	1.20			0.00	0.00	0.00	0.00	20.90	20.90			1.46	1.70
2015-04-09 23:00	8			9.62	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-09 23:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 23:00	12	0.00	0.00	1.03	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-09 23:00	13			1.47	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 00:00	2	0.52	1.20			0.00	0.00	0.00	0.00	20.90	20.90			1.51	1.70
2015-04-10 00:00	8			8.49	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-04-10 00:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 00:00	12	0.00	0.00	0.92	1.00			0.00	0.00	20.90	20.90			0.04	0.70
2015-04-10 00:00	13			1.64	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 01:00	2	0.62	1.40			0.00	0.00	0.00	0.00	20.90	20.90			1.66	1.90
2015-04-10 01:00	8			7.84	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2015-04-10 01:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 01:00	12	0.00	0.00	1.16	2.00			0.00	0.00	20.90	20.90			0.22	0.70
2015-04-10 01:00	13			1.90	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 07:00	1	0.00	0.00			0.00	0.00			20.50	20.50			0.00	0.00
2015-04-10 07:00	2	0.96	1.70			0.00	0.00			20.57	20.60			2.07	2.90
2015-04-10 07:00	8			4.48	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-04-10 07:00	10			1.30	2.00	0.01	0.10	0.00	0.00	20.61	20.90			0.00	0.00
2015-04-10 07:00	12	0.00	0.00	0.85	2.00			0.00	0.00	20.90	20.90			0.57	1.40
2015-04-10 07:00	13			1.27	2.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.00
2015-04-10 08:00	1	0.03	0.70			0.00	0.00	0.00	0.00	20.60	20.90			0.00	0.00
2015-04-10 08:00	2	0.96	5.00			0.00	0.00	0.00	0.00	20.62	20.90			1.61	2.20
2015-04-10 08:00	8			6.92	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-10 08:00	10			1.54	2.00	0.01	0.10	0.00	0.00	20.88	20.90			0.00	0.00
2015-04-10 08:00	12	0.00	0.00	0.97	3.00			0.00	0.00	20.90	20.90			0.24	1.40
2015-04-10 08:00	13			1.32	2.00			0.00	0.00	20.80	20.90	0.00	0.00	0.00	0.00
2015-04-10 09:00	1	0.48	1.60			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-04-10 09:00	2	0.51	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 09:00	8			11.21	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-10 09:00	10			1.93	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 09:00	12	0.00	0.00	1.50	19.00			0.00	0.00	20.90	20.90			0.04	0.70
2015-04-10 09:00	13			1.41	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 10:00	1	0.46	1.10					0.00	0.00	20.90	20.90			0.00	0.20
2015-04-10 10:00	2	0.25	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 10:00	8			15.27	18.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-10 10:00	10			2.15	4.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 10:00	12	0.00	0.00	1.05	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 10:00	13			1.41	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 11:00	1	0.49	1.30					0.00	0.00	20.90	20.90			0.01	0.10
2015-04-10 11:00	2	0.32	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 11:00	8			16.00	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 11:00	10			2.00	2.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 11:00	12	0.00	0.00	1.47	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 11:00	13			1.32	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 12:00	1	0.14	0.90			0.00	0.00	0.00	0.00	20.95	21.20			0.10	0.30
2015-04-10 12:00	2	0.21	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 12:00	8			15.50	21.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 12:00	10			2.03	3.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 12:00	12	0.00	0.00	1.43	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 12:00	13			1.46	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.30
2015-04-10 13:00	2	0.15	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 13:00	8			18.47	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 13:00	10			2.78	4.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-10 13:00	12	0.00	0.00	1.82	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 13:00	13			1.70	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 14:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.40
2015-04-10 14:00	2	0.18	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 14:00	8			18.44	22.00			0.00	0.00	21.01	21.20	0.00	0.00	0.00	0.00
2015-04-10 14:00	10			2.82	3.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 14:00	12	0.00	0.00	1.95	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 14:00	13			1.76	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 15:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.30
2015-04-10 15:00	2	0.17	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 15:00	8			15.86	21.00			0.00	0.00	21.16	21.20	0.00	0.00	0.00	0.00
2015-04-10 15:00	10			3.14	4.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 15:00	12	0.00	0.00	2.38	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 15:00	13			1.86	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.30
2015-04-10 16:00	2	0.19	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 16:00	8			18.91	21.00			0.00	0.00	21.20	21.20	0.00	0.00	0.00	0.00
2015-04-10 16:00	10			3.42	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 16:00	12	0.00	0.00	2.41	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 16:00	13			2.08	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.30
2015-04-10 17:00	2	0.12	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 17:00	8			14.87	20.00			0.00	0.00	21.21	21.30	0.00	0.00	0.00	0.00
2015-04-10 17:00	10			3.51	4.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 17:00	12	0.00	0.00	2.08	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 17:00	13			2.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.30
2015-04-10 18:00	2	0.13	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 18:00	8			13.98	18.00			0.00	0.00	21.17	21.30	0.00	0.00	0.00	0.00
2015-04-10 18:00	10			3.36	4.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 18:00	12	0.00	0.00	1.87	4.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-10 18:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.30
2015-04-10 19:00	2	0.12	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 19:00	8			10.79	14.00			0.00	0.00	21.17	21.20	0.00	0.00	0.00	0.10
2015-04-10 19:00	10			2.84	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 19:00	12	0.00	0.00	2.33	38.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 19:00	13			1.37	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.20
2015-04-10 20:00	2	0.20	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.40
2015-04-10 20:00	8			7.00	11.00			0.00	0.00	21.03	21.20	0.00	0.00	0.01	0.10
2015-04-10 20:00	10			2.08	3.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 20:00	12	0.00	0.00	0.92	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 20:00	13			1.65	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 21:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.83	20.90			0.11	0.30
2015-04-10 21:00	2	0.19	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2015-04-10 21:00	8			5.16	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-10 21:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 21:00	12	0.00	0.00	1.28	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 21:00	13			1.48	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.60			0.10	0.40
2015-04-10 22:00	2	0.17	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2015-04-10 22:00	8			4.11	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-04-10 22:00	10			2.00	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 22:00	12	0.00	0.00	1.95	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 22:00	13			1.59	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-10 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.10	0.30
2015-04-10 23:00	2	0.24	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.40
2015-04-10 23:00	8			3.70	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-04-10 23:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-10 23:00	12	0.00	0.00	0.93	2.00			0.00	0.00	20.90	20.90			0.02	0.70
2015-04-10 23:00	13			1.46	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-11 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.10	0.30
2015-04-11 00:00	2	0.27	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.70
2015-04-11 00:00	8			2.92	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-04-11 00:00	10			1.75	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 00:00	12	0.00	0.00	1.18	12.00			0.00	0.00	20.90	20.90			0.11	0.70
2015-04-11 00:00	13			1.38	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.06	0.30
2015-04-11 01:00	2	0.28	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.35	0.90
2015-04-11 01:00	8			2.15	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-04-11 01:00	10			1.74	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 01:00	12	0.00	0.00	0.90	2.00			0.00	0.00	20.90	20.90			0.25	2.10
2015-04-11 01:00	13			1.57	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 02:00	1	0.00	0.00			0.00	0.00	2.70	3.30	20.44	20.50			0.18	0.30
2015-04-11 02:00	2	0.46	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.39	1.00
2015-04-11 02:00	8			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-04-11 02:00	10			1.46	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 02:00	12	0.00	0.00	1.73	17.00			0.00	0.00	20.90	20.90			0.56	2.10
2015-04-11 02:00	13			1.44	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 03:00	1	0.00	0.00			0.00	0.00	3.36	3.60	20.42	20.50			0.26	0.50
2015-04-11 03:00	2	0.48	1.50			0.00	0.00	0.00	0.00	20.90	20.90			0.76	1.70
2015-04-11 03:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-04-11 03:00	10			1.36	2.00	0.00	0.00	0.00	0.00	20.89	20.90			0.00	0.00
2015-04-11 03:00	12	0.00	0.00	0.92	2.00			0.00	0.00	20.90	20.90			0.98	2.10
2015-04-11 03:00	13			1.37	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 04:00	1	0.00	0.00			0.00	0.00	3.55	3.60	20.40	20.40			0.27	0.50
2015-04-11 04:00	2	0.59	2.20			0.00	0.00	0.00	0.00	20.90	20.90			0.73	1.50
2015-04-11 04:00	8			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-04-11 04:00	10			1.53	3.00	0.00	0.00	0.00	0.00	20.88	20.90			0.00	0.00
2015-04-11 04:00	12	0.00	0.00	1.05	3.00			0.00	0.00	20.90	20.90			1.01	2.10
2015-04-11 04:00	13			1.61	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 05:00	1	0.00	0.00			0.00	0.00	3.73	3.80	20.35	20.40			0.28	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-11 05:00	2	0.44	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.87	1.50
2015-04-11 05:00	8			1.68	3.00			2.35	3.10	20.90	20.90	0.00	0.00	0.03	0.20
2015-04-11 05:00	10			1.36	2.00	0.00	0.00	0.00	0.00	20.65	20.90			0.00	0.00
2015-04-11 05:00	12	0.00	0.00	1.82	24.00			0.00	0.00	20.90	20.90			1.56	2.10
2015-04-11 05:00	13			1.57	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 06:00	1	0.00	0.00			0.00	0.00	3.82	3.90	20.31	20.40			0.19	0.50
2015-04-11 06:00	2	0.46	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.73	1.20
2015-04-11 06:00	8			1.26	2.00			3.05	3.10	20.90	20.90	0.00	0.00	0.02	0.10
2015-04-11 06:00	10			1.41	2.00	0.00	0.00	0.00	0.00	20.83	20.90			0.00	0.00
2015-04-11 06:00	12	0.00	0.00	1.64	16.00			0.00	0.00	20.90	20.90			1.75	2.10
2015-04-11 06:00	13			1.57	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 07:00	1	0.00	0.00			0.00	0.00	3.69	3.90	20.31	20.40			0.20	0.50
2015-04-11 07:00	2	0.47	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.52	1.70
2015-04-11 07:00	8			1.36	3.00			2.89	3.10	20.90	20.90	0.00	0.00	0.02	0.10
2015-04-11 07:00	10			1.46	3.00	0.00	0.00	0.00	0.00	20.72	20.90			0.00	0.00
2015-04-11 07:00	12	0.00	0.00	1.00	2.00			0.00	0.00	20.90	20.90			1.65	2.10
2015-04-11 07:00	13			1.50	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 08:00	1	0.01	0.20			0.00	0.00	3.01	3.40	20.39	20.50			0.03	0.20
2015-04-11 08:00	2	0.33	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.40
2015-04-11 08:00	8			2.16	3.00			1.16	2.40	20.90	20.90	0.00	0.00	0.01	0.10
2015-04-11 08:00	10			1.73	2.00	0.01	0.10	0.00	0.00	20.73	20.90			0.00	0.00
2015-04-11 08:00	12	0.00	0.00	1.05	3.00			0.00	0.00	20.90	20.90			0.40	2.80
2015-04-11 08:00	13			1.31	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 09:00	1	0.00	0.10			0.00	0.00	1.96	2.50	20.48	20.60			0.08	0.30
2015-04-11 09:00	2	0.30	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-04-11 09:00	8			3.84	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.40
2015-04-11 09:00	10			2.08	4.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 09:00	12	0.00	0.00	0.82	1.00			0.00	0.00	20.90	20.90			0.02	0.70
2015-04-11 09:00	13			1.49	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 10:00	1	0.00	0.00			0.00	0.00	1.61	1.70	20.63	20.70			0.06	0.30
2015-04-11 10:00	2	0.22	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-11 10:00	8			4.40	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-04-11 10:00	10			2.08	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 10:00	12	0.00	0.00	0.97	1.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 10:00	13			1.45	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 11:00	1	0.02	0.50			0.00	0.00	1.46	1.60	20.62	20.70			0.06	0.20
2015-04-11 11:00	2	0.27	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 11:00	8			4.83	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-11 11:00	10			2.00	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 11:00	12	0.00	0.00	1.05	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 11:00	13			1.45	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 12:00	1	0.00	0.10			0.00	0.00	0.27	1.20	20.65	20.70			0.09	0.20
2015-04-11 12:00	2	0.18	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 12:00	8			5.62	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 12:00	10			2.27	3.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 12:00	12	0.00	0.00	1.16	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 12:00	13			1.61	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 13:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.85	20.90			0.09	0.30
2015-04-11 13:00	2	0.25	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 13:00	8			6.41	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 13:00	10			2.82	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 13:00	12	0.00	0.00	2.05	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 13:00	13			1.28	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 14:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.40
2015-04-11 14:00	2	0.14	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 14:00	8			6.97	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 14:00	10			3.27	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 14:00	12	0.00	0.00	2.54	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 14:00	13			1.79	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 15:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.40
2015-04-11 15:00	2	0.17	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 15:00	8			7.10	10.00			0.00	0.00	21.17	21.30	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-11 15:00	10			3.68	5.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 15:00	12	0.00	0.00	3.45	22.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 15:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 16:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.30
2015-04-11 16:00	2	0.16	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 16:00	8			8.29	9.00			0.00	0.00	21.20	21.30	0.00	0.00	0.00	0.10
2015-04-11 16:00	10			3.88	5.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 16:00	12	0.00	0.00	4.00	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 16:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.30
2015-04-11 17:00	2	0.15	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 17:00	8			7.98	11.00			0.00	0.00	21.22	21.30	0.00	0.00	0.00	0.00
2015-04-11 17:00	10			4.00	6.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 17:00	12	0.00	0.00	3.21	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 17:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 18:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.08	0.20
2015-04-11 18:00	2	0.10	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 18:00	8			7.08	11.00			0.00	0.00	21.19	21.30	0.00	0.00	0.00	0.10
2015-04-11 18:00	10			3.90	5.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 18:00	12	0.00	0.00	2.82	23.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 18:00	13			1.90	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.20
2015-04-11 19:00	2	0.10	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 19:00	8			6.05	8.00			0.00	0.00	21.16	21.20	0.00	0.00	0.00	0.10
2015-04-11 19:00	10			3.39	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 19:00	12	0.00	0.00	1.53	3.00			0.00	0.00	20.90	20.90			0.02	0.70
2015-04-11 19:00	13			1.68	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 20:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.70	20.90			0.18	0.30
2015-04-11 20:00	2	0.18	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 20:00	8			3.97	5.00			0.00	0.00	20.97	21.20	0.00	0.00	0.01	0.10
2015-04-11 20:00	10			2.30	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-11 20:00	12	0.00	0.00	1.25	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 20:00	13			1.62	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.62	20.70			0.17	0.30
2015-04-11 21:00	2	0.23	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-04-11 21:00	8			3.71	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-11 21:00	10			2.05	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 21:00	12	0.00	0.00	1.97	19.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 21:00	13			1.38	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.56	20.60			0.14	0.30
2015-04-11 22:00	2	0.28	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.50
2015-04-11 22:00	8			2.98	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-11 22:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 22:00	12	0.00	0.00	1.21	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 22:00	13			1.38	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.52	20.60			0.11	0.30
2015-04-11 23:00	2	0.17	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.70
2015-04-11 23:00	8			2.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-11 23:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 23:00	12	0.00	0.00	1.03	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-11 23:00	13			1.55	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.07	0.30
2015-04-12 00:00	2	0.18	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2015-04-12 00:00	8			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 00:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 00:00	12	0.00	0.00	1.03	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 00:00	13			1.46	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.12	0.40
2015-04-12 01:00	2	0.23	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.20
2015-04-12 01:00	8			2.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-12 01:00	10			1.85	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 01:00	12	0.00	0.00	1.14	7.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-12 01:00	13			1.39	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 02:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.51	20.60			0.19	0.50
2015-04-12 02:00	2	0.23	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2015-04-12 02:00	8			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-04-12 02:00	10			1.97	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 02:00	12	0.00	0.00	1.00	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 02:00	13			1.50	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.16	0.40
2015-04-12 03:00	2	0.23	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2015-04-12 03:00	8			2.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-04-12 03:00	10			1.81	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 03:00	12	0.00	0.00	1.54	16.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 03:00	13			1.41	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.06	0.20
2015-04-12 04:00	2	0.17	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.70
2015-04-12 04:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 04:00	10			2.00	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 04:00	12	0.00	0.00	1.13	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 04:00	13			1.80	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.54	20.60			0.04	0.20
2015-04-12 05:00	2	0.26	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.40
2015-04-12 05:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-04-12 05:00	10			1.89	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 05:00	12	0.00	0.00	1.38	16.00			0.00	0.00	20.90	20.90			0.02	0.70
2015-04-12 05:00	13			1.70	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.54	20.60			0.05	0.20
2015-04-12 06:00	2	0.28	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.20
2015-04-12 06:00	8			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-12 06:00	10			1.95	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 06:00	12	0.00	0.00	1.44	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 06:00	13			1.41	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-12 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.53	20.60			0.03	0.30
2015-04-12 07:00	2	0.27	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.40
2015-04-12 07:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 07:00	10			1.89	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 07:00	12	0.00	0.00	0.95	2.00			0.00	0.00	20.90	20.90			0.02	0.70
2015-04-12 07:00	13			1.61	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 08:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.04	0.20
2015-04-12 08:00	2	0.25	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-04-12 08:00	8			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-12 08:00	10			1.67	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 08:00	12	0.00	0.00	0.92	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 08:00	13			1.32	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 09:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.50	20.60			0.13	0.40
2015-04-12 09:00	2	0.28	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.70
2015-04-12 09:00	8			2.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 09:00	10			1.95	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 09:00	12	0.00	0.00	1.08	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 09:00	13			1.66	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.54	20.60			0.07	0.20
2015-04-12 10:00	2	0.32	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.20
2015-04-12 10:00	8			2.89	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-12 10:00	10			2.00	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 10:00	12	0.00	0.00	2.23	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 10:00	13			1.55	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 11:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.60	20.70			0.07	0.30
2015-04-12 11:00	2	0.21	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 11:00	8			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-12 11:00	10			2.03	3.00	0.03	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 11:00	12	0.00	0.00	1.16	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 11:00	13			1.79	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 12:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.75	20.90			0.10	0.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-12 12:00	2	0.16	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 12:00	8			3.65	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 12:00	10			2.58	4.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 12:00	12	0.00	0.00	1.51	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 12:00	13			1.80	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 13:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.30
2015-04-12 13:00	2	0.15	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 13:00	8			3.91	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 13:00	10			2.98	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 13:00	12	0.00	0.00	1.92	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 13:00	13			1.87	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 14:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.30
2015-04-12 14:00	2	0.15	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 14:00	8			4.16	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 14:00	10			3.32	6.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 14:00	12	0.00	0.00	2.05	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 14:00	13			1.70	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 15:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.30
2015-04-12 15:00	2	0.16	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 15:00	8			4.03	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 15:00	10			3.25	4.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 15:00	12	0.00	0.00	1.95	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 15:00	13			1.84	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 16:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.40
2015-04-12 16:00	2	0.15	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 16:00	8			4.15	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 16:00	10			3.23	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 16:00	12	0.00	0.00	2.68	25.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 16:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 17:00	1	0.03	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.40
2015-04-12 17:00	2	0.13	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-12 17:00	8			6.08	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 17:00	10			4.03	5.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 17:00	12	0.00	0.00	3.35	26.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 17:00	13			2.14	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 18:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.40
2015-04-12 18:00	2	0.09	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 18:00	8			5.21	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 18:00	10			3.92	5.00	0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 18:00	12	0.00	0.00	2.78	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 18:00	13			2.15	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 19:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.14	0.40
2015-04-12 19:00	2	0.12	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 19:00	8			4.55	6.00			0.00	0.00	21.15	21.30	0.00	0.00	0.00	0.10
2015-04-12 19:00	10			3.85	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 19:00	12	0.00	0.00	2.18	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 19:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 20:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.30
2015-04-12 20:00	2	0.12	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 20:00	8			3.54	5.00			0.00	0.00	20.96	21.20	0.00	0.00	0.00	0.00
2015-04-12 20:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 20:00	12	0.00	0.00	2.21	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 20:00	13			1.78	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.30
2015-04-12 21:00	2	0.09	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 21:00	8			4.05	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-12 21:00	10			2.89	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 21:00	12	0.00	0.00	1.91	15.00			0.00	0.00	20.90	20.90			0.02	0.70
2015-04-12 21:00	13			1.83	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.23	0.30
2015-04-12 22:00	2	0.17	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 22:00	8			3.68	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-12 22:00	10			1.98	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 22:00	12	0.00	0.00	1.34	4.00			0.00	0.00	20.90	20.90			0.02	0.70
2015-04-12 22:00	13			1.55	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.67	20.90			0.29	0.50
2015-04-12 23:00	2	0.15	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 23:00	8			3.16	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-12 23:00	10			2.05	4.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 23:00	12	0.00	0.00	1.27	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-12 23:00	13			1.74	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.62	20.70			0.37	0.60
2015-04-13 00:00	2	0.21	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-04-13 00:00	8			3.05	4.00			0.00	0.00	20.90	21.10	0.00	0.00	0.00	0.00
2015-04-13 00:00	10			2.10	4.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 00:00	12	0.00	0.00	1.44	14.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 00:00	13			1.74	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.70			0.41	0.60
2015-04-13 01:00	2	0.21	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.40
2015-04-13 01:00	8			2.85	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-04-13 01:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 01:00	12	0.00	0.00	0.90	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 01:00	13			1.59	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 02:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.60	20.60			0.51	0.70
2015-04-13 02:00	2	0.16	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.40
2015-04-13 02:00	8			2.41	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 02:00	10			2.00	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 02:00	12	0.00	0.00	1.05	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 02:00	13			1.61	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.63	20.70			0.53	0.70
2015-04-13 03:00	2	0.19	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.40
2015-04-13 03:00	8			2.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 03:00	10			2.00	2.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-13 03:00	12	0.00	0.00	1.05	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 03:00	13			1.63	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.61	20.70			0.79	1.20
2015-04-13 04:00	2	0.22	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.40
2015-04-13 04:00	8			2.28	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-04-13 04:00	10			1.97	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 04:00	12	0.00	0.00	1.22	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 04:00	13			1.76	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.61	20.70			1.15	1.40
2015-04-13 05:00	2	0.27	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.40
2015-04-13 05:00	8			2.24	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2015-04-13 05:00	10			2.00	2.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 05:00	12	0.00	0.00	1.03	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 05:00	13			1.72	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.70			1.70	2.00
2015-04-13 06:00	2	0.22	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.20
2015-04-13 06:00	8			2.41	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 06:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 06:00	12	0.00	0.00	1.13	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 06:00	13			1.67	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.55	20.60			2.12	2.50
2015-04-13 07:00	2	0.29	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 07:00	8			2.63	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 07:00	10			2.08	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 07:00	12	0.00	0.00	1.28	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 07:00	13			1.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 08:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.50	20.50			2.12	2.40
2015-04-13 08:00	2	0.30	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 08:00	8			2.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 08:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 08:00	12	0.00	0.00	1.55	14.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-04-13 08:00	13			1.93	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 09:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.53	20.60			1.80	2.00
2015-04-13 09:00	2	0.25	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 09:00	8			3.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 09:00	10			2.08	3.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 09:00	12	0.00	0.00	1.11	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 09:00	13			1.77	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.60			1.66	2.00
2015-04-13 10:00	2	0.16	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 10:00	8			3.85	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2015-04-13 10:00	10			2.05	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 10:00	12	0.00	0.00	1.12	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 10:00	13			1.67	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 11:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.60	20.70			1.78	3.00
2015-04-13 11:00	2	0.19	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 11:00	8			3.41	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-04-13 11:00	10			2.27	3.00	0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 11:00	12	0.00	0.00	1.59	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-04-13 11:00	13			1.83	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00