

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-06-15 12:00	1	0.07	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 12:00	2	0.21	0.90			0.01	0.10	0.00	0.00	20.90	20.90			0.52	0.80
2015-06-15 12:00	8			13.24	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.60
2015-06-15 12:00	10			6.90	10.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 12:00	12	0.11	0.60	10.83	44.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 12:00	13			6.69	8.00			0.00	0.00	20.62	20.90	0.00	0.10	0.01	0.10
2015-06-15 13:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 13:00	2	0.24	0.60			0.00	0.10	0.00	0.00	20.90	20.90			1.28	1.80
2015-06-15 13:00	8			24.82	35.00			0.00	0.00	20.90	20.90	0.00	0.00	0.18	0.60
2015-06-15 13:00	10			9.33	16.00	0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.40
2015-06-15 13:00	12	0.01	0.20	9.24	17.00			0.00	0.00	20.90	20.90			0.10	0.60
2015-06-15 13:00	13			4.44	8.00			0.00	0.00	20.72	20.90	0.00	0.10	0.06	0.10
2015-06-15 14:00	1	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 14:00	2					0.00	0.00	0.00	0.00	20.90	20.90			1.14	1.80
2015-06-15 14:00	8			16.26	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.60
2015-06-15 14:00	10			5.03	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2015-06-15 14:00	12			6.87	31.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 14:00	13			4.35	6.00			0.00	0.00	20.57	20.70	0.00	0.00	0.05	0.10
2015-06-15 15:00	1	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 15:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.76	1.20
2015-06-15 15:00	8			14.41	20.00			0.00	0.00	20.90	20.90	0.01	0.10	0.08	0.60
2015-06-15 15:00	10			4.83	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 15:00	12	0.25	0.60	9.25	29.00			0.00	0.00	20.90	20.90			0.01	0.20
2015-06-15 15:00	13			6.61	9.00			0.00	0.00	20.57	20.60	0.00	0.00	0.03	0.10
2015-06-15 16:00	1	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 16:00	2	0.33	5.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 16:00	8			13.80	16.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2015-06-15 16:00	10			5.60	9.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 16:00	12	0.10	0.50	9.53	13.00			0.00	0.00	20.90	20.90			0.08	0.60
2015-06-15 16:00	13			8.80	10.00			0.00	0.00	20.60	20.70	0.00	0.00	0.00	0.10
2015-06-15 17:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-06-15 17:00	2	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2015-06-15 17:00	8			19.69	28.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.60
2015-06-15 17:00	10			9.32	11.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 17:00	12	0.01	0.10	10.57	15.00			0.00	0.00	20.90	20.90			0.44	0.60
2015-06-15 17:00	13			8.13	14.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.10
2015-06-15 18:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 18:00	2	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.05	0.20
2015-06-15 18:00	8			22.95	28.00			0.00	0.00	20.90	20.90	0.00	0.10	0.14	0.60
2015-06-15 18:00	10			7.90	11.00	0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2015-06-15 18:00	12	0.01	0.10	5.92	9.00			0.00	0.00	20.90	20.90			0.70	1.30
2015-06-15 18:00	13			4.27	6.00			0.00	0.00	20.75	20.90	0.00	0.00	0.08	0.10
2015-06-15 19:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 19:00	2	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.40
2015-06-15 19:00	8			18.49	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.90
2015-06-15 19:00	10			4.82	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.20
2015-06-15 19:00	12	0.00	0.00	4.23	22.00			0.00	0.00	20.90	20.90			0.78	1.30
2015-06-15 19:00	13			3.24	4.00			0.00	0.00	20.57	20.70	0.00	0.00	0.09	0.10
2015-06-15 20:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 20:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.13	0.40
2015-06-15 20:00	8			18.50	25.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	0.90
2015-06-15 20:00	10			5.28	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.10
2015-06-15 20:00	12	0.00	0.10	3.00	4.00			0.00	0.00	20.90	20.90			0.91	1.30
2015-06-15 20:00	13			3.00	3.00			0.00	0.00	20.58	20.70	0.00	0.00	0.10	0.10
2015-06-15 21:00	1	0.07	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 21:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.27	0.60
2015-06-15 21:00	8			22.34	28.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.60
2015-06-15 21:00	10			5.24	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.20
2015-06-15 21:00	12	0.01	0.10	3.70	6.00			0.00	0.00	20.90	20.90			1.15	1.30
2015-06-15 21:00	13			2.67	3.00			0.00	0.00	20.58	20.60	0.00	0.00	0.09	0.10
2015-06-15 22:00	1	0.08	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 22:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.35	0.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-06-15 22:00	8			20.13	24.00			0.00	0.00	20.90	20.90	0.00	0.00	0.28	0.90
2015-06-15 22:00	10			4.47	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.30
2015-06-15 22:00	12	0.02	0.30	3.03	4.00			0.00	0.00	20.90	20.90			1.06	1.30
2015-06-15 22:00	13			2.34	5.00			0.00	0.00	20.60	20.60	0.00	0.00	0.10	0.10
2015-06-15 23:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-15 23:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.48	0.80
2015-06-15 23:00	8			19.05	22.00			0.00	0.00	20.90	20.90	0.00	0.10	0.42	1.20
2015-06-15 23:00	10			4.16	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.20
2015-06-15 23:00	12	0.02	0.40	2.98	6.00			0.00	0.00	20.90	20.90			1.12	1.30
2015-06-15 23:00	13			2.10	3.00			0.00	0.00	20.59	20.70	0.00	0.10	0.10	0.10
2015-06-16 00:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 00:00	2	0.03	0.40			0.00	0.10	0.00	0.00	20.90	20.90			0.54	0.80
2015-06-16 00:00	8			18.08	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.36	0.90
2015-06-16 00:00	10			4.05	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.14	0.30
2015-06-16 00:00	12	0.01	0.10	3.16	20.00			0.00	0.00	20.90	20.90			1.21	1.30
2015-06-16 00:00	13			2.08	3.00			0.00	0.00	20.57	20.60	0.00	0.00	0.10	0.10
2015-06-16 01:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 01:00	2	0.02	0.10			0.00	0.10	0.00	0.00	20.90	20.90			0.58	0.80
2015-06-16 01:00	8			17.03	21.00			0.00	0.00	20.90	20.90	0.00	0.00	0.38	0.90
2015-06-16 01:00	10			3.95	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.40
2015-06-16 01:00	12	0.02	0.20	2.48	4.00			0.00	0.00	20.90	20.90			1.20	1.30
2015-06-16 01:00	13			2.03	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.10	0.10
2015-06-16 02:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 02:00	2	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.66	1.00
2015-06-16 02:00	8			16.68	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.34	0.90
2015-06-16 02:00	10			4.00	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.40
2015-06-16 02:00	12	0.01	0.10	2.82	21.00			0.00	0.00	20.90	20.90			1.17	1.30
2015-06-16 02:00	13			1.98	3.00			0.00	0.00	20.59	20.60	0.00	0.00	0.10	0.10
2015-06-16 03:00	1	0.05	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 03:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.64	1.00
2015-06-16 03:00	8			16.63	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.32	0.90

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-06-16 03:00	10			3.93	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.19	0.40
2015-06-16 03:00	12	0.03	0.30	2.69	8.00			0.00	0.00	20.90	20.90			1.11	1.30
2015-06-16 03:00	13			2.00	3.00			0.00	0.00	20.59	20.60	0.00	0.00	0.10	0.10
2015-06-16 04:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 04:00	2	0.05	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.67	1.00
2015-06-16 04:00	8			16.46	20.00			0.00	0.00	20.90	20.90	0.00	0.10	0.43	1.20
2015-06-16 04:00	10			4.05	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.18	0.40
2015-06-16 04:00	12	0.05	0.40	3.00	21.00			0.00	0.00	20.90	20.90			1.08	1.30
2015-06-16 04:00	13			2.05	3.00			0.00	0.00	20.60	20.60	0.00	0.00	0.10	0.20
2015-06-16 05:00	1	0.05	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 05:00	2	0.09	2.00			0.00	0.00	0.00	0.00	20.90	20.90			0.64	1.20
2015-06-16 05:00	8			17.27	21.00			0.00	0.00	20.90	20.90	0.00	0.00	0.35	0.90
2015-06-16 05:00	10			3.97	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.18	0.40
2015-06-16 05:00	12	0.04	0.30	3.00	21.00			0.00	0.00	20.90	20.90			1.05	1.30
2015-06-16 05:00	13			2.00	2.00			0.00	0.00	20.56	20.60	0.00	0.00	0.10	0.10
2015-06-16 06:00	1	0.06	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 06:00	2	0.07	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.66	1.00
2015-06-16 06:00	8			18.14	22.00			0.00	0.00	20.90	20.90	0.00	0.10	0.41	0.90
2015-06-16 06:00	10			4.10	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.22	0.50
2015-06-16 06:00	12	0.03	0.10	3.35	4.00			0.00	0.00	20.90	20.90			1.12	1.30
2015-06-16 06:00	13			2.45	4.00			0.00	0.00	20.55	20.60	0.00	0.00	0.11	0.20
2015-06-16 07:00	1	0.08	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 07:00	2	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.76	1.20
2015-06-16 07:00	8			16.79	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.43	0.90
2015-06-16 07:00	10			4.00	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.32	0.60
2015-06-16 07:00	12	0.02	0.20	3.50	19.00			0.00	0.00	20.90	20.90			1.16	1.50
2015-06-16 07:00	13			2.05	3.00			0.00	0.00	20.54	20.60	0.00	0.00	0.10	0.20
2015-06-16 08:00	1	0.07	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 08:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.61	1.20
2015-06-16 08:00	8			17.07	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.39	1.20
2015-06-16 08:00	10			4.05	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.32	0.60

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-06-16 08:00	12	0.04	0.20	2.78	4.00			0.00	0.00	20.90	20.90			1.12	1.30
2015-06-16 08:00	13			2.03	3.00			0.00	0.00	20.51	20.60	0.00	0.10	0.10	0.10
2015-06-16 09:00	1	0.10	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 09:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.29	0.60
2015-06-16 09:00	8			19.14	23.00			0.00	0.00	20.90	20.90	0.00	0.10	0.21	0.60
2015-06-16 09:00	10			4.65	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.22	0.40
2015-06-16 09:00	12	0.05	0.40	3.13	6.00			0.00	0.00	20.90	20.90			0.85	1.30
2015-06-16 09:00	13			2.76	4.00			0.00	0.00	20.53	20.60	0.00	0.00	0.10	0.10
2015-06-16 10:00	1	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 10:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.40
2015-06-16 10:00	8			15.73	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.30
2015-06-16 10:00	10			5.33	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.20
2015-06-16 10:00	12	0.07	0.50	3.56	5.00			0.00	0.00	20.90	20.90			0.67	1.00
2015-06-16 10:00	13			3.09	4.00			0.00	0.00	20.51	20.60	0.00	0.00	0.07	0.10
2015-06-16 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 14:00	2	0.06	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 14:00	8			15.59	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.74	2.30
2015-06-16 14:00	10			4.40	6.00	0.00	0.00	0.00	0.00	20.57	20.90			0.02	0.10
2015-06-16 14:00	12	0.00	0.00	3.38	5.00			0.00	0.00	20.88	20.90			0.40	0.80
2015-06-16 14:00	13			6.50	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-16 15:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 15:00	2	0.04	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 15:00	8			15.93	24.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	0.70
2015-06-16 15:00	10			4.77	7.00			0.00	0.00	20.69	20.90			0.00	0.00
2015-06-16 15:00	12	0.00	0.00	6.79	46.00			0.00	0.00	20.86	20.90			0.00	0.00
2015-06-16 15:00	13			6.60	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-16 16:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 16:00	2	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2015-06-16 16:00	8			18.63	24.00			0.00	0.00	20.90	20.90	0.00	0.00	0.18	1.50
2015-06-16 16:00	10			6.59	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 16:00	12	0.00	0.00	7.74	37.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-06-16 16:00	13			5.00	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-16 17:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 17:00	2	0.09	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.22	0.70
2015-06-16 17:00	8			20.80	28.00			0.00	0.00	20.90	20.90	0.00	0.00	0.37	1.50
2015-06-16 17:00	10			6.85	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 17:00	12	0.00	0.00	5.45	10.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 17:00	13			3.46	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-16 18:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 18:00	2	0.16	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.56	0.90
2015-06-16 18:00	8			22.73	27.00			0.00	0.00	20.90	20.90	0.00	0.00	0.77	1.50
2015-06-16 18:00	10			5.83	7.00			0.00	0.00	20.90	20.90			0.18	0.40
2015-06-16 18:00	12	0.00	0.00	4.20	17.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 18:00	13			3.07	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-16 19:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 19:00	2	0.15	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.73	1.20
2015-06-16 19:00	8			20.53	24.00			0.00	0.00	20.86	20.90	0.00	0.00	0.99	2.30
2015-06-16 19:00	10			4.97	6.00			0.00	0.00	20.84	20.90			0.35	0.50
2015-06-16 19:00	12	0.00	0.00	3.76	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 19:00	13			2.86	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-16 20:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 20:00	2	0.11	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.12	1.50
2015-06-16 20:00	8			19.67	20.00			0.00	0.00	20.69	20.70	0.00	0.00	0.91	2.30
2015-06-16 20:00	10			4.18	5.00			0.00	0.00	20.79	20.90			0.52	0.70
2015-06-16 20:00	12	0.00	0.00	3.78	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 20:00	13			2.34	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-16 21:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 21:00	2	0.10	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.19	1.70
2015-06-16 21:00	8			18.97	22.00			0.00	0.00	20.81	20.90	0.00	0.00	1.01	2.30
2015-06-16 21:00	10			4.64	6.00			0.00	0.00	20.80	20.90			0.35	0.60
2015-06-16 21:00	12	0.00	0.00	3.91	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 21:00	13			2.86	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-06-16 22:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 22:00	2	0.08	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.40	1.70
2015-06-16 22:00	8			16.46	18.00			0.00	0.00	20.90	20.90	0.00	0.00	1.24	3.10
2015-06-16 22:00	10			4.37	5.00			0.00	0.00	20.63	20.70			0.38	0.60
2015-06-16 22:00	12	0.00	0.00	3.36	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 22:00	13			2.15	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-16 23:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 23:00	2	0.14	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.57	2.00
2015-06-16 23:00	8			16.07	20.00			0.00	0.00	20.84	20.90	0.00	0.00	1.19	3.10
2015-06-16 23:00	10			4.44	6.00			0.00	0.00	20.61	20.70			0.43	0.60
2015-06-16 23:00	12	0.00	0.00	3.17	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-16 23:00	13			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 00:00	2	0.13	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.52	2.00
2015-06-17 00:00	8			16.02	23.00			0.00	0.00	20.90	20.90	0.00	0.00	1.28	3.10
2015-06-17 00:00	10			4.12	6.00			0.00	0.00	20.62	20.70			0.40	0.70
2015-06-17 00:00	12	0.00	0.00	3.59	24.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 00:00	13			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 01:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 01:00	2	0.12	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.50	1.70
2015-06-17 01:00	8			22.19	24.00			0.00	0.00	20.90	20.90	0.00	0.00	1.17	3.10
2015-06-17 01:00	10			4.05	6.00			0.00	0.00	20.62	20.70			0.40	0.60
2015-06-17 01:00	12	0.00	0.00	2.31	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 01:00	13			1.95	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 02:00	2	0.07	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.54	1.70
2015-06-17 02:00	8			21.85	25.00			0.00	0.00	20.87	20.90	0.00	0.00	1.32	3.10
2015-06-17 02:00	10			4.00	5.00			0.00	0.00	20.62	20.70			0.41	0.60
2015-06-17 02:00	12	0.00	0.00	2.53	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 02:00	13			1.83	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-06-17 03:00	2	0.15	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.53	2.00
2015-06-17 03:00	8			21.66	23.00			0.00	0.00	20.67	20.70	0.00	0.00	1.39	3.10
2015-06-17 03:00	10			4.19	7.00			0.00	0.00	20.64	20.70			0.46	0.60
2015-06-17 03:00	12	0.00	0.00	2.11	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 03:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 04:00	2	0.09	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.36	1.70
2015-06-17 04:00	8			20.29	25.00			0.00	0.00	20.68	20.70	0.00	0.00	1.05	3.10
2015-06-17 04:00	10			4.00	5.00			0.00	0.00	20.63	20.70			0.37	0.50
2015-06-17 04:00	12	0.00	0.00	2.18	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 04:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 05:00	2	0.14	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.36	1.70
2015-06-17 05:00	8			17.93	23.00			0.00	0.00	20.68	20.70	0.00	0.00	0.98	2.30
2015-06-17 05:00	10			4.00	5.00			0.00	0.00	20.62	20.70			0.33	0.60
2015-06-17 05:00	12	0.00	0.00	3.00	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 05:00	13			1.98	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 06:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 06:00	2	0.12	0.50			0.00	0.00	0.00	0.00	20.90	20.90			1.38	1.70
2015-06-17 06:00	8			15.16	22.00			0.00	0.00	20.66	20.70	0.00	0.00	1.05	2.30
2015-06-17 06:00	10			4.03	5.00			0.00	0.00	20.62	20.70			0.39	0.70
2015-06-17 06:00	12	0.00	0.00	2.58	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 06:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 07:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 07:00	2	0.15	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.29	1.70
2015-06-17 07:00	8			15.28	16.00			0.00	0.00	20.62	20.70	0.00	0.00	1.16	3.10
2015-06-17 07:00	10			4.53	8.00			0.00	0.00	20.60	20.70			0.38	0.70
2015-06-17 07:00	12	0.00	0.00	2.79	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 07:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 08:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 08:00	2	0.21	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.83	1.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-06-17 08:00	8			17.42	20.00			0.00	0.00	20.64	20.70	0.00	0.00	1.16	2.30
2015-06-17 08:00	10			4.47	5.00			0.00	0.00	20.59	20.70			0.22	0.50
2015-06-17 08:00	12	0.00	0.00	3.97	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 08:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 09:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 09:00	2	0.17	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.40	0.90
2015-06-17 09:00	8			20.41	22.00			0.00	0.00	20.75	20.90	0.00	0.00	0.53	1.50
2015-06-17 09:00	10			6.29	8.00			0.00	0.00	20.60	20.70			0.04	0.20
2015-06-17 09:00	12	0.00	0.00	3.85	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 09:00	13			2.13	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 10:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.10
2015-06-17 10:00	2	0.10	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.35	0.90
2015-06-17 10:00	8			21.13	23.00			0.00	0.00	20.90	20.90	0.00	0.00	0.86	2.30
2015-06-17 10:00	10			6.63	8.00			0.00	0.00	20.68	20.90			0.01	0.10
2015-06-17 10:00	12	0.00	0.00	3.97	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 10:00	13			2.68	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 11:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-06-17 11:00	2	0.11	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.64	1.20
2015-06-17 11:00	8			19.24	20.00			0.00	0.00	20.90	20.90	0.00	0.00	1.04	2.30
2015-06-17 11:00	10			5.79	7.00	0.00	0.00	0.00	0.00	20.78	20.90			0.06	0.30
2015-06-17 11:00	12	0.00	0.00	5.30	29.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 11:00	13			2.49	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 12:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 12:00	2	0.14	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.56	1.20
2015-06-17 12:00	8			19.10	21.00			0.00	0.00	20.90	20.90	0.00	0.00	0.90	2.30
2015-06-17 12:00	10			5.89	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 12:00	12	0.00	0.00	4.00	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 12:00	13			2.50	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 13:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 13:00	2	0.11	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.58	1.20
2015-06-17 13:00	8			19.40	22.00			0.00	0.00	20.90	20.90	0.00	0.00	0.90	3.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-06-17 13:00	10			6.02	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 13:00	12	0.00	0.00	4.59	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 13:00	13			2.68	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 14:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.10
2015-06-17 14:00	2	0.17	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.41	0.90
2015-06-17 14:00	8			18.62	22.00			0.00	0.00	20.90	20.90	0.00	0.00	0.85	2.30
2015-06-17 14:00	10			5.71	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 14:00	12	0.00	0.00	4.38	20.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 14:00	13			2.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 15:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 15:00	2	0.24	2.60			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.70
2015-06-17 15:00	8			14.76	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.57	1.50
2015-06-17 15:00	10			6.37	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 15:00	12	0.00	0.00	4.67	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 15:00	13			2.93	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 16:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 16:00	2	0.11	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.40
2015-06-17 16:00	8			15.85	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.55	1.50
2015-06-17 16:00	10			7.74	9.00	0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 16:00	12	0.00	0.00	5.38	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 16:00	13			2.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 17:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 17:00	2	0.08	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.70
2015-06-17 17:00	8			15.88	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.31	1.50
2015-06-17 17:00	10			7.68	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 17:00	12	0.00	0.00	5.37	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 17:00	13			2.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 18:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 18:00	2	0.08	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.11	0.40
2015-06-17 18:00	8			15.68	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	1.50
2015-06-17 18:00	10			7.55	9.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-06-17 18:00	12	0.00	0.00	5.23	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 18:00	13			2.73	6.00			0.00	0.00	20.90	20.90	0.00	0.10	0.00	0.00
2015-06-17 19:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 19:00	2	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.70
2015-06-17 19:00	8			14.75	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.34	1.50
2015-06-17 19:00	10			7.15	11.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 19:00	12	0.00	0.00	4.92	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 19:00	13			2.93	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 20:00	2	0.09	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.70
2015-06-17 20:00	8			18.76	26.00			0.00	0.00	20.90	20.90	0.00	0.00	0.42	1.50
2015-06-17 20:00	10			7.26	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 20:00	12	0.00	0.00	4.86	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 20:00	13			3.03	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 21:00	2	0.19	3.40			0.00	0.00	0.00	0.00	20.90	20.90			0.34	0.70
2015-06-17 21:00	8			19.83	22.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	1.50
2015-06-17 21:00	10			6.73	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 21:00	12	0.00	0.00	5.24	28.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 21:00	13			2.68	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 22:00	2	0.11	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.42	0.70
2015-06-17 22:00	8			18.11	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.59	2.30
2015-06-17 22:00	10			5.98	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 22:00	12	0.00	0.00	4.26	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 22:00	13			2.25	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-17 23:00	2	0.22	3.00			0.00	0.00	0.00	0.00	20.90	20.90			0.57	0.90
2015-06-17 23:00	8			17.12	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.74	2.30
2015-06-17 23:00	10			5.73	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 23:00	12	0.00	0.00	4.13	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-17 23:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-18 00:00	2	0.18	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.67	1.20
2015-06-18 00:00	8			16.63	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.71	2.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-06-18 00:00	10			5.17	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 00:00	12	0.00	0.00	4.02	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 00:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-18 01:00	2	0.07	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.71	0.90
2015-06-18 01:00	8			16.07	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.78	2.30
2015-06-18 01:00	10			5.03	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 01:00	12	0.00	0.00	4.44	23.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 01:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-18 02:00	2	0.10	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.72	1.20
2015-06-18 02:00	8			16.20	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.86	2.30
2015-06-18 02:00	10			5.07	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 02:00	12	0.00	0.00	4.51	28.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 02:00	13			1.97	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-18 03:00	2	0.12	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.71	0.90
2015-06-18 03:00	8			15.98	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.83	2.30
2015-06-18 03:00	10			5.05	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 03:00	12	0.00	0.00	3.93	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 03:00	13			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-18 04:00	2	0.10	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.76	1.20
2015-06-18 04:00	8			15.93	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.73	2.30
2015-06-18 04:00	10			5.10	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 04:00	12	0.00	0.00	3.95	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 04:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-18 05:00	2	0.17	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.73	1.20
2015-06-18 05:00	8			16.05	18.00			0.00	0.00	20.90	20.90	0.00	0.00	0.72	1.50
2015-06-18 05:00	10			5.14	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 05:00	12	0.00	0.00	4.41	21.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 05:00	13			1.95	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-18 06:00	2	0.21	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.73	1.20
2015-06-18 06:00	8			16.08	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.88	2.30
2015-06-18 06:00	10			5.20	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-06-18 06:00	12	0.00	0.00	3.90	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 06:00	13			2.15	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-18 07:00	2	0.19	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.40	0.90
2015-06-18 07:00	8			16.23	21.00			0.00	0.00	20.90	20.90	0.00	0.00	0.66	2.30
2015-06-18 07:00	10			6.50	8.00	0.00	0.00	0.00	0.00	20.83	20.90			0.00	0.00
2015-06-18 07:00	12	0.00	0.00	4.28	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 07:00	13			2.48	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-18 08:00	2	0.15	0.60			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.40
2015-06-18 08:00	8			16.86	22.00			0.00	0.00	20.90	20.90	0.00	0.00	0.31	2.30
2015-06-18 08:00	10			7.15	9.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 08:00	12	0.00	0.00	5.44	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 08:00	13			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-18 09:00	2	0.10	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.70
2015-06-18 09:00	8			17.09	21.00			0.00	0.00	20.89	20.90	0.00	0.00	0.38	1.50
2015-06-18 09:00	10			8.18	10.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 09:00	12	0.00	0.00	6.20	18.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 09:00	13			2.90	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-06-18 10:00	1	0.03	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.06	0.20
2015-06-18 10:00	2	0.13	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.40
2015-06-18 10:00	8			17.53	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	1.50
2015-06-18 10:00	10			8.03	9.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 10:00	12	0.00	0.00	7.29	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-06-18 10:00	13			3.14	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00