

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-09-28 12:00	1	0.15	0.60			0.00	0.10	0.00	0.00	20.68	20.90			1.08	2.70
2015-09-28 12:00	2	0.01	0.20			0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2015-09-28 12:00	5			3.97	4.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.00
2015-09-28 12:00	8			16.34	21.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.50
2015-09-28 12:00	10			3.95	4.00	0.00	0.00	0.00	0.00	20.52	20.60			0.00	0.00
2015-09-28 12:00	12	0.00	0.00	8.43	48.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-28 12:00	13			6.59	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-28 13:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			1.02	2.70
2015-09-28 13:00	2	0.01	0.30			0.00	0.00	0.00	0.00	20.73	21.80			0.00	0.00
2015-09-28 13:00	5			4.22	6.00			0.00	0.00	20.79	20.90	0.00	0.10	0.00	0.00
2015-09-28 13:00	8			19.00	23.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.50
2015-09-28 13:00	10			4.55	6.00	0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2015-09-28 13:00	12	0.00	0.00	7.68	12.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-28 13:00	13			6.13	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-28 14:00	1	0.10	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.21	2.70
2015-09-28 14:00	2	0.01	0.10			0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2015-09-28 14:00	5			4.20	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-28 14:00	8			16.41	22.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.50
2015-09-28 14:00	10			4.00	7.00	0.00	0.00	0.00	0.00	20.56	20.60			0.00	0.00
2015-09-28 14:00	12	0.00	0.00	5.23	8.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-28 14:00	13			4.70	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-29 10:00	1	0.06	0.20			0.00	0.00	0.00	0.00	20.50	20.50			1.07	2.70
2015-09-29 10:00	2	0.04	0.40			0.00	0.00	0.00	0.00	20.48	20.50			0.00	0.00
2015-09-29 10:00	5			4.75	7.00			0.00	0.00	20.53	20.60	0.01	0.10	0.00	0.00
2015-09-29 10:00	8			15.53	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.50
2015-09-29 10:00	10			4.00	4.00	0.00	0.00	0.00	0.00	20.38	20.40			0.00	0.00
2015-09-29 10:00	12	0.00	0.00	2.33	3.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 10:00	13			2.07	3.00			0.00	0.00	20.64	20.70	0.00	0.00	0.00	0.00
2015-09-29 11:00	1	0.06	0.30			0.00	0.00	0.00	0.00	20.50	20.50			0.72	1.80
2015-09-29 11:00	2	0.02	0.20			0.00	0.00	0.00	0.00	20.50	20.50			0.00	0.00
2015-09-29 11:00	5			4.45	6.00			0.00	0.00	20.52	20.60	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-09-29 11:00	8			15.43	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.50
2015-09-29 11:00	10			3.77	6.00	0.00	0.00	0.00	0.00	20.42	20.50			0.00	0.00
2015-09-29 11:00	12	0.00	0.00	2.97	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 11:00	13			2.65	3.00			0.00	0.00	20.62	20.70	0.00	0.00	0.00	0.00
2015-09-29 12:00	8			15.16	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	1.00
2015-09-29 12:00	10			3.85	4.00	0.00	0.00	0.00	0.00	20.47	20.60			0.00	0.00
2015-09-29 12:00	12	0.00	0.00	3.78	5.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 13:00	1	0.17	0.70			0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 13:00	5			4.29	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-29 13:00	8			17.82	22.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.50
2015-09-29 13:00	10			3.96	6.00	0.00	0.00	0.00	0.00	20.50	20.60			0.00	0.00
2015-09-29 13:00	12	0.00	0.00	4.68	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 14:00	1	0.12	0.60					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 14:00	2	0.06	0.60			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 14:00	5			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-29 14:00	8			17.40	28.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.50
2015-09-29 14:00	10			3.97	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 14:00	12	0.00	0.00	7.85	11.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 14:00	13			3.91	6.00			0.00	0.00	20.86	20.90	0.00	0.00	0.00	0.00
2015-09-29 15:00	1	0.11	0.60					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 15:00	2	0.04	0.60			0.02	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 15:00	5			4.05	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-29 15:00	8			17.61	23.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.50
2015-09-29 15:00	10			4.22	6.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 15:00	12	0.00	0.00	7.79	10.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 15:00	13			4.36	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-29 16:00	1	0.20	0.70					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 16:00	2	0.02	0.50			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 16:00	5			4.10	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-29 16:00	8			17.27	23.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.50
2015-09-29 16:00	10			4.34	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-09-29 16:00	12	0.00	0.00	7.74	25.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 16:00	13			4.63	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-29 17:00	1	0.11	0.70					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 17:00	2	0.03	0.20			0.01	0.10	0.00	0.00	20.90	20.90			0.07	0.90
2015-09-29 17:00	5			6.00	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-29 17:00	8			21.07	27.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.50
2015-09-29 17:00	10			5.83	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 17:00	12	0.00	0.00	6.23	8.00			0.00	0.00	20.90	20.90			0.07	0.20
2015-09-29 17:00	13			4.56	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-29 18:00	1	0.07	0.50					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 18:00	2	0.08	0.30			0.01	0.10	0.00	0.00	20.90	20.90			1.00	2.80
2015-09-29 18:00	5			7.86	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-29 18:00	8			19.79	25.00			0.00	0.00	20.90	20.90	0.00	0.00	0.48	1.70
2015-09-29 18:00	10			6.87	9.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 18:00	12	0.00	0.00	5.44	7.00			0.00	0.00	20.90	20.90			0.28	0.40
2015-09-29 18:00	13			5.31	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-09-29 19:00	1	0.06	0.40					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 19:00	2	0.06	0.50					0.00	0.00	20.91	21.30			2.22	2.80
2015-09-29 19:00	5			8.28	9.00			0.00	0.00	20.81	20.90	0.00	0.00	0.00	0.00
2015-09-29 19:00	8			17.21	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.35	1.10
2015-09-29 19:00	10			7.10	9.00	0.00	0.00	0.00	0.00	20.60	20.90			0.00	0.00
2015-09-29 19:00	12	0.00	0.00	6.21	20.00			0.00	0.00	20.90	20.90			0.37	0.50
2015-09-29 19:00	13			5.54	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2015-09-29 20:00	1	0.04	0.40					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 20:00	2	0.10	0.50					0.00	0.00	21.14	21.60			2.65	3.70
2015-09-29 20:00	5			5.89	8.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2015-09-29 20:00	8			13.20	16.00			0.00	0.00	20.90	20.90	0.00	0.00	0.38	1.10
2015-09-29 20:00	10			3.90	5.00	0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.00
2015-09-29 20:00	12	0.00	0.00	3.65	20.00			0.00	0.00	20.90	20.90			0.38	0.60
2015-09-29 20:00	13			3.65	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.10
2015-09-29 21:00	1	0.03	0.40					0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-09-29 21:00	2	0.07	0.40					0.00	0.00	21.10	21.50			2.84	3.70
2015-09-29 21:00	5			4.55	6.00			0.00	0.00	20.62	20.70	0.00	0.00	0.00	0.00
2015-09-29 21:00	8			12.05	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.38	1.10
2015-09-29 21:00	10			3.08	4.00	0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.00
2015-09-29 21:00	12	0.00	0.00	2.18	4.00			0.00	0.00	20.90	20.90			0.33	0.50
2015-09-29 21:00	13			2.42	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.10
2015-09-29 22:00	1	0.04	0.50					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 22:00	2	0.11	0.60					0.00	0.00	21.13	21.50			3.32	5.70
2015-09-29 22:00	5			4.19	5.00			0.00	0.00	20.62	20.70	0.00	0.00	0.00	0.00
2015-09-29 22:00	8			11.15	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.59	1.70
2015-09-29 22:00	10			3.00	3.00	0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2015-09-29 22:00	12	0.00	0.00	1.76	3.00			0.00	0.00	20.90	20.90			0.37	0.40
2015-09-29 22:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.20
2015-09-29 23:00	1	0.05	0.50					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-29 23:00	2	0.11	0.40					0.00	0.00	21.00	21.40			3.53	4.70
2015-09-29 23:00	5			4.15	6.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2015-09-29 23:00	8			10.63	11.00			0.00	0.00	20.90	20.90	0.00	0.00	0.49	1.70
2015-09-29 23:00	10			2.02	3.00	0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2015-09-29 23:00	12	0.00	0.00	1.35	3.00			0.00	0.00	20.90	20.90			0.36	0.40
2015-09-29 23:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.10
2015-09-30 00:00	1	0.02	0.30					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 00:00	2	0.11	0.40					0.00	0.00	20.97	21.40			3.43	4.70
2015-09-30 00:00	5			4.08	6.00			0.00	0.00	20.60	20.60	0.00	0.00	0.00	0.00
2015-09-30 00:00	8			10.44	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.53	1.70
2015-09-30 00:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2015-09-30 00:00	12	0.00	0.00	1.56	3.00			0.00	0.00	20.90	20.90			0.37	0.40
2015-09-30 00:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.10
2015-09-30 01:00	1	0.02	0.20					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 01:00	2	0.10	0.60					0.00	0.00	20.95	21.40			3.48	5.70
2015-09-30 01:00	5			4.13	7.00			0.00	0.00	20.63	20.70	0.00	0.00	0.00	0.00
2015-09-30 01:00	8			10.51	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.51	1.70

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-09-30 01:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2015-09-30 01:00	12	0.00	0.00	1.38	4.00			0.00	0.00	20.90	20.90			0.33	0.40
2015-09-30 01:00	13			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.10
2015-09-30 02:00	1	0.04	0.40					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 02:00	2	0.08	0.50					0.00	0.00	20.98	21.40			3.87	5.70
2015-09-30 02:00	5			4.05	5.00			0.00	0.00	20.68	20.70	0.00	0.00	0.00	0.00
2015-09-30 02:00	8			10.98	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.63	1.70
2015-09-30 02:00	10			2.08	3.00	0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2015-09-30 02:00	12	0.00	0.00	1.30	3.00			0.00	0.00	20.90	20.90			0.33	0.40
2015-09-30 02:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-09-30 03:00	1	0.05	0.50					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 03:00	2	0.14	0.50					0.00	0.00	20.98	21.40			4.27	5.70
2015-09-30 03:00	5			4.11	7.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.00
2015-09-30 03:00	8			10.78	13.00			0.00	0.00	20.90	20.90	0.00	0.00	0.53	1.70
2015-09-30 03:00	10			2.02	4.00	0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2015-09-30 03:00	12	0.00	0.00	1.79	21.00			0.00	0.00	20.90	20.90			0.32	0.40
2015-09-30 03:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.10
2015-09-30 04:00	1	0.02	0.40					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 04:00	2	0.13	0.50					0.00	0.00	21.02	21.40			4.42	5.70
2015-09-30 04:00	5			4.03	5.00			0.00	0.00	20.65	20.70	0.00	0.00	0.00	0.00
2015-09-30 04:00	8			9.82	11.00			0.00	0.00	20.90	20.90	0.00	0.00	0.62	1.70
2015-09-30 04:00	10			2.00	3.00	0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2015-09-30 04:00	12	0.00	0.00	1.13	4.00			0.00	0.00	20.90	20.90			0.34	0.40
2015-09-30 04:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.20
2015-09-30 05:00	1	0.00	0.10					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 05:00	2	0.12	0.40					0.00	0.00	20.99	21.40			4.95	5.70
2015-09-30 05:00	5			4.15	7.00			0.00	0.00	20.64	20.70	0.00	0.00	0.00	0.00
2015-09-30 05:00	8			9.59	11.00			0.00	0.00	20.90	20.90	0.00	0.00	0.48	1.70
2015-09-30 05:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2015-09-30 05:00	12	0.00	0.00	2.00	22.00			0.00	0.00	20.90	20.90			0.34	0.40
2015-09-30 05:00	13			2.08	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.20

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-09-30 06:00	1	0.01	0.20					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 06:00	2	0.28	0.70					0.00	0.00	21.03	21.40			5.08	5.70
2015-09-30 06:00	5			4.05	5.00			0.00	0.00	20.62	20.70	0.00	0.00	0.00	0.00
2015-09-30 06:00	8			9.17	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.54	1.70
2015-09-30 06:00	10			2.08	4.00	0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2015-09-30 06:00	12	0.00	0.00	1.29	3.00			0.00	0.00	20.90	20.90			0.36	0.40
2015-09-30 06:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.20
2015-09-30 07:00	1	0.03	0.30					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 07:00	2	0.21	1.10					0.00	0.00	20.94	21.40			4.89	5.70
2015-09-30 07:00	5			4.05	5.00			0.00	0.00	20.94	21.90	0.00	0.00	0.00	0.00
2015-09-30 07:00	8			8.95	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.62	1.70
2015-09-30 07:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2015-09-30 07:00	12	0.00	0.00	1.22	2.00			0.00	0.00	20.90	20.90			0.38	0.40
2015-09-30 07:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.20
2015-09-30 08:00	1	0.03	0.30					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 08:00	2	0.20	0.60					0.00	0.00	20.90	20.90			4.63	5.70
2015-09-30 08:00	5			4.15	6.00			0.00	0.00	21.15	21.60	0.00	0.00	0.00	0.00
2015-09-30 08:00	8			8.50	9.00			0.00	0.00	20.90	20.90	0.00	0.10	0.69	1.70
2015-09-30 08:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2015-09-30 08:00	12	0.00	0.00	1.17	3.00			0.00	0.00	20.90	20.90			0.35	0.40
2015-09-30 08:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.20
2015-09-30 09:00	1	0.05	0.50					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 09:00	2	0.21	0.70					0.00	0.00	20.90	20.90			4.01	5.70
2015-09-30 09:00	5			4.16	5.00			0.00	0.00	20.89	21.20	0.00	0.00	0.00	0.00
2015-09-30 09:00	8			9.00	13.00			0.00	0.00	20.79	20.90	0.00	0.00	0.56	1.70
2015-09-30 09:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.59	20.70			0.00	0.00
2015-09-30 09:00	12	0.00	0.00	1.32	3.00			0.00	0.00	20.90	20.90			0.29	0.40
2015-09-30 09:00	13			2.00	2.00			0.00	0.00	20.83	20.90	0.00	0.00	0.09	0.20
2015-09-30 10:00	1	0.12	0.50					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 10:00	2	0.21	0.80					0.00	0.00	20.90	20.90			1.07	2.80
2015-09-30 10:00	5			4.11	6.00			0.00	0.00	20.58	20.60	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-09-30 10:00	8			11.74	13.00			0.00	0.00	20.76	20.90	0.00	0.00	0.41	1.70
2015-09-30 10:00	10			2.09	3.00	0.00	0.00	0.00	0.00	20.61	20.70			0.00	0.00
2015-09-30 10:00	12	0.00	0.00	1.88	18.00			0.00	0.00	20.90	20.90			0.20	0.40
2015-09-30 10:00	13			2.00	2.00			0.00	0.00	20.71	20.90	0.00	0.00	0.04	0.10
2015-09-30 11:00	1	0.24	0.90					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 11:00	2	0.14	0.70					0.00	0.00	20.90	20.90			0.07	1.80
2015-09-30 11:00	5			3.98	4.00			0.00	0.00	20.58	20.70	0.00	0.00	0.00	0.00
2015-09-30 11:00	8			13.08	16.00			0.00	0.00	20.90	20.90	0.00	0.10	0.36	1.70
2015-09-30 11:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.62	20.70			0.00	0.00
2015-09-30 11:00	12	0.00	0.00	1.93	3.00			0.00	0.00	20.90	20.90			0.03	0.20
2015-09-30 11:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 12:00	1	0.11	0.50					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 12:00	2	0.06	0.30					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 12:00	5			4.10	6.00			0.00	0.00	20.75	20.90	0.00	0.00	0.00	0.00
2015-09-30 12:00	8			16.82	19.00			0.00	0.00	20.90	20.90	0.00	0.00	0.19	1.70
2015-09-30 12:00	10			2.48	3.00	0.00	0.00	0.00	0.00	20.81	20.90			0.00	0.00
2015-09-30 12:00	12	0.00	0.00	2.45	4.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 12:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 13:00	1	0.08	0.50					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 13:00	2	0.05	0.20					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 13:00	5			4.13	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 13:00	8			16.97	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.26	1.10
2015-09-30 13:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 13:00	12	0.00	0.00	3.76	25.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 13:00	13			2.35	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 14:00	1	0.07	0.40					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 14:00	2	0.06	0.60					0.00	0.00	20.90	20.90			0.09	1.80
2015-09-30 14:00	5			4.08	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 14:00	8			20.41	23.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	1.10
2015-09-30 14:00	10			3.39	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 14:00	12	0.00	0.00	5.10	27.00			0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-09-30 14:00	13			2.84	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 15:00	1	0.11	0.60					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 15:00	2	0.10	0.70					0.00	0.00	20.90	20.90			0.11	0.90
2015-09-30 15:00	5			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 15:00	8			20.17	24.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	1.10
2015-09-30 15:00	10			3.88	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 15:00	12	0.00	0.00	4.95	6.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 15:00	13			4.66	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 16:00	1	0.08	0.40					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 16:00	2	0.06	0.40					0.00	0.00	20.90	20.90			0.05	0.90
2015-09-30 16:00	5			3.95	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 16:00	8			20.95	24.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.50
2015-09-30 16:00	10			3.50	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 16:00	12	0.00	0.00	5.66	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 16:00	13			5.93	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 17:00	1	0.06	0.60					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 17:00	2	0.28	6.50					0.00	0.00	20.90	20.90			0.14	1.80
2015-09-30 17:00	5			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 17:00	8			18.33	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.04	0.50
2015-09-30 17:00	10			3.63	5.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 17:00	12	0.00	0.00	5.50	7.00			0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 17:00	13			6.42	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 18:00	1	0.03	0.20					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 18:00	2	0.06	0.50					0.00	0.00	20.90	20.90			0.33	0.90
2015-09-30 18:00	5			4.10	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 18:00	8			15.70	20.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	1.10
2015-09-30 18:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 18:00	12	0.00	0.00	3.47	5.00			0.00	0.00	20.90	20.90			0.05	0.20
2015-09-30 18:00	13			4.08	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2015-09-30 19:00	1	0.04	0.30					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 19:00	2	0.10	0.60					0.00	0.00	20.90	20.90				



Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-09-30 19:00	5			4.05	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 19:00	8			14.23	17.00			0.00	0.00	20.90	20.90	0.00	0.00	0.39	1.70
2015-09-30 19:00	10			2.45	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 19:00	12	0.00	0.00	1.70	2.00			0.00	0.00	20.90	20.90			0.19	0.30
2015-09-30 19:00	13			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.10
2015-09-30 20:00	1	0.03	0.50					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 20:00	2	0.10	0.50					0.00	0.00	20.90	20.90				
2015-09-30 20:00	5			4.13	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 20:00	8			9.72	12.00			0.00	0.00	20.90	20.90	0.00	0.00	0.63	2.90
2015-09-30 20:00	10			2.28	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 20:00	12	0.00	0.00	1.38	3.00			0.00	0.00	20.90	20.90			0.21	0.40
2015-09-30 20:00	13			2.02	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.20
2015-09-30 21:00	1	0.03	0.40					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 21:00	2	0.15	0.70					0.00	0.00	20.90	20.90				
2015-09-30 21:00	5			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 21:00	8			7.28	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.69	2.30
2015-09-30 21:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 21:00	12	0.00	0.00	1.45	3.00			0.00	0.00	20.90	20.90			0.31	0.40
2015-09-30 21:00	13			2.00	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.20
2015-09-30 22:00	1	0.03	0.40					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 22:00	2	0.17	0.50					0.00	0.00	20.90	20.90				
2015-09-30 22:00	5			4.16	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 22:00	8			5.15	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.86	1.70
2015-09-30 22:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.89	20.90			0.00	0.00
2015-09-30 22:00	12	0.00	0.00	2.95	36.00			0.00	0.00	20.90	20.90			0.36	0.40
2015-09-30 22:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.20
2015-09-30 23:00	1	0.00	0.20					0.00	0.00	20.90	20.90			0.00	0.00
2015-09-30 23:00	2	0.21	0.90					0.00	0.00	20.90	20.90				
2015-09-30 23:00	5			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2015-09-30 23:00	8			4.23	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.87	1.70
2015-09-30 23:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-09-30 23:00	12	0.00	0.00	1.15	2.00			0.00	0.00	20.90	20.90			0.35	0.40
2015-09-30 23:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.20
2015-10-01 00:00	1	0.00	0.10					0.00	0.00	20.90	20.90			0.00	0.00
2015-10-01 00:00	2	0.21	0.70					0.00	0.00	20.90	20.90				
2015-10-01 00:00	5			4.07	6.00			0.00	0.00	20.71	20.90	0.00	0.00	0.00	0.00
2015-10-01 00:00	8			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.81	1.70
2015-10-01 00:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.82	20.90			0.00	0.00
2015-10-01 00:00	12	0.00	0.00	1.20	3.00			0.00	0.00	20.90	20.90			0.37	0.40
2015-10-01 00:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.20
2015-10-01 01:00	1	0.02	0.30					0.00	0.00	20.90	20.90			0.00	0.00
2015-10-01 01:00	2	0.18	0.60					2.49	3.10	21.21	21.40				
2015-10-01 01:00	5			4.00	5.00			0.00	0.00	20.68	20.90	0.00	0.00	0.00	0.00
2015-10-01 01:00	8			3.85	4.00			1.36	3.10	20.90	20.90	0.00	0.00	1.06	2.30
2015-10-01 01:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2015-10-01 01:00	12	0.00	0.00	1.62	19.00			0.00	0.00	20.90	20.90			0.40	0.40
2015-10-01 01:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.20
2015-10-01 02:00	1	0.01	0.30			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-10-01 02:00	2	0.20	0.60					3.22	3.40	21.14	21.30				
2015-10-01 02:00	5			4.02	5.00			0.00	0.00	20.85	21.30	0.00	0.00	0.00	0.00
2015-10-01 02:00	8			3.00	4.00			3.17	3.30	20.90	20.90	0.00	0.00	0.96	1.70
2015-10-01 02:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.58	20.70			0.00	0.00
2015-10-01 02:00	12	0.00	0.00	1.29	3.00			0.00	0.00	20.90	20.90			0.40	0.40
2015-10-01 02:00	13			1.98	2.00			0.00	0.00	20.62	20.90	0.00	0.00	0.17	0.20
2015-10-01 03:00	1	0.01	0.20			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2015-10-01 03:00	2	0.30	0.90					3.43	3.60	21.02	21.30				
2015-10-01 03:00	5			4.13	6.00			0.00	0.00	20.77	21.20	0.00	0.00	0.00	0.00
2015-10-01 03:00	8			2.80	3.00			3.38	3.60	20.90	20.90	0.00	0.00	1.03	1.70
2015-10-01 03:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.57	20.60			0.00	0.00
2015-10-01 03:00	12	0.00	0.00	1.43	14.00			0.00	0.00	20.90	20.90			0.42	0.50
2015-10-01 03:00	13			2.00	2.00			0.00	0.00	20.59	20.70	0.00	0.00	0.20	0.20
2015-10-01 04:00	1	0.01	0.20			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-10-01 04:00	2	0.32	1.00					3.52	3.70	20.95	21.40				
2015-10-01 04:00	5			4.16	6.00			0.00	0.00	20.68	20.90	0.00	0.00	0.00	0.00
2015-10-01 04:00	8			2.54	3.00			3.56	3.60	20.83	20.90	0.00	0.00	0.99	1.70
2015-10-01 04:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.00	0.00
2015-10-01 04:00	12	0.00	0.00	1.13	2.00			0.00	0.00	20.90	20.90			0.42	0.50
2015-10-01 04:00	13			2.00	2.00			0.00	0.00	20.54	20.60	0.00	0.00	0.20	0.20
2015-10-01 05:00	1	0.01	0.10			0.01	0.10	0.00	0.00	20.84	20.90			0.00	0.00
2015-10-01 05:00	2	0.40	1.10					3.55	3.70	20.90	21.10				
2015-10-01 05:00	5			3.93	4.00			0.00	0.00	20.68	21.10	0.00	0.00	0.00	0.00
2015-10-01 05:00	8			2.30	3.00			3.60	3.70	20.65	20.70	0.00	0.00	1.10	2.30
2015-10-01 05:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.95	22.20			0.00	0.00
2015-10-01 05:00	12	0.00	0.00	1.46	8.00			0.00	0.00	20.90	20.90			0.48	0.60
2015-10-01 05:00	13			2.00	3.00			0.00	0.00	20.56	20.60	0.00	0.00	0.20	0.20
2015-10-01 06:00	1	0.01	0.10			0.01	0.10	0.00	0.00	20.87	20.90			0.00	0.00
2015-10-01 06:00	2	0.34	1.00					3.63	3.80	20.90	20.90				
2015-10-01 06:00	5			4.05	5.00			0.00	0.00	20.58	20.90	0.00	0.00	0.00	0.00
2015-10-01 06:00	8			2.21	3.00			3.63	3.70	20.61	20.70	0.00	0.00	1.11	1.70
2015-10-01 06:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.49	21.90			0.00	0.00
2015-10-01 06:00	12	0.00	0.00	1.32	2.00			0.00	0.00	20.90	20.90			0.48	0.60
2015-10-01 06:00	13			2.00	2.00			0.00	0.00	20.57	20.60	0.00	0.00	0.20	0.20
2015-10-01 07:00	1	0.01	0.10			0.01	0.10	0.00	0.00	20.89	20.90			0.00	0.00
2015-10-01 07:00	2	0.44	1.60					3.66	4.00	20.90	20.90				
2015-10-01 07:00	5			4.14	7.00			0.00	0.00	20.46	20.60	0.00	0.00	0.00	0.00
2015-10-01 07:00	8			2.05	3.00			3.69	3.70	20.59	20.70	0.00	0.10	1.01	2.30
2015-10-01 07:00	10			2.00	2.00	0.00	0.00	0.00	0.00	21.24	21.80			0.00	0.00
2015-10-01 07:00	12	0.00	0.00	1.18	3.00			0.00	0.00	20.90	20.90			0.50	0.60
2015-10-01 07:00	13			2.00	2.00			0.00	0.00	20.55	20.60	0.00	0.00	0.20	0.20
2015-10-01 08:00	1	0.00	0.10			0.01	0.10	0.00	0.00	20.71	20.90			0.00	0.00
2015-10-01 08:00	2	0.34	0.80					3.04	3.50	20.90	20.90				
2015-10-01 08:00	5			4.24	6.00			0.00	0.00	20.50	20.60	0.00	0.00	0.00	0.00
2015-10-01 08:00	8			2.05	3.00			3.62	3.70	20.61	20.70	0.00	0.00	1.03	2.30

Bridgeton Sanitary Landfill  
AreaRAE Monitoring Data  
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2015-10-01 08:00	10			1.97	2.00	0.00	0.00	0.00	0.00	21.03	21.60			0.00	0.00
2015-10-01 08:00	12	0.00	0.00	1.32	2.00			0.00	0.00	20.90	20.90			0.43	0.60
2015-10-01 08:00	13			1.95	3.00			0.00	0.00	20.55	20.70	0.00	0.00	0.16	0.20
2015-10-01 09:00	1	0.01	0.10					0.00	0.00	20.66	20.90			0.00	0.00
2015-10-01 09:00	2	0.37	1.20					2.24	2.50	20.90	20.90				
2015-10-01 09:00	5			4.03	5.00			0.00	0.00	20.50	20.50	0.00	0.00	0.00	0.00
2015-10-01 09:00	8			2.89	4.00			2.97	3.40	20.62	20.70	0.00	0.00	0.68	1.70
2015-10-01 09:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.69	21.30			0.00	0.00
2015-10-01 09:00	12	0.00	0.00	1.90	16.00			0.00	0.00	20.75	20.90			0.39	0.40
2015-10-01 09:00	13			2.02	3.00			0.00	0.00	20.77	20.90	0.00	0.00	0.10	0.20
2015-10-01 10:00	1	0.13	1.00					0.00	0.00	20.59	20.60			0.00	0.00
2015-10-01 10:00	2	0.05	0.40					0.00	0.00	20.90	20.90			0.00	0.00
2015-10-01 10:00	5			4.03	5.00			0.00	0.00	20.47	20.50	0.00	0.00	0.00	0.00
2015-10-01 10:00	8			3.87	5.00			2.39	2.60	20.72	20.90	0.00	0.00	0.64	1.70
2015-10-01 10:00	10			2.08	4.00	0.00	0.00	0.00	0.00	20.60	20.70			0.00	0.00
2015-10-01 10:00	12	0.00	0.00	1.33	2.00			0.00	0.00	20.90	20.90			0.27	0.40
2015-10-01 10:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.10
2015-10-01 11:00	1	0.27	0.90					0.00	0.00	20.79	20.90			0.00	0.00
2015-10-01 11:00	2	0.00	0.00					0.00	0.00	20.90	20.90			0.00	0.00
2015-10-01 11:00	5			4.15	6.00			0.00	0.00	20.54	20.60	0.00	0.00	0.00	0.00
2015-10-01 11:00	8			4.25	7.00			1.79	2.10	20.90	20.90	0.00	0.00	0.38	1.70
2015-10-01 11:00	10			2.07	3.00	0.00	0.00	0.00	0.00	20.65	20.90			0.00	0.00
2015-10-01 11:00	12	0.00	0.00	1.90	3.00			0.00	0.00	20.90	20.90			0.08	0.20
2015-10-01 11:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2015-10-01 12:00	1	0.11	0.60					0.00	0.00	20.90	20.90			0.00	0.00
2015-10-01 12:00	2	0.00	0.00					0.00	0.00	20.90	20.90			0.00	0.00
2015-10-01 12:00	5			4.05	5.00			0.00	0.00	20.63	20.70	0.00	0.00	0.00	0.00
2015-10-01 12:00	8			6.39	10.00			0.75	1.40	20.90	20.90	0.00	0.00	0.25	1.10
2015-10-01 12:00	10			2.12	3.00	0.00	0.00	0.00	0.00	20.89	20.90			0.00	0.00
2015-10-01 12:00	12	0.00	0.00	2.44	5.00			0.00	0.00	20.90	20.90			0.00	0.10
2015-10-01 12:00	13			2.12	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00