

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-04 12:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.58	20.60			1.04	1.70
2014-12-04 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-04 12:00	8			3.38	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.15	0.30
2014-12-04 12:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.86	20.90			0.77	2.20
2014-12-04 12:00	12	0.14	0.40	1.79	13.00			0.00	0.00	20.90	20.90			0.72	1.50
2014-12-04 12:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.46	1.70
2014-12-04 13:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.60	20.70			0.74	1.30
2014-12-04 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-04 13:00	8			3.13	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.30
2014-12-04 13:00	10			2.03	3.00	0.00	0.00	0.00	0.00	20.73	20.90			0.75	1.70
2014-12-04 13:00	12	0.17	0.70	1.00	3.00			0.00	0.00	20.90	20.90			0.70	1.50
2014-12-04 13:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	1.98	2.30
2014-12-04 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.59	20.60			0.67	1.00
2014-12-04 14:00	2	0.19	8.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-04 14:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.18	0.30
2014-12-04 14:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.87	20.90			0.76	1.70
2014-12-04 14:00	12	0.07	0.40	1.16	2.00			0.00	0.00	20.90	20.90			0.46	1.50
2014-12-04 14:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	2.41	2.80
2014-12-04 15:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.59	20.70			0.66	1.00
2014-12-04 15:00	2	0.02	0.90			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-04 15:00	8			2.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.30
2014-12-04 15:00	10			1.68	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.73	1.70
2014-12-04 15:00	12	0.13	0.50	1.33	20.00			0.00	0.00	20.90	20.90			0.51	1.50
2014-12-04 15:00	13			1.92	4.00			0.00	0.00	20.90	20.90	0.00	0.00	3.06	3.60
2014-12-04 16:00	1	0.07	2.40			0.00	0.00	0.00	0.00	20.58	20.70			0.65	1.00
2014-12-04 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-04 16:00	8			3.12	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.30
2014-12-04 16:00	10			1.54	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.71	1.80
2014-12-04 16:00	12	0.08	0.50	0.56	1.00			0.00	0.00	20.90	20.90			0.60	1.50
2014-12-04 16:00	13			1.90	3.00			0.00	0.00	20.90	20.90	0.00	0.00	3.52	3.90
2014-12-04 17:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.60	20.70			0.63	1.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-04 17:00	2	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-04 17:00	8			3.10	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.30
2014-12-04 17:00	10			1.78	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.95	2.20
2014-12-04 17:00	12	0.09	0.70	0.67	3.00			0.00	0.00	20.90	20.90			0.50	1.00
2014-12-04 17:00	13			1.78	3.00			0.00	0.00	20.90	20.90	0.00	0.00	3.01	3.50
2014-12-04 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.62	20.70			0.70	1.00
2014-12-04 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-04 18:00	8			3.11	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.30
2014-12-04 18:00	10			1.63	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.74	1.80
2014-12-04 18:00	12	0.07	0.40	1.28	16.00			0.00	0.00	20.90	20.90			0.53	1.00
2014-12-04 18:00	13			1.84	2.00			0.00	0.00	20.90	20.90	0.00	0.00	3.42	3.90
2014-12-04 19:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.59	20.70			0.72	1.30
2014-12-04 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-04 19:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.40
2014-12-04 19:00	10			1.62	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.69	1.70
2014-12-04 19:00	12	0.09	0.50	0.94	5.00			0.00	0.00	20.90	20.90			0.58	1.50
2014-12-04 19:00	13			1.91	2.00			0.00	0.00	20.90	20.90	0.00	0.00	4.03	4.50
2014-12-04 20:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.59	20.70			0.62	1.00
2014-12-04 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-04 20:00	8			3.15	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	0.40
2014-12-04 20:00	10			1.79	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.71	1.30
2014-12-04 20:00	12	0.07	0.70	0.76	5.00			0.00	0.00	20.90	20.90			0.54	1.50
2014-12-04 20:00	13			1.92	4.00			0.00	0.00	20.90	20.90	0.00	0.00	4.48	4.80
2014-12-04 21:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.61	20.70			0.58	1.00
2014-12-04 21:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-04 21:00	8			3.27	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.40
2014-12-04 21:00	10			1.58	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.73	1.80
2014-12-04 21:00	12	0.07	0.50	0.87	14.00			0.00	0.00	20.90	20.90			0.64	1.50
2014-12-04 21:00	13			1.75	2.00			0.00	0.00	20.90	20.90	0.00	0.00	5.09	5.40
2014-12-04 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.61	20.70			0.54	0.80
2014-12-04 22:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-04 22:00	8			3.87	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.40
2014-12-04 22:00	10			1.51	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.78	1.30
2014-12-04 22:00	12	0.10	0.80	0.66	2.00			0.00	0.00	20.90	20.90			0.34	1.00
2014-12-04 22:00	13			1.62	3.00			0.00	0.00	20.90	20.90	0.00	0.00	5.12	5.40
2014-12-04 23:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.60	20.60			0.62	1.00
2014-12-04 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2014-12-04 23:00	8			3.87	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.19	0.40
2014-12-04 23:00	10			1.41	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.66	1.30
2014-12-04 23:00	12	0.09	0.70	0.54	1.00			0.00	0.00	20.90	20.90			0.39	1.00
2014-12-04 23:00	13			1.79	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.53	5.10
2014-12-05 00:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.60	20.60			0.59	1.00
2014-12-05 00:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 00:00	8			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.40
2014-12-05 00:00	10			1.48	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.67	1.70
2014-12-05 00:00	12	0.03	0.20	0.63	2.00			0.00	0.00	20.90	20.90			0.38	1.00
2014-12-05 00:00	13			1.80	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.25	4.40
2014-12-05 01:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.60	20.60			0.56	0.80
2014-12-05 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2014-12-05 01:00	8			4.03	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.19	0.30
2014-12-05 01:00	10			1.61	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.81	1.70
2014-12-05 01:00	12	0.03	0.30	0.80	1.00			0.00	0.00	20.90	20.90			0.23	1.50
2014-12-05 01:00	13			1.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	4.26	4.40
2014-12-05 02:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.60	20.70			0.59	0.80
2014-12-05 02:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-05 02:00	8			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.19	0.40
2014-12-05 02:00	10			1.49	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.64	1.80
2014-12-05 02:00	12	0.07	0.50	0.91	4.00			0.00	0.00	20.90	20.90			0.26	1.00
2014-12-05 02:00	13			1.97	2.00			0.00	0.00	20.90	20.90	0.00	0.00	4.45	4.90
2014-12-05 03:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.60	20.70			0.63	1.00
2014-12-05 03:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 03:00	8			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.40

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-05 03:00	10			1.67	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.47	1.30
2014-12-05 03:00	12	0.05	0.40	1.02	7.00			0.00	0.00	20.90	20.90			0.29	1.00
2014-12-05 03:00	13			1.74	2.00			0.00	0.00	20.90	20.90	0.00	0.00	4.84	5.50
2014-12-05 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.70			0.53	0.80
2014-12-05 04:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 04:00	8			4.25	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.25	0.40
2014-12-05 04:00	10			2.20	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.65	1.30
2014-12-05 04:00	12	0.04	0.40	1.40	6.00			0.00	0.00	20.90	20.90			0.25	1.00
2014-12-05 04:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	5.85	6.40
2014-12-05 05:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.60	20.60			0.53	1.00
2014-12-05 05:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-05 05:00	8			5.00	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.40
2014-12-05 05:00	10			3.41	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.69	1.30
2014-12-05 05:00	12	0.07	0.30	2.38	12.00			0.00	0.00	20.90	20.90			0.34	1.50
2014-12-05 05:00	13			2.83	3.00			0.00	0.00	20.90	20.90	0.00	0.00	7.30	7.90
2014-12-05 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.50	0.80
2014-12-05 06:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 06:00	8			4.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.50
2014-12-05 06:00	10			2.97	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.68	1.30
2014-12-05 06:00	12	0.06	0.30	2.49	18.00			0.00	0.00	20.90	20.90			0.24	1.00
2014-12-05 06:00	13			2.69	3.00			0.00	0.00	20.90	20.90	0.00	0.00	7.80	8.00
2014-12-05 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.58	0.80
2014-12-05 07:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2014-12-05 07:00	8			4.76	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.30	0.50
2014-12-05 07:00	10			2.78	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.74	1.70
2014-12-05 07:00	12	0.05	0.30	1.64	3.00			0.00	0.00	20.90	20.90			0.32	1.50
2014-12-05 07:00	13			2.23	4.00			0.00	0.00	20.90	20.90	0.00	0.00	8.09	8.80
2014-12-05 08:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.60	20.60			0.61	0.80
2014-12-05 08:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 08:00	8			4.80	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.33	0.50
2014-12-05 08:00	10			2.24	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.68	1.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-05 08:00	12	0.05	0.40	1.90	16.00			0.00	0.00	20.90	20.90			0.31	1.00
2014-12-05 08:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	8.32	8.90
2014-12-05 09:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.60	20.60			0.57	1.00
2014-12-05 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 09:00	8			5.03	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.33	0.50
2014-12-05 09:00	10			3.00	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.69	1.30
2014-12-05 09:00	12	0.10	0.30	1.97	8.00			0.00	0.00	20.90	20.90			0.40	1.50
2014-12-05 09:00	13			2.54	3.00			0.00	0.00	20.90	20.90	0.00	0.00	6.76	7.50
2014-12-05 10:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.67	20.70			0.86	1.50
2014-12-05 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 10:00	8			5.58	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.27	0.40
2014-12-05 10:00	10			2.97	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.79	1.70
2014-12-05 10:00	12	0.16	0.90	1.95	2.00			0.00	0.00	20.90	20.90			0.43	1.00
2014-12-05 10:00	13			2.73	4.00			0.00	0.00	20.90	20.90	0.00	0.00	6.23	6.60
2014-12-05 11:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.77	20.90			0.91	1.30
2014-12-05 11:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 11:00	8			5.64	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.31	0.50
2014-12-05 11:00	10			3.05	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.58	1.30
2014-12-05 11:00	12	0.08	0.50	1.82	4.00			0.00	0.00	20.90	20.90			0.33	1.00
2014-12-05 11:00	13			2.74	3.00			0.00	0.00	20.90	20.90	0.00	0.00	6.70	7.00
2014-12-05 12:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.84	1.50
2014-12-05 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 12:00	8			6.08	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.33	0.50
2014-12-05 12:00	10			3.03	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.65	1.30
2014-12-05 12:00	12	0.11	0.40	2.00	3.00			0.00	0.00	20.90	20.90			0.18	1.50
2014-12-05 12:00	13			2.19	3.00			0.00	0.00	20.90	20.90	0.00	0.00	7.18	7.90
2014-12-05 13:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.81	1.30
2014-12-05 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 13:00	8			6.19	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.31	0.50
2014-12-05 13:00	10			3.02	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.67	1.70
2014-12-05 13:00	12	0.11	0.50	2.24	15.00			0.00	0.00	20.90	20.90			0.13	1.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-05 13:00	13			2.59	3.00			0.00	0.00	20.90	20.90	0.00	0.00	3.15	7.60
2014-12-05 14:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.87	1.30
2014-12-05 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 14:00	8			6.21	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.30	0.70
2014-12-05 14:00	10			2.76	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.74	1.70
2014-12-05 14:00	12	0.08	0.30	1.47	2.00			0.00	0.00	20.90	20.90			0.17	1.00
2014-12-05 14:00	13			2.47	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.42	0.60
2014-12-05 15:00	1	0.04	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.82	1.30
2014-12-05 15:00	2	0.02	0.90			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 15:00	8			6.41	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.29	0.40
2014-12-05 15:00	10			2.24	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.61	2.20
2014-12-05 15:00	12	0.09	0.50	1.43	3.00			0.00	0.00	20.90	20.90			0.03	0.50
2014-12-05 15:00	13			2.14	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.60
2014-12-05 16:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.82	1.30
2014-12-05 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 16:00	8			7.18	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.32	0.70
2014-12-05 16:00	10			3.83	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.73	1.70
2014-12-05 16:00	12	0.07	0.50	2.26	5.00			0.00	0.00	20.90	20.90			0.16	1.00
2014-12-05 16:00	13			3.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.46	0.80
2014-12-05 17:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.79	1.30
2014-12-05 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 17:00	8			7.12	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.35	0.70
2014-12-05 17:00	10			3.07	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.66	1.30
2014-12-05 17:00	12	0.05	0.30	2.02	3.00			0.00	0.00	20.90	20.90			0.20	1.50
2014-12-05 17:00	13			3.02	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.47	1.10
2014-12-05 18:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.58	1.30
2014-12-05 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 18:00	8			6.34	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.33	0.50
2014-12-05 18:00	10			2.95	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.79	1.80
2014-12-05 18:00	12	0.04	0.30	1.92	4.00			0.00	0.00	20.90	20.90			0.21	1.00
2014-12-05 18:00	13			2.42	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-05 19:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.50	0.80
2014-12-05 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 19:00	8			5.97	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.35	0.50
2014-12-05 19:00	10			2.64	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.84	2.70
2014-12-05 19:00	12	0.02	0.30	1.64	4.00			0.00	0.00	20.90	20.90			0.75	2.00
2014-12-05 19:00	13			2.19	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-05 20:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.53	0.80
2014-12-05 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 20:00	8			7.05	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.36	0.70
2014-12-05 20:00	10			3.97	7.00	0.00	0.00	0.00	0.00	20.90	20.90			0.90	2.20
2014-12-05 20:00	12	0.05	0.20	2.95	7.00			0.00	0.00	20.90	20.90			0.47	1.50
2014-12-05 20:00	13			3.11	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-05 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.55	0.80
2014-12-05 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-05 21:00	8			7.98	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.37	0.70
2014-12-05 21:00	10			5.76	8.00	0.00	0.00	0.00	0.00	20.90	20.90			0.89	2.20
2014-12-05 21:00	12	0.04	0.40	3.92	6.00			0.00	0.00	20.90	20.90			0.49	1.50
2014-12-05 21:00	13			4.38	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-05 22:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.57	1.00
2014-12-05 22:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 22:00	8			7.36	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.39	0.70
2014-12-05 22:00	10			4.93	6.00	0.00	0.00	0.00	0.00	20.90	20.90			1.10	2.20
2014-12-05 22:00	12	0.04	0.30	3.65	4.00			0.00	0.00	20.90	20.90			0.41	1.50
2014-12-05 22:00	13			4.03	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-05 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.49	0.80
2014-12-05 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-05 23:00	8			6.49	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.41	0.70
2014-12-05 23:00	10			4.11	5.00	0.00	0.00	0.00	0.00	20.90	20.90			1.00	2.20
2014-12-05 23:00	12	0.05	0.40	2.78	4.00			0.00	0.00	20.90	20.90			0.45	1.50
2014-12-05 23:00	13			3.46	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.40
2014-12-06 00:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.46	1.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-06 00:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 00:00	8			5.39	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.38	0.50
2014-12-06 00:00	10			3.00	6.00	0.00	0.00	0.00	0.00	20.90	20.90			1.06	2.20
2014-12-06 00:00	12	0.03	0.20	1.79	3.00			0.00	0.00	20.90	20.90			0.56	1.50
2014-12-06 00:00	13			2.29	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.40
2014-12-06 01:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.69	20.90			0.47	0.80
2014-12-06 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-06 01:00	8			4.97	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.37	0.70
2014-12-06 01:00	10			2.29	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.79	1.80
2014-12-06 01:00	12	0.05	0.40	1.66	15.00			0.00	0.00	20.90	20.90			0.70	1.50
2014-12-06 01:00	13			2.03	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2014-12-06 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.70			0.46	0.60
2014-12-06 02:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 02:00	8			4.89	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.36	0.70
2014-12-06 02:00	10			2.00	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.90	1.70
2014-12-06 02:00	12	0.02	0.30	1.47	15.00			0.00	0.00	20.90	20.90			0.37	1.50
2014-12-06 02:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 03:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.74	20.90			0.52	0.80
2014-12-06 03:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 03:00	8			4.61	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.32	0.50
2014-12-06 03:00	10			1.95	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.67	1.30
2014-12-06 03:00	12	0.04	0.20	0.90	2.00			0.00	0.00	20.90	20.90			0.38	1.00
2014-12-06 03:00	13			1.79	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.61	20.70			0.55	0.80
2014-12-06 04:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 04:00	8			4.50	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.31	0.50
2014-12-06 04:00	10			1.94	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.71	1.70
2014-12-06 04:00	12	0.05	0.20	1.54	12.00			0.00	0.00	20.90	20.90			0.54	1.50
2014-12-06 04:00	13			1.73	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 05:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.65	20.70			0.56	0.80
2014-12-06 05:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-06 05:00	8			4.29	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.30	0.50
2014-12-06 05:00	10			1.80	3.00	0.00	0.00	0.00	0.00	20.89	20.90			0.86	2.20
2014-12-06 05:00	12	0.05	0.40	1.56	15.00			0.00	0.00	20.90	20.90			0.51	1.50
2014-12-06 05:00	13			1.76	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 06:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.63	20.70			0.59	0.80
2014-12-06 06:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 06:00	8			4.30	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.30	0.70
2014-12-06 06:00	10			1.76	3.00	0.00	0.00	0.00	0.00	20.89	20.90			0.62	1.30
2014-12-06 06:00	12	0.05	0.40	0.74	2.00			0.00	0.00	20.90	20.90			0.51	1.50
2014-12-06 06:00	13			1.79	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 07:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.62	20.70			0.59	0.80
2014-12-06 07:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 07:00	8			4.20	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.33	0.50
2014-12-06 07:00	10			1.68	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.64	1.70
2014-12-06 07:00	12	0.06	0.40	0.92	2.00			0.00	0.00	20.90	20.90			0.58	1.50
2014-12-06 07:00	13			1.92	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 08:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.65	20.70			0.62	0.80
2014-12-06 08:00	2	0.04	1.80			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 08:00	8			4.06	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.33	0.50
2014-12-06 08:00	10			2.03	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.66	1.70
2014-12-06 08:00	12	0.03	0.20	0.76	3.00			0.00	0.00	20.90	20.90			0.59	1.50
2014-12-06 08:00	13			1.51	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 09:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.64	20.70			0.61	0.80
2014-12-06 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 09:00	8			4.10	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.30	0.50
2014-12-06 09:00	10			1.46	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.46	1.70
2014-12-06 09:00	12	0.05	0.30	1.49	15.00			0.00	0.00	20.90	20.90			0.69	1.50
2014-12-06 09:00	13			1.62	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 10:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.62	20.70			0.59	1.00
2014-12-06 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 10:00	8			4.16	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.31	0.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-06 10:00	10			1.62	2.00	0.00	0.00	0.00	0.00	20.86	20.90			0.73	1.30
2014-12-06 10:00	12	0.05	0.40	0.79	2.00			0.00	0.00	20.90	20.90			0.53	1.50
2014-12-06 10:00	13			1.71	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 11:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.63	20.70			0.45	0.80
2014-12-06 11:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 11:00	8			4.08	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.31	0.50
2014-12-06 11:00	10			1.34	3.00	0.00	0.00	0.00	0.00	20.76	20.90			0.64	1.30
2014-12-06 11:00	12	0.05	0.40	0.58	1.00			0.00	0.00	20.90	20.90			0.56	1.50
2014-12-06 11:00	13			1.88	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 12:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.63	20.70			0.42	0.60
2014-12-06 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 12:00	8			4.25	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.28	0.40
2014-12-06 12:00	10			1.45	2.00	0.00	0.00	0.00	0.00	20.78	20.90			0.59	1.30
2014-12-06 12:00	12	0.01	0.10	0.74	2.00			0.00	0.00	20.90	20.90			0.74	1.50
2014-12-06 12:00	13			1.64	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 13:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.63	20.70			0.46	0.60
2014-12-06 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 13:00	8			4.13	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.28	0.40
2014-12-06 13:00	10			1.70	3.00	0.00	0.00	0.00	0.00	20.89	20.90			0.52	1.30
2014-12-06 13:00	12	0.03	0.20	0.89	9.00			0.00	0.00	20.90	20.90			0.70	1.50
2014-12-06 13:00	13			1.47	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 14:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.66	20.70			0.47	0.80
2014-12-06 14:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 14:00	8			4.11	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.40
2014-12-06 14:00	10			1.78	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.53	1.70
2014-12-06 14:00	12	0.06	0.40	1.06	13.00			0.00	0.00	20.90	20.90			0.74	1.50
2014-12-06 14:00	13			1.53	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 15:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.63	20.70			0.51	0.80
2014-12-06 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 15:00	8			4.15	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.30
2014-12-06 15:00	10			1.36	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.62	1.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-06 15:00	12	0.04	0.30	0.54	1.00			0.00	0.00	20.90	20.90			0.81	2.00
2014-12-06 15:00	13			1.77	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 16:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.68	20.70			0.50	0.80
2014-12-06 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 16:00	8			4.11	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.40
2014-12-06 16:00	10			1.33	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.64	1.30
2014-12-06 16:00	12	0.06	0.40	1.08	18.00			0.00	0.00	20.90	20.90			0.64	1.50
2014-12-06 16:00	13			1.70	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 17:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.70	20.70			0.60	0.80
2014-12-06 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 17:00	8			4.11	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.40
2014-12-06 17:00	10			1.59	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.59	1.30
2014-12-06 17:00	12	0.10	0.90	0.95	16.00			0.00	0.00	20.90	20.90			0.72	1.50
2014-12-06 17:00	13			1.47	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 18:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.78	20.90			0.57	0.80
2014-12-06 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 18:00	8			4.23	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.19	0.40
2014-12-06 18:00	10			1.42	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.52	1.30
2014-12-06 18:00	12	0.04	0.30	0.90	5.00			0.00	0.00	20.90	20.90			0.60	1.50
2014-12-06 18:00	13			1.87	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 19:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.76	20.90			0.51	0.60
2014-12-06 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 19:00	8			4.10	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	0.30
2014-12-06 19:00	10			1.49	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.71	1.30
2014-12-06 19:00	12	0.06	0.50	0.95	16.00			0.00	0.00	20.90	20.90			0.62	1.50
2014-12-06 19:00	13			1.76	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 20:00	1	0.00	0.20			0.00	0.00	0.00	0.00	20.64	20.70			0.49	0.60
2014-12-06 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 20:00	8			4.03	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.18	0.30
2014-12-06 20:00	10			1.47	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.66	1.70
2014-12-06 20:00	12	0.07	0.30	0.78	2.00			0.00	0.00	20.90	20.90			0.63	1.50

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-06 20:00	13			1.57	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 21:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.60	20.70			0.54	0.80
2014-12-06 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 21:00	8			4.10	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.40
2014-12-06 21:00	10			1.31	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.57	1.30
2014-12-06 21:00	12	0.06	0.40	0.74	3.00			0.00	0.00	20.90	20.90			0.50	1.50
2014-12-06 21:00	13			1.41	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 22:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.77	20.90			0.49	0.80
2014-12-06 22:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-06 22:00	8			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	0.40
2014-12-06 22:00	10			1.20	2.00	0.00	0.00	0.00	0.00	20.67	20.90			0.56	1.30
2014-12-06 22:00	12	0.08	0.30	0.48	3.00			0.00	0.00	20.90	20.90			0.64	1.50
2014-12-06 22:00	13			1.65	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-06 23:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.62	20.70			0.49	0.80
2014-12-06 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-06 23:00	8			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	0.50
2014-12-06 23:00	10			1.36	3.00	0.00	0.00	0.00	0.00	20.77	20.90			0.79	1.70
2014-12-06 23:00	12	0.09	0.40	0.76	4.00			0.00	0.00	20.90	20.90			0.93	1.50
2014-12-06 23:00	13			1.43	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.42	0.60
2014-12-07 00:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-07 00:00	8			3.74	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	0.50
2014-12-07 00:00	10			1.32	3.00	0.00	0.00	0.00	0.00	20.57	20.70			0.64	1.30
2014-12-07 00:00	12	0.09	0.50	0.84	11.00			0.00	0.00	20.90	20.90			1.11	1.50
2014-12-07 00:00	13			1.42	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 01:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.60	20.60			0.37	0.80
2014-12-07 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-07 01:00	8			3.53	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	0.50
2014-12-07 01:00	10			1.32	4.00	0.00	0.00	0.00	0.00	20.56	20.60			0.78	1.70
2014-12-07 01:00	12	0.13	0.50	0.51	2.00			0.00	0.00	20.90	20.90			1.23	1.50
2014-12-07 01:00	13			1.68	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-07 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.55	20.60			0.31	0.60
2014-12-07 02:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2014-12-07 02:00	8			3.78	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.24	0.40
2014-12-07 02:00	10			1.41	3.00	0.00	0.00	0.00	0.00	20.57	20.70			0.83	1.70
2014-12-07 02:00	12	0.16	0.70	1.02	18.00			0.00	0.00	20.90	20.90			1.33	1.50
2014-12-07 02:00	13			1.73	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.51	20.60			0.35	0.60
2014-12-07 03:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-07 03:00	8			3.62	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.40
2014-12-07 03:00	10			1.44	3.00	0.00	0.00	0.00	0.00	20.56	20.70			0.79	1.80
2014-12-07 03:00	12	0.14	0.50	0.49	2.00			0.00	0.00	20.90	20.90			1.32	1.50
2014-12-07 03:00	13			1.63	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.60			0.30	0.60
2014-12-07 04:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 04:00	8			3.08	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.25	0.40
2014-12-07 04:00	10			1.46	3.00	0.00	0.00	0.00	0.00	20.59	20.70			1.04	2.60
2014-12-07 04:00	12	0.09	0.50	0.97	15.00			0.00	0.00	20.90	20.90			1.35	1.50
2014-12-07 04:00	13			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.50	20.50			0.29	0.60
2014-12-07 05:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2014-12-07 05:00	8			3.20	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.40
2014-12-07 05:00	10			1.35	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.84	2.20
2014-12-07 05:00	12	0.11	0.70	0.50	2.00			0.00	0.00	20.90	20.90			1.30	1.50
2014-12-07 05:00	13			1.70	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 06:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.50	20.50			0.35	0.60
2014-12-07 06:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2014-12-07 06:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	0.40
2014-12-07 06:00	10			1.25	2.00	0.00	0.00	0.00	0.00	20.49	20.60			0.74	2.20
2014-12-07 06:00	12	0.15	0.60	0.55	2.00			0.00	0.00	20.90	20.90			1.44	2.00
2014-12-07 06:00	13			1.68	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 07:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.50	20.60			0.40	0.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-07 07:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2014-12-07 07:00	8			3.26	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.26	0.40
2014-12-07 07:00	10			1.19	3.00	0.00	0.00	0.00	0.00	20.52	20.60			0.97	2.20
2014-12-07 07:00	12	0.10	0.50	1.38	14.00			0.00	0.00	20.90	20.90			1.27	1.50
2014-12-07 07:00	13			1.64	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 08:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.56	20.60			0.38	0.60
2014-12-07 08:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-07 08:00	8			3.71	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.50
2014-12-07 08:00	10			1.24	3.00	0.00	0.00	0.00	0.00	20.54	20.60			0.77	1.70
2014-12-07 08:00	12	0.07	0.40	0.54	12.00			0.00	0.00	20.90	20.90			1.27	1.50
2014-12-07 08:00	13			1.63	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 09:00	1	0.11	1.10			0.00	0.00	0.00	0.00	20.55	20.60			0.47	0.60
2014-12-07 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 09:00	8			4.02	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.40
2014-12-07 09:00	10			1.33	3.00	0.00	0.00	0.00	0.00	20.61	20.70			0.69	1.80
2014-12-07 09:00	12	0.12	0.70	0.37	1.00			0.00	0.00	20.90	20.90			0.93	1.50
2014-12-07 09:00	13			1.68	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 10:00	1	0.03	0.40			0.00	0.00	0.00	0.00	20.69	20.90			0.31	0.60
2014-12-07 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 10:00	8			4.51	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.15	0.30
2014-12-07 10:00	10			1.35	3.00	0.00	0.00	0.00	0.00	20.74	20.90			0.37	1.30
2014-12-07 10:00	12	0.04	0.30	0.85	16.00			0.00	0.00	20.90	20.90			0.49	1.00
2014-12-07 10:00	13			1.76	3.00			0.00	0.00	20.86	20.90	0.00	0.00	0.00	0.00
2014-12-07 11:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.33	0.60
2014-12-07 11:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 11:00	8			5.23	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.11	0.30
2014-12-07 11:00	10			1.27	2.00	0.00	0.00	0.00	0.00	20.86	20.90			0.15	0.80
2014-12-07 11:00	12	0.06	0.40	0.31	3.00			0.00	0.00	20.90	20.90			0.09	0.50
2014-12-07 11:00	13			1.56	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 12:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.54	0.80
2014-12-07 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-07 12:00	8			6.10	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.20
2014-12-07 12:00	10			1.21	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.09	0.90
2014-12-07 12:00	12	0.05	0.30	0.62	2.00			0.00	0.00	20.90	20.90			0.06	0.50
2014-12-07 12:00	13			1.76	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 13:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.54	0.80
2014-12-07 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 13:00	8			6.15	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.08	0.20
2014-12-07 13:00	10			1.32	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.10	0.40
2014-12-07 13:00	12	0.07	0.40	0.98	13.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 13:00	13			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 14:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.48	0.80
2014-12-07 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 14:00	8			6.03	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.06	0.20
2014-12-07 14:00	10			1.32	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.15	0.80
2014-12-07 14:00	12	0.03	0.50	0.68	4.00			0.00	0.00	20.90	20.90			0.01	0.50
2014-12-07 14:00	13			1.51	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 15:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.32	0.60
2014-12-07 15:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 15:00	8			6.00	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.20
2014-12-07 15:00	10			1.55	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.12	0.40
2014-12-07 15:00	12	0.08	0.50	0.54	2.00			0.00	0.00	20.90	20.90			0.05	0.50
2014-12-07 15:00	13			1.63	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 16:00	1	0.01	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.60
2014-12-07 16:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.20
2014-12-07 16:00	8			5.47	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.20
2014-12-07 16:00	10			1.41	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.23	1.30
2014-12-07 16:00	12	0.03	0.40	0.44	4.00			0.00	0.00	20.90	20.90			0.15	1.00
2014-12-07 16:00	13			1.61	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 17:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.45	0.60
2014-12-07 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 17:00	8			4.92	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.20

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-07 17:00	10			1.38	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.25	0.80
2014-12-07 17:00	12	0.06	0.30	1.42	14.00			0.00	0.00	20.90	20.90			0.16	1.00
2014-12-07 17:00	13			1.78	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 18:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.53	0.80
2014-12-07 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 18:00	8			4.63	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.20
2014-12-07 18:00	10			1.29	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.42	1.30
2014-12-07 18:00	12	0.05	0.40	0.79	14.00			0.00	0.00	20.90	20.90			0.13	1.00
2014-12-07 18:00	13			1.71	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 19:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.51	0.80
2014-12-07 19:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 19:00	8			4.32	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.30
2014-12-07 19:00	10			1.16	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.53	1.30
2014-12-07 19:00	12	0.06	0.40	0.45	3.00			0.00	0.00	20.90	20.90			0.21	1.00
2014-12-07 19:00	13			1.41	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 20:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.50	0.80
2014-12-07 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 20:00	8			4.22	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.30
2014-12-07 20:00	10			1.22	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.61	1.30
2014-12-07 20:00	12	0.06	0.40	0.56	2.00			0.00	0.00	20.90	20.90			0.19	1.00
2014-12-07 20:00	13			1.36	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 21:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.56	1.00
2014-12-07 21:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 21:00	8			4.42	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.40
2014-12-07 21:00	10			1.27	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.65	1.80
2014-12-07 21:00	12	0.06	0.40	0.86	12.00			0.00	0.00	20.90	20.90			0.46	1.50
2014-12-07 21:00	13			1.51	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 22:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.82	20.90			0.58	0.80
2014-12-07 22:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 22:00	8			4.10	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.30
2014-12-07 22:00	10			1.12	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.59	1.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-07 22:00	12	0.05	0.50	0.83	14.00			0.00	0.00	20.90	20.90			0.54	1.50
2014-12-07 22:00	13			1.66	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-07 23:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.64	20.70			0.57	1.50
2014-12-07 23:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-07 23:00	8			4.54	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.40
2014-12-07 23:00	10			1.43	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.55	1.30
2014-12-07 23:00	12	0.04	0.30	0.73	16.00			0.00	0.00	20.90	20.90			0.36	1.50
2014-12-07 23:00	13			1.65	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 00:00	1	0.01	0.40			0.00	0.00	0.00	0.00	20.65	20.70			0.62	1.00
2014-12-08 00:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 00:00	8			4.21	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.15	0.30
2014-12-08 00:00	10			1.38	3.00	0.00	0.00	0.00	0.00	20.84	20.90			0.68	1.70
2014-12-08 00:00	12	0.05	0.30	0.69	6.00			0.00	0.00	20.90	20.90			0.41	1.50
2014-12-08 00:00	13			1.66	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 01:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.63	20.70			0.50	0.60
2014-12-08 01:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 01:00	8			4.31	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.30
2014-12-08 01:00	10			1.17	2.00	0.00	0.00	0.00	0.00	20.75	20.90			0.64	1.30
2014-12-08 01:00	12	0.07	0.40	0.62	2.00			0.00	0.00	20.90	20.90			0.27	1.00
2014-12-08 01:00	13			1.47	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 02:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.64	20.70			0.50	0.60
2014-12-08 02:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 02:00	8			4.46	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.15	0.40
2014-12-08 02:00	10			1.49	3.00	0.00	0.00	0.00	0.00	20.89	20.90			0.47	1.30
2014-12-08 02:00	12	0.04	0.40	0.53	3.00			0.00	0.00	20.90	20.90			0.21	1.00
2014-12-08 02:00	13			1.57	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 03:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.64	20.70			0.52	0.60
2014-12-08 03:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 03:00	8			4.54	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.30
2014-12-08 03:00	10			1.34	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.47	1.30
2014-12-08 03:00	12	0.06	0.50	0.69	3.00			0.00	0.00	20.90	20.90			0.24	1.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-08 03:00	13			1.45	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 04:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.65	20.70			0.48	0.60
2014-12-08 04:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 04:00	8			4.61	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.30
2014-12-08 04:00	10			1.37	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.54	1.70
2014-12-08 04:00	12	0.05	0.30	0.86	15.00			0.00	0.00	20.90	20.90			0.26	1.00
2014-12-08 04:00	13			1.86	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.65	20.70			0.45	0.60
2014-12-08 05:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 05:00	8			4.72	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.40
2014-12-08 05:00	10			1.30	2.00	0.00	0.00	0.00	0.00	20.89	20.90			0.60	1.30
2014-12-08 05:00	12	0.06	0.30	0.68	3.00			0.00	0.00	20.90	20.90			0.34	1.50
2014-12-08 05:00	13			1.43	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 06:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.66	20.70			0.53	1.00
2014-12-08 06:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 06:00	8			4.71	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.30
2014-12-08 06:00	10			1.46	3.00	0.00	0.00	0.00	0.00	20.89	20.90			0.57	1.30
2014-12-08 06:00	12	0.06	0.50	0.89	12.00			0.00	0.00	20.90	20.90			0.42	1.00
2014-12-08 06:00	13			1.56	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 07:00	1	0.02	0.20			0.00	0.00	0.00	0.00	20.64	20.70			0.49	0.60
2014-12-08 07:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-08 07:00	8			4.80	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.30
2014-12-08 07:00	10			1.41	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.54	1.30
2014-12-08 07:00	12	0.07	0.40	0.59	2.00			0.00	0.00	20.90	20.90			0.27	1.00
2014-12-08 07:00	13			1.64	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 08:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.61	20.70			0.34	0.60
2014-12-08 08:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 08:00	8			4.97	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.40
2014-12-08 08:00	10			1.66	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.48	1.30
2014-12-08 08:00	12	0.04	0.30	1.26	12.00			0.00	0.00	20.90	20.90			0.19	1.50
2014-12-08 08:00	13			1.93	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-08 09:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.60	20.60			0.34	1.00
2014-12-08 09:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 09:00	8			5.18	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.17	0.40
2014-12-08 09:00	10			1.52	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.52	1.70
2014-12-08 09:00	12	0.09	0.30	0.79	1.00			0.00	0.00	20.90	20.90			0.19	1.50
2014-12-08 09:00	13			1.78	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 10:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.63	20.70			0.29	0.60
2014-12-08 10:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 10:00	8			5.64	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	0.40
2014-12-08 10:00	10			1.56	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.41	1.30
2014-12-08 10:00	12	0.04	0.40	1.18	16.00			0.00	0.00	20.90	20.90			0.17	0.50
2014-12-08 10:00	13			1.78	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 11:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.79	20.90			0.37	0.80
2014-12-08 11:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 11:00	8			6.05	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.16	0.30
2014-12-08 11:00	10			1.88	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.20	0.80
2014-12-08 11:00	12	0.04	0.20	0.73	2.00			0.00	0.00	20.90	20.90			0.24	5.60
2014-12-08 11:00	13			1.85	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 12:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.54	1.00
2014-12-08 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 12:00	8			6.97	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.40
2014-12-08 12:00	10			1.90	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.90
2014-12-08 12:00	12	0.03	0.30	1.59	20.00			0.00	0.00	20.90	20.90			0.02	0.50
2014-12-08 12:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00