

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-08 12:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.54	1.00
2014-12-08 12:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 12:00	8			6.97	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.40
2014-12-08 12:00	10			1.90	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.90
2014-12-08 12:00	12	0.03	0.30	1.59	20.00			0.00	0.00	20.90	20.90			0.02	0.50
2014-12-08 12:00	13			2.00	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 13:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.60	0.80
2014-12-08 13:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 13:00	8			7.00	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.30
2014-12-08 13:00	10			1.97	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.80
2014-12-08 13:00	12	0.07	0.40	0.85	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 13:00	13			1.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 14:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.66	1.00
2014-12-08 14:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 14:00	8			7.11	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.30
2014-12-08 14:00	10			2.00	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.22	0.90
2014-12-08 14:00	12	0.06	0.50	1.03	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 14:00	13			1.89	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 15:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.56	0.80
2014-12-08 15:00	2	0.03	0.70			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 15:00	8			7.50	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.40
2014-12-08 15:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.20	0.80
2014-12-08 15:00	12	0.06	0.30	0.90	2.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 15:00	13			1.98	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 16:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.54	0.80
2014-12-08 16:00	2	0.04	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 16:00	8			7.37	10.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.30
2014-12-08 16:00	10			1.87	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.28	1.30
2014-12-08 16:00	12	0.04	0.20	1.19	15.00			0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 16:00	13			1.87	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 17:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.49	0.80

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-08 17:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 17:00	8			6.78	9.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.30
2014-12-08 17:00	10			1.80	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.80
2014-12-08 17:00	12	0.08	0.30	0.87	2.00			0.00	0.00	20.90	20.90			0.01	0.50
2014-12-08 17:00	13			1.83	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 18:00	1	0.02	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.29	0.80
2014-12-08 18:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 18:00	8			6.38	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.30
2014-12-08 18:00	10			1.79	4.00	0.00	0.00	0.00	0.00	20.90	20.90			0.44	1.30
2014-12-08 18:00	12	0.05	0.40	0.95	3.00			0.00	0.00	20.90	20.90			0.17	2.00
2014-12-08 18:00	13			1.61	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 19:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.35	0.60
2014-12-08 19:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-08 19:00	8			5.45	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.30
2014-12-08 19:00	10			1.89	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.58	1.70
2014-12-08 19:00	12	0.03	0.30	0.70	2.00			0.00	0.00	20.90	20.90			0.23	1.00
2014-12-08 19:00	13			1.76	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 20:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.65	20.90			0.55	0.80
2014-12-08 20:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 20:00	8			4.88	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.20	0.30
2014-12-08 20:00	10			1.56	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.75	2.20
2014-12-08 20:00	12	0.06	0.40	1.00	5.00			0.00	0.00	20.90	20.90			0.37	1.00
2014-12-08 20:00	13			1.71	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 21:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.66	20.70			0.54	0.80
2014-12-08 21:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 21:00	8			4.28	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.23	0.40
2014-12-08 21:00	10			1.72	3.00	0.00	0.00	0.00	0.00	20.84	20.90			0.72	1.70
2014-12-08 21:00	12	0.06	0.40	0.85	2.00			0.00	0.00	20.90	20.90			0.46	1.50
2014-12-08 21:00	13			1.64	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 22:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.61	20.70			0.62	1.00
2014-12-08 22:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-08 22:00	8			4.66	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.22	0.40
2014-12-08 22:00	10			1.82	2.00	0.00	0.00	0.00	0.00	20.82	20.90			0.74	1.80
2014-12-08 22:00	12	0.09	0.40	0.67	1.00			0.00	0.00	20.90	20.90			0.23	1.00
2014-12-08 22:00	13			1.56	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-08 23:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.61	20.70			0.59	0.80
2014-12-08 23:00	2	0.00	0.10			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-08 23:00	8			4.88	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.19	0.30
2014-12-08 23:00	10			1.75	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.51	1.70
2014-12-08 23:00	12	0.05	0.30	1.00	2.00			0.00	0.00	20.90	20.90			0.26	1.00
2014-12-08 23:00	13			1.92	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 00:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.62	20.70			0.53	0.80
2014-12-09 00:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-09 00:00	8			5.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.30
2014-12-09 00:00	10			1.95	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.40	1.70
2014-12-09 00:00	12	0.03	0.30	1.11	7.00			0.00	0.00	20.90	20.90			0.25	1.00
2014-12-09 00:00	13			1.74	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 01:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.61	20.70			0.31	0.60
2014-12-09 01:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-09 01:00	8			5.08	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.15	0.40
2014-12-09 01:00	10			1.68	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.44	1.30
2014-12-09 01:00	12	0.03	0.30	0.72	1.00			0.00	0.00	20.90	20.90			0.33	1.50
2014-12-09 01:00	13			1.62	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 02:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.88	20.90			0.25	0.60
2014-12-09 02:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-09 02:00	8			4.36	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.14	0.30
2014-12-09 02:00	10			1.85	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.44	1.30
2014-12-09 02:00	12	0.02	0.20	0.74	2.00			0.00	0.00	20.90	20.90			0.46	1.50
2014-12-09 02:00	13			1.89	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 03:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.26	0.80
2014-12-09 03:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-09 03:00	8			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.13	0.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-09 03:00	10			1.80	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.43	1.30
2014-12-09 03:00	12	0.04	0.30	0.60	2.00			0.00	0.00	20.90	20.90			0.54	1.50
2014-12-09 03:00	13			1.74	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 04:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.22	0.60
2014-12-09 04:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-09 04:00	8			4.25	7.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.30
2014-12-09 04:00	10			1.70	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.54	1.30
2014-12-09 04:00	12	0.04	0.40	1.16	16.00			0.00	0.00	20.90	20.90			0.57	1.00
2014-12-09 04:00	13			1.71	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 05:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.87	20.90			0.12	0.40
2014-12-09 05:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-09 05:00	8			4.10	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.07	0.20
2014-12-09 05:00	10			1.75	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.66	1.30
2014-12-09 05:00	12	0.04	0.40	0.64	2.00			0.00	0.00	20.90	20.90			0.82	1.50
2014-12-09 05:00	13			1.84	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 06:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.58	20.70			0.12	0.40
2014-12-09 06:00	2	0.00	0.00			0.00	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-09 06:00	8			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.09	0.30
2014-12-09 06:00	10			1.81	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.63	1.70
2014-12-09 06:00	12	0.05	0.30	0.84	1.00			0.00	0.00	20.90	20.90			1.08	1.50
2014-12-09 06:00	13			1.92	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 07:00	1	0.00	0.00			0.00	0.00	0.00	0.00	20.55	20.60			0.05	0.20
2014-12-09 07:00	2	0.00	0.00			0.01	0.10	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-09 07:00	8			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.30
2014-12-09 07:00	10			1.67	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.68	1.70
2014-12-09 07:00	12	0.10	0.50	0.82	7.00			0.00	0.00	20.90	20.90			1.11	1.50
2014-12-09 07:00	13			1.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 08:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.57	20.60			0.19	0.40
2014-12-09 08:00	2	0.00	0.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-09 08:00	8			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.10	0.30
2014-12-09 08:00	10			1.90	3.00	0.00	0.00	0.00	0.00	20.80	20.90			0.64	1.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-09 08:00	12	0.07	0.40	1.60	18.00			0.00	0.00	20.90	20.90			1.01	1.50
2014-12-09 08:00	13			1.76	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 15:00	1	0.73	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.02	0.20
2014-12-09 15:00	2	0.24	1.40			0.00	0.00	0.00	0.00	20.90	20.90			0.80	1.80
2014-12-09 15:00	8			5.14	8.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-09 15:00	10			1.97	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.43	1.10
2014-12-09 15:00	12	1.22	1.80	1.07	4.00			0.00	0.00	20.90	20.90			0.03	0.90
2014-12-09 15:00	13			1.57	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-12-09 16:00	1	0.66	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2014-12-09 16:00	2	0.19	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.00	1.60
2014-12-09 16:00	8			4.81	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-12-09 16:00	10			1.98	3.00	0.00	0.00	0.00	0.00	20.90	20.90			0.43	1.40
2014-12-09 16:00	12	1.14	1.70	1.21	12.00			0.00	0.00	20.90	20.90			0.78	2.70
2014-12-09 16:00	13			1.85	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 17:00	1	0.62	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.07	0.40
2014-12-09 17:00	2	0.25	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.18	2.10
2014-12-09 17:00	8			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 17:00	10			1.86	2.00	0.00	0.00	0.00	0.00	20.90	20.90			0.42	1.10
2014-12-09 17:00	12	0.87	1.50	1.13	20.00			0.00	0.00	20.90	20.90			2.32	2.70
2014-12-09 17:00	13			1.73	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 18:00	1	0.60	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.03	0.20
2014-12-09 18:00	2	0.13	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.28	1.60
2014-12-09 18:00	8			4.26	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-09 18:00	10			1.81	2.00	0.00	0.00	0.00	0.00	20.86	20.90			0.36	1.40
2014-12-09 18:00	12	0.84	1.40	1.08	14.00			0.00	0.00	20.90	20.90			2.08	3.60
2014-12-09 18:00	13			1.56	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 19:00	1	0.59	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.40
2014-12-09 19:00	2	0.22	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.29	1.80
2014-12-09 19:00	8			4.05	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-12-09 19:00	10			1.63	2.00	0.00	0.10	0.00	0.00	20.63	20.70			0.46	1.10
2014-12-09 19:00	12	0.79	1.30	1.00	14.00			0.00	0.00	20.90	20.90			2.31	2.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-09 19:00	13			1.76	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 20:00	1	0.59	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.04	0.20
2014-12-09 20:00	2	0.19	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.24	1.60
2014-12-09 20:00	8			3.92	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 20:00	10			1.55	3.00	0.00	0.00	0.00	0.00	20.60	20.70			0.46	1.10
2014-12-09 20:00	12	0.75	1.20	1.29	21.00			0.00	0.00	20.90	20.90			2.22	2.70
2014-12-09 20:00	13			1.78	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 21:00	1	0.59	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-09 21:00	2	0.22	0.90			0.00	0.00	0.00	0.00	20.90	20.90			1.37	1.80
2014-12-09 21:00	8			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 21:00	10			1.90	3.00	0.00	0.00	0.00	0.00	20.59	20.70			0.48	1.40
2014-12-09 21:00	12	0.76	1.20	1.20	15.00			0.00	0.00	20.90	20.90			2.09	2.70
2014-12-09 21:00	13			1.44	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 22:00	1	0.55	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-09 22:00	2	0.25	1.10			0.00	0.00	0.00	0.00	20.90	20.90			1.32	1.60
2014-12-09 22:00	8			4.00	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-12-09 22:00	10			1.74	4.00	0.00	0.10	0.00	0.00	20.55	20.60			0.49	1.10
2014-12-09 22:00	12	0.76	1.20	0.68	2.00			0.00	0.00	20.90	20.90			2.11	2.70
2014-12-09 22:00	13			1.87	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-09 23:00	1	0.61	1.10			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.20
2014-12-09 23:00	2	0.30	1.10			0.00	0.00	0.00	0.00	20.90	20.90			1.32	1.60
2014-12-09 23:00	8			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-09 23:00	10			1.88	3.00	0.00	0.10	0.00	0.00	20.53	20.60			0.55	1.40
2014-12-09 23:00	12	0.76	1.20	0.62	2.00			0.00	0.00	20.90	20.90			2.40	2.70
2014-12-09 23:00	13			1.50	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 00:00	1	0.57	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-10 00:00	2	0.24	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.32	1.80
2014-12-10 00:00	8			4.02	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 00:00	10			1.40	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.46	1.40
2014-12-10 00:00	12	0.84	1.30	0.68	2.00			0.00	0.00	20.90	20.90			2.05	2.70
2014-12-10 00:00	13			1.49	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-10 01:00	1	0.61	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-10 01:00	2	0.24	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.36	1.80
2014-12-10 01:00	8			4.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-12-10 01:00	10			1.77	2.00	0.00	0.10	0.00	0.00	20.52	20.60			0.52	1.40
2014-12-10 01:00	12	0.83	1.40	1.49	17.00			0.00	0.00	20.90	20.90			2.06	2.70
2014-12-10 01:00	13			1.50	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 02:00	1	0.51	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-10 02:00	2	0.18	0.60			0.00	0.10	0.00	0.00	20.90	20.90			1.31	1.60
2014-12-10 02:00	8			3.83	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 02:00	10			1.72	3.00	0.00	0.00	0.00	0.00	20.51	20.60			0.53	1.10
2014-12-10 02:00	12	0.79	1.30	0.58	2.00			0.00	0.00	20.90	20.90			2.25	2.70
2014-12-10 02:00	13			1.68	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-10 03:00	1	0.46	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.20
2014-12-10 03:00	2	0.19	0.70			0.00	0.10	0.00	0.00	20.90	20.90			1.39	2.10
2014-12-10 03:00	8			4.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-10 03:00	10			1.74	3.00	0.00	0.00	0.00	0.00	20.51	20.60			0.36	1.10
2014-12-10 03:00	12	0.78	1.20	0.82	4.00			0.00	0.00	20.90	20.90			2.18	2.70
2014-12-10 03:00	13			1.74	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 04:00	1	0.45	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-10 04:00	2	0.24	1.60			0.00	0.10	0.00	0.00	20.90	20.90			1.36	1.80
2014-12-10 04:00	8			3.90	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 04:00	10			1.54	3.00	0.00	0.00	0.00	0.00	20.52	20.60			0.69	1.80
2014-12-10 04:00	12	0.80	1.30	1.38	22.00			0.00	0.00	20.90	20.90			1.92	2.70
2014-12-10 04:00	13			1.63	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.20
2014-12-10 05:00	1	0.47	1.00			0.00	0.10	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-10 05:00	2	0.30	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.37	1.80
2014-12-10 05:00	8			3.92	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 05:00	10			1.58	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.61	1.40
2014-12-10 05:00	12	0.77	1.40	0.75	2.00			0.00	0.00	20.90	20.90			2.03	2.70
2014-12-10 05:00	13			1.69	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.05	0.20
2014-12-10 06:00	1	0.57	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-10 06:00	2	0.25	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.34	1.80
2014-12-10 06:00	8			4.05	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-10 06:00	10			1.45	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.52	1.80
2014-12-10 06:00	12	0.81	1.20	1.03	12.00			0.00	0.00	20.90	20.90			2.04	2.70
2014-12-10 06:00	13			1.74	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.12	0.40
2014-12-10 07:00	1	0.62	1.00			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-10 07:00	2	0.36	1.10			0.00	0.00	0.00	0.00	20.90	20.90			1.24	1.60
2014-12-10 07:00	8			3.97	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 07:00	10			1.87	3.00	0.00	0.00	0.00	0.00	20.52	20.60			0.47	1.10
2014-12-10 07:00	12	0.73	1.30	0.87	2.00			0.00	0.00	20.90	20.90			1.92	2.70
2014-12-10 07:00	13			1.66	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.18	0.40
2014-12-10 08:00	1	0.67	1.30			0.00	0.00	0.00	0.00	20.90	20.90			0.00	0.00
2014-12-10 08:00	2	0.31	1.00			0.01	0.10	0.00	0.00	20.90	20.90			1.27	1.80
2014-12-10 08:00	8			3.88	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 08:00	10			1.65	3.00	0.00	0.00	0.00	0.00	20.52	20.60			0.52	1.80
2014-12-10 08:00	12	0.85	1.30	0.59	1.00			0.00	0.00	20.90	20.90			1.84	2.70
2014-12-10 08:00	13			1.68	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.21	0.40
2014-12-10 09:00	1	0.63	1.20			0.00	0.00	0.00	0.00	20.90	20.90			0.01	0.20
2014-12-10 09:00	2	0.37	2.00			0.00	0.00	0.00	0.00	20.90	20.90			1.24	1.60
2014-12-10 09:00	8			3.89	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-12-10 09:00	10			1.89	3.00	0.00	0.00	0.00	0.00	20.54	20.60			0.33	1.10
2014-12-10 09:00	12	0.95	4.70	0.71	2.00			0.00	0.00	20.90	20.90			1.40	2.70
2014-12-10 09:00	13			1.74	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.03	0.40
2014-12-10 10:00	1	0.03	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.70
2014-12-10 10:00	2	0.20	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.02	1.60
2014-12-10 10:00	8			4.03	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 10:00	10			1.70	3.00	0.00	0.00	0.00	0.00	20.61	20.70			0.32	1.10
2014-12-10 10:00	12	0.81	1.20	0.73	2.00			0.00	0.00	20.90	20.90			1.26	2.70
2014-12-10 10:00	13			1.68	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 11:00	1	0.08	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.18	0.70
2014-12-10 11:00	2	0.22	1.10			0.00	0.10	0.00	0.00	20.90	20.90			0.89	1.30

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-10 11:00	8			3.97	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 11:00	10			1.47	4.00	0.00	0.00	0.00	0.00	20.63	20.70			0.23	1.10
2014-12-10 11:00	12	0.84	2.50	0.95	10.00			0.00	0.00	20.90	20.90			0.83	2.70
2014-12-10 11:00	13			1.20	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 12:00	1	0.16	0.80			0.00	0.00	0.00	0.00	20.90	20.90			0.23	0.70
2014-12-10 12:00	2	0.18	0.70			0.00	0.00	0.00	0.00	20.90	20.90			0.91	1.60
2014-12-10 12:00	8			3.95	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 12:00	10			1.37	3.00	0.00	0.00	0.00	0.00	20.62	20.70			0.24	1.10
2014-12-10 12:00	12	0.81	1.30	0.56	2.00			0.00	0.00	20.90	20.90			0.37	1.80
2014-12-10 12:00	13			1.65	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 13:00	1	0.13	0.60			0.00	0.10	0.00	0.00	20.90	20.90			0.18	0.40
2014-12-10 13:00	2	0.20	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.02	1.60
2014-12-10 13:00	8			4.06	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 13:00	10			1.49	3.00	0.00	0.00	0.00	0.00	20.63	20.70			0.22	1.10
2014-12-10 13:00	12	0.77	1.20	0.67	10.00			0.00	0.00	20.90	20.90			0.48	2.70
2014-12-10 13:00	13			1.49	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 14:00	1	0.04	0.50			0.00	0.10	0.00	0.00	20.90	20.90			0.18	0.40
2014-12-10 14:00	2	0.20	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.16	1.60
2014-12-10 14:00	8			4.03	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 14:00	10			1.25	2.00	0.00	0.00	0.00	0.00	20.63	20.70			0.16	0.70
2014-12-10 14:00	12	0.76	1.50	0.70	4.00			0.00	0.00	20.90	20.90			0.65	2.70
2014-12-10 14:00	13			1.21	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 15:00	1	0.04	0.40			0.00	0.00	0.00	0.00	20.90	20.90			0.17	0.90
2014-12-10 15:00	2	0.42	2.10			0.00	0.00	0.00	0.00	20.90	20.90			1.17	1.60
2014-12-10 15:00	8			3.95	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 15:00	10			1.54	3.00	0.00	0.00	0.00	0.00	20.64	20.70			0.18	1.10
2014-12-10 15:00	12	0.81	1.20	1.05	17.00			0.00	0.00	20.90	20.90			0.64	1.80
2014-12-10 15:00	13			1.47	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 16:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.39	0.70
2014-12-10 16:00	2	0.42	2.80			0.00	0.00	0.00	0.00	20.90	20.90			1.34	1.80
2014-12-10 16:00	8			3.98	5.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-10 16:00	10			1.23	2.00	0.00	0.00	0.00	0.00	20.64	20.70			0.26	1.10
2014-12-10 16:00	12	0.70	1.10	1.54	16.00			0.00	0.00	20.90	20.90			0.90	2.70
2014-12-10 16:00	13			1.49	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 17:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.45	0.70
2014-12-10 17:00	2	0.38	1.10			0.00	0.00	0.00	0.00	20.90	20.90			1.21	1.80
2014-12-10 17:00	8			3.98	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-12-10 17:00	10			1.48	3.00	0.00	0.00	0.00	0.00	20.62	20.70			0.30	1.10
2014-12-10 17:00	12	0.79	1.40	0.61	2.00			0.00	0.00	20.90	20.90			1.28	2.70
2014-12-10 17:00	13			1.54	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 18:00	1	0.01	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.38	0.70
2014-12-10 18:00	2	0.28	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.32	1.60
2014-12-10 18:00	8			3.79	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 18:00	10			1.42	3.00	0.00	0.00	0.00	0.00	20.61	20.70			0.31	1.10
2014-12-10 18:00	12	0.72	1.20	0.45	2.00			0.00	0.00	20.90	20.90			1.01	2.70
2014-12-10 18:00	13			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 19:00	1	0.03	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.30	0.70
2014-12-10 19:00	2	0.24	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.32	1.80
2014-12-10 19:00	8			4.00	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 19:00	10			1.29	2.00	0.00	0.00	0.00	0.00	20.58	20.60			0.22	0.70
2014-12-10 19:00	12	0.78	1.20	0.45	1.00			0.00	0.00	20.90	20.90			1.10	2.70
2014-12-10 19:00	13			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 20:00	1	0.03	0.50			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.70
2014-12-10 20:00	2	0.27	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.34	1.60
2014-12-10 20:00	8			3.79	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 20:00	10			1.28	3.00	0.00	0.00	0.00	0.00	20.52	20.60			0.31	1.40
2014-12-10 20:00	12	0.88	1.30	0.55	5.00			0.00	0.00	20.90	20.90			1.44	2.70
2014-12-10 20:00	13			1.50	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 21:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.28	0.70
2014-12-10 21:00	2	0.27	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.42	1.80
2014-12-10 21:00	8			3.83	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 21:00	10			1.35	3.00	0.00	0.00	0.00	0.00	20.53	20.60			0.29	0.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-10 21:00	12	0.84	1.50	0.57	2.00			0.00	0.00	20.90	20.90			1.56	2.70
2014-12-10 21:00	13			1.34	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 22:00	1	0.02	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.27	0.70
2014-12-10 22:00	2	0.27	0.70			0.00	0.10	0.00	0.00	20.90	20.90			1.40	1.60
2014-12-10 22:00	8			3.71	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 22:00	10			1.22	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.34	1.10
2014-12-10 22:00	12	0.82	1.30	0.46	1.00			0.00	0.00	20.90	20.90			1.62	2.70
2014-12-10 22:00	13			1.60	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-10 23:00	1	0.01	0.20			0.00	0.00	0.00	0.00	20.90	20.90			0.16	0.90
2014-12-10 23:00	2	0.22	1.00			0.00	0.10	0.00	0.00	20.90	20.90			1.44	1.80
2014-12-10 23:00	8			3.19	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-10 23:00	10			1.54	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.31	1.10
2014-12-10 23:00	12	0.76	1.20	0.62	9.00			0.00	0.00	20.90	20.90			1.56	2.70
2014-12-10 23:00	13			1.64	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-11 00:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.24	0.90
2014-12-11 00:00	2	0.33	1.10			0.00	0.10	0.00	0.00	20.90	20.90			1.45	1.80
2014-12-11 00:00	8			3.13	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-11 00:00	10			1.18	3.00	0.00	0.00	0.00	0.00	20.52	20.60			0.28	1.10
2014-12-11 00:00	12	0.72	1.20	0.46	5.00			0.00	0.00	20.90	20.90			1.45	2.70
2014-12-11 00:00	13			1.50	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-11 01:00	1	0.01	0.30			0.00	0.00	0.00	0.00	20.90	20.90			0.14	0.70
2014-12-11 01:00	2	0.19	0.80			0.00	0.00	0.00	0.00	20.90	20.90			1.48	1.80
2014-12-11 01:00	8			3.15	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-11 01:00	10			1.49	2.00	0.00	0.00	0.00	0.00	20.52	20.60			0.35	1.10
2014-12-11 01:00	12	0.83	1.30	0.66	4.00			0.00	0.00	20.90	20.90			1.35	2.70
2014-12-11 01:00	13			1.42	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-11 02:00	1	0.00	0.10			0.00	0.00	0.00	0.00	20.90	20.90			0.21	0.70
2014-12-11 02:00	2	0.32	0.70			0.00	0.00	0.00	0.00	20.90	20.90			1.56	1.80
2014-12-11 02:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-11 02:00	10			1.38	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.44	1.10
2014-12-11 02:00	12	0.80	1.50	0.46	5.00			0.00	0.00	20.90	20.90			1.57	2.70

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-11 02:00	13			1.68	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-12-11 03:00	1	0.00	0.10					0.00	0.00	20.90	20.90			0.36	0.90
2014-12-11 03:00	2	0.20	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.47	2.10
2014-12-11 03:00	8			3.09	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.20
2014-12-11 03:00	10			1.14	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.31	1.10
2014-12-11 03:00	12	0.76	1.50	0.31	2.00			0.00	0.00	20.90	20.90			1.52	2.70
2014-12-11 03:00	13			1.63	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-11 04:00	1	0.00	0.10					0.00	0.00	20.90	20.90			0.19	0.70
2014-12-11 04:00	2	0.25	1.00			0.00	0.00	0.00	0.00	20.90	20.90			1.55	1.80
2014-12-11 04:00	8			3.08	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.02	0.10
2014-12-11 04:00	10			1.26	2.00	0.00	0.00	0.00	0.00	20.51	20.60			0.27	1.10
2014-12-11 04:00	12	0.80	1.30	0.50	5.00			0.00	0.00	20.90	20.90			1.62	2.70
2014-12-11 04:00	13			1.46	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2014-12-11 05:00	1	0.02	0.30					0.00	0.00	20.90	20.90			0.18	0.70
2014-12-11 05:00	2	0.24	0.90			0.00	0.00	0.00	0.00	20.90	20.90			1.55	2.10
2014-12-11 05:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-11 05:00	10			1.45	3.00	0.00	0.00	0.00	0.00	20.51	20.60			0.32	1.10
2014-12-11 05:00	12	0.84	1.30	0.54	2.00			0.00	0.00	20.90	20.90			1.45	2.70
2014-12-11 05:00	13			1.33	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.10
2014-12-11 06:00	1	0.01	0.10					0.00	0.00	20.90	20.90			0.17	0.70
2014-12-11 06:00	2	0.27	0.90			0.00	0.10	0.00	0.00	20.90	20.90			1.50	1.80
2014-12-11 06:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.20
2014-12-11 06:00	10			1.31	3.00	0.00	0.00	0.00	0.00	20.53	20.60			0.35	1.40
2014-12-11 06:00	12	0.83	1.40	0.59	8.00			0.00	0.00	20.90	20.90			1.73	2.70
2014-12-11 06:00	13			1.28	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-11 07:00	1	0.04	0.60					0.00	0.00	20.90	20.90			0.17	0.70
2014-12-11 07:00	2	0.24	0.60			0.00	0.00	0.00	0.00	20.90	20.90			1.52	1.80
2014-12-11 07:00	8			3.03	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-11 07:00	10			1.16	3.00	0.00	0.00	0.00	0.00	20.51	20.60			0.43	1.10
2014-12-11 07:00	12	0.82	1.40	0.81	16.00			0.00	0.00	20.90	20.90			1.75	2.70
2014-12-11 07:00	13			1.50	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10

Bridgeton Sanitary Landfill
AreaRAE Monitoring Data
Hourly Summary Report

Date/Time	Sample Location	Avg CO (ppm)	Max CO (ppm)	Avg Gamma (ur/hour)	Max Gamma (ur/hour)	Avg H2S (ppm)	Max H2S (ppm)	Avg LEL (%)	Max LEL (%)	Avg O2 (%)	Max O2 (%)	Avg SO2 (ppm)	Max SO2 (ppm)	Avg VOC (ppm)	Max VOC (ppm)
2014-12-11 08:00	1	0.08	1.60					0.00	0.00	20.90	20.90			0.14	0.40
2014-12-11 08:00	2	2.49	72.00			0.00	0.10	0.00	0.00	20.90	20.90			1.52	2.10
2014-12-11 08:00	8			3.05	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-11 08:00	10			1.29	2.00	0.00	0.00	0.00	0.00	20.50	20.60			0.39	1.40
2014-12-11 08:00	12	0.86	1.30	0.65	3.00			0.00	0.00	20.90	20.90			1.87	2.70
2014-12-11 08:00	13			1.39	3.00			0.00	0.00	20.90	20.90	0.00	0.10	0.01	0.10
2014-12-11 09:00	1	0.05	0.40					0.00	0.00	20.90	20.90			0.23	0.70
2014-12-11 09:00	2	0.32	2.20			0.00	0.00	0.00	0.00	20.90	20.90			1.40	1.80
2014-12-11 09:00	8			3.19	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.01	0.10
2014-12-11 09:00	10			1.41	3.00	0.00	0.00	0.00	0.00	20.52	20.60			0.34	1.10
2014-12-11 09:00	12	0.97	4.50	0.41	3.00			0.00	0.00	20.90	20.90			1.58	2.70
2014-12-11 09:00	13			1.29	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-11 10:00	1	0.25	4.40					0.00	0.00	20.90	20.90			0.21	0.70
2014-12-11 10:00	2	0.33	1.40			0.00	0.00	0.00	0.00	20.90	20.90			1.38	2.10
2014-12-11 10:00	8			3.28	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-11 10:00	10			1.28	2.00	0.00	0.00	0.00	0.00	20.55	20.60			0.19	0.70
2014-12-11 10:00	12	0.89	1.40	0.29	1.00			0.00	0.00	20.90	20.90			1.02	2.70
2014-12-11 10:00	13			1.33	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-11 11:00	1	0.10	0.50					0.00	0.00	20.90	20.90			0.18	0.40
2014-12-11 11:00	2	0.28	0.90			0.00	0.00	0.00	0.00	20.90	20.90			1.00	1.80
2014-12-11 11:00	8			3.75	4.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-11 11:00	10			1.14	2.00	0.00	0.00	0.00	0.00	20.60	20.70			0.15	1.10
2014-12-11 11:00	12	0.87	1.20	0.64	3.00			0.00	0.00	20.90	20.90			0.69	2.70
2014-12-11 11:00	13			1.42	3.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-11 12:00	1	0.23	1.20					0.00	0.00	20.90	20.90			0.21	0.70
2014-12-11 12:00	2	0.23	0.80			0.00	0.10	0.00	0.00	20.90	20.90			0.45	1.00
2014-12-11 12:00	8			4.11	6.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00
2014-12-11 12:00	10			1.19	3.00	0.00	0.00	0.00	0.00	20.61	20.70			0.07	0.30
2014-12-11 12:00	12	1.03	1.60	0.44	4.00			0.00	0.00	20.90	20.90			0.18	1.80
2014-12-11 12:00	13			1.27	2.00			0.00	0.00	20.90	20.90	0.00	0.00	0.00	0.00