



| LCS Number | Date Reading Collected | Measured Liquid Level Below Ground Surface (feet) | Transducer Depth from Top of Casing (Ft.) | Base of Sump Elevation (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments |
|------------|------------------------|---|---|----------------------------------|-----------------------------------|-------------------------|--|
| LCS-1D | 7/11/16 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, no flow on meter, depth to liquid >92.4' BGS |
| LCS-1D | 7/18/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 7/25/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 8/1/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 8/8/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 8/15/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 8/22/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 8/29/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 9/5/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 9/12/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 9/19/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 9/26/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 10/3/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 10/10/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 10/17/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Temporarily disconnected due to construction for the HEB project |
| LCS-1D | 10/24/16 | | 97.0 | 252.22 | N | Dedicated Transducer | Awaiting parts to complete reconnection |
| LCS-1D | 10/31/16 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, no flow on meter, depth to liquid >92.4' BGS |
| LCS-1D | 11/7/16 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, no flow on meter, depth to liquid >92.4' BGS |
| LCS-1D | 11/14/16 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, no flow on meter, depth to liquid >92.4' BGS |
| LCS-1D | 11/21/16 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, no flow on meter, depth to liquid >92.4' BGS |
| LCS-1D | 11/28/16 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, no flow on meter, depth to liquid >92.4' BGS |
| LCS-1D | 12/5/16 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, no flow on meter, depth to liquid >92.4' BGS |
| LCS-1D | 12/12/16 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, no flow on meter, depth to liquid >92.4' BGS |
| LCS-1D | 12/22/16 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, no flow on meter, depth to liquid >92.4' BGS |
| LCS-1D | 12/29/16 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, no flow on meter, depth to liquid >92.4' BGS |
| LCS-1D | 1/4/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, no flow on meter, depth to liquid >92.4' BGS |
| LCS-1D | 1/11/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, depth to liquid >92.4' BGS |
| LCS-1D | 1/17/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 1/23/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 1/30/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 2/6/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 2/13/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 2/20/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 2/27/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 3/6/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 3/13/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 3/21/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 3/27/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 4/4/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 4/10/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 4/20/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 4/24/17 | 92.4 | 97.0 | 252.22 | Y | Dedicated Transducer | Pump operational, flow observed on flow meter, depth to liquid >92.4' BGS |
| LCS-1D | 5/1/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off due to electrical issue, flow observed on flow meter |
| LCS-1D | 5/8/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off due to electrical issue, flow observed on flow meter |
| LCS-1D | 5/15/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off due to electrical issue, flow observed on flow meter |
| LCS-1D | 5/22/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off due to electrical issue, flow observed on flow meter |
| LCS-1D | 5/30/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off due to electrical issue, flow observed on flow meter; Pump/transducer repairs ongoing |
| LCS-1D | 6/7/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off for maintenance. Transducer replacement pending parts arrival. |
| LCS-1D | 6/12/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off for maintenance. Transducer replacement pending parts arrival. |
| LCS-1D | 6/20/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off for maintenance. Transducer replacement pending parts arrival. |
| LCS-1D | 6/29/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off for maintenance. Transducer replacement pending parts arrival. |
| LCS-1D | 7/5/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off for maintenance. Transducer replacement pending parts arrival. |
| LCS-1D | 7/10/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off for maintenance. Transducer replacement pending parts arrival. |
| LCS-1D | 7/21/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off for maintenance. Transducer replacement pending parts arrival. |
| LCS-1D | 7/28/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off for maintenance. Transducer replacement pending parts arrival. |
| LCS-1D | 8/4/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off for maintenance. Transducer replacement pending parts arrival. |
| LCS-1D | 8/9/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off for maintenance. Transducer replacement pending parts arrival. |
| LCS-1D | 8/17/17 | | 97.0 | 252.22 | N | Dedicated Transducer | Pump off for maintenance. Transducer replacement pending parts arrival. |

LCS-1D Liquid Level Below Ground Surface




| LCS Number | Date Reading Collected | Measured Liquid Level Below Ground Surface (Ft.) | Transducer Depth from Top of Casing (Ft.) | Well Total Depth from Top of Casing (Ft.) (Ft. MSL) | Elevation of Leachate (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments |
|------------|------------------------|--|---|---|---------------------------------|-----------------------------------|-------------------------|---|
| LCS-3D | 8/15/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 8/22/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 8/29/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 9/5/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 9/12/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 9/19/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 9/26/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 10/3/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 10/10/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 10/17/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 10/24/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 10/31/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 11/7/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 11/14/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 11/21/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 11/28/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 12/5/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 12/12/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 12/22/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 12/29/16 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 1/4/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 1/11/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 1/17/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 1/23/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 1/30/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 2/6/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 2/13/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 2/20/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 2/27/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 3/6/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 3/13/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 3/21/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 3/27/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 4/4/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 4/10/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 4/20/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 4/24/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 5/1/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 5/8/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 5/15/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 5/22/17 | 5.0 | 63.0 | 140 | | N | Dedicated Transducer | Pump off, transducer continued reporting |
| LCS-3D | 5/30/17 | | 63.0 | 140 | | N | Dedicated Transducer | Pump/transducer maintenance ongoing |
| LCS-3D | 6/7/17 | | 63.0 | 140 | | N | Dedicated Transducer | Pump/transducer maintenance ongoing |
| LCS-3D | 6/15/17 | 15.1 | N/A | 140 | | Y | Heron Dipper T | Pumps operational; liquid level measured manually |
| LCS-3D | 6/23/17 | 14.0 | N/A | 140 | | Y | Heron Dipper T | Pumps operational; liquid level measured manually |
| LCS-3D | 6/29/17 | 17.4 | N/A | 140 | | Y | Heron Dipper T | Pumps operational; liquid level measured manually |
| LCS-3D | 7/8/17 | 13.7 | N/A | 140 | | Y | Heron Dipper T | Pumps operational; liquid level measured manually |
| LCS-3D | 7/10/17 | 14.9 | N/A | 140 | | Y | Heron Dipper T | Pumps operational; liquid level measured manually |
| LCS-3D | 7/21/17 | 14.4 | N/A | 140 | | Y | Heron Dipper T | Pumps operational; liquid level measured manually |
| LCS-3D | 7/28/17 | 15.2 | N/A | 140 | | Y | Heron Dipper T | Pumps operational; liquid level measured manually |
| LCS-3D | 8/4/17 | 19.3 | N/A | 140 | | Y | Heron Dipper T | Pumps operational; liquid level measured manually |
| LCS-3D | 8/9/17 | 17.4 | N/A | 140 | | Y | Heron Dipper T | Pumps operational; liquid level measured manually |
| LCS-3D | 8/17/17 | 20.3 | N/A | 140 | | Y | Heron Dipper T | Pumps operational; liquid level measured manually |

LCS-3D Liquid Level Below Ground Surface




LCS-4B Liquid Level Below Ground Surface



| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (Ft.) | Elevation of Leachate (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments |
|------------|------------------------|--|---|----------------------------------|-------------------------|---------------------------------|-----------------------------------|-------------------------|----------|
| LCS- 5B | 3/27/17 | 13.7 | 21.9 | 235.3 | 35.6 | 270.90 | Y | Dedicated Transducer | |
| LCS- 5B | 4/4/17 | 14.8 | 21.9 | 235.3 | 36.7 | 272.00 | Y | Dedicated Transducer | |
| LCS- 5B | 4/10/17 | 14.8 | 21.9 | 235.3 | 36.7 | 272.00 | Y | Dedicated Transducer | |
| LCS- 5B | 4/20/17 | 20.7 | 21.9 | 235.3 | 42.6 | 277.90 | Y | Dedicated Transducer | |
| LCS- 5B | 4/24/17 | 20.5 | 21.9 | 235.3 | 42.4 | 277.70 | Y | Dedicated Transducer | |
| LCS- 5B | 5/1/17 | 19.6 | 21.9 | 235.3 | 41.5 | 276.80 | Y | Dedicated Transducer | |
| LCS- 5B | 5/8/17 | 22.5 | 21.9 | 235.3 | 44.4 | 279.70 | Y | Dedicated Transducer | |
| LCS- 5B | 5/15/17 | 24.0 | 21.9 | 235.3 | 45.9 | 281.20 | Y | Dedicated Transducer | |
| LCS- 5B | 5/22/17 | 17.5 | 21.9 | 235.3 | 39.4 | 274.70 | Y | Dedicated Transducer | |
| LCS- 5B | 5/30/17 | 20.5 | 21.9 | 235.3 | 42.4 | 277.70 | Y | Dedicated Transducer | |
| LCS- 5B | 6/7/17 | 18.0 | 21.9 | 235.3 | 39.9 | 275.20 | Y | Dedicated Transducer | |
| LCS- 5B | 6/12/17 | 14.4 | 21.9 | 235.3 | 36.3 | 271.60 | Y | Dedicated Transducer | |
| LCS- 5B | 6/20/17 | 14.6 | 21.9 | 235.3 | 36.5 | 271.80 | Y | Dedicated Transducer | |
| LCS- 5B | 6/29/17 | 14.5 | 21.9 | 235.3 | 36.4 | 271.70 | Y | Dedicated Transducer | |
| LCS- 5B | 7/5/17 | 14.0 | 21.9 | 235.3 | 35.9 | 271.20 | Y | Dedicated Transducer | |
| LCS- 5B | 7/10/17 | 14.6 | 21.9 | 235.3 | 36.5 | 271.80 | Y | Dedicated Transducer | |
| LCS- 5B | 7/21/17 | 13.9 | 21.9 | 235.3 | 35.8 | 271.10 | Y | Dedicated Transducer | |
| LCS- 5B | 7/28/17 | 14.2 | 21.9 | 235.3 | 36.1 | 271.4 | Y | Dedicated Transducer | |
| LCS- 5B | 8/4/17 | 13.1 | 21.9 | 235.3 | 35.0 | 270.30 | Y | Dedicated Transducer | |
| LCS- 5B | 8/9/17 | 14.0 | 21.9 | 235.3 | 35.9 | 271.20 | Y | Dedicated Transducer | |
| LCS- 5B | 8/17/17 | 13.5 | 21.9 | 235.3 | 35.4 | 270.70 | Y | Dedicated Transducer | |

LCS-5B Liquid Level Above Quarry Floor



| LCS Number | Date Reading Collected | Measured Liquid Level Above Transducer (Ft.) | Transducer Height above Floor of Quarry (Ft.) | Base of Sump Elevation (Ft. MSL) | Height of Liquid (Ft.) | Elevation of Leachate (Ft. MSL) | Pump on during measurement? (Y/N) | Liquid level meter used | Comments |
|------------|------------------------|--|---|----------------------------------|------------------------|---------------------------------|-----------------------------------|-------------------------|---|
| LCS- 6B | 8/15/16 | 13.3 | 9.4 | 429.52 | 22.7 | 452.22 | N | Dedicated Transducer | Pump Overcurrent Fault. Transducer operational. Liquid Level still maintained |
| LCS- 6B | 8/22/16 | 13.4 | 9.4 | 429.52 | 22.8 | 452.32 | N | Dedicated Transducer | Pump Overcurrent Fault. Transducer operational. Liquid Level still maintained |
| LCS- 6B | 8/29/16 | 10.3 | 9.4 | 429.52 | 19.7 | 449.22 | Y | Dedicated Transducer | |
| LCS- 6B | 9/5/16 | 10.1 | 9.4 | 429.52 | 19.5 | 449.02 | Y | Dedicated Transducer | |
| LCS- 6B | 9/12/16 | 9.9 | 9.4 | 429.52 | 19.3 | 448.82 | Y | Dedicated Transducer | |
| LCS- 6B | 9/19/16 | 10.3 | 9.4 | 429.52 | 19.7 | 449.22 | Y | Dedicated Transducer | |
| LCS- 6B | 9/26/16 | 10.5 | 9.4 | 429.52 | 19.9 | 449.42 | Y | Dedicated Transducer | |
| LCS- 6B | 10/3/16 | 10.0 | 9.4 | 429.52 | 19.4 | 448.92 | Y | Dedicated Transducer | |
| LCS- 6B | 10/10/16 | 9.9 | 9.4 | 429.52 | 19.3 | 448.82 | Y | Dedicated Transducer | |
| LCS- 6B | 10/18/16 | 10.0 | 9.4 | 429.52 | 19.4 | 448.92 | Y | Dedicated Transducer | |
| LCS- 6B | 10/28/16 | 8.6 | 9.4 | 429.52 | 18.0 | 447.52 | Y | Dedicated Transducer | |
| LCS- 6B | 11/2/16 | 10.9 | 9.4 | 429.52 | 20.3 | 449.82 | Y | Dedicated Transducer | |
| LCS- 6B | 11/9/16 | 12.5 | 9.4 | 429.52 | 21.9 | 451.42 | N | Dedicated Transducer | Pump Overcurrent Fault. Transducer operational. Liquid Level still maintained |
| LCS- 6B | 11/14/16 | 8.9 | 9.4 | 429.52 | 18.3 | 447.82 | Y | Dedicated Transducer | |
| LCS- 6B | 11/21/16 | 11.2 | 9.4 | 429.52 | 20.6 | 450.12 | Y | Dedicated Transducer | |
| LCS- 6B | 11/28/16 | 10.5 | 9.4 | 429.52 | 19.9 | 449.42 | Y | Dedicated Transducer | |
| LCS- 6B | 12/7/16 | 9.1 | 9.4 | 429.52 | 18.5 | 448.02 | Y | Dedicated Transducer | |
| LCS- 6B | 12/13/16 | 14.7 | 9.4 | 429.52 | 24.1 | 453.62 | Y | Dedicated Transducer | |
| LCS- 6B | 12/22/16 | 11.9 | 9.4 | 429.52 | 21.3 | 450.82 | Y | Dedicated Transducer | |
| LCS- 6B | 12/29/16 | 11.5 | 9.4 | 429.52 | 20.9 | 450.42 | Y | Dedicated Transducer | |
| LCS- 6B | 1/4/17 | 12.2 | 9.4 | 429.52 | 21.6 | 451.12 | Y | Dedicated Transducer | |
| LCS- 6B | 1/11/17 | 12.4 | 9.4 | 429.52 | 21.8 | 451.32 | Y | Dedicated Transducer | |
| LCS- 6B | 1/17/17 | 8.9 | 9.4 | 429.52 | 18.3 | 447.82 | Y | Dedicated Transducer | |
| LCS- 6B | 1/23/17 | 9.3 | 9.4 | 429.52 | 18.7 | 448.17 | Y | Dedicated Transducer | |
| LCS- 6B | 1/30/17 | 8.8 | 9.4 | 429.52 | 18.2 | 447.72 | Y | Dedicated Transducer | |
| LCS- 6B | 2/6/17 | 9.6 | 9.4 | 429.52 | 19.0 | 448.52 | Y | Dedicated Transducer | |
| LCS- 6B | 2/13/17 | 8.9 | 9.4 | 429.52 | 18.3 | 447.82 | Y | Dedicated Transducer | |
| LCS- 6B | 2/20/17 | 9.0 | 9.4 | 429.52 | 18.4 | 447.92 | Y | Dedicated Transducer | |
| LCS- 6B | 2/27/17 | 10.0 | 9.4 | 429.52 | 19.4 | 448.92 | Y | Dedicated Transducer | |
| LCS- 6B | 3/6/17 | 10.1 | 9.4 | 429.52 | 19.5 | 449.02 | Y | Dedicated Transducer | |
| LCS- 6B | 3/13/17 | 9.0 | 9.4 | 429.52 | 18.4 | 447.92 | Y | Dedicated Transducer | |
| LCS- 6B | 3/21/17 | 9.5 | 9.4 | 429.52 | 18.9 | 448.42 | Y | Dedicated Transducer | |
| LCS- 6B | 3/27/17 | 9.7 | 9.4 | 429.52 | 19.1 | 448.62 | Y | Dedicated Transducer | |
| LCS- 6B | 4/4/17 | 9.9 | 9.4 | 429.52 | 19.3 | 448.82 | Y | Dedicated Transducer | |
| LCS- 6B | 4/10/17 | 9.1 | 9.4 | 429.52 | 18.5 | 448.02 | Y | Dedicated Transducer | Pump shut down due to NQ capping construction activities, pumping resumed following week. |
| LCS- 6B | 4/20/17 | 8.7 | 9.4 | 429.52 | 18.1 | 447.62 | Y | Dedicated Transducer | |
| LCS- 6B | 4/24/17 | 10.8 | 9.4 | 429.52 | 20.2 | 449.72 | Y | Dedicated Transducer | |
| LCS- 6B | 5/1/17 | 10.4 | 9.4 | 429.52 | 19.8 | 449.32 | Y | Dedicated Transducer | |
| LCS- 6B | 5/8/17 | 10.6 | 9.4 | 429.52 | 20.0 | 449.52 | Y | Dedicated Transducer | |
| LCS- 6B | 5/15/17 | 10.2 | 9.4 | 429.52 | 19.6 | 449.12 | Y | Dedicated Transducer | |
| LCS- 6B | 5/22/17 | 10.1 | 9.4 | 429.52 | 19.5 | 449.02 | Y | Dedicated Transducer | |
| LCS- 6B | 5/30/17 | 10.2 | 9.4 | 429.52 | 19.6 | 449.12 | Y | Dedicated Transducer | |
| LCS- 6B | 6/7/17 | 10.0 | 9.4 | 429.52 | 19.4 | 448.92 | Y | Dedicated Transducer | |
| LCS- 6B | 6/12/17 | 10.2 | 9.4 | 429.52 | 19.6 | 449.12 | Y | Dedicated Transducer | |
| LCS- 6B | 6/20/17 | 10.7 | 9.4 | 429.52 | 20.1 | 449.62 | Y | Dedicated Transducer | |
| LCS- 6B | 6/29/17 | 11.0 | 9.4 | 429.52 | 20.4 | 449.92 | Y | Dedicated Transducer | |
| LCS- 6B | 7/5/17 | 10.8 | 9.4 | 429.52 | 20.2 | 449.72 | Y | Dedicated Transducer | |
| LCS- 6B | 7/10/17 | 10.2 | 9.4 | 429.52 | 19.6 | 449.12 | Y | Dedicated Transducer | |
| LCS- 6B | 7/21/17 | 11.3 | 9.4 | 429.52 | 20.7 | 450.22 | Y | Dedicated Transducer | |
| LCS- 6B | 7/28/17 | 10.0 | 9.4 | 429.52 | 19.4 | 448.92 | Y | Dedicated Transducer | |
| LCS- 6B | 8/4/17 | 10.7 | 9.4 | 429.52 | 20.1 | 449.62 | Y | Dedicated Transducer | |
| LCS- 6B | 8/9/17 | 11.5 | 9.4 | 429.52 | 20.9 | 450.42 | Y | Dedicated Transducer | |
| LCS- 6B | 8/17/17 | 11.3 | 9.4 | 429.52 | 20.7 | 450.22 | Y | Dedicated Transducer | |

LCS-6B Liquid Level Above Quarry Floor

