

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	11/29/2016	18	117.1	451	
TMP-1	11/29/2016	38	143.8	431	
TMP-1	11/29/2016	58	148.6	411	
TMP-1	11/29/2016	78	144.5	391	
TMP-1	11/29/2016	98	135.8	371	
TMP-1	11/29/2016	118	125.0	351	
TMP-1	11/29/2016	138	116.4	331	
TMP-1	12/5/2016	18	116.2	451	
TMP-1	12/5/2016	38	142.9	431	
TMP-1	12/5/2016	58	147.8	411	
TMP-1	12/5/2016	78	143.7	391	
TMP-1	12/5/2016	98	135.2	371	
TMP-1	12/5/2016	118	124.4	351	
TMP-1	12/5/2016	138	116.0	331	
TMP-1	12/12/2016	18	117.5	451	
TMP-1	12/12/2016	38	144.0	431	
TMP-1	12/12/2016	58	148.9	411	
TMP-1	12/12/2016	78	144.8	391	
TMP-1	12/12/2016	98	136.1	371	
TMP-1	12/12/2016	118	125.4	351	
TMP-1	12/12/2016	138	116.9	331	
TMP-1	12/19/2016	18	116.3	451	
TMP-1	12/19/2016	38	143.0	431	
TMP-1	12/19/2016	58	148.0	411	
TMP-1	12/19/2016	78	144.0	391	
TMP-1	12/19/2016	98	135.4	371	
TMP-1	12/19/2016	118	124.6	351	
TMP-1	12/19/2016	138	116.3	331	
TMP-1	12/27/2016	18	117.1	451	
TMP-1	12/27/2016	38	143.7	431	
TMP-1	12/27/2016	58	148.5	411	
TMP-1	12/27/2016	78	144.4	391	
TMP-1	12/27/2016	98	135.7	371	
TMP-1	12/27/2016	118	124.9	351	
TMP-1	12/27/2016	138	116.4	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	11/29/2016	20	120.8	440	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-2R	11/29/2016	40	149.3	420	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-2R	11/29/2016	60	157.7	400	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-2R	11/29/2016	80	175.3	380	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-2R	11/29/2016	100	171.3	360	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-2R	11/29/2016	120	157.8	340	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-2R	11/29/2016	140	155.0	320	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-2R	11/29/2016	160	148.2	300	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-2R	11/29/2016	180	134.6	280	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-2R	12/5/2016	20	122.8	440	
TMP-2R	12/5/2016	40	151.6	420	
TMP-2R	12/5/2016	60	161.0	400	
TMP-2R	12/5/2016	80	177.6	380	
TMP-2R	12/5/2016	100	173.1	360	
TMP-2R	12/5/2016	120	159.9	340	
TMP-2R	12/5/2016	140	157.0	320	
TMP-2R	12/5/2016	160	149.8	300	
TMP-2R	12/5/2016	180	136.2	280	
TMP-2R	12/12/2016	20	122.7	440	
TMP-2R	12/12/2016	40	151.7	420	
TMP-2R	12/12/2016	60	161.7	400	
TMP-2R	12/12/2016	80	177.6	380	
TMP-2R	12/12/2016	100	173.2	360	
TMP-2R	12/12/2016	120	160.0	340	
TMP-2R	12/12/2016	140	156.5	320	
TMP-2R	12/12/2016	160	149.4	300	
TMP-2R	12/12/2016	180	135.6	280	
TMP-2R	12/19/2016	20	123.3	440	
TMP-2R	12/19/2016	40	152.7	420	
TMP-2R	12/19/2016	60	163.2	400	
TMP-2R	12/19/2016	80	178.8	380	
TMP-2R	12/19/2016	100	174.5	360	
TMP-2R	12/19/2016	120	161.6	340	
TMP-2R	12/19/2016	140	157.7	320	
TMP-2R	12/19/2016	160	150.7	300	
TMP-2R	12/19/2016	180	136.9	280	
TMP-2R	12/27/2016	20	122.6	440	
TMP-2R	12/27/2016	40	151.9	420	
TMP-2R	12/27/2016	60	162.8	400	
TMP-2R	12/27/2016	80	178.0	380	
TMP-2R	12/27/2016	100	173.6	360	
TMP-2R	12/27/2016	120	161.0	340	
TMP-2R	12/27/2016	140	156.9	320	
TMP-2R	12/27/2016	160	150.0	300	
TMP-2R	12/27/2016	180	136.2	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	11/29/2016	30	147.3	470	
TMP-3	11/29/2016	50	155.8	450	
TMP-3	11/29/2016	70	155.0	430	
TMP-3	11/29/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	11/29/2016	150	146.0	350	
TMP-3	11/29/2016	190	124.7	310	
TMP-3	11/29/2016	230	103.6	270	
TMP-3	12/5/2016	30	148.2	470	
TMP-3	12/5/2016	50	156.5	450	
TMP-3	12/5/2016	70	155.6	430	
TMP-3	12/5/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	12/5/2016	150	146.6	350	
TMP-3	12/5/2016	190	125.4	310	
TMP-3	12/5/2016	230	104.0	270	
TMP-3	12/12/2016	30	147.5	470	
TMP-3	12/12/2016	50	156.0	450	
TMP-3	12/12/2016	70	155.4	430	
TMP-3	12/12/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	12/12/2016	150	146.6	350	
TMP-3	12/12/2016	190	125.6	310	
TMP-3	12/12/2016	230	103.6	270	
TMP-3	12/19/2016	30	148.5	470	
TMP-3	12/19/2016	50	156.8	450	
TMP-3	12/19/2016	70	155.9	430	
TMP-3	12/19/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	12/19/2016	150	146.6	350	
TMP-3	12/19/2016	190	125.4	310	
TMP-3	12/19/2016	230	103.0	270	
TMP-3	12/27/2016	30	147.3	470	
TMP-3	12/27/2016	50	155.9	450	
TMP-3	12/27/2016	70	155.1	430	
TMP-3	12/27/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	12/27/2016	150	145.7	350	
TMP-3	12/27/2016	190	124.7	310	
TMP-3	12/27/2016	230	102.1	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	11/29/2016	20	137.8	479	
TMP-3R	11/29/2016	40	156.7	459	
TMP-3R	11/29/2016	60	158.6	439	
TMP-3R	11/29/2016	80	159.7	419	
TMP-3R	11/29/2016	100	158.6	399	
TMP-3R	11/29/2016	120	154.9	379	
TMP-3R	11/29/2016	140	154.3	359	
TMP-3R	11/29/2016	160	142.8	339	
TMP-3R	11/29/2016	180	133.5	319	
TMP-3R	11/29/2016	200	118.2	299	
TMP-3R	11/29/2016	218	105.5	281	
TMP-3R	12/5/2016	20	138.0	479	
TMP-3R	12/5/2016	40	157.2	459	
TMP-3R	12/5/2016	60	159.1	439	
TMP-3R	12/5/2016	80	160.3	419	
TMP-3R	12/5/2016	100	159.5	399	
TMP-3R	12/5/2016	120	156.0	379	
TMP-3R	12/5/2016	140	155.3	359	
TMP-3R	12/5/2016	160	143.8	339	
TMP-3R	12/5/2016	180	134.4	319	
TMP-3R	12/5/2016	200	119.1	299	
TMP-3R	12/5/2016	218	106.4	281	
TMP-3R	12/12/2016	20	139.7	479	
TMP-3R	12/12/2016	40	158.8	459	
TMP-3R	12/12/2016	60	160.7	439	
TMP-3R	12/12/2016	80	161.8	419	
TMP-3R	12/12/2016	100	160.8	399	
TMP-3R	12/12/2016	120	157.3	379	
TMP-3R	12/12/2016	140	156.5	359	
TMP-3R	12/12/2016	160	145.2	339	
TMP-3R	12/12/2016	180	135.9	319	
TMP-3R	12/12/2016	200	120.6	299	
TMP-3R	12/12/2016	218	108.0	281	
TMP-3R	12/19/2016	20	140.8	479	
TMP-3R	12/19/2016	40	160.0	459	
TMP-3R	12/19/2016	60	161.8	439	
TMP-3R	12/19/2016	80	163.0	419	
TMP-3R	12/19/2016	100	161.9	399	
TMP-3R	12/19/2016	120	158.3	379	
TMP-3R	12/19/2016	140	157.4	359	
TMP-3R	12/19/2016	160	146.3	339	
TMP-3R	12/19/2016	180	137.0	319	
TMP-3R	12/19/2016	200	121.8	299	
TMP-3R	12/19/2016	218	109.2	281	
TMP-3R	12/27/2016	20	138.4	479	
TMP-3R	12/27/2016	40	157.7	459	
TMP-3R	12/27/2016	60	159.6	439	
TMP-3R	12/27/2016	80	160.9	419	
TMP-3R	12/27/2016	100	159.9	399	
TMP-3R	12/27/2016	120	156.4	379	
TMP-3R	12/27/2016	140	155.4	359	
TMP-3R	12/27/2016	160	144.3	339	
TMP-3R	12/27/2016	180	135.0	319	
TMP-3R	12/27/2016	200	119.7	299	
TMP-3R	12/27/2016	218	107.2	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	11/29/2016	28	134.6	472	
TMP-4	12/5/2016	28	135.2	472	
TMP-4	12/12/2016	28	134.9	472	
TMP-4	12/19/2016	28	135.5	472	
TMP-4	12/27/2016	28	134.0	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	11/29/2016	10	109.8	489	
TMP-4R	11/29/2016	20	120.6	479	
TMP-4R	11/29/2016	29	132.0	470	
TMP-4R	12/5/2016	10	109.7	489	
TMP-4R	12/5/2016	20	121.2	479	
TMP-4R	12/5/2016	29	132.3	470	
TMP-4R	12/12/2016	10	110.2	489	
TMP-4R	12/12/2016	20	122.6	479	
TMP-4R	12/12/2016	29	133.6	470	
TMP-4R	12/19/2016	10	110.1	489	
TMP-4R	12/19/2016	20	123.7	479	
TMP-4R	12/19/2016	29	134.7	470	
TMP-4R	12/27/2016	10	106.4	489	
TMP-4R	12/27/2016	20	121.1	479	
TMP-4R	12/27/2016	29	132.1	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	11/29/2016	15	157.9	472	
TMP-6	11/29/2016	95	163.4	392	fluctuating resistance, possibly unreliable
TMP-6	11/29/2016	115	154.3	372	
TMP-6	11/29/2016	135	141.8	352	
TMP-6	12/5/2016	15	158.7	472	
TMP-6	12/5/2016	95	163.9	392	fluctuating resistance, possibly unreliable
TMP-6	12/5/2016	115	154.8	372	
TMP-6	12/5/2016	135	142.4	352	
TMP-6	12/12/2016	15	159.5	472	
TMP-6	12/12/2016	95	164.3	392	fluctuating resistance, possibly unreliable
TMP-6	12/12/2016	115	155.4	372	
TMP-6	12/12/2016	135	143.0	352	
TMP-6	12/19/2016	15	158.9	472	
TMP-6	12/19/2016	95	163.7	392	fluctuating resistance, possibly unreliable
TMP-6	12/19/2016	115	154.7	372	
TMP-6	12/19/2016	135	142.2	352	
TMP-6	12/27/2016	15	157.9	472	
TMP-6	12/27/2016	95	163.2	392	fluctuating resistance, possibly unreliable
TMP-6	12/27/2016	115	154.3	372	
TMP-6	12/27/2016	135	141.9	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	11/29/2016	40	204.1	446	Previous report of moisture in line sheeting & end corrosion
TMP-9	12/5/2016	40	204.9	446	Previous report of moisture in line sheeting & end corrosion
TMP-9	12/12/2016	40	205.2	446	Previous report of moisture in line sheeting & end corrosion
TMP-9	12/19/2016	40	204.2	446	Previous report of moisture in line sheeting & end corrosion
TMP-9	12/27/2016	40	203.9	446	Previous report of moisture in line sheeting & end corrosion

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	11/29/2016	13	111.3	476	
TMP-10	11/29/2016	33	151.4	456	
TMP-10	11/29/2016	53	168.2	436	
TMP-10	11/29/2016	73	174.6	416	
TMP-10	11/29/2016	93	171.3	396	
TMP-10	11/29/2016	113		376	unreliable reading - resistance too low
TMP-10	11/29/2016	133	151.5	356	
TMP-10	12/5/2016	13	112.2	476	
TMP-10	12/5/2016	33	152.0	456	
TMP-10	12/5/2016	53	169.0	436	
TMP-10	12/5/2016	73	175.2	416	
TMP-10	12/5/2016	93	172.0	396	
TMP-10	12/5/2016	113		376	unreliable reading - resistance too low
TMP-10	12/5/2016	133	152.4	356	
TMP-10	12/12/2016	13	112.1	476	
TMP-10	12/12/2016	33	152.1	456	
TMP-10	12/12/2016	53	169.1	436	
TMP-10	12/12/2016	73	175.4	416	
TMP-10	12/12/2016	93	172.1	396	
TMP-10	12/12/2016	113		376	unreliable reading - resistance too low
TMP-10	12/12/2016	133	152.6	356	
TMP-10	12/19/2016	13	111.4	476	
TMP-10	12/19/2016	33	151.5	456	
TMP-10	12/19/2016	53	168.6	436	
TMP-10	12/19/2016	73	174.9	416	
TMP-10	12/19/2016	93	171.6	396	
TMP-10	12/19/2016	113		376	unreliable reading - resistance too low
TMP-10	12/19/2016	133	151.7	356	
TMP-10	12/27/2016	13	111.3	476	
TMP-10	12/27/2016	33	151.6	456	
TMP-10	12/27/2016	53	168.7	436	
TMP-10	12/27/2016	73	175.0	416	
TMP-10	12/27/2016	93	171.7	396	
TMP-10	12/27/2016	113		376	unreliable reading - resistance too low
TMP-10	12/27/2016	133	151.9	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	11/29/2016	20	121.6	448	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-11R	11/29/2016	40	130.4	428	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-11R	11/29/2016	60	125.4	408	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-11R	11/29/2016	80	123.3	388	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-11R	11/29/2016	100	113.2	368	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-11R	11/29/2016	120	106.1	348	Temp & resistivity were reported as 11/22 values on 11/29. Updated for 12/05/16 submittal
TMP-11R	12/5/2016	20	122.3	448	
TMP-11R	12/5/2016	40	131.2	428	
TMP-11R	12/5/2016	60	126.1	408	
TMP-11R	12/5/2016	80	122.8	388	
TMP-11R	12/5/2016	100	113.7	368	
TMP-11R	12/5/2016	120	107.0	348	
TMP-11R	12/12/2016	20	122.5	448	
TMP-11R	12/12/2016	40	131.3	428	
TMP-11R	12/12/2016	60	126.1	408	
TMP-11R	12/12/2016	80	123.1	388	
TMP-11R	12/12/2016	100	114.0	368	
TMP-11R	12/12/2016	120	107.4	348	
TMP-11R	12/19/2016	20	122.3	448	
TMP-11R	12/19/2016	40	131.0	428	
TMP-11R	12/19/2016	60	125.7	408	
TMP-11R	12/19/2016	80	122.8	388	
TMP-11R	12/19/2016	100	113.8	368	
TMP-11R	12/19/2016	120	107.3	348	
TMP-11R	12/27/2016	20	121.3	448	
TMP-11R	12/27/2016	40	130.6	428	
TMP-11R	12/27/2016	60	125.6	408	
TMP-11R	12/27/2016	80	123.0	388	
TMP-11R	12/27/2016	100	114.2	368	
TMP-11R	12/27/2016	120	108.3	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	11/29/2016	20	113.8	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/29/2016	39	146.2	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/29/2016	58	162.9	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/29/2016	77	165.1	435	wires repaired 6/15/16
TMP-16	11/29/2016	96	158.7	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/29/2016	115	149.6	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/29/2016	134	138.3	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	11/29/2016	153	114.0	359	wires repaired 6/15/16
TMP-16	12/5/2016	20	113.7	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/5/2016	39	145.7	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/5/2016	58	163.1	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/5/2016	77	165.0	435	wires repaired 6/15/16
TMP-16	12/5/2016	96	158.4	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/5/2016	115	149.6	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/5/2016	134	138.0	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/5/2016	153	115.2	359	wires repaired 6/15/16
TMP-16	12/12/2016	20	114.6	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/12/2016	39	146.9	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/12/2016	58	164.5	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/12/2016	77	165.9	435	wires repaired 6/15/16
TMP-16	12/12/2016	96	159.4	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/12/2016	115	151.0	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/12/2016	134	139.1	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/12/2016	153	117.5	359	wires repaired 6/15/16
TMP-16	12/19/2016	20	116.4	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/19/2016	39	148.5	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/19/2016	58	161.9	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/19/2016	77	166.5	435	wires repaired 6/15/16
TMP-16	12/19/2016	96	159.8	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/19/2016	115	151.1	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/19/2016	134	139.0	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/19/2016	153	119.4	359	wires repaired 6/15/16
TMP-16	12/27/2016	20	114.2	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/27/2016	39	146.6	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/27/2016	58	163.4	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/27/2016	77	164.9	435	wires repaired 6/15/16
TMP-16	12/27/2016	96	158.7	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/27/2016	115	149.8	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/27/2016	134	137.3	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	12/27/2016	153	119.4	359	wires repaired 6/15/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	11/29/2016	20	109.7	496	
TMP-17	11/29/2016	40	138.8	476	
TMP-17	11/29/2016	60	158.5	456	
TMP-17	11/29/2016	80	160.7	436	
TMP-17	11/29/2016	100	157.4	416	
TMP-17	11/29/2016	120	152.0	396	
TMP-17	11/29/2016	140	143.1	376	
TMP-17	11/29/2016	160	128.9	356	
TMP-17	11/29/2016	180	121.5	336	
TMP-17	11/29/2016	200	115.3	316	
TMP-17	11/29/2016	220	108.6	296	
TMP-17	11/29/2016	237	100.9	279	
TMP-17	12/5/2016	20	109.9	496	
TMP-17	12/5/2016	40	138.5	476	
TMP-17	12/5/2016	60	158.9	456	
TMP-17	12/5/2016	80	161.1	436	
TMP-17	12/5/2016	100	158.0	416	
TMP-17	12/5/2016	120	152.3	396	
TMP-17	12/5/2016	140	143.9	376	
TMP-17	12/5/2016	160	129.7	356	
TMP-17	12/5/2016	180	122.5	336	
TMP-17	12/5/2016	200	115.9	316	
TMP-17	12/5/2016	220	109.6	296	
TMP-17	12/5/2016	237	101.7	279	
TMP-17	12/12/2016	20	111.3	496	
TMP-17	12/12/2016	40	138.9	476	
TMP-17	12/12/2016	60	160.3	456	
TMP-17	12/12/2016	80	162.7	436	
TMP-17	12/12/2016	100	159.7	416	
TMP-17	12/12/2016	120	154.1	396	
TMP-17	12/12/2016	140	145.9	376	
TMP-17	12/12/2016	160	131.7	356	
TMP-17	12/12/2016	180	124.9	336	
TMP-17	12/12/2016	200	118.3	316	
TMP-17	12/12/2016	220	111.7	296	
TMP-17	12/12/2016	237	103.8	279	
TMP-17	12/19/2016	20	110.7	496	
TMP-17	12/19/2016	40	140.0	476	
TMP-17	12/19/2016	60	159.7	456	
TMP-17	12/19/2016	80	161.8	436	
TMP-17	12/19/2016	100	158.7	416	
TMP-17	12/19/2016	120	152.9	396	
TMP-17	12/19/2016	140	144.3	376	
TMP-17	12/19/2016	160	130.4	356	
TMP-17	12/19/2016	180	123.5	336	
TMP-17	12/19/2016	200	117.1	316	
TMP-17	12/19/2016	220	110.4	296	
TMP-17	12/19/2016	237	102.4	279	
TMP-17	12/27/2016	20	111.2	496	
TMP-17	12/27/2016	40	139.2	476	
TMP-17	12/27/2016	60	160.1	456	
TMP-17	12/27/2016	80	162.2	436	
TMP-17	12/27/2016	100	159.3	416	
TMP-17	12/27/2016	120	153.6	396	
TMP-17	12/27/2016	140	145.0	376	
TMP-17	12/27/2016	160	131.1	356	
TMP-17	12/27/2016	180	124.2	336	
TMP-17	12/27/2016	200	117.8	316	
TMP-17	12/27/2016	220	110.8	296	
TMP-17	12/27/2016	237	103.0	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	11/29/2016	20	96.6	489	
TMP-18	11/29/2016	39	136.4	470	
TMP-18	11/29/2016	58	153.4	451	
TMP-18	11/29/2016	77	152.7	432	
TMP-18	11/29/2016	96	147.7	413	
TMP-18	11/29/2016	115	140.0	394	
TMP-18	11/29/2016	134	131.9	375	
TMP-18	11/29/2016	153	125.4	356	
TMP-18	11/29/2016	172	119.6	337	
TMP-18	11/29/2016	191	114.5	318	
TMP-18	11/29/2016	210	110.7	299	
TMP-18	11/29/2016	227	108.0	282	
TMP-18	12/5/2016	20	96.8	489	
TMP-18	12/5/2016	39	136.5	470	
TMP-18	12/5/2016	58	153.6	451	
TMP-18	12/5/2016	77	152.9	432	
TMP-18	12/5/2016	96	148.0	413	
TMP-18	12/5/2016	115	140.4	394	
TMP-18	12/5/2016	134	132.3	375	
TMP-18	12/5/2016	153	125.9	356	
TMP-18	12/5/2016	172	120.1	337	
TMP-18	12/5/2016	191	115.0	318	
TMP-18	12/5/2016	210	111.2	299	
TMP-18	12/5/2016	227	108.6	282	
TMP-18	12/12/2016	20	99.1	489	
TMP-18	12/12/2016	39	138.4	470	
TMP-18	12/12/2016	58	155.6	451	
TMP-18	12/12/2016	77	154.9	432	
TMP-18	12/12/2016	96	150.0	413	
TMP-18	12/12/2016	115	142.4	394	
TMP-18	12/12/2016	134	134.2	375	
TMP-18	12/12/2016	153	127.7	356	
TMP-18	12/12/2016	172	121.9	337	
TMP-18	12/12/2016	191	116.8	318	
TMP-18	12/12/2016	210	113.0	299	
TMP-18	12/12/2016	227	110.5	282	
TMP-18	12/19/2016	20	99.8	489	
TMP-18	12/19/2016	39	139.1	470	
TMP-18	12/19/2016	58	156.5	451	
TMP-18	12/19/2016	77	155.9	432	
TMP-18	12/19/2016	96	151.4	413	
TMP-18	12/19/2016	115	144.0	394	
TMP-18	12/19/2016	134	136.2	375	
TMP-18	12/19/2016	153	129.9	356	
TMP-18	12/19/2016	172	124.2	337	
TMP-18	12/19/2016	191	119.3	318	
TMP-18	12/19/2016	210	115.6	299	
TMP-18	12/19/2016	227	113.3	282	
TMP-18	12/27/2016	20	97.5	489	
TMP-18	12/27/2016	39	137.3	470	
TMP-18	12/27/2016	58	154.5	451	
TMP-18	12/27/2016	77	153.9	432	
TMP-18	12/27/2016	96	149.0	413	
TMP-18	12/27/2016	115	141.5	394	
TMP-18	12/27/2016	134	133.4	375	
TMP-18	12/27/2016	153	126.9	356	
TMP-18	12/27/2016	172	121.2	337	
TMP-18	12/27/2016	191	116.2	318	
TMP-18	12/27/2016	210	112.3	299	
TMP-18	12/27/2016	227	109.8	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	11/29/2016	13	88.5	461	
TMP-21	11/29/2016	26	94.5	448	
TMP-21	11/29/2016	41	90.4	433	
TMP-21	12/5/2016	13	89.1	461	
TMP-21	12/5/2016	26	95.1	448	
TMP-21	12/5/2016	41	91.0	433	
TMP-21	12/12/2016	13	91.0	461	
TMP-21	12/12/2016	26	96.8	448	
TMP-21	12/12/2016	41	92.8	433	
TMP-21	12/19/2016	13	92.9	461	
TMP-21	12/19/2016	26	98.8	448	
TMP-21	12/19/2016	41	94.7	433	
TMP-21	12/27/2016	13	89.4	461	
TMP-21	12/27/2016	26	95.3	448	
TMP-21	12/27/2016	41	91.2	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	11/29/2016	15	105.0	474	
TMP-22	11/29/2016	31	125.0	458	
TMP-22	11/29/2016	50	124.0	439	
TMP-22	11/29/2016	70	116.1	419	
TMP-22	12/5/2016	15	105.3	474	
TMP-22	12/5/2016	31	125.1	458	
TMP-22	12/5/2016	50	124.1	439	
TMP-22	12/5/2016	70	116.1	419	
TMP-22	12/12/2016	15	107.2	474	
TMP-22	12/12/2016	31	126.7	458	
TMP-22	12/12/2016	50	125.6	439	
TMP-22	12/12/2016	70	117.5	419	
TMP-22	12/19/2016	15	106.3	474	
TMP-22	12/19/2016	31	126.2	458	
TMP-22	12/19/2016	50	125.5	439	
TMP-22	12/19/2016	70	117.4	419	
TMP-22	12/27/2016	15	105.1	474	
TMP-22	12/27/2016	31	124.6	458	
TMP-22	12/27/2016	50	123.8	439	
TMP-22	12/27/2016	70	115.9	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	11/29/2016	20	115.1	477	
TMP-23	11/29/2016	38	138.3	459	
TMP-23	11/29/2016	56	141.1	441	
TMP-23	11/29/2016	74	133.8	423	
TMP-23	11/29/2016	92	124.9	405	
TMP-23	11/29/2016	106	116.5	391	
TMP-23	12/5/2016	20	115.5	477	
TMP-23	12/5/2016	38	138.6	459	
TMP-23	12/5/2016	56	141.4	441	
TMP-23	12/5/2016	74	134.1	423	
TMP-23	12/5/2016	92	125.2	405	
TMP-23	12/5/2016	106	116.8	391	
TMP-23	12/12/2016	20	117.3	477	
TMP-23	12/12/2016	38	140.4	459	
TMP-23	12/12/2016	56	143.2	441	
TMP-23	12/12/2016	74	135.7	423	
TMP-23	12/12/2016	92	126.8	405	
TMP-23	12/12/2016	106	118.2	391	
TMP-23	12/19/2016	20	119.9	477	
TMP-23	12/19/2016	38	142.8	459	
TMP-23	12/19/2016	56	145.5	441	
TMP-23	12/19/2016	74	137.9	423	
TMP-23	12/19/2016	92	128.8	405	
TMP-23	12/19/2016	106	120.5	391	
TMP-23	12/27/2016	20	114.9	477	
TMP-23	12/27/2016	38	138.0	459	
TMP-23	12/27/2016	56	140.9	441	
TMP-23	12/27/2016	74	133.4	423	
TMP-23	12/27/2016	92	124.6	405	
TMP-23	12/27/2016	106	116.5	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	11/29/2016	20	102.2	492	
TMP-24	11/29/2016	40	128.8	472	
TMP-24	11/29/2016	60	141.8	452	
TMP-24	11/29/2016	67	142.9	445	
TMP-24	12/5/2016	20	102.2	492	
TMP-24	12/5/2016	40	128.7	472	
TMP-24	12/5/2016	60	141.6	452	
TMP-24	12/5/2016	67	142.7	445	
TMP-24	12/12/2016	20	104.4	492	
TMP-24	12/12/2016	40	130.4	472	
TMP-24	12/12/2016	60	143.2	452	
TMP-24	12/12/2016	67	144.1	445	
TMP-24	12/19/2016	20	104.7	492	
TMP-24	12/19/2016	40	130.9	472	
TMP-24	12/19/2016	60	143.8	452	
TMP-24	12/19/2016	67	144.9	445	
TMP-24	12/27/2016	20	103.3	492	
TMP-24	12/27/2016	40	129.5	472	
TMP-24	12/27/2016	60	142.3	452	
TMP-24	12/27/2016	67	143.2	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	11/29/2016	20	122.2	495	
TMP-25	11/29/2016	40	147.2	475	
TMP-25	11/29/2016	60	159.8	455	
TMP-25	11/29/2016	80	160.9	435	
TMP-25	11/29/2016	100	155.4	415	
TMP-25	11/29/2016	120	144.5	395	
TMP-25	11/29/2016	140	132.8	375	
TMP-25	11/29/2016	160	120.1	355	
TMP-25	11/29/2016	180	112.7	335	
TMP-25	11/29/2016	200	107.2	315	
TMP-25	11/29/2016	220	96.1	295	
TMP-25	11/29/2016	235	92.2	280	
TMP-25	12/5/2016	20	122.6	495	
TMP-25	12/5/2016	40	147.6	475	
TMP-25	12/5/2016	60	160.1	455	
TMP-25	12/5/2016	80	161.3	435	
TMP-25	12/5/2016	100	155.6	415	
TMP-25	12/5/2016	120	144.7	395	
TMP-25	12/5/2016	140	133.1	375	
TMP-25	12/5/2016	160	120.3	355	
TMP-25	12/5/2016	180	112.8	335	
TMP-25	12/5/2016	200	107.3	315	
TMP-25	12/5/2016	220	96.0	295	
TMP-25	12/5/2016	235	92.1	280	
TMP-25	12/12/2016	20	124.1	495	
TMP-25	12/12/2016	40	149.0	475	
TMP-25	12/12/2016	60	161.7	455	
TMP-25	12/12/2016	80	162.7	435	
TMP-25	12/12/2016	100	157.0	415	
TMP-25	12/12/2016	120	145.9	395	
TMP-25	12/12/2016	140	134.4	375	
TMP-25	12/12/2016	160	121.4	355	
TMP-25	12/12/2016	180	113.8	335	
TMP-25	12/12/2016	200	108.2	315	
TMP-25	12/12/2016	220	96.8	295	
TMP-25	12/12/2016	235	92.7	280	
TMP-25	12/19/2016	20	123.6	495	
TMP-25	12/19/2016	40	148.5	475	
TMP-25	12/19/2016	60	161.3	455	
TMP-25	12/19/2016	80	162.2	435	
TMP-25	12/19/2016	100	156.5	415	
TMP-25	12/19/2016	120	145.5	395	
TMP-25	12/19/2016	140	133.9	375	
TMP-25	12/19/2016	160	121.1	355	
TMP-25	12/19/2016	180	113.4	335	
TMP-25	12/19/2016	200	107.8	315	
TMP-25	12/19/2016	220	96.4	295	
TMP-25	12/19/2016	235	93.1	280	
TMP-25	12/27/2016	20	122.2	495	
TMP-25	12/27/2016	40	147.0	475	
TMP-25	12/27/2016	60	159.8	455	
TMP-25	12/27/2016	80	160.7	435	
TMP-25	12/27/2016	100	155.3	415	
TMP-25	12/27/2016	120	144.3	395	
TMP-25	12/27/2016	140	132.8	375	
TMP-25	12/27/2016	160	119.9	355	
TMP-25	12/27/2016	180	112.5	335	
TMP-25	12/27/2016	200	106.8	315	
TMP-25	12/27/2016	220	95.4	295	
TMP-25	12/27/2016	235	92.5	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	11/29/2016	20	107.3	479	
TMP-26	11/29/2016	40	119.7	459	
TMP-26	11/29/2016	60	123.3	439	
TMP-26	11/29/2016	80	122.9	419	
TMP-26	11/29/2016	100	114.3	399	
TMP-26	11/29/2016	120	119.6	379	
TMP-26	11/29/2016	140	120.9	359	
TMP-26	11/29/2016	142	120.0	357	
TMP-26	12/5/2016	20	108.2	479	
TMP-26	12/5/2016	40	120.5	459	
TMP-26	12/5/2016	60	124.1	439	
TMP-26	12/5/2016	80	123.9	419	
TMP-26	12/5/2016	100	115.1	399	
TMP-26	12/5/2016	120	120.4	379	
TMP-26	12/5/2016	140	121.7	359	
TMP-26	12/5/2016	142	120.8	357	
TMP-26	12/12/2016	20	109.6	479	
TMP-26	12/12/2016	40	121.4	459	
TMP-26	12/12/2016	60	124.6	439	
TMP-26	12/12/2016	80	124.5	419	
TMP-26	12/12/2016	100	115.6	399	
TMP-26	12/12/2016	120	121.0	379	
TMP-26	12/12/2016	140	122.5	359	
TMP-26	12/12/2016	142	121.8	357	
TMP-26	12/19/2016	20	111.2	479	
TMP-26	12/19/2016	40	123.2	459	
TMP-26	12/19/2016	60	126.1	439	
TMP-26	12/19/2016	80	126.0	419	
TMP-26	12/19/2016	100	116.7	399	
TMP-26	12/19/2016	120	122.6	379	
TMP-26	12/19/2016	140	123.9	359	
TMP-26	12/19/2016	142	123.0	357	
TMP-26	12/27/2016	20	108.8	479	
TMP-26	12/27/2016	40	120.7	459	
TMP-26	12/27/2016	60	123.9	439	
TMP-26	12/27/2016	80	123.8	419	
TMP-26	12/27/2016	100	114.2	399	
TMP-26	12/27/2016	120	120.4	379	
TMP-26	12/27/2016	140	121.8	359	
TMP-26	12/27/2016	142	121.1	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	11/29/2016	20	101.3	493	
TMP-27	11/29/2016	40	143.7	473	
TMP-27	11/29/2016	60	154.7	453	
TMP-27	11/29/2016	80	157.3	433	
TMP-27	11/29/2016	100	153.9	413	
TMP-27	11/29/2016	120	148.6	393	
TMP-27	11/29/2016	140	142.7	373	
TMP-27	11/29/2016	160	135.8	353	
TMP-27	11/29/2016	180	129.4	333	
TMP-27	11/29/2016	200	125.1	313	
TMP-27	11/29/2016	220	120.1	293	
TMP-27	11/29/2016	233	115.4	280	
TMP-27	12/5/2016	20	102.3	493	
TMP-27	12/5/2016	40	144.7	473	
TMP-27	12/5/2016	60	155.9	453	
TMP-27	12/5/2016	80	158.6	433	
TMP-27	12/5/2016	100	155.1	413	
TMP-27	12/5/2016	120	149.5	393	
TMP-27	12/5/2016	140	143.5	373	
TMP-27	12/5/2016	160	136.5	353	
TMP-27	12/5/2016	180	130.0	333	
TMP-27	12/5/2016	200	125.6	313	
TMP-27	12/5/2016	220	120.5	293	
TMP-27	12/5/2016	233	115.5	280	
TMP-27	12/12/2016	20	104.0	493	
TMP-27	12/12/2016	40	145.6	473	
TMP-27	12/12/2016	60	157.4	453	
TMP-27	12/12/2016	80	160.0	433	
TMP-27	12/12/2016	100	156.5	413	
TMP-27	12/12/2016	120	151.0	393	
TMP-27	12/12/2016	140	145.0	373	
TMP-27	12/12/2016	160	138.0	353	
TMP-27	12/12/2016	180	131.3	333	
TMP-27	12/12/2016	200	126.8	313	
TMP-27	12/12/2016	220	121.5	293	
TMP-27	12/12/2016	233	116.5	280	
TMP-27	12/19/2016	20	104.2	493	
TMP-27	12/19/2016	40	146.4	473	
TMP-27	12/19/2016	60	157.6	453	
TMP-27	12/19/2016	80	160.2	433	
TMP-27	12/19/2016	100	156.7	413	
TMP-27	12/19/2016	120	151.2	393	
TMP-27	12/19/2016	140	145.1	373	
TMP-27	12/19/2016	160	138.1	353	
TMP-27	12/19/2016	180	131.5	333	
TMP-27	12/19/2016	200	127.0	313	
TMP-27	12/19/2016	220	122.0	293	
TMP-27	12/19/2016	233	116.9	280	
TMP-27	12/27/2016	20	102.7	493	
TMP-27	12/27/2016	40	145.0	473	
TMP-27	12/27/2016	60	156.2	453	
TMP-27	12/27/2016	80	158.5	433	
TMP-27	12/27/2016	100	154.9	413	
TMP-27	12/27/2016	120	148.9	393	
TMP-27	12/27/2016	140	142.6	373	
TMP-27	12/27/2016	160	135.3	353	
TMP-27	12/27/2016	180	128.6	333	
TMP-27	12/27/2016	200	124.1	313	
TMP-27	12/27/2016	220	119.0	293	
TMP-27	12/27/2016	233	114.1	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	11/29/2016	20	101.4	480	
TMP-28	11/29/2016	40	138.1	460	
TMP-28	11/29/2016	60	134.2	440	
TMP-28	11/29/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	11/29/2016	100	132.5	400	
TMP-28	11/29/2016	120	127.3	380	
TMP-28	11/29/2016	140	122.9	360	
TMP-28	11/29/2016	160	118.4	340	
TMP-28	11/29/2016	180	114.6	320	
TMP-28	11/29/2016	200	112.5	300	
TMP-28	11/29/2016	217		283	no longer working
TMP-28	12/5/2016	20	101.9	480	
TMP-28	12/5/2016	40	138.4	460	
TMP-28	12/5/2016	60	134.5	440	
TMP-28	12/5/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	12/5/2016	100	132.8	400	
TMP-28	12/5/2016	120	127.6	380	
TMP-28	12/5/2016	140	123.2	360	
TMP-28	12/5/2016	160	118.7	340	
TMP-28	12/5/2016	180	114.9	320	
TMP-28	12/5/2016	200	112.8	300	
TMP-28	12/5/2016	217		283	no longer working
TMP-28	12/12/2016	20	104.2	480	
TMP-28	12/12/2016	40	140.3	460	
TMP-28	12/12/2016	60	135.8	440	
TMP-28	12/12/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	12/12/2016	100	135.6	400	
TMP-28	12/12/2016	120	130.4	380	
TMP-28	12/12/2016	140	125.9	360	
TMP-28	12/12/2016	160	121.0	340	
TMP-28	12/12/2016	180	117.2	320	
TMP-28	12/12/2016	200	115.0	300	
TMP-28	12/12/2016	217		283	no longer working
TMP-28	12/19/2016	20	103.9	480	
TMP-28	12/19/2016	40	140.6	460	
TMP-28	12/19/2016	60	136.8	440	
TMP-28	12/19/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	12/19/2016	100	134.8	400	
TMP-28	12/19/2016	120	129.4	380	
TMP-28	12/19/2016	140	125.1	360	
TMP-28	12/19/2016	160	120.3	340	
TMP-28	12/19/2016	180	116.5	320	
TMP-28	12/19/2016	200	114.6	300	
TMP-28	12/19/2016	217		283	no longer working
TMP-28	12/27/2016	20	102.1	480	
TMP-28	12/27/2016	40	137.9	460	
TMP-28	12/27/2016	60	134.2	440	
TMP-28	12/27/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	12/27/2016	100	132.3	400	
TMP-28	12/27/2016	120	127.8	380	
TMP-28	12/27/2016	140	123.6	360	
TMP-28	12/27/2016	160	119.1	340	
TMP-28	12/27/2016	180	115.6	320	
TMP-28	12/27/2016	200	113.3	300	
TMP-28	12/27/2016	217		283	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	11/29/2016	8	74.9	488	
TMP-29	11/29/2016	16	80.8	480	
TMP-29	11/29/2016	25	86.6	471	
TMP-29	12/5/2016	8	75.3	488	
TMP-29	12/5/2016	16	81.5	480	
TMP-29	12/5/2016	25	87.4	471	
TMP-29	12/12/2016	8	77.5	488	
TMP-29	12/12/2016	16	83.7	480	
TMP-29	12/12/2016	25	89.5	471	
TMP-29	12/19/2016	8	76.5	488	
TMP-29	12/19/2016	16	84.5	480	
TMP-29	12/19/2016	25	90.6	471	
TMP-29	12/27/2016	8	72.5	488	
TMP-29	12/27/2016	16	82.0	480	
TMP-29	12/27/2016	25	88.2	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	11/29/2016	20	96.3	484	
TMP-33	11/29/2016	40	104.7	464	
TMP-33	11/29/2016	53	103.2	451	
TMP-33	12/5/2016	20	97.9	484	
TMP-33	12/5/2016	40	106.4	464	
TMP-33	12/5/2016	53	105.0	451	
TMP-33	12/12/2016	20	97.3	484	
TMP-33	12/12/2016	40	105.4	464	
TMP-33	12/12/2016	53	104.2	451	
TMP-33	12/19/2016	20	98.1	484	
TMP-33	12/19/2016	40	106.1	464	
TMP-33	12/19/2016	53	104.8	451	
TMP-33	12/27/2016	20	96.0	484	
TMP-33	12/27/2016	40	103.7	464	
TMP-33	12/27/2016	53	102.5	451	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	11/29/2016	20	99.6	495	
TMP-34	11/29/2016	40	112.1	475	
TMP-34	11/29/2016	50	112.4	465	
TMP-34	11/29/2016	63	110.2	452	
TMP-34	12/5/2016	20	100.8	495	
TMP-34	12/5/2016	40	113.0	475	
TMP-34	12/5/2016	50	113.2	465	
TMP-34	12/5/2016	63	111.1	452	
TMP-34	12/12/2016	20	100.2	495	
TMP-34	12/12/2016	40	112.2	475	
TMP-34	12/12/2016	50	112.3	465	
TMP-34	12/12/2016	63	110.1	452	
TMP-34	12/19/2016	20	101.4	495	
TMP-34	12/19/2016	40	113.3	475	
TMP-34	12/19/2016	50	113.5	465	
TMP-34	12/19/2016	63	111.4	452	
TMP-34	12/27/2016	20	101.2	495	
TMP-34	12/27/2016	40	112.9	475	
TMP-34	12/27/2016	50	113.2	465	
TMP-34	12/27/2016	63	111.0	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	11/29/2016	20	93.8	500	
TMP-35	11/29/2016	40	108.8	480	
TMP-35	11/29/2016	60	108.2	460	
TMP-35	11/29/2016	70	104.1	450	
TMP-35	12/5/2016	20	95.1	500	
TMP-35	12/5/2016	40	109.8	480	
TMP-35	12/5/2016	60	109.3	460	
TMP-35	12/5/2016	70	105.6	450	
TMP-35	12/12/2016	20	94.4	500	
TMP-35	12/12/2016	40	108.7	480	
TMP-35	12/12/2016	60	108.2	460	
TMP-35	12/12/2016	70	104.8	450	
TMP-35	12/19/2016	20	95.2	500	
TMP-35	12/19/2016	40	109.3	480	
TMP-35	12/19/2016	60	108.8	460	
TMP-35	12/19/2016	70	105.5	450	
TMP-35	12/27/2016	20	95.0	500	
TMP-35	12/27/2016	40	109.1	480	
TMP-35	12/27/2016	60	108.6	460	
TMP-35	12/27/2016	70	105.6	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-36	11/29/2016	15	81.9	471	
TMP-36	11/29/2016	20	82.6	466	
TMP-36	11/29/2016	30	83.5	456	
TMP-36	12/5/2016	15	83.8	471	
TMP-36	12/5/2016	20	84.5	466	
TMP-36	12/5/2016	30	85.4	456	
TMP-36	12/12/2016	15	82.6	471	
TMP-36	12/12/2016	20	83.2	466	
TMP-36	12/12/2016	30	84.0	456	
TMP-36	12/19/2016	15	82.7	471	
TMP-36	12/19/2016	20	83.3	466	
TMP-36	12/19/2016	30	84.3	456	
TMP-36	12/27/2016	15	80.7	471	
TMP-36	12/27/2016	20	80.9	466	
TMP-36	12/27/2016	30	81.8	456	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	11/29/2016	20	92.9	480	
TMP-37	11/29/2016	40	99.8	460	
TMP-37	11/29/2016	50	98.3	450	
TMP-37	12/5/2016	20	94.3	480	
TMP-37	12/5/2016	40	101.4	460	
TMP-37	12/5/2016	50	99.7	450	
TMP-37	12/12/2016	20	92.7	480	
TMP-37	12/12/2016	40	99.6	460	
TMP-37	12/12/2016	50	98.0	450	
TMP-37	12/19/2016	20	93.1	480	
TMP-37	12/19/2016	40	99.7	460	
TMP-37	12/19/2016	50	97.9	450	
TMP-37	12/27/2016	20	91.4	480	
TMP-37	12/27/2016	40	97.8	460	
TMP-37	12/27/2016	50	96.0	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	11/29/2016	20	103.0	495	
TMP-38	11/29/2016	40	113.6	475	
TMP-38	11/29/2016	60	112.8	455	
TMP-38	11/29/2016	70	110.4	445	
TMP-38	12/5/2016	20	105.3	495	
TMP-38	12/5/2016	40	115.6	475	
TMP-38	12/5/2016	60	115.1	455	
TMP-38	12/5/2016	70	112.4	445	
TMP-38	12/12/2016	20	102.6	495	
TMP-38	12/12/2016	40	114.1	475	
TMP-38	12/12/2016	60	111.4	455	
TMP-38	12/12/2016	70	108.7	445	
TMP-38	12/19/2016	20	103.5	495	
TMP-38	12/19/2016	40	114.8	475	
TMP-38	12/19/2016	60	111.7	455	
TMP-38	12/19/2016	70	109.1	445	
TMP-38	12/27/2016	20	101.2	495	
TMP-38	12/27/2016	40	112.9	475	
TMP-38	12/27/2016	60	109.5	455	
TMP-38	12/27/2016	70	106.8	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	11/29/2016	20	101.8	501	
TMP-39	11/29/2016	40	124.6	481	
TMP-39	11/29/2016	60	125.2	461	
TMP-39	11/29/2016	80	117.9	441	
TMP-39	12/5/2016	20	102.2	501	
TMP-39	12/5/2016	40	125.3	481	
TMP-39	12/5/2016	60	126.0	461	
TMP-39	12/5/2016	80	118.7	441	
TMP-39	12/12/2016	20	103.0	501	
TMP-39	12/12/2016	40	125.7	481	
TMP-39	12/12/2016	60	126.2	461	
TMP-39	12/12/2016	80	119.2	441	
TMP-39	12/19/2016	20	103.5	501	
TMP-39	12/19/2016	40	126.8	481	
TMP-39	12/19/2016	60	127.2	461	
TMP-39	12/19/2016	80	120.5	441	
TMP-39	12/27/2016	20	101.9	501	
TMP-39	12/27/2016	40	125.4	481	
TMP-39	12/27/2016	60	125.8	461	
TMP-39	12/27/2016	80	119.1	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	11/29/2016	20	96.9	505	
TMP-40	11/29/2016	40	126.0	485	
TMP-40	11/29/2016	60	131.1	465	
TMP-40	11/29/2016	80	126.3	445	
TMP-40	12/5/2016	20	97.9	505	
TMP-40	12/5/2016	40	127.0	485	
TMP-40	12/5/2016	60	132.1	465	
TMP-40	12/5/2016	80	127.2	445	
TMP-40	12/12/2016	20	98.2	505	
TMP-40	12/12/2016	40	127.1	485	
TMP-40	12/12/2016	60	131.9	465	
TMP-40	12/12/2016	80	127.4	445	
TMP-40	12/19/2016	20	97.9	505	
TMP-40	12/19/2016	40	127.0	485	
TMP-40	12/19/2016	60	131.7	465	
TMP-40	12/19/2016	80	127.3	445	
TMP-40	12/27/2016	20	97.2	505	
TMP-40	12/27/2016	40	126.7	485	
TMP-40	12/27/2016	60	131.4	465	
TMP-40	12/27/2016	80	127.1	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	11/29/2016	20	101.8	504	
TMP-41	11/29/2016	40	125.7	484	
TMP-41	11/29/2016	60	127.3	464	
TMP-41	11/29/2016	80	121.4	444	
TMP-41	11/29/2016	98	114.6	426	
TMP-41	12/5/2016	20	102.7	504	
TMP-41	12/5/2016	40	126.5	484	
TMP-41	12/5/2016	60	128.1	464	
TMP-41	12/5/2016	80	122.0	444	
TMP-41	12/5/2016	98	114.6	426	
TMP-41	12/12/2016	20	102.7	504	
TMP-41	12/12/2016	40	126.5	484	
TMP-41	12/12/2016	60	128.0	464	
TMP-41	12/12/2016	80	122.1	444	
TMP-41	12/12/2016	98	114.5	426	
TMP-41	12/19/2016	20	103.3	504	
TMP-41	12/19/2016	40	127.0	484	
TMP-41	12/19/2016	60	128.5	464	
TMP-41	12/19/2016	80	122.5	444	
TMP-41	12/19/2016	98	114.8	426	
TMP-41	12/27/2016	20	103.1	504	
TMP-41	12/27/2016	40	126.7	484	
TMP-41	12/27/2016	60	128.2	464	
TMP-41	12/27/2016	80	122.4	444	
TMP-41	12/27/2016	98	114.9	426	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	11/29/2016	20	117.2	498	
TMP-42	11/29/2016	40	123.4	478	
TMP-42	11/29/2016	60	120.5	458	
TMP-42	11/29/2016	78	115.0	440	
TMP-42	12/5/2016	20	118.2	498	
TMP-42	12/5/2016	40	124.5	478	
TMP-42	12/5/2016	60	121.3	458	
TMP-42	12/5/2016	78	115.7	440	
TMP-42	12/12/2016	20	117.6	498	
TMP-42	12/12/2016	40	124.0	478	
TMP-42	12/12/2016	60	120.8	458	
TMP-42	12/12/2016	78	115.4	440	
TMP-42	12/19/2016	20	118.5	498	
TMP-42	12/19/2016	40	124.5	478	
TMP-42	12/19/2016	60	121.4	458	
TMP-42	12/19/2016	78	116.1	440	
TMP-42	12/27/2016	20	117.0	498	
TMP-42	12/27/2016	40	123.0	478	
TMP-42	12/27/2016	60	119.8	458	
TMP-42	12/27/2016	78	114.5	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	11/29/2016	20	108.1	496	
TMP-43	11/29/2016	40	124.0	476	
TMP-43	11/29/2016	60	128.0	456	
TMP-43	11/29/2016	80	126.4	436	
TMP-43	11/29/2016	100	118.9	416	
TMP-43	12/5/2016	20	109.0	496	
TMP-43	12/5/2016	40	124.9	476	
TMP-43	12/5/2016	60	128.9	456	
TMP-43	12/5/2016	80	127.3	436	
TMP-43	12/5/2016	100	119.7	416	
TMP-43	12/12/2016	20	108.5	496	
TMP-43	12/12/2016	40	124.7	476	
TMP-43	12/12/2016	60	128.6	456	
TMP-43	12/12/2016	80	127.0	436	
TMP-43	12/12/2016	100	119.5	416	
TMP-43	12/19/2016	20	108.6	496	
TMP-43	12/19/2016	40	125.0	476	
TMP-43	12/19/2016	60	128.9	456	
TMP-43	12/19/2016	80	127.3	436	
TMP-43	12/19/2016	100	119.9	416	
TMP-43	12/27/2016	20	108.1	496	
TMP-43	12/27/2016	40	124.4	476	
TMP-43	12/27/2016	60	128.3	456	
TMP-43	12/27/2016	80	126.6	436	
TMP-43	12/27/2016	100	119.3	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	11/29/2016	20	102.4	491	
TMP-44	11/29/2016	40	132.3	471	
TMP-44	11/29/2016	60	146.4	451	
TMP-44	11/29/2016	80	152.4	431	
TMP-44	11/29/2016	100	154.9	411	
TMP-44	11/29/2016	120	155.0	391	
TMP-44	11/29/2016	140	154.4	371	
TMP-44	11/29/2016	160	144.3	351	
TMP-44	11/29/2016	180	127.1	331	
TMP-44	12/5/2016	20	103.2	491	
TMP-44	12/5/2016	40	133.1	471	
TMP-44	12/5/2016	60	146.9	451	
TMP-44	12/5/2016	80	153.1	431	
TMP-44	12/5/2016	100	155.5	411	
TMP-44	12/5/2016	120	155.4	391	
TMP-44	12/5/2016	140	155.0	371	
TMP-44	12/5/2016	160	145.0	351	
TMP-44	12/5/2016	180	127.7	331	
TMP-44	12/12/2016	20	103.0	491	
TMP-44	12/12/2016	40	133.3	471	
TMP-44	12/12/2016	60	147.0	451	
TMP-44	12/12/2016	80	153.2	431	
TMP-44	12/12/2016	100	155.7	411	
TMP-44	12/12/2016	120	155.6	391	
TMP-44	12/12/2016	140	155.2	371	
TMP-44	12/12/2016	160	145.1	351	
TMP-44	12/12/2016	180	127.9	331	
TMP-44	12/19/2016	20	103.7	491	
TMP-44	12/19/2016	40	133.9	471	
TMP-44	12/19/2016	60	147.5	451	
TMP-44	12/19/2016	80	153.7	431	
TMP-44	12/19/2016	100	156.1	411	
TMP-44	12/19/2016	120	156.0	391	
TMP-44	12/19/2016	140	155.6	371	
TMP-44	12/19/2016	160	145.4	351	
TMP-44	12/19/2016	180	128.1	331	
TMP-44	12/27/2016	20	101.4	491	
TMP-44	12/27/2016	40	131.9	471	
TMP-44	12/27/2016	60	145.7	451	
TMP-44	12/27/2016	80	152.0	431	
TMP-44	12/27/2016	100	154.6	411	
TMP-44	12/27/2016	120	154.5	391	
TMP-44	12/27/2016	140	154.0	371	
TMP-44	12/27/2016	160	143.8	351	
TMP-44	12/27/2016	180	126.6	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-45	11/29/2016	15	79.1	464	
TMP-45	11/29/2016	30	86.0	449	
TMP-45	11/29/2016	45	89.2	434	
TMP-45	12/5/2016	15	79.4	464	
TMP-45	12/5/2016	30	86.1	459	
TMP-45	12/5/2016	45	88.9	434	
TMP-45	12/12/2016	15	80.7	464	
TMP-45	12/12/2016	30	87.4	449	
TMP-45	12/12/2016	45	90.6	434	
TMP-45	12/19/2016	15	81.1	464	
TMP-45	12/19/2016	30	87.6	449	
TMP-45	12/19/2016	45	90.6	434	
TMP-45	12/27/2016	15	78.6	464	
TMP-45	12/27/2016	30	85.1	449	
TMP-45	12/27/2016	45	88.0	434	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-46	11/29/2016	20	75.0	457	
TMP-46	11/29/2016	40	85.3	437	
TMP-46	11/29/2016	60	93.2	417	
TMP-46	12/5/2016	20	75.2	457	
TMP-46	12/5/2016	40	85.4	437	
TMP-46	12/5/2016	60	93.3	417	
TMP-46	12/12/2016	20	76.2	457	
TMP-46	12/12/2016	40	86.0	437	
TMP-46	12/12/2016	60	94.0	417	
TMP-46	12/19/2016	20	77.4	457	
TMP-46	12/19/2016	40	87.8	437	
TMP-46	12/19/2016	60	96.0	417	
TMP-46	12/27/2016	20	75.5	457	
TMP-46	12/27/2016	40	85.0	437	
TMP-46	12/27/2016	60	93.0	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-47	11/29/2016	20	70.5	457	
TMP-47	11/29/2016	40	74.7	437	
TMP-47	11/29/2016	60	77.7	417	
TMP-47	12/5/2016	20	70.7	457	
TMP-47	12/5/2016	40	74.8	437	
TMP-47	12/5/2016	60	77.3	417	
TMP-47	12/12/2016	20	70.7	457	
TMP-47	12/12/2016	40	74.8	437	
TMP-47	12/12/2016	60	77.5	417	
TMP-47	12/19/2016	20	72.1	457	
TMP-47	12/19/2016	40	75.9	437	
TMP-47	12/19/2016	60	78.3	417	
TMP-47	12/27/2016	20	69.7	457	
TMP-47	12/27/2016	40	73.4	437	
TMP-47	12/27/2016	60	75.8	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	11/29/2016	20	68.5	455	
TMP-48	11/29/2016	40	70.3	435	
TMP-48	11/29/2016	60	76.0	415	
TMP-48	11/29/2016	72	74.4	403	
TMP-48	12/5/2016	20	68.3	455	
TMP-48	12/5/2016	40	69.8	435	
TMP-48	12/5/2016	60	75.5	415	
TMP-48	12/5/2016	72	73.8	403	
TMP-48	12/12/2016	20	69.2	455	
TMP-48	12/12/2016	40	70.2	435	
TMP-48	12/12/2016	60	76.2	415	
TMP-48	12/12/2016	72	74.4	403	
TMP-48	12/19/2016	20	70.8	455	
TMP-48	12/19/2016	40	71.1	435	
TMP-48	12/19/2016	60	76.8	415	
TMP-48	12/19/2016	72	75.0	403	
TMP-48	12/27/2016	20	67.8	455	
TMP-48	12/27/2016	40	68.3	435	
TMP-48	12/27/2016	60	74.1	415	
TMP-48	12/27/2016	72	72.3	403	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-49	11/29/2016	20	66.7	453	
TMP-49	11/29/2016	40	68.6	433	
TMP-49	11/29/2016	60	71.9	413	
TMP-49	12/5/2016	20	66.6	453	
TMP-49	12/5/2016	40	67.6	433	
TMP-49	12/5/2016	60	71.3	413	
TMP-49	12/12/2016	20	67.3	453	
TMP-49	12/12/2016	40	68.2	433	
TMP-49	12/12/2016	60	72.1	413	
TMP-49	12/19/2016	20	69.9	453	
TMP-49	12/19/2016	40	70.5	433	
TMP-49	12/19/2016	60	74.1	413	
TMP-49	12/27/2016	20	66.5	453	
TMP-49	12/27/2016	40	66.6	433	
TMP-49	12/27/2016	60	70.5	413	