

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-49	2/10/2020	20	65.2	453	
TMP-49	2/10/2020	40	66.3	433	
TMP-49	2/10/2020	60	70.5	413	
TMP-49	2/17/2020	20	63.9	453	
TMP-49	2/17/2020	40	65.4	433	
TMP-49	2/17/2020	60	69.6	413	
TMP-49	2/24/2020	20	63.6	453	
TMP-49	2/24/2020	40	65.0	433	
TMP-49	2/24/2020	60	69.8	413	
TMP-49	3/2/2020	20	61.3	453	
TMP-49	3/2/2020	40	62.7	433	
TMP-49	3/2/2020	60	67.9	413	
TMP-49	3/9/2020	20	60.4	453	
TMP-49	3/9/2020	40	62.3	433	
TMP-49	3/9/2020	60	68.0	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	2/10/2020	18	109.0	451	
TMP-1	2/10/2020	38	137.2	431	
TMP-1	2/10/2020	58	145.1	411	
TMP-1	2/10/2020	78	142.8	391	
TMP-1	2/10/2020	98	134.7	371	
TMP-1	2/10/2020	118	124.1	351	
TMP-1	2/10/2020	138	116.3	331	
TMP-1	2/17/2020	18	107.9	451	
TMP-1	2/17/2020	38	135.9	431	
TMP-1	2/17/2020	58	144.2	411	
TMP-1	2/17/2020	78	141.8	391	
TMP-1	2/17/2020	98	133.9	371	
TMP-1	2/17/2020	118	123.4	351	
TMP-1	2/17/2020	138	115.3	331	
TMP-1	2/24/2020	18	107.5	451	
TMP-1	2/24/2020	38	136.5	431	
TMP-1	2/24/2020	58	144.2	411	
TMP-1	2/24/2020	78	141.9	391	
TMP-1	2/24/2020	98	133.9	371	
TMP-1	2/24/2020	118	123.5	351	
TMP-1	2/24/2020	138	115.4	331	
TMP-1	3/2/2020	18	106.7	451	
TMP-1	3/2/2020	38	135.6	431	
TMP-1	3/2/2020	58	143.6	411	
TMP-1	3/2/2020	78	141.4	391	
TMP-1	3/2/2020	98	133.6	371	
TMP-1	3/2/2020	118	123.0	351	
TMP-1	3/2/2020	138	115.0	331	
TMP-1	3/9/2020	18	106.3	451	
TMP-1	3/9/2020	38	135.4	431	
TMP-1	3/9/2020	58	143.3	411	
TMP-1	3/9/2020	78	141.1	391	
TMP-1	3/9/2020	98	133.1	371	
TMP-1	3/9/2020	118	122.6	351	
TMP-1	3/9/2020	138	114.6	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	2/10/2020	20	119.4	440	
TMP-2R	2/10/2020	40	153.7	420	
TMP-2R	2/10/2020	60	165.1	400	
TMP-2R	2/10/2020	80	171.7	380	
TMP-2R	2/10/2020	100	169.3	360	
TMP-2R	2/10/2020	120	160.5	340	
TMP-2R	2/10/2020	140	154.5	320	
TMP-2R	2/10/2020	160	147.1	300	
TMP-2R	2/10/2020	180	134.1	280	
TMP-2R	2/17/2020	20	119.0	440	
TMP-2R	2/17/2020	40	153.2	420	
TMP-2R	2/17/2020	60	164.7	400	
TMP-2R	2/17/2020	80	171.2	380	
TMP-2R	2/17/2020	100	168.8	360	
TMP-2R	2/17/2020	120	160.0	340	
TMP-2R	2/17/2020	140	154.0	320	
TMP-2R	2/17/2020	160	146.7	300	
TMP-2R	2/17/2020	180	133.6	280	
TMP-2R	2/24/2020	20	118.6	440	
TMP-2R	2/24/2020	40	152.8	420	
TMP-2R	2/24/2020	60	164.3	400	
TMP-2R	2/24/2020	80	170.7	380	
TMP-2R	2/24/2020	100	168.4	360	
TMP-2R	2/24/2020	120	159.5	340	
TMP-2R	2/24/2020	140	153.4	320	
TMP-2R	2/24/2020	160	146.1	300	
TMP-2R	2/24/2020	180	133.0	280	
TMP-2R	3/2/2020	20	117.3	440	
TMP-2R	3/2/2020	40	152.0	420	
TMP-2R	3/2/2020	60	163.7	400	
TMP-2R	3/2/2020	80	170.6	380	
TMP-2R	3/2/2020	100	168.3	360	
TMP-2R	3/2/2020	120	159.7	340	
TMP-2R	3/2/2020	140	153.9	320	
TMP-2R	3/2/2020	160	146.8	300	
TMP-2R	3/2/2020	180	134.1	280	
TMP-2R	3/9/2020	20	117.8	440	
TMP-2R	3/9/2020	40	152.0	420	
TMP-2R	3/9/2020	60	163.4	400	
TMP-2R	3/9/2020	80	169.9	380	
TMP-2R	3/9/2020	100	167.5	360	
TMP-2R	3/9/2020	120	158.8	340	
TMP-2R	3/9/2020	140	152.7	320	
TMP-2R	3/9/2020	160	145.4	300	
TMP-2R	3/9/2020	180	132.3	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	2/10/2020	30	141.6	470	
TMP-3	2/10/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	2/10/2020	150	140.8	350	
TMP-3	2/10/2020	190	121.5	310	
TMP-3	2/10/2020	230	100.6	270	
TMP-3	2/17/2020	30	141.9	470	
TMP-3	2/17/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	2/17/2020	150	141.0	350	
TMP-3	2/17/2020	190	121.6	310	
TMP-3	2/17/2020	230	100.4	270	
TMP-3	2/24/2020	30	141.6	470	
TMP-3	2/24/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	2/24/2020	150	140.7	350	
TMP-3	2/24/2020	190	121.4	310	
TMP-3	2/24/2020	230	100.2	270	
TMP-3	3/2/2020	30	139.8	470	
TMP-3	3/2/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/2/2020	150	139.0	350	
TMP-3	3/2/2020	190	119.7	310	
TMP-3	3/2/2020	230	98.7	270	
TMP-3	3/9/2020	30	140.8	470	
TMP-3	3/9/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/9/2020	150	139.8	350	
TMP-3	3/9/2020	190	120.6	310	
TMP-3	3/9/2020	230	99.5	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	2/10/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	2/10/2020	40	153.3	459	
TMP-3R	2/10/2020	60	155.4	439	
TMP-3R	2/10/2020	80	156.0	419	
TMP-3R	2/10/2020	100	154.6	399	
TMP-3R	2/10/2020	120	151.1	379	
TMP-3R	2/10/2020	140	147.0	359	
TMP-3R	2/10/2020	160	137.9	339	
TMP-3R	2/10/2020	180	128.4	319	
TMP-3R	2/10/2020	200	116.2	299	
TMP-3R	2/10/2020	218	105.1	281	
TMP-3R	2/17/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	2/17/2020	40	152.9	459	
TMP-3R	2/17/2020	60	155.0	439	
TMP-3R	2/17/2020	80	155.7	419	
TMP-3R	2/17/2020	100	154.2	399	
TMP-3R	2/17/2020	120	150.8	379	
TMP-3R	2/17/2020	140	146.5	359	
TMP-3R	2/17/2020	160	137.5	339	
TMP-3R	2/17/2020	180	127.9	319	
TMP-3R	2/17/2020	200	115.8	299	
TMP-3R	2/17/2020	218	104.7	281	
TMP-3R	2/24/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	2/24/2020	40	152.5	459	
TMP-3R	2/24/2020	60	154.5	439	
TMP-3R	2/24/2020	80	155.2	419	
TMP-3R	2/24/2020	100	153.8	399	
TMP-3R	2/24/2020	120	150.4	379	
TMP-3R	2/24/2020	140	146.0	359	
TMP-3R	2/24/2020	160	137.1	339	
TMP-3R	2/24/2020	180	127.5	319	
TMP-3R	2/24/2020	200	115.5	299	
TMP-3R	2/24/2020	218	104.4	281	
TMP-3R	3/2/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	3/2/2020	40	151.7	459	
TMP-3R	3/2/2020	60	153.7	439	
TMP-3R	3/2/2020	80	154.5	419	
TMP-3R	3/2/2020	100	153.2	399	
TMP-3R	3/2/2020	120	149.9	379	
TMP-3R	3/2/2020	140	145.6	359	
TMP-3R	3/2/2020	160	136.8	339	
TMP-3R	3/2/2020	180	127.4	319	
TMP-3R	3/2/2020	200	115.3	299	
TMP-3R	3/2/2020	218	104.2	281	
TMP-3R	3/9/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	3/9/2020	40	151.5	459	
TMP-3R	3/9/2020	60	153.6	439	
TMP-3R	3/9/2020	80	154.2	419	
TMP-3R	3/9/2020	100	152.8	399	
TMP-3R	3/9/2020	120	149.3	379	
TMP-3R	3/9/2020	140	144.8	359	
TMP-3R	3/9/2020	160	136.0	339	
TMP-3R	3/9/2020	180	126.6	319	
TMP-3R	3/9/2020	200	114.5	299	
TMP-3R	3/9/2020	218	103.5	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	2/10/2020	28	109.9	472	
TMP-4	2/17/2020	28	109.2	472	
TMP-4	2/24/2020	28	109.5	472	
TMP-4	3/2/2020	28	109.3	472	
TMP-4	3/9/2020	28	108.5	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	2/10/2020	10	90.2	489	
TMP-4R	2/10/2020	20	104.2	479	
TMP-4R	2/10/2020	29	111.5	470	
TMP-4R	2/17/2020	10	88.7	489	
TMP-4R	2/17/2020	20	103.6	479	
TMP-4R	2/17/2020	29	110.9	470	
TMP-4R	2/24/2020	10	88.3	489	
TMP-4R	2/24/2020	20	103.7	479	
TMP-4R	2/24/2020	29	111.0	470	
TMP-4R	3/2/2020	10	88.3	489	
TMP-4R	3/2/2020	20	104.4	479	
TMP-4R	3/2/2020	29	111.7	470	
TMP-4R	3/9/2020	10	85.9	489	
TMP-4R	3/9/2020	20	102.0	479	
TMP-4R	3/9/2020	29	109.4	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	2/10/2020	15	127.6	472	
TMP-6	2/10/2020	95	156.6	392	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	2/10/2020	115	152.0	372	
TMP-6	2/10/2020	135	142.2	352	
TMP-6	2/17/2020	15	127.3	472	
TMP-6	2/17/2020	95	156.1	392	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	2/17/2020	115	151.5	372	
TMP-6	2/17/2020	135	141.8	352	
TMP-6	2/24/2020	15	126.7	472	
TMP-6	2/24/2020	95	155.4	392	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	2/24/2020	115	150.9	372	
TMP-6	2/24/2020	135	141.3	352	
TMP-6	3/2/2020	15	125.9	472	
TMP-6	3/2/2020	95	154.9	392	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	3/2/2020	115	150.5	372	
TMP-6	3/2/2020	135	140.9	352	
TMP-6	3/9/2020	15	125.3	472	
TMP-6	3/9/2020	95	154.7	392	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	3/9/2020	115	150.0	372	
TMP-6	3/9/2020	135	140.4	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	2/10/2020	40	196	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	2/17/2020	40	196	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	2/24/2020	40	195.7	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	3/2/2020	40	195	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	3/9/2020	40	196.3	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	2/10/2020	20	106.8	448	
TMP-11R	2/10/2020	40	120.3	428	
TMP-11R	2/10/2020	60	120.2	408	
TMP-11R	2/10/2020	80	119.4	388	
TMP-11R	2/10/2020	100	112.2	368	
TMP-11R	2/10/2020	120	106.3	348	
TMP-11R	2/17/2020	20	105.1	448	
TMP-11R	2/17/2020	40	119.7	428	
TMP-11R	2/17/2020	60	119.7	408	
TMP-11R	2/17/2020	80	119.0	388	
TMP-11R	2/17/2020	100	111.9	368	
TMP-11R	2/17/2020	120	105.9	348	
TMP-11R	2/24/2020	20	105.7	448	
TMP-11R	2/24/2020	40	119.3	428	
TMP-11R	2/24/2020	60	119.0	408	
TMP-11R	2/24/2020	80	118.1	388	
TMP-11R	2/24/2020	100	111.1	368	
TMP-11R	2/24/2020	120	105.0	348	
TMP-11R	3/2/2020	20	106.1	448	
TMP-11R	3/2/2020	40	119.8	428	
TMP-11R	3/2/2020	60	119.8	408	
TMP-11R	3/2/2020	80	119.3	388	
TMP-11R	3/2/2020	100	112.3	368	
TMP-11R	3/2/2020	120	106.5	348	
TMP-11R	3/9/2020	20	105.6	448	
TMP-11R	3/9/2020	40	118.9	428	
TMP-11R	3/9/2020	60	118.9	408	
TMP-11R	3/9/2020	80	118.0	388	
TMP-11R	3/9/2020	100	110.9	368	
TMP-11R	3/9/2020	120	105.1	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R2	2/10/2020	20	116.5	470	
TMP-14R2	2/10/2020	40	173.0	450	
TMP-14R2	2/10/2020	60	194.7	430	
TMP-14R2	2/10/2020	80	204.3	410	
TMP-14R2	2/10/2020	100	219.2	390	
TMP-14R2	2/10/2020	120	217.7	370	
TMP-14R2	2/10/2020	140	206.7	350	
TMP-14R2	2/10/2020	160	169.2	330	
TMP-14R2	2/10/2020	180	146.8	310	
TMP-14R2	2/10/2020	200	125.0	290	
TMP-14R2	2/10/2020	220	101.1	270	
TMP-14R2	2/10/2020	228	96.0	262	
TMP-14R2	2/17/2020	20	115.9	470	
TMP-14R2	2/17/2020	40	172.6	450	
TMP-14R2	2/17/2020	60	194.3	430	
TMP-14R2	2/17/2020	80	203.7	410	
TMP-14R2	2/17/2020	100	218.9	390	
TMP-14R2	2/17/2020	120	217.4	370	
TMP-14R2	2/17/2020	140	206.4	350	
TMP-14R2	2/17/2020	160	169.0	330	
TMP-14R2	2/17/2020	180	146.6	310	
TMP-14R2	2/17/2020	200	124.7	290	
TMP-14R2	2/17/2020	220	100.8	270	
TMP-14R2	2/17/2020	228	95.7	262	
TMP-14R2	2/24/2020	20	115.4	470	
TMP-14R2	2/24/2020	40	172.1	450	
TMP-14R2	2/24/2020	60	193.8	430	
TMP-14R2	2/24/2020	80	203.0	410	
TMP-14R2	2/24/2020	100	218.4	390	
TMP-14R2	2/24/2020	120	217.0	370	
TMP-14R2	2/24/2020	140	205.9	350	
TMP-14R2	2/24/2020	160	168.6	330	
TMP-14R2	2/24/2020	180	146.2	310	
TMP-14R2	2/24/2020	200	124.2	290	
TMP-14R2	2/24/2020	220	100.4	270	
TMP-14R2	2/24/2020	228	95.3	262	
TMP-14R2	3/2/2020	20	114.8	470	
TMP-14R2	3/2/2020	40	171.9	450	
TMP-14R2	3/2/2020	60	193.9	430	
TMP-14R2	3/2/2020	80	203.2	410	
TMP-14R2	3/2/2020	100	218.8	390	
TMP-14R2	3/2/2020	120	217.6	370	
TMP-14R2	3/2/2020	140	206.7	350	
TMP-14R2	3/2/2020	160	169.5	330	
TMP-14R2	3/2/2020	180	147.2	310	
TMP-14R2	3/2/2020	200	125.2	290	
TMP-14R2	3/2/2020	220	101.4	270	
TMP-14R2	3/2/2020	228	96.3	262	
TMP-14R2	3/9/2020	20	113.6	470	
TMP-14R2	3/9/2020	40	170.8	450	
TMP-14R2	3/9/2020	60	192.6	430	
TMP-14R2	3/9/2020	80	201.6	410	
TMP-14R2	3/9/2020	100	217.2	390	
TMP-14R2	3/9/2020	120	215.9	370	
TMP-14R2	3/9/2020	140	204.8	350	
TMP-14R2	3/9/2020	160	167.6	330	
TMP-14R2	3/9/2020	180	145.2	310	
TMP-14R2	3/9/2020	200	123.0	290	
TMP-14R2	3/9/2020	220	99.1	270	
TMP-14R2	3/9/2020	228	94.0	262	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16R	2/10/2020	20	112.1	491	
TMP-16R	2/10/2020	40	150.4	471	
TMP-16R	2/10/2020	60	165.6	451	
TMP-16R	2/10/2020	80	168.2	431	
TMP-16R	2/10/2020	100	160.9	411	
TMP-16R	2/10/2020	120	152.1	391	
TMP-16R	2/10/2020	140	148.3	371	
TMP-16R	2/10/2020	160	124.8	351	
TMP-16R	2/10/2020	180	114.7	331	
TMP-16R	2/10/2020	200	101.4	311	
TMP-16R	2/10/2020	220	96.9	291	
TMP-16R	2/10/2020	230	95.7	281	
TMP-16R	2/17/2020	20	111.8	491	
TMP-16R	2/17/2020	40	150.2	471	
TMP-16R	2/17/2020	60	165.3	451	
TMP-16R	2/17/2020	80	167.9	431	
TMP-16R	2/17/2020	100	160.6	411	
TMP-16R	2/17/2020	120	151.8	391	
TMP-16R	2/17/2020	140	148.0	371	
TMP-16R	2/17/2020	160	124.5	351	
TMP-16R	2/17/2020	180	114.3	331	
TMP-16R	2/17/2020	200	101.1	311	
TMP-16R	2/17/2020	220	96.5	291	
TMP-16R	2/17/2020	230	95.4	281	
TMP-16R	2/24/2020	20	111.9	491	
TMP-16R	2/24/2020	40	150.2	471	
TMP-16R	2/24/2020	60	165.3	451	
TMP-16R	2/24/2020	80	167.8	431	
TMP-16R	2/24/2020	100	160.5	411	
TMP-16R	2/24/2020	120	151.6	391	
TMP-16R	2/24/2020	140	147.9	371	
TMP-16R	2/24/2020	160	124.4	351	
TMP-16R	2/24/2020	180	114.2	331	
TMP-16R	2/24/2020	200	101.0	311	
TMP-16R	2/24/2020	220	96.5	291	
TMP-16R	2/24/2020	230	95.4	281	
TMP-16R	3/2/2020	20	109.8	491	
TMP-16R	3/2/2020	40	148.1	471	
TMP-16R	3/2/2020	60	163.3	451	
TMP-16R	3/2/2020	80	165.8	431	
TMP-16R	3/2/2020	100	158.7	411	
TMP-16R	3/2/2020	120	149.8	391	
TMP-16R	3/2/2020	140	146.4	371	
TMP-16R	3/2/2020	160	123.2	351	
TMP-16R	3/2/2020	180	112.9	331	
TMP-16R	3/2/2020	200	99.6	311	
TMP-16R	3/2/2020	220	94.9	291	
TMP-16R	3/2/2020	230	93.3	281	
TMP-16R	3/9/2020	20	110.4	491	
TMP-16R	3/9/2020	40	148.7	471	
TMP-16R	3/9/2020	60	163.9	451	
TMP-16R	3/9/2020	80	166.3	431	
TMP-16R	3/9/2020	100	159.0	411	
TMP-16R	3/9/2020	120	150.2	391	
TMP-16R	3/9/2020	140	146.5	371	
TMP-16R	3/9/2020	160	123.1	351	
TMP-16R	3/9/2020	180	112.9	331	
TMP-16R	3/9/2020	200	99.8	311	
TMP-16R	3/9/2020	220	95.3	291	
TMP-16R	3/9/2020	230	94.1	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	2/10/2020	20	112.9	496	
TMP-17	2/10/2020	40	144.1	476	
TMP-17	2/10/2020	60	159.0	456	
TMP-17	2/10/2020	80	160.5	436	
TMP-17	2/10/2020	100	156.3	416	
TMP-17	2/10/2020	120	151.1	396	
TMP-17	2/10/2020	140	143.1	376	
TMP-17	2/10/2020	160	132.4	356	
TMP-17	2/10/2020	180	124.7	336	
TMP-17	2/10/2020	200	117.0	316	
TMP-17	2/10/2020	220	109.1	296	
TMP-17	2/10/2020	237	101.6	279	
TMP-17	2/17/2020	20	112.5	496	
TMP-17	2/17/2020	40	144.0	476	
TMP-17	2/17/2020	60	158.5	456	
TMP-17	2/17/2020	80	159.9	436	
TMP-17	2/17/2020	100	156.0	416	
TMP-17	2/17/2020	120	150.6	396	
TMP-17	2/17/2020	140	142.6	376	
TMP-17	2/17/2020	160	131.8	356	
TMP-17	2/17/2020	180	124.0	336	
TMP-17	2/17/2020	200	116.3	316	
TMP-17	2/17/2020	220	108.5	296	
TMP-17	2/17/2020	237	101.0	279	
TMP-17	2/24/2020	20	112.0	496	
TMP-17	2/24/2020	40	143.6	476	
TMP-17	2/24/2020	60	158.0	456	
TMP-17	2/24/2020	80	159.4	436	
TMP-17	2/24/2020	100	155.2	416	
TMP-17	2/24/2020	120	150.0	396	
TMP-17	2/24/2020	140	142.0	376	
TMP-17	2/24/2020	160	131.2	356	
TMP-17	2/24/2020	180	123.3	336	
TMP-17	2/24/2020	200	115.7	316	
TMP-17	2/24/2020	220	108.0	296	
TMP-17	2/24/2020	237	100.4	279	
TMP-17	3/2/2020	20	110.9	496	
TMP-17	3/2/2020	40	142.4	476	
TMP-17	3/2/2020	60	157.2	456	
TMP-17	3/2/2020	80	158.7	436	
TMP-17	3/2/2020	100	154.7	416	
TMP-17	3/2/2020	120	149.5	396	
TMP-17	3/2/2020	140	141.5	376	
TMP-17	3/2/2020	160	130.7	356	
TMP-17	3/2/2020	180	122.9	336	
TMP-17	3/2/2020	200	115.3	316	
TMP-17	3/2/2020	220	107.5	296	
TMP-17	3/2/2020	237	100.3	279	
TMP-17	3/9/2020	20	111.2	496	
TMP-17	3/9/2020	40	142.6	476	
TMP-17	3/9/2020	60	157.2	456	
TMP-17	3/9/2020	80	158.8	436	
TMP-17	3/9/2020	100	155.2	416	
TMP-17	3/9/2020	120	149.5	396	
TMP-17	3/9/2020	140	141.4	376	
TMP-17	3/9/2020	160	131.0	356	
TMP-17	3/9/2020	180	123.1	336	
TMP-17	3/9/2020	200	115.2	316	
TMP-17	3/9/2020	220	107.4	296	
TMP-17	3/9/2020	237	99.9	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	2/10/2020	20	101.6	489	
TMP-18	2/10/2020	39	135.7	470	
TMP-18	2/10/2020	58	150.3	451	
TMP-18	2/10/2020	77	150.2	432	
TMP-18	2/10/2020	96	144.8	413	
TMP-18	2/10/2020	115	138.6	394	
TMP-18	2/10/2020	134	132.0	375	
TMP-18	2/10/2020	153	125.9	356	
TMP-18	2/10/2020	172	120.6	337	
TMP-18	2/10/2020	191	115.6	318	
TMP-18	2/10/2020	210	110.8	299	
TMP-18	2/10/2020	227	107.8	282	
TMP-18	2/17/2020	20	100.5	489	
TMP-18	2/17/2020	39	134.8	470	
TMP-18	2/17/2020	58	149.3	451	
TMP-18	2/17/2020	77	149.3	432	
TMP-18	2/17/2020	96	143.9	413	
TMP-18	2/17/2020	115	137.8	394	
TMP-18	2/17/2020	134	131.1	375	
TMP-18	2/17/2020	153	125.0	356	
TMP-18	2/17/2020	172	119.6	337	
TMP-18	2/17/2020	191	114.7	318	
TMP-18	2/17/2020	210	109.9	299	
TMP-18	2/17/2020	227	106.9	282	
TMP-18	2/24/2020	20	100.1	489	
TMP-18	2/24/2020	39	134.3	470	
TMP-18	2/24/2020	58	148.9	451	
TMP-18	2/24/2020	77	148.9	432	
TMP-18	2/24/2020	96	143.5	413	
TMP-18	2/24/2020	115	137.4	394	
TMP-18	2/24/2020	134	130.7	375	
TMP-18	2/24/2020	153	124.6	356	
TMP-18	2/24/2020	172	119.2	337	
TMP-18	2/24/2020	191	114.3	318	
TMP-18	2/24/2020	210	109.4	299	
TMP-18	2/24/2020	227	106.5	282	
TMP-18	3/2/2020	20	97.3	489	
TMP-18	3/2/2020	39	132.2	470	
TMP-18	3/2/2020	58	147.0	451	
TMP-18	3/2/2020	77	147.2	432	
TMP-18	3/2/2020	96	142.2	413	
TMP-18	3/2/2020	115	136.0	394	
TMP-18	3/2/2020	134	129.7	375	
TMP-18	3/2/2020	153	123.9	356	
TMP-18	3/2/2020	172	118.6	337	
TMP-18	3/2/2020	191	113.9	318	
TMP-18	3/2/2020	210	109.1	299	
TMP-18	3/2/2020	227	106.1	282	
TMP-18	3/9/2020	20	98.9	489	
TMP-18	3/9/2020	39	133.6	470	
TMP-18	3/9/2020	58	148.0	451	
TMP-18	3/9/2020	77	147.9	432	
TMP-18	3/9/2020	96	142.4	413	
TMP-18	3/9/2020	115	136.4	394	
TMP-18	3/9/2020	134	129.7	375	
TMP-18	3/9/2020	153	123.5	356	
TMP-18	3/9/2020	172	118.0	337	
TMP-18	3/9/2020	191	113.2	318	
TMP-18	3/9/2020	210	108.3	299	
TMP-18	3/9/2020	227	105.3	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	2/10/2020	13	86.8	461	
TMP-21	2/10/2020	26	97.2	448	
TMP-21	2/10/2020	41	96.1	433	
TMP-21	2/17/2020	13	85.7	461	
TMP-21	2/17/2020	26	96.4	448	
TMP-21	2/17/2020	41	95.2	433	
TMP-21	2/24/2020	13	85.2	461	
TMP-21	2/24/2020	26	96.1	448	
TMP-21	2/24/2020	41	94.8	433	
TMP-21	3/2/2020	13	84.5	461	
TMP-21	3/2/2020	26	95.8	448	
TMP-21	3/2/2020	41	94.4	433	
TMP-21	3/9/2020	13	83.8	461	
TMP-21	3/9/2020	26	94.9	448	
TMP-21	3/9/2020	41	93.6	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	2/10/2020	15	99.3	474	
TMP-22	2/10/2020	31	122.6	458	
TMP-22	2/10/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	2/10/2020	70	119.5	419	
TMP-22	2/17/2020	15	98.7	474	
TMP-22	2/17/2020	31	121.9	458	
TMP-22	2/17/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	2/17/2020	70	118.9	419	
TMP-22	2/24/2020	15	98.2	474	
TMP-22	2/24/2020	31	121.5	458	
TMP-22	2/24/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	2/24/2020	70	118.4	419	
TMP-22	3/2/2020	15	97.8	474	
TMP-22	3/2/2020	31	121.3	458	
TMP-22	3/2/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	3/2/2020	70	118.5	419	
TMP-22	3/9/2020	15	97.1	474	
TMP-22	3/9/2020	31	120.5	458	
TMP-22	3/9/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	3/9/2020	70	117.5	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	2/10/2020	20	109.8	477	
TMP-23	2/10/2020	38	134.9	459	
TMP-23	2/10/2020	56	140.3	441	
TMP-23	2/10/2020	74	133.5	423	
TMP-23	2/10/2020	92	125.0	405	
TMP-23	2/10/2020	106	116.7	391	
TMP-23	2/17/2020	20	109.2	477	
TMP-23	2/17/2020	38	134.3	459	
TMP-23	2/17/2020	56	139.7	441	
TMP-23	2/17/2020	74	132.9	423	
TMP-23	2/17/2020	92	124.4	405	
TMP-23	2/17/2020	106	116.1	391	
TMP-23	2/24/2020	20	108.7	477	
TMP-23	2/24/2020	38	133.7	459	
TMP-23	2/24/2020	56	139.1	441	
TMP-23	2/24/2020	74	132.4	423	
TMP-23	2/24/2020	92	123.9	405	
TMP-23	2/24/2020	106	115.6	391	
TMP-23	3/2/2020	20	108.2	477	
TMP-23	3/2/2020	38	133.4	459	
TMP-23	3/2/2020	56	139.0	441	
TMP-23	3/2/2020	74	132.3	423	
TMP-23	3/2/2020	92	123.8	405	
TMP-23	3/2/2020	106	115.6	391	
TMP-23	3/9/2020	20	107.7	477	
TMP-23	3/9/2020	38	132.9	459	
TMP-23	3/9/2020	56	138.4	441	
TMP-23	3/9/2020	74	131.6	423	
TMP-23	3/9/2020	92	123.1	405	
TMP-23	3/9/2020	106	114.9	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	2/10/2020	20	98.9	492	
TMP-24	2/10/2020	40	125.7	472	
TMP-24	2/10/2020	60	140.1	452	
TMP-24	2/10/2020	67	141.4	445	
TMP-24	2/17/2020	20	97.9	492	
TMP-24	2/17/2020	40	124.7	472	
TMP-24	2/17/2020	60	139.2	452	
TMP-24	2/17/2020	67	140.5	445	
TMP-24	2/24/2020	20	97.7	492	
TMP-24	2/24/2020	40	124.5	472	
TMP-24	2/24/2020	60	139.0	452	
TMP-24	2/24/2020	67	140.3	445	
TMP-24	3/2/2020	20	97.4	492	
TMP-24	3/2/2020	40	124.5	472	
TMP-24	3/2/2020	60	138.9	452	
TMP-24	3/2/2020	67	140.3	445	
TMP-24	3/9/2020	20	96.7	492	
TMP-24	3/9/2020	40	123.6	472	
TMP-24	3/9/2020	60	138.0	452	
TMP-24	3/9/2020	67	139.4	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25R	2/10/2020	20	106.6	493	
TMP-25R	2/10/2020	40	137.3	473	
TMP-25R	2/10/2020	60	159.2	453	
TMP-25R	2/10/2020	80	163.4	433	
TMP-25R	2/10/2020	100	160.2	413	
TMP-25R	2/10/2020	120	150.7	393	
TMP-25R	2/10/2020	140	140.1	373	
TMP-25R	2/10/2020	160	130.7	353	
TMP-25R	2/10/2020	180	121.9	333	
TMP-25R	2/10/2020	200	113.2	313	
TMP-25R	2/10/2020	220	104.0	293	
TMP-25R	2/10/2020	235	96.2	278	
TMP-25R	2/17/2020	20	106.2	493	
TMP-25R	2/17/2020	40	137.4	473	
TMP-25R	2/17/2020	60	158.9	453	
TMP-25R	2/17/2020	80	163.1	433	
TMP-25R	2/17/2020	100	159.8	413	
TMP-25R	2/17/2020	120	150.3	393	
TMP-25R	2/17/2020	140	139.8	373	
TMP-25R	2/17/2020	160	130.3	353	
TMP-25R	2/17/2020	180	121.5	333	
TMP-25R	2/17/2020	200	112.7	313	
TMP-25R	2/17/2020	220	103.6	293	
TMP-25R	2/17/2020	235	95.8	278	
TMP-25R	2/24/2020	20	106.3	493	
TMP-25R	2/24/2020	40	137.9	473	
TMP-25R	2/24/2020	60	159.0	453	
TMP-25R	2/24/2020	80	163.1	433	
TMP-25R	2/24/2020	100	159.9	413	
TMP-25R	2/24/2020	120	150.4	393	
TMP-25R	2/24/2020	140	139.9	373	
TMP-25R	2/24/2020	160	130.4	353	
TMP-25R	2/24/2020	180	121.7	333	
TMP-25R	2/24/2020	200	113.0	313	
TMP-25R	2/24/2020	220	103.7	293	
TMP-25R	2/24/2020	235	95.9	278	
TMP-25R	3/2/2020	20	104.3	493	
TMP-25R	3/2/2020	40	135.6	473	
TMP-25R	3/2/2020	60	157.7	453	
TMP-25R	3/2/2020	80	161.9	433	
TMP-25R	3/2/2020	100	158.8	413	
TMP-25R	3/2/2020	120	149.4	393	
TMP-25R	3/2/2020	140	139.0	373	
TMP-25R	3/2/2020	160	129.5	353	
TMP-25R	3/2/2020	180	120.7	333	
TMP-25R	3/2/2020	200	111.8	313	
TMP-25R	3/2/2020	220	102.5	293	
TMP-25R	3/2/2020	235	94.8	278	
TMP-25R	3/9/2020	20	104.7	493	
TMP-25R	3/9/2020	40	136.1	473	
TMP-25R	3/9/2020	60	158.1	453	
TMP-25R	3/9/2020	80	162.3	433	
TMP-25R	3/9/2020	100	159.1	413	
TMP-25R	3/9/2020	120	149.7	393	
TMP-25R	3/9/2020	140	139.2	373	
TMP-25R	3/9/2020	160	129.7	353	
TMP-25R	3/9/2020	180	120.9	333	
TMP-25R	3/9/2020	200	112.3	313	
TMP-25R	3/9/2020	220	103.1	293	
TMP-25R	3/9/2020	235	95.2	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26R	2/10/2020	20	101.9	473	
TMP-26R	2/10/2020	40	113.3	453	
TMP-26R	2/10/2020	60	114.1	433	
TMP-26R	2/10/2020	80	108.0	413	
TMP-26R	2/10/2020	100	96.2	393	
TMP-26R	2/10/2020	120	109.4	373	
TMP-26R	2/10/2020	140	109.9	353	
TMP-26R	2/10/2020	142	109.4	351	
TMP-26R	2/17/2020	20	101.5	473	
TMP-26R	2/17/2020	40	112.8	453	
TMP-26R	2/17/2020	60	113.6	433	
TMP-26R	2/17/2020	80	107.5	413	
TMP-26R	2/17/2020	100	95.6	393	
TMP-26R	2/17/2020	120	108.9	373	
TMP-26R	2/17/2020	140	109.4	353	
TMP-26R	2/17/2020	142	108.9	351	
TMP-26R	2/24/2020	20	101.0	473	
TMP-26R	2/24/2020	40	112.2	453	
TMP-26R	2/24/2020	60	113.0	433	
TMP-26R	2/24/2020	80	106.7	413	
TMP-26R	2/24/2020	100	94.8	393	
TMP-26R	2/24/2020	120	108.2	373	
TMP-26R	2/24/2020	140	108.7	353	
TMP-26R	2/24/2020	142	108.2	351	
TMP-26R	3/2/2020	20	99.8	473	
TMP-26R	3/2/2020	40	111.6	453	
TMP-26R	3/2/2020	60	112.6	433	
TMP-26R	3/2/2020	80	106.4	413	
TMP-26R	3/2/2020	100	94.6	393	
TMP-26R	3/2/2020	120	108.2	373	
TMP-26R	3/2/2020	140	108.8	353	
TMP-26R	3/2/2020	142	108.4	351	
TMP-26R	3/9/2020	20	99.7	473	
TMP-26R	3/9/2020	40	111.3	453	
TMP-26R	3/9/2020	60	112.0	433	
TMP-26R	3/9/2020	80	105.8	413	
TMP-26R	3/9/2020	100	93.7	393	
TMP-26R	3/9/2020	120	107.3	373	
TMP-26R	3/9/2020	140	107.9	353	
TMP-26R	3/9/2020	142	107.4	351	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	2/10/2020	20	106.8	493	
TMP-27	2/10/2020	40	143.9	473	
TMP-27	2/10/2020	60	156.0	453	
TMP-27	2/10/2020	80	157.8	433	
TMP-27	2/10/2020	100	153.2	413	
TMP-27	2/10/2020	120	147.6	393	
TMP-27	2/10/2020	140	141.8	373	
TMP-27	2/10/2020	160	134.7	353	
TMP-27	2/10/2020	180	130.0	333	
TMP-27	2/10/2020	200	125.0	313	
TMP-27	2/10/2020	220	118.6	293	
TMP-27	2/10/2020	233	114.0	280	
TMP-27	2/17/2020	20	105.4	493	
TMP-27	2/17/2020	40	142.7	473	
TMP-27	2/17/2020	60	154.7	453	
TMP-27	2/17/2020	80	156.6	433	
TMP-27	2/17/2020	100	152.2	413	
TMP-27	2/17/2020	120	146.6	393	
TMP-27	2/17/2020	140	140.7	373	
TMP-27	2/17/2020	160	133.8	353	
TMP-27	2/17/2020	180	129.1	333	
TMP-27	2/17/2020	200	124.0	313	
TMP-27	2/17/2020	220	117.6	293	
TMP-27	2/17/2020	233	112.9	280	
TMP-27	2/24/2020	20	105.1	493	
TMP-27	2/24/2020	40	142.1	473	
TMP-27	2/24/2020	60	154.2	453	
TMP-27	2/24/2020	80	156.0	433	
TMP-27	2/24/2020	100	151.5	413	
TMP-27	2/24/2020	120	146.0	393	
TMP-27	2/24/2020	140	140.2	373	
TMP-27	2/24/2020	160	133.3	353	
TMP-27	2/24/2020	180	128.4	333	
TMP-27	2/24/2020	200	123.5	313	
TMP-27	2/24/2020	220	116.9	293	
TMP-27	2/24/2020	233	112.4	280	
TMP-27	3/2/2020	20	104.4	493	
TMP-27	3/2/2020	40	141.9	473	
TMP-27	3/2/2020	60	154.2	453	
TMP-27	3/2/2020	80	156.3	433	
TMP-27	3/2/2020	100	151.9	413	
TMP-27	3/2/2020	120	146.5	393	
TMP-27	3/2/2020	140	140.6	373	
TMP-27	3/2/2020	160	133.6	353	
TMP-27	3/2/2020	180	128.8	333	
TMP-27	3/2/2020	200	123.7	313	
TMP-27	3/2/2020	220	117.2	293	
TMP-27	3/2/2020	233	112.6	280	
TMP-27	3/9/2020	20	104.1	493	
TMP-27	3/9/2020	40	141.2	473	
TMP-27	3/9/2020	60	153.4	453	
TMP-27	3/9/2020	80	155.2	433	
TMP-27	3/9/2020	100	150.8	413	
TMP-27	3/9/2020	120	145.2	393	
TMP-27	3/9/2020	140	139.4	373	
TMP-27	3/9/2020	160	132.5	353	
TMP-27	3/9/2020	180	127.6	333	
TMP-27	3/9/2020	200	122.7	313	
TMP-27	3/9/2020	220	116.2	293	
TMP-27	3/9/2020	233	111.6	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28R	2/10/2020	20	85.3	478	
TMP-28R	2/10/2020	40	118.3	458	
TMP-28R	2/10/2020	60	122.3	438	
TMP-28R	2/10/2020	80	124.7	418	
TMP-28R	2/10/2020	100	124.2	398	
TMP-28R	2/10/2020	120	121.0	378	
TMP-28R	2/10/2020	140	118.0	358	
TMP-28R	2/10/2020	160	114.7	338	
TMP-28R	2/10/2020	180	110.9	318	
TMP-28R	2/10/2020	200	107.7	298	
TMP-28R	2/10/2020	220	103.6	278	
TMP-28R	2/17/2020	20	84.6	478	
TMP-28R	2/17/2020	40	117.8	458	
TMP-28R	2/17/2020	60	121.9	438	
TMP-28R	2/17/2020	80	124.3	418	
TMP-28R	2/17/2020	100	123.7	398	
TMP-28R	2/17/2020	120	120.4	378	
TMP-28R	2/17/2020	140	117.4	358	
TMP-28R	2/17/2020	160	114.1	338	
TMP-28R	2/17/2020	180	110.2	318	
TMP-28R	2/17/2020	200	107.0	298	
TMP-28R	2/17/2020	220	102.8	278	
TMP-28R	2/24/2020	20	83.6	478	
TMP-28R	2/24/2020	40	117.1	458	
TMP-28R	2/24/2020	60	121.1	438	
TMP-28R	2/24/2020	80	123.5	418	
TMP-28R	2/24/2020	100	123.0	398	
TMP-28R	2/24/2020	120	119.8	378	
TMP-28R	2/24/2020	140	116.8	358	
TMP-28R	2/24/2020	160	113.5	338	
TMP-28R	2/24/2020	180	109.7	318	
TMP-28R	2/24/2020	200	106.4	298	
TMP-28R	2/24/2020	220	102.2	278	
TMP-28R	3/2/2020	20	83.5	478	
TMP-28R	3/2/2020	40	117.5	458	
TMP-28R	3/2/2020	60	121.7	438	
TMP-28R	3/2/2020	80	124.1	418	
TMP-28R	3/2/2020	100	123.8	398	
TMP-28R	3/2/2020	120	120.7	378	
TMP-28R	3/2/2020	140	117.6	358	
TMP-28R	3/2/2020	160	114.4	338	
TMP-28R	3/2/2020	180	110.4	318	
TMP-28R	3/2/2020	200	107.2	298	
TMP-28R	3/2/2020	220	103.2	278	
TMP-28R	3/9/2020	20	82.2	478	
TMP-28R	3/9/2020	40	116.5	458	
TMP-28R	3/9/2020	60	120.7	438	
TMP-28R	3/9/2020	80	123.1	418	
TMP-28R	3/9/2020	100	122.5	398	
TMP-28R	3/9/2020	120	119.4	378	
TMP-28R	3/9/2020	140	116.3	358	
TMP-28R	3/9/2020	160	113.0	338	
TMP-28R	3/9/2020	180	109.3	318	
TMP-28R	3/9/2020	200	105.9	298	
TMP-28R	3/9/2020	220	101.7	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	2/10/2020	8	76.4	488	
TMP-29	2/10/2020	16	86.8	480	
TMP-29	2/10/2020	25	90.4	471	
TMP-29	2/17/2020	8	74.9	488	
TMP-29	2/17/2020	16	86.1	480	
TMP-29	2/17/2020	25	89.8	471	
TMP-29	2/24/2020	8	73.7	488	
TMP-29	2/24/2020	16	85.4	480	
TMP-29	2/24/2020	25	89.2	471	
TMP-29	3/2/2020	8	72.6	488	
TMP-29	3/2/2020	16	85.0	480	
TMP-29	3/2/2020	25	88.8	471	
TMP-29	3/9/2020	8	71.6	488	
TMP-29	3/9/2020	16	84.3	480	
TMP-29	3/9/2020	25	88.4	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	2/10/2020	20	92.9	484	
TMP-33	2/10/2020	40	99.9	464	
TMP-33	2/10/2020	53	100.0	451	
TMP-33	2/17/2020	20	92.7	484	
TMP-33	2/17/2020	40	99.3	464	
TMP-33	2/17/2020	53	99.3	451	
TMP-33	2/24/2020	20	92.4	484	
TMP-33	2/24/2020	40	99.1	464	
TMP-33	2/24/2020	53	99.1	451	
TMP-33	3/2/2020	20	90.7	484	
TMP-33	3/2/2020	40	97.5	464	
TMP-33	3/2/2020	53	97.5	451	
TMP-33	3/9/2020	20	91.0	484	
TMP-33	3/9/2020	40	98.1	464	
TMP-33	3/9/2020	53	98.2	451	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	2/10/2020	20	94.6	495	
TMP-34	2/10/2020	40	107.7	475	
TMP-34	2/10/2020	50	108.5	465	
TMP-34	2/10/2020	63	107.1	452	
TMP-34	2/17/2020	20	93.3	495	
TMP-34	2/17/2020	40	106.6	475	
TMP-34	2/17/2020	50	107.4	465	
TMP-34	2/17/2020	63	106.0	452	
TMP-34	2/24/2020	20	93.4	495	
TMP-34	2/24/2020	40	106.5	475	
TMP-34	2/24/2020	50	107.3	465	
TMP-34	2/24/2020	63	105.9	452	
TMP-34	3/2/2020	20	92.9	495	
TMP-34	3/2/2020	40	106.4	475	
TMP-34	3/2/2020	50	107.4	465	
TMP-34	3/2/2020	63	106.0	452	
TMP-34	3/9/2020	20	92.8	495	
TMP-34	3/9/2020	40	105.9	475	
TMP-34	3/9/2020	50	106.6	465	
TMP-34	3/9/2020	63	105.2	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	2/10/2020	20	91.8	500	
TMP-35	2/10/2020	40	105.0	480	
TMP-35	2/10/2020	60	105.1	460	
TMP-35	2/10/2020	70	102.9	450	
TMP-35	2/17/2020	20	90.8	500	
TMP-35	2/17/2020	40	103.9	480	
TMP-35	2/17/2020	60	104.0	460	
TMP-35	2/17/2020	70	101.7	450	
TMP-35	2/24/2020	20	90.8	500	
TMP-35	2/24/2020	40	103.9	480	
TMP-35	2/24/2020	60	103.9	460	
TMP-35	2/24/2020	70	101.7	450	
TMP-35	3/2/2020	20	90.6	500	
TMP-35	3/2/2020	40	103.9	480	
TMP-35	3/2/2020	60	104.1	460	
TMP-35	3/2/2020	70	102.1	450	
TMP-35	3/9/2020	20	90.1	500	
TMP-35	3/9/2020	40	103.1	480	
TMP-35	3/9/2020	60	103.2	460	
TMP-35	3/9/2020	70	100.9	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-36R	2/10/2020	15	79.9	472	
TMP-36R	2/10/2020	20	82.7	467	
TMP-36R	2/10/2020	30	84.4	457	
TMP-36R	2/17/2020	15	79.2	472	
TMP-36R	2/17/2020	20	82.2	467	
TMP-36R	2/17/2020	30	83.8	457	
TMP-36R	2/24/2020	15	78.5	472	
TMP-36R	2/24/2020	20	81.8	467	
TMP-36R	2/24/2020	30	83.4	457	
TMP-36R	3/2/2020	15	77.0	472	
TMP-36R	3/2/2020	20	80.7	467	
TMP-36R	3/2/2020	30	82.5	457	
TMP-36R	3/9/2020	15	76.6	472	
TMP-36R	3/9/2020	20	80.2	467	
TMP-36R	3/9/2020	30	81.8	457	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	2/10/2020	20	88.9	480	
TMP-37	2/10/2020	40	96.2	460	
TMP-37	2/10/2020	50	95.2	450	
TMP-37	2/17/2020	20	88.4	480	
TMP-37	2/17/2020	40	95.4	460	
TMP-37	2/17/2020	50	94.4	450	
TMP-37	2/24/2020	20	88.0	480	
TMP-37	2/24/2020	40	95.2	460	
TMP-37	2/24/2020	50	94.1	450	
TMP-37	3/2/2020	20	86.4	480	
TMP-37	3/2/2020	40	93.6	460	
TMP-37	3/2/2020	50	92.5	450	
TMP-37	3/9/2020	20	86.7	480	
TMP-37	3/9/2020	40	94.2	460	
TMP-37	3/9/2020	50	93.3	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	2/10/2020	20	100.0	495	
TMP-38	2/10/2020	40	112.0	475	
TMP-38	2/10/2020	60	109.1	455	
TMP-38	2/10/2020	70	106.9	445	
TMP-38	2/17/2020	20	97.8	495	
TMP-38	2/17/2020	40	110.6	475	
TMP-38	2/17/2020	60	107.8	455	
TMP-38	2/17/2020	70	105.7	445	
TMP-38	2/24/2020	20	99.0	495	
TMP-38	2/24/2020	40	111.0	475	
TMP-38	2/24/2020	60	108.1	455	
TMP-38	2/24/2020	70	105.8	445	
TMP-38	3/2/2020	20	97.0	495	
TMP-38	3/2/2020	40	109.0	475	
TMP-38	3/2/2020	60	106.1	455	
TMP-38	3/2/2020	70	103.7	445	
TMP-38	3/9/2020	20	98.3	495	
TMP-38	3/9/2020	40	110.2	475	
TMP-38	3/9/2020	60	107.5	455	
TMP-38	3/9/2020	70	105.2	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	2/10/2020	20	104.9	501	
TMP-39	2/10/2020	40	123.9	481	
TMP-39	2/10/2020	60	123.4	461	
TMP-39	2/10/2020	80	117.6	441	
TMP-39	2/17/2020	20	103.8	501	
TMP-39	2/17/2020	40	123.1	481	
TMP-39	2/17/2020	60	122.5	461	
TMP-39	2/17/2020	80	116.6	441	
TMP-39	2/24/2020	20	103.9	501	
TMP-39	2/24/2020	40	123.1	481	
TMP-39	2/24/2020	60	122.5	461	
TMP-39	2/24/2020	80	116.7	441	
TMP-39	3/2/2020	20	102.5	501	
TMP-39	3/2/2020	40	122.4	481	
TMP-39	3/2/2020	60	121.8	461	
TMP-39	3/2/2020	80	115.9	441	
TMP-39	3/9/2020	20	102.4	501	
TMP-39	3/9/2020	40	122.3	481	
TMP-39	3/9/2020	60	121.8	461	
TMP-39	3/9/2020	80	116.1	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	2/10/2020	20	97.3	505	
TMP-40	2/10/2020	40	124.3	485	
TMP-40	2/10/2020	60	129.0	465	
TMP-40	2/10/2020	80	125.3	445	
TMP-40	2/17/2020	20	96.1	505	
TMP-40	2/17/2020	40	123.0	485	
TMP-40	2/17/2020	60	127.7	465	
TMP-40	2/17/2020	80	123.9	445	
TMP-40	2/24/2020	20	96.4	505	
TMP-40	2/24/2020	40	123.2	485	
TMP-40	2/24/2020	60	128.0	465	
TMP-40	2/24/2020	80	124.3	445	
TMP-40	3/2/2020	20	94.3	505	
TMP-40	3/2/2020	40	121.2	485	
TMP-40	3/2/2020	60	125.9	465	
TMP-40	3/2/2020	80	122.2	445	
TMP-40	3/9/2020	20	95.6	505	
TMP-40	3/9/2020	40	122.9	485	
TMP-40	3/9/2020	60	127.7	465	
TMP-40	3/9/2020	80	124.1	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	2/10/2020	20	100.5	504	
TMP-41	2/10/2020	40	123.5	484	
TMP-41	2/10/2020	60	125.8	464	
TMP-41	2/10/2020	80	121.1	444	
TMP-41	2/10/2020	98	114.3	426	
TMP-41	2/17/2020	20	98.7	504	
TMP-41	2/17/2020	40	121.9	484	
TMP-41	2/17/2020	60	124.3	464	
TMP-41	2/17/2020	80	119.4	444	
TMP-41	2/17/2020	98	112.5	426	
TMP-41	2/24/2020	20	99.7	504	
TMP-41	2/24/2020	40	122.8	484	
TMP-41	2/24/2020	60	125.1	464	
TMP-41	2/24/2020	80	120.4	444	
TMP-41	2/24/2020	98	113.5	426	
TMP-41	3/2/2020	20	98.2	504	
TMP-41	3/2/2020	40	121.4	484	
TMP-41	3/2/2020	60	123.9	464	
TMP-41	3/2/2020	80	119.3	444	
TMP-41	3/2/2020	98	112.6	426	
TMP-41	3/9/2020	20	100.4	504	
TMP-41	3/9/2020	40	124.2	484	
TMP-41	3/9/2020	60	126.5	464	
TMP-41	3/9/2020	80	121.7	444	
TMP-41	3/9/2020	98	114.7	426	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	2/10/2020	20	105.9	498	
TMP-42	2/10/2020	40	120.7	478	
TMP-42	2/10/2020	60	119.6	458	
TMP-42	2/10/2020	78	115.1	440	
TMP-42	2/17/2020	20	105.2	498	
TMP-42	2/17/2020	40	119.8	478	
TMP-42	2/17/2020	60	118.9	458	
TMP-42	2/17/2020	78	114.3	440	
TMP-42	2/24/2020	20	105.0	498	
TMP-42	2/24/2020	40	119.7	478	
TMP-42	2/24/2020	60	118.7	458	
TMP-42	2/24/2020	78	114.2	440	
TMP-42	3/2/2020	20	104.1	498	
TMP-42	3/2/2020	40	119.4	478	
TMP-42	3/2/2020	60	118.6	458	
TMP-42	3/2/2020	78	114.0	440	
TMP-42	3/9/2020	20	103.8	498	
TMP-42	3/9/2020	40	118.7	478	
TMP-42	3/9/2020	60	117.8	458	
TMP-42	3/9/2020	78	113.1	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	2/10/2020	20	102.8	496	
TMP-43	2/10/2020	40	121.7	476	
TMP-43	2/10/2020	60	126.9	456	
TMP-43	2/10/2020	80	125.8	436	
TMP-43	2/10/2020	100	119.3	416	
TMP-43	2/17/2020	20	101.4	496	
TMP-43	2/17/2020	40	120.4	476	
TMP-43	2/17/2020	60	125.5	456	
TMP-43	2/17/2020	80	124.5	436	
TMP-43	2/17/2020	100	118.0	416	
TMP-43	2/24/2020	20	102.0	496	
TMP-43	2/24/2020	40	120.9	476	
TMP-43	2/24/2020	60	126.0	456	
TMP-43	2/24/2020	80	124.9	436	
TMP-43	2/24/2020	100	118.3	416	
TMP-43	3/2/2020	20	100.8	496	
TMP-43	3/2/2020	40	120.1	476	
TMP-43	3/2/2020	60	125.4	456	
TMP-43	3/2/2020	80	124.4	436	
TMP-43	3/2/2020	100	118.1	416	
TMP-43	3/9/2020	20	100.9	496	
TMP-43	3/9/2020	40	119.9	476	
TMP-43	3/9/2020	60	125.1	456	
TMP-43	3/9/2020	80	123.9	436	
TMP-43	3/9/2020	100	117.4	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	2/10/2020	20	103.4	491	
TMP-44	2/10/2020	40	131.6	471	
TMP-44	2/10/2020	60	144.9	451	
TMP-44	2/10/2020	80	150.4	431	
TMP-44	2/10/2020	100	152.8	411	
TMP-44	2/10/2020	120	152.1	391	
TMP-44	2/10/2020	140	152.2	371	
TMP-44	2/10/2020	160	141.5	351	
TMP-44	2/10/2020	180	124.8	331	
TMP-44	2/17/2020	20	102.5	491	
TMP-44	2/17/2020	40	130.7	471	
TMP-44	2/17/2020	60	144.1	451	
TMP-44	2/17/2020	80	149.6	431	
TMP-44	2/17/2020	100	151.8	411	
TMP-44	2/17/2020	120	151.1	391	
TMP-44	2/17/2020	140	151.2	371	
TMP-44	2/17/2020	160	140.6	351	
TMP-44	2/17/2020	180	123.8	331	
TMP-44	2/24/2020	20	102.7	491	
TMP-44	2/24/2020	40	130.6	471	
TMP-44	2/24/2020	60	144.0	451	
TMP-44	2/24/2020	80	149.5	431	
TMP-44	2/24/2020	100	151.8	411	
TMP-44	2/24/2020	120	151.1	391	
TMP-44	2/24/2020	140	151.1	371	
TMP-44	2/24/2020	160	140.5	351	
TMP-44	2/24/2020	180	123.7	331	
TMP-44	3/2/2020	20	102.4	491	
TMP-44	3/2/2020	40	130.1	471	
TMP-44	3/2/2020	60	143.5	451	
TMP-44	3/2/2020	80	149.0	431	
TMP-44	3/2/2020	100	151.4	411	
TMP-44	3/2/2020	120	150.8	391	
TMP-44	3/2/2020	140	150.9	371	
TMP-44	3/2/2020	160	140.4	351	
TMP-44	3/2/2020	180	123.6	331	
TMP-44	3/9/2020	20	102.1	491	
TMP-44	3/9/2020	40	130.0	471	
TMP-44	3/9/2020	60	143.4	451	
TMP-44	3/9/2020	80	148.8	431	
TMP-44	3/9/2020	100	151.2	411	
TMP-44	3/9/2020	120	150.5	391	
TMP-44	3/9/2020	140	150.5	371	
TMP-44	3/9/2020	160	139.8	351	
TMP-44	3/9/2020	180	123.0	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-45	2/10/2020	15	73.5	464	
TMP-45	2/10/2020	30	82.4	449	
TMP-45	2/10/2020	45	86.9	434	
TMP-45	2/17/2020	15	73.4	464	
TMP-45	2/17/2020	30	82.7	449	
TMP-45	2/17/2020	45	87.1	434	
TMP-45	2/24/2020	15	72.8	464	
TMP-45	2/24/2020	30	82.0	449	
TMP-45	2/24/2020	45	86.4	434	
TMP-45	3/2/2020	15	70.1	464	
TMP-45	3/2/2020	30	79.4	449	
TMP-45	3/2/2020	45	83.2	434	
TMP-45	3/9/2020	15	70.1	464	
TMP-45	3/9/2020	30	80.3	449	
TMP-45	3/9/2020	45	84.5	434	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-46	2/10/2020	20	73.4	457	
TMP-46	2/10/2020	40	83.3	437	
TMP-46	2/10/2020	60	90.6	417	
TMP-46	2/17/2020	20	73.8	457	
TMP-46	2/17/2020	40	83.7	437	
TMP-46	2/17/2020	60	91.2	417	
TMP-46	2/24/2020	20	72.7	457	
TMP-46	2/24/2020	40	82.9	437	
TMP-46	2/24/2020	60	90.2	417	
TMP-46	3/2/2020	20	70.7	457	
TMP-46	3/2/2020	40	81.1	437	
TMP-46	3/2/2020	60	88.5	417	
TMP-46	3/9/2020	20	70.9	457	
TMP-46	3/9/2020	40	81.2	437	
TMP-46	3/9/2020	60	88.5	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-47	2/10/2020	20	68.1	457	
TMP-47	2/10/2020	40	73.9	437	
TMP-47	2/10/2020	60	76.2	417	
TMP-47	2/17/2020	20	67.8	457	
TMP-47	2/17/2020	40	73.4	437	
TMP-47	2/17/2020	60	76.2	417	
TMP-47	2/24/2020	20	67.1	457	
TMP-47	2/24/2020	40	72.9	437	
TMP-47	2/24/2020	60	75.7	417	
TMP-47	3/2/2020	20	63.4	457	
TMP-47	3/2/2020	40	68.9	437	
TMP-47	3/2/2020	60	71.6	417	
TMP-47	3/9/2020	20	64.7	457	
TMP-47	3/9/2020	40	71.3	437	
TMP-47	3/9/2020	60	74.3	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	2/10/2020	20	67.3	455	
TMP-48	2/10/2020	40	69.8	435	
TMP-48	2/10/2020	60	74.5	415	
TMP-48	2/10/2020	72	73.3	403	
TMP-48	2/17/2020	20	66.6	455	
TMP-48	2/17/2020	40	69.3	435	
TMP-48	2/17/2020	60	74.0	415	
TMP-48	2/17/2020	72	72.8	403	
TMP-48	2/24/2020	20	66.4	455	
TMP-48	2/24/2020	40	69.1	435	
TMP-48	2/24/2020	60	73.9	415	
TMP-48	2/24/2020	72	72.5	403	
TMP-48	3/2/2020	20	63.6	455	
TMP-48	3/2/2020	40	66.5	435	
TMP-48	3/2/2020	60	70.8	415	
TMP-48	3/2/2020	72	69.1	403	
TMP-48	3/9/2020	20	63.8	455	
TMP-48	3/9/2020	40	67.4	435	
TMP-48	3/9/2020	60	72.1	415	
TMP-48	3/9/2020	72	70.7	403	