

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-49	4/6/2020	20	58.7	453	
TMP-49	4/6/2020	40	60.5	433	
TMP-49	4/6/2020	60	68.1	413	
TMP-49	4/13/2020	20	59.4	453	
TMP-49	4/13/2020	40	61.1	433	
TMP-49	4/13/2020	60	69.0	413	
TMP-49	4/20/2020	20	57.0	453	
TMP-49	4/20/2020	40	58.6	433	
TMP-49	4/20/2020	60	67.0	413	
TMP-49	4/27/2020	20	56.8	453	
TMP-49	4/27/2020	40	58.4	433	
TMP-49	4/27/2020	60	66.7	413	
TMP-49	5/4/2020	20	59.3	453	
TMP-49	5/4/2020	40	60.8	433	
TMP-49	5/4/2020	60	69.1	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	4/6/2020	18	105.8	451	
TMP-1	4/6/2020	38	135.5	431	
TMP-1	4/6/2020	58	143.5	411	
TMP-1	4/6/2020	78	141.4	391	
TMP-1	4/6/2020	98	133.3	371	
TMP-1	4/6/2020	118	122.8	351	
TMP-1	4/6/2020	138	114.8	331	
TMP-1	4/13/2020	18	106.0	451	
TMP-1	4/13/2020	38	135.8	431	
TMP-1	4/13/2020	58	143.8	411	
TMP-1	4/13/2020	78	141.5	391	
TMP-1	4/13/2020	98	133.6	371	
TMP-1	4/13/2020	118	123.1	351	
TMP-1	4/13/2020	138	115.1	331	
TMP-1	4/20/2020	18	105.6	451	
TMP-1	4/20/2020	38	135.5	431	
TMP-1	4/20/2020	58	143.6	411	
TMP-1	4/20/2020	78	141.7	391	
TMP-1	4/20/2020	98	133.5	371	
TMP-1	4/20/2020	118	123.1	351	
TMP-1	4/20/2020	138	115.0	331	
TMP-1	4/27/2020	18	105.3	451	
TMP-1	4/27/2020	38	135.2	431	
TMP-1	4/27/2020	58	144.3	411	
TMP-1	4/27/2020	78	141.3	391	
TMP-1	4/27/2020	98	133.1	371	
TMP-1	4/27/2020	118	122.7	351	
TMP-1	4/27/2020	138	114.6	331	
TMP-1	5/4/2020	18	104.8	451	
TMP-1	5/4/2020	38	135.3	431	
TMP-1	5/4/2020	58	143.2	411	
TMP-1	5/4/2020	78	141.0	391	
TMP-1	5/4/2020	98	133.3	371	
TMP-1	5/4/2020	118	122.7	351	
TMP-1	5/4/2020	138	114.9	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	4/6/2020	20	117.8	440	
TMP-2R	4/6/2020	40	152.0	420	
TMP-2R	4/6/2020	60	163.5	400	
TMP-2R	4/6/2020	80	169.9	380	
TMP-2R	4/6/2020	100	167.5	360	
TMP-2R	4/6/2020	120	158.8	340	
TMP-2R	4/6/2020	140	152.7	320	
TMP-2R	4/6/2020	160	145.4	300	
TMP-2R	4/6/2020	180	132.3	280	
TMP-2R	4/13/2020	20	118.0	440	
TMP-2R	4/13/2020	40	152.8	420	
TMP-2R	4/13/2020	60	164.5	400	
TMP-2R	4/13/2020	80	171.1	380	
TMP-2R	4/13/2020	100	168.8	360	
TMP-2R	4/13/2020	120	160.3	340	
TMP-2R	4/13/2020	140	154.5	320	
TMP-2R	4/13/2020	160	147.3	300	
TMP-2R	4/13/2020	180	134.4	280	
TMP-2R	4/20/2020	20	116.2	440	
TMP-2R	4/20/2020	40	150.8	420	
TMP-2R	4/20/2020	60	162.4	400	
TMP-2R	4/20/2020	80	169.1	380	
TMP-2R	4/20/2020	100	167.0	360	
TMP-2R	4/20/2020	120	158.6	340	
TMP-2R	4/20/2020	140	152.7	320	
TMP-2R	4/20/2020	160	145.5	300	
TMP-2R	4/20/2020	180	132.4	280	
TMP-2R	4/27/2020	20	117.0	440	
TMP-2R	4/27/2020	40	151.5	420	
TMP-2R	4/27/2020	60	162.9	400	
TMP-2R	4/27/2020	80	169.3	380	
TMP-2R	4/27/2020	100	166.9	360	
TMP-2R	4/27/2020	120	158.2	340	
TMP-2R	4/27/2020	140	152.2	320	
TMP-2R	4/27/2020	160	144.9	300	
TMP-2R	4/27/2020	180	131.8	280	
TMP-2R	5/4/2020	20	116.9	440	
TMP-2R	5/4/2020	40	151.6	420	
TMP-2R	5/4/2020	60	163.1	400	
TMP-2R	5/4/2020	80	169.7	380	
TMP-2R	5/4/2020	100	167.3	360	
TMP-2R	5/4/2020	120	158.8	340	
TMP-2R	5/4/2020	140	152.9	320	
TMP-2R	5/4/2020	160	145.8	300	
TMP-2R	5/4/2020	180	133.0	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	4/6/2020	30	140.3	470	
TMP-3	4/6/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/6/2020	150	139.3	350	
TMP-3	4/6/2020	190	120.1	310	
TMP-3	4/6/2020	230	99.3	270	
TMP-3	4/13/2020	30	140.3	470	
TMP-3	4/13/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/13/2020	150	139.6	350	
TMP-3	4/13/2020	190	120.7	310	
TMP-3	4/13/2020	230	99.8	270	
TMP-3	4/20/2020	30	140.0	470	
TMP-3	4/20/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/20/2020	150	138.6	350	
TMP-3	4/20/2020	190	119.7	310	
TMP-3	4/20/2020	230	98.8	270	
TMP-3	4/27/2020	30	140.2	470	
TMP-3	4/27/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/27/2020	150	139.2	350	
TMP-3	4/27/2020	190	120.2	310	
TMP-3	4/27/2020	230	99.3	270	
TMP-3	5/4/2020	30	139.6	470	
TMP-3	5/4/2020	110		390	[not reliable - connectivity test 10/14]
TMP-3	5/4/2020	150	138.6	350	
TMP-3	5/4/2020	190	119.7	310	
TMP-3	5/4/2020	230	98.9	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	4/6/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	4/6/2020	40	151.5	459	
TMP-3R	4/6/2020	60	153.5	439	
TMP-3R	4/6/2020	80	154.2	419	
TMP-3R	4/6/2020	100	152.7	399	
TMP-3R	4/6/2020	120	149.3	379	
TMP-3R	4/6/2020	140	144.3	359	
TMP-3R	4/6/2020	160	136.0	339	
TMP-3R	4/6/2020	180	126.5	319	
TMP-3R	4/6/2020	200	114.5	299	
TMP-3R	4/6/2020	218	103.5	281	
TMP-3R	4/13/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	4/13/2020	40	151.8	459	
TMP-3R	4/13/2020	60	153.9	439	
TMP-3R	4/13/2020	80	154.6	419	
TMP-3R	4/13/2020	100	153.1	399	
TMP-3R	4/13/2020	120	149.6	379	
TMP-3R	4/13/2020	140	144.6	359	
TMP-3R	4/13/2020	160	136.4	339	
TMP-3R	4/13/2020	180	127.0	319	
TMP-3R	4/13/2020	200	115.0	299	
TMP-3R	4/13/2020	218	104.1	281	
TMP-3R	4/20/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	4/20/2020	40	151.1	459	
TMP-3R	4/20/2020	60	153.0	439	
TMP-3R	4/20/2020	80	153.6	419	
TMP-3R	4/20/2020	100	152.0	399	
TMP-3R	4/20/2020	120	148.5	379	
TMP-3R	4/20/2020	140	143.4	359	
TMP-3R	4/20/2020	160	135.2	339	
TMP-3R	4/20/2020	180	125.8	319	
TMP-3R	4/20/2020	200	113.8	299	
TMP-3R	4/20/2020	218	102.6	281	
TMP-3R	4/27/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	4/27/2020	40	150.8	459	
TMP-3R	4/27/2020	60	152.9	439	
TMP-3R	4/27/2020	80	153.5	419	
TMP-3R	4/27/2020	100	152.0	399	
TMP-3R	4/27/2020	120	148.5	379	
TMP-3R	4/27/2020	140	143.3	359	
TMP-3R	4/27/2020	160	135.4	339	
TMP-3R	4/27/2020	180	126.0	319	
TMP-3R	4/27/2020	200	114.0	299	
TMP-3R	4/27/2020	218	103.1	281	
TMP-3R	5/4/2020	20		479	no resistance reading, temperature not reliable
TMP-3R	5/4/2020	40	150.6	459	
TMP-3R	5/4/2020	60	152.6	439	
TMP-3R	5/4/2020	80	153.1	419	
TMP-3R	5/4/2020	100	151.6	399	
TMP-3R	5/4/2020	120	148.0	379	
TMP-3R	5/4/2020	140	142.8	359	
TMP-3R	5/4/2020	160	134.9	339	
TMP-3R	5/4/2020	180	125.5	319	
TMP-3R	5/4/2020	200	113.6	299	
TMP-3R	5/4/2020	218	102.6	281	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-4	4/6/2020	28	107.9	472	
TMP-4	4/13/2020	28	108.5	472	
TMP-4	4/20/2020	28	108.2	472	
TMP-4	4/27/2020	28	107.3	472	
TMP-4	5/4/2020	28	107.5	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	4/6/2020	10	84.4	489	
TMP-4R	4/6/2020	20	101.5	479	
TMP-4R	4/6/2020	29	109.0	470	
TMP-4R	4/13/2020	10	84.8	489	
TMP-4R	4/13/2020	20	102.1	479	
TMP-4R	4/13/2020	29	109.6	470	
TMP-4R	4/20/2020	10	85.7	489	
TMP-4R	4/20/2020	20	103.7	479	
TMP-4R	4/20/2020	29	111.6	470	
TMP-4R	4/27/2020	10	83.9	489	
TMP-4R	4/27/2020	20	100.4	479	
TMP-4R	4/27/2020	29	108.1	470	
TMP-4R	5/4/2020	10	85.0	489	
TMP-4R	5/4/2020	20	101.4	479	
TMP-4R	5/4/2020	29	109.1	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	4/6/2020	15	124.5	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	4/6/2020	95	154.6	392	
TMP-6	4/6/2020	115	150.1	372	
TMP-6	4/6/2020	135	140.7	352	
TMP-6	4/13/2020	15	122.9	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	4/13/2020	95	154.7	392	
TMP-6	4/13/2020	115	150.3	372	
TMP-6	4/13/2020	135	140.9	352	
TMP-6	4/20/2020	15	123.5	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	4/20/2020	95	154.2	392	
TMP-6	4/20/2020	115	150.0	372	
TMP-6	4/20/2020	135	140.7	352	
TMP-6	4/27/2020	15	122.7	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	4/27/2020	95	154.3	392	
TMP-6	4/27/2020	115	149.8	372	
TMP-6	4/27/2020	135	140.4	352	
TMP-6	5/4/2020	15	121.7	472	fluctuating resistance, possibly unreliable since 3/26/14
TMP-6	5/4/2020	95	153.5	392	
TMP-6	5/4/2020	115	149.1	372	
TMP-6	5/4/2020	135	139.7	352	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	4/6/2020	40	194.5	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/13/2020	40	195.3	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/20/2020	40	195.2	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/27/2020	40	194.1	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	5/4/2020	40	193.4	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	4/6/2020	20	105.2	448	
TMP-11R	4/6/2020	40	118.5	428	
TMP-11R	4/6/2020	60	118.6	408	
TMP-11R	4/6/2020	80	117.9	388	
TMP-11R	4/6/2020	100	110.8	368	
TMP-11R	4/6/2020	120	104.9	348	
TMP-11R	4/13/2020	20	105.4	448	
TMP-11R	4/13/2020	40	119.0	428	
TMP-11R	4/13/2020	60	119.3	408	
TMP-11R	4/13/2020	80	118.8	388	
TMP-11R	4/13/2020	100	111.8	368	
TMP-11R	4/13/2020	120	106.0	348	
TMP-11R	4/20/2020	20	105.3	448	
TMP-11R	4/20/2020	40	118.7	428	
TMP-11R	4/20/2020	60	119.0	408	
TMP-11R	4/20/2020	80	118.7	388	
TMP-11R	4/20/2020	100	111.8	368	
TMP-11R	4/20/2020	120	106.2	348	
TMP-11R	4/27/2020	20	105.2	448	
TMP-11R	4/27/2020	40	118.5	428	
TMP-11R	4/27/2020	60	118.6	408	
TMP-11R	4/27/2020	80	118.1	388	
TMP-11R	4/27/2020	100	111.2	368	
TMP-11R	4/27/2020	120	105.4	348	
TMP-11R	5/4/2020	20	104.4	448	
TMP-11R	5/4/2020	40	117.8	428	
TMP-11R	5/4/2020	60	117.9	408	
TMP-11R	5/4/2020	80	117.4	388	
TMP-11R	5/4/2020	100	110.5	368	
TMP-11R	5/4/2020	120	104.7	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R2	4/6/2020	20	112.7	470	
TMP-14R2	4/6/2020	40	170.6	450	
TMP-14R2	4/6/2020	60	192.5	430	
TMP-14R2	4/6/2020	80	201.1	410	
TMP-14R2	4/6/2020	100	217.4	390	
TMP-14R2	4/6/2020	120	216.4	370	
TMP-14R2	4/6/2020	140	205.2	350	
TMP-14R2	4/6/2020	160	168.5	330	
TMP-14R2	4/6/2020	180	146.1	310	
TMP-14R2	4/6/2020	200	123.9	290	
TMP-14R2	4/6/2020	220	99.9	270	
TMP-14R2	4/6/2020	228	94.8	262	
TMP-14R2	4/13/2020	20	112.4	470	
TMP-14R2	4/13/2020	40	170.8	450	
TMP-14R2	4/13/2020	60	192.8	430	
TMP-14R2	4/13/2020	80	201.6	410	
TMP-14R2	4/13/2020	100	218.2	390	
TMP-14R2	4/13/2020	120	217.3	370	
TMP-14R2	4/13/2020	140	206.3	350	
TMP-14R2	4/13/2020	160	169.7	330	
TMP-14R2	4/13/2020	180	147.6	310	
TMP-14R2	4/13/2020	200	125.7	290	
TMP-14R2	4/13/2020	220	101.8	270	
TMP-14R2	4/13/2020	228	96.5	262	
TMP-14R2	4/20/2020	20	111.6	470	
TMP-14R2	4/20/2020	40	169.9	450	
TMP-14R2	4/20/2020	60	192.1	430	
TMP-14R2	4/20/2020	80	200.6	410	
TMP-14R2	4/20/2020	100	217.5	390	
TMP-14R2	4/20/2020	120	216.7	370	
TMP-14R2	4/20/2020	140	205.8	350	
TMP-14R2	4/20/2020	160	169.4	330	
TMP-14R2	4/20/2020	180	147.1	310	
TMP-14R2	4/20/2020	200	124.8	290	
TMP-14R2	4/20/2020	220	100.9	270	
TMP-14R2	4/20/2020	228	95.6	262	
TMP-14R2	4/27/2020	20	111.0	470	
TMP-14R2	4/27/2020	40	169.6	450	
TMP-14R2	4/27/2020	60	191.5	430	
TMP-14R2	4/27/2020	80	199.9	410	
TMP-14R2	4/27/2020	100	216.6	390	
TMP-14R2	4/27/2020	120	215.7	370	
TMP-14R2	4/27/2020	140	204.7	350	
TMP-14R2	4/27/2020	160	168.0	330	
TMP-14R2	4/27/2020	180	145.6	310	
TMP-14R2	4/27/2020	200	123.3	290	
TMP-14R2	4/27/2020	220	99.3	270	
TMP-14R2	4/27/2020	228	94.1	262	
TMP-14R2	5/4/2020	20	110.3	470	
TMP-14R2	5/4/2020	40	169.2	450	
TMP-14R2	5/4/2020	60	191.3	430	
TMP-14R2	5/4/2020	80	199.4	410	
TMP-14R2	5/4/2020	100	216.5	390	
TMP-14R2	5/4/2020	120	215.7	370	
TMP-14R2	5/4/2020	140	204.8	350	
TMP-14R2	5/4/2020	160	168.6	330	
TMP-14R2	5/4/2020	180	146.2	310	
TMP-14R2	5/4/2020	200	122.5	290	
TMP-14R2	5/4/2020	220	100.1	270	
TMP-14R2	5/4/2020	228	94.9	262	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16R	4/6/2020	20	110.2	491	
TMP-16R	4/6/2020	40	148.6	471	
TMP-16R	4/6/2020	60	163.7	451	
TMP-16R	4/6/2020	80	166.5	431	
TMP-16R	4/6/2020	100	159.2	411	
TMP-16R	4/6/2020	120	150.2	391	
TMP-16R	4/6/2020	140	146.6	371	
TMP-16R	4/6/2020	160	123.0	351	
TMP-16R	4/6/2020	180	112.9	331	
TMP-16R	4/6/2020	200	99.7	311	
TMP-16R	4/6/2020	220	95.3	291	
TMP-16R	4/6/2020	230	94.3	281	
TMP-16R	4/13/2020	20	111.1	491	
TMP-16R	4/13/2020	40	149.2	471	
TMP-16R	4/13/2020	60	164.5	451	
TMP-16R	4/13/2020	80	167.2	431	
TMP-16R	4/13/2020	100	160.0	411	
TMP-16R	4/13/2020	120	151.2	391	
TMP-16R	4/13/2020	140	147.4	371	
TMP-16R	4/13/2020	160	124.0	351	
TMP-16R	4/13/2020	180	113.8	331	
TMP-16R	4/13/2020	200	100.7	311	
TMP-16R	4/13/2020	220	96.3	291	
TMP-16R	4/13/2020	230	95.0	281	
TMP-16R	4/20/2020	20	112.2	491	
TMP-16R	4/20/2020	40	150.6	471	
TMP-16R	4/20/2020	60	165.9	451	
TMP-16R	4/20/2020	80	168.7	431	
TMP-16R	4/20/2020	100	161.4	411	
TMP-16R	4/20/2020	120	152.5	391	
TMP-16R	4/20/2020	140	148.8	371	
TMP-16R	4/20/2020	160	125.2	351	
TMP-16R	4/20/2020	180	114.8	331	
TMP-16R	4/20/2020	200	101.3	311	
TMP-16R	4/20/2020	220	96.9	291	
TMP-16R	4/20/2020	230	95.0	281	
TMP-16R	4/27/2020	20	110.2	491	
TMP-16R	4/27/2020	40	148.7	471	
TMP-16R	4/27/2020	60	164.0	451	
TMP-16R	4/27/2020	80	166.8	431	
TMP-16R	4/27/2020	100	159.5	411	
TMP-16R	4/27/2020	120	150.6	391	
TMP-16R	4/27/2020	140	147.0	371	
TMP-16R	4/27/2020	160	123.5	351	
TMP-16R	4/27/2020	180	113.3	331	
TMP-16R	4/27/2020	200	100.0	311	
TMP-16R	4/27/2020	220	95.6	291	
TMP-16R	4/27/2020	230	94.1	281	
TMP-16R	5/4/2020	20	110.1	491	
TMP-16R	5/4/2020	40	148.9	471	
TMP-16R	5/4/2020	60	164.0	451	
TMP-16R	5/4/2020	80	166.9	431	
TMP-16R	5/4/2020	100	159.6	411	
TMP-16R	5/4/2020	120	150.6	391	
TMP-16R	5/4/2020	140	146.8	371	
TMP-16R	5/4/2020	160	123.2	351	
TMP-16R	5/4/2020	180	112.9	331	
TMP-16R	5/4/2020	200	99.5	311	
TMP-16R	5/4/2020	220	94.9	291	
TMP-16R	5/4/2020	230	93.7	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	4/6/2020	20	111.2	496	
TMP-17	4/6/2020	40	142.6	476	
TMP-17	4/6/2020	60	157.3	456	
TMP-17	4/6/2020	80	158.7	436	
TMP-17	4/6/2020	100	154.9	416	
TMP-17	4/6/2020	120	149.3	396	
TMP-17	4/6/2020	140	141.3	376	
TMP-17	4/6/2020	160	130.8	356	
TMP-17	4/6/2020	180	122.9	336	
TMP-17	4/6/2020	200	114.9	316	
TMP-17	4/6/2020	220	107.2	296	
TMP-17	4/6/2020	237	99.8	279	
TMP-17	4/13/2020	20	111.5	496	
TMP-17	4/13/2020	40	142.9	476	
TMP-17	4/13/2020	60	157.6	456	
TMP-17	4/13/2020	80	158.9	436	
TMP-17	4/13/2020	100	155.2	416	
TMP-17	4/13/2020	120	149.6	396	
TMP-17	4/13/2020	140	141.5	376	
TMP-17	4/13/2020	160	130.8	356	
TMP-17	4/13/2020	180	123.0	336	
TMP-17	4/13/2020	200	115.3	316	
TMP-17	4/13/2020	220	107.4	296	
TMP-17	4/13/2020	237	100.0	279	
TMP-17	4/20/2020	20	111.0	496	
TMP-17	4/20/2020	40	142.9	476	
TMP-17	4/20/2020	60	157.5	456	
TMP-17	4/20/2020	80	159.0	436	
TMP-17	4/20/2020	100	155.3	416	
TMP-17	4/20/2020	120	149.8	396	
TMP-17	4/20/2020	140	141.9	376	
TMP-17	4/20/2020	160	131.3	356	
TMP-17	4/20/2020	180	123.5	336	
TMP-17	4/20/2020	200	115.3	316	
TMP-17	4/20/2020	220	107.5	296	
TMP-17	4/20/2020	237	99.9	279	
TMP-17	4/27/2020	20	110.3	496	
TMP-17	4/27/2020	40	141.8	476	
TMP-17	4/27/2020	60	156.4	456	
TMP-17	4/27/2020	80	157.7	436	
TMP-17	4/27/2020	100	154.1	416	
TMP-17	4/27/2020	120	148.4	396	
TMP-17	4/27/2020	140	140.4	376	
TMP-17	4/27/2020	160	130.2	356	
TMP-17	4/27/2020	180	122.5	336	
TMP-17	4/27/2020	200	114.5	316	
TMP-17	4/27/2020	220	106.8	296	
TMP-17	4/27/2020	237	99.3	279	
TMP-17	5/4/2020	20	111.3	496	
TMP-17	5/4/2020	40	143.1	476	
TMP-17	5/4/2020	60	157.6	456	
TMP-17	5/4/2020	80	158.9	436	
TMP-17	5/4/2020	100	155.3	416	
TMP-17	5/4/2020	120	149.8	396	
TMP-17	5/4/2020	140	141.7	376	
TMP-17	5/4/2020	160	131.3	356	
TMP-17	5/4/2020	180	123.4	336	
TMP-17	5/4/2020	200	115.2	316	
TMP-17	5/4/2020	220	107.4	296	
TMP-17	5/4/2020	237	99.9	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	4/6/2020	20	98.4	489	
TMP-18	4/6/2020	39	133.4	470	
TMP-18	4/6/2020	58	147.7	451	
TMP-18	4/6/2020	77	147.7	432	
TMP-18	4/6/2020	96	142.4	413	
TMP-18	4/6/2020	115	136.3	394	
TMP-18	4/6/2020	134	129.8	375	
TMP-18	4/6/2020	153	123.7	356	
TMP-18	4/6/2020	172	118.3	337	
TMP-18	4/6/2020	191	113.6	318	
TMP-18	4/6/2020	210	108.6	299	
TMP-18	4/6/2020	227	105.6	282	
TMP-18	4/13/2020	20	98.2	489	
TMP-18	4/13/2020	39	133.2	470	
TMP-18	4/13/2020	58	147.7	451	
TMP-18	4/13/2020	77	147.6	432	
TMP-18	4/13/2020	96	142.4	413	
TMP-18	4/13/2020	115	136.3	394	
TMP-18	4/13/2020	134	129.8	375	
TMP-18	4/13/2020	153	123.9	356	
TMP-18	4/13/2020	172	118.6	337	
TMP-18	4/13/2020	191	113.7	318	
TMP-18	4/13/2020	210	108.8	299	
TMP-18	4/13/2020	227	105.8	282	
TMP-18	4/20/2020	20	96.2	489	
TMP-18	4/20/2020	39	131.6	470	
TMP-18	4/20/2020	58	146.2	451	
TMP-18	4/20/2020	77	146.3	432	
TMP-18	4/20/2020	96	142.0	413	
TMP-18	4/20/2020	115	135.3	394	
TMP-18	4/20/2020	134	129.0	375	
TMP-18	4/20/2020	153	123.7	356	
TMP-18	4/20/2020	172	118.5	337	
TMP-18	4/20/2020	191	114.1	318	
TMP-18	4/20/2020	210	109.2	299	
TMP-18	4/20/2020	227	106.5	282	
TMP-18	4/27/2020	20	97.9	489	
TMP-18	4/27/2020	39	133.4	470	
TMP-18	4/27/2020	58	147.8	451	
TMP-18	4/27/2020	77	147.9	432	
TMP-18	4/27/2020	96	142.5	413	
TMP-18	4/27/2020	115	136.6	394	
TMP-18	4/27/2020	134	130.1	375	
TMP-18	4/27/2020	153	124.0	356	
TMP-18	4/27/2020	172	118.6	337	
TMP-18	4/27/2020	191	113.9	318	
TMP-18	4/27/2020	210	109.1	299	
TMP-18	4/27/2020	227	106.1	282	
TMP-18	5/4/2020	20	97.5	489	
TMP-18	5/4/2020	39	133.0	470	
TMP-18	5/4/2020	58	147.5	451	
TMP-18	5/4/2020	77	147.5	432	
TMP-18	5/4/2020	96	142.7	413	
TMP-18	5/4/2020	115	136.4	394	
TMP-18	5/4/2020	134	129.8	375	
TMP-18	5/4/2020	153	124.3	356	
TMP-18	5/4/2020	172	118.9	337	
TMP-18	5/4/2020	191	114.2	318	
TMP-18	5/4/2020	210	109.2	299	
TMP-18	5/4/2020	227	106.2	282	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-21	4/6/2020	13	83.2	461	
TMP-21	4/6/2020	26	94.7	448	
TMP-21	4/6/2020	41	93.3	433	
TMP-21	4/13/2020	13	83.5	461	
TMP-21	4/13/2020	26	95.5	448	
TMP-21	4/13/2020	41	94.1	433	
TMP-21	4/20/2020	13	84.5	461	
TMP-21	4/20/2020	26	96.5	448	
TMP-21	4/20/2020	41	95.2	433	
TMP-21	4/27/2020	13	82.8	461	
TMP-21	4/27/2020	26	94.9	448	
TMP-21	4/27/2020	41	93.7	433	
TMP-21	5/4/2020	13	82.5	461	
TMP-21	5/4/2020	26	94.8	448	
TMP-21	5/4/2020	41	93.3	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	4/6/2020	15	97.0	474	
TMP-22	4/6/2020	31	120.5	458	
TMP-22	4/6/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	4/6/2020	70	117.5	419	
TMP-22	4/13/2020	15	97.3	474	
TMP-22	4/13/2020	31	121.0	458	
TMP-22	4/13/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	4/13/2020	70	118.1	419	
TMP-22	4/20/2020	15	98.7	474	
TMP-22	4/20/2020	31	122.5	458	
TMP-22	4/20/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	4/20/2020	70	119.5	419	
TMP-22	4/27/2020	15	96.4	474	
TMP-22	4/27/2020	31	120.2	458	
TMP-22	4/27/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	4/27/2020	70	117.3	419	
TMP-22	5/4/2020	15	96.7	474	
TMP-22	5/4/2020	31	120.6	458	
TMP-22	5/4/2020	50		439	fluctuating resistivity/no temperature reading could be obtained
TMP-22	5/4/2020	70	117.7	419	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	4/6/2020	20	107.6	477	
TMP-23	4/6/2020	38	132.7	459	
TMP-23	4/6/2020	56	138.2	441	
TMP-23	4/6/2020	74	131.5	423	
TMP-23	4/6/2020	92	123.0	405	
TMP-23	4/6/2020	106	114.8	391	
TMP-23	4/13/2020	20	108.0	477	
TMP-23	4/13/2020	38	133.3	459	
TMP-23	4/13/2020	56	139.0	441	
TMP-23	4/13/2020	74	132.3	423	
TMP-23	4/13/2020	92	123.9	405	
TMP-23	4/13/2020	106	115.7	391	
TMP-23	4/20/2020	20	109.4	477	
TMP-23	4/20/2020	38	134.6	459	
TMP-23	4/20/2020	56	140.3	441	
TMP-23	4/20/2020	74	133.5	423	
TMP-23	4/20/2020	92	125.0	405	
TMP-23	4/20/2020	106	116.6	391	
TMP-23	4/27/2020	20	107.8	477	
TMP-23	4/27/2020	38	132.9	459	
TMP-23	4/27/2020	56	138.5	441	
TMP-23	4/27/2020	74	131.7	423	
TMP-23	4/27/2020	92	123.3	405	
TMP-23	4/27/2020	106	115.0	391	
TMP-23	5/4/2020	20	107.7	477	
TMP-23	5/4/2020	38	132.9	459	
TMP-23	5/4/2020	56	138.6	441	
TMP-23	5/4/2020	74	131.9	423	
TMP-23	5/4/2020	92	123.4	405	
TMP-23	5/4/2020	106	115.2	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	4/6/2020	20	97.1	492	
TMP-24	4/6/2020	40	124.1	472	
TMP-24	4/6/2020	60	138.4	452	
TMP-24	4/6/2020	67	139.7	445	
TMP-24	4/13/2020	20	98.0	492	
TMP-24	4/13/2020	40	125.1	472	
TMP-24	4/13/2020	60	139.5	452	
TMP-24	4/13/2020	67	140.9	445	
TMP-24	4/20/2020	20	99.2	492	
TMP-24	4/20/2020	40	126.5	472	
TMP-24	4/20/2020	60	141.2	452	
TMP-24	4/20/2020	67	142.8	445	
TMP-24	4/27/2020	20	96.8	492	
TMP-24	4/27/2020	40	124.3	472	
TMP-24	4/27/2020	60	138.8	452	
TMP-24	4/27/2020	67	140.2	445	
TMP-24	5/4/2020	20	97.7	492	
TMP-24	5/4/2020	40	124.9	472	
TMP-24	5/4/2020	60	139.5	452	
TMP-24	5/4/2020	67	141.0	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25R	4/6/2020	20	104.2	493	
TMP-25R	4/6/2020	40	135.5	473	
TMP-25R	4/6/2020	60	157.4	453	
TMP-25R	4/6/2020	80	161.6	433	
TMP-25R	4/6/2020	100	158.3	413	
TMP-25R	4/6/2020	120	148.9	393	
TMP-25R	4/6/2020	140	138.5	373	
TMP-25R	4/6/2020	160	128.9	353	
TMP-25R	4/6/2020	180	120.2	333	
TMP-25R	4/6/2020	200	111.7	313	
TMP-25R	4/6/2020	220	102.4	293	
TMP-25R	4/6/2020	235	94.8	278	
TMP-25R	4/13/2020	20	104.9	493	
TMP-25R	4/13/2020	40	135.7	473	
TMP-25R	4/13/2020	60	158.0	453	
TMP-25R	4/13/2020	80	162.1	433	
TMP-25R	4/13/2020	100	158.8	413	
TMP-25R	4/13/2020	120	149.3	393	
TMP-25R	4/13/2020	140	138.8	373	
TMP-25R	4/13/2020	160	129.3	353	
TMP-25R	4/13/2020	180	120.6	333	
TMP-25R	4/13/2020	200	111.9	313	
TMP-25R	4/13/2020	220	102.7	293	
TMP-25R	4/13/2020	235	95.2	278	
TMP-25R	4/20/2020	20	104.5	493	
TMP-25R	4/20/2020	40	136.4	473	
TMP-25R	4/20/2020	60	158.4	453	
TMP-25R	4/20/2020	80	162.6	433	
TMP-25R	4/20/2020	100	159.4	413	
TMP-25R	4/20/2020	120	149.9	393	
TMP-25R	4/20/2020	140	139.5	373	
TMP-25R	4/20/2020	160	129.8	353	
TMP-25R	4/20/2020	180	121.0	333	
TMP-25R	4/20/2020	200	112.4	313	
TMP-25R	4/20/2020	220	102.9	293	
TMP-25R	4/20/2020	235	95.5	278	
TMP-25R	4/27/2020	20	104.7	493	
TMP-25R	4/27/2020	40	136.3	473	
TMP-25R	4/27/2020	60	158.4	453	
TMP-25R	4/27/2020	80	162.6	433	
TMP-25R	4/27/2020	100	159.5	413	
TMP-25R	4/27/2020	120	150.1	393	
TMP-25R	4/27/2020	140	139.7	373	
TMP-25R	4/27/2020	160	130.3	353	
TMP-25R	4/27/2020	180	121.5	333	
TMP-25R	4/27/2020	200	113.0	313	
TMP-25R	4/27/2020	220	103.6	293	
TMP-25R	4/27/2020	235	96.5	278	
TMP-25R	5/4/2020	20	103.5	493	
TMP-25R	5/4/2020	40	134.8	473	
TMP-25R	5/4/2020	60	157.5	453	
TMP-25R	5/4/2020	80	161.7	433	
TMP-25R	5/4/2020	100	158.5	413	
TMP-25R	5/4/2020	120	149.1	393	
TMP-25R	5/4/2020	140	138.6	373	
TMP-25R	5/4/2020	160	129.1	353	
TMP-25R	5/4/2020	180	120.3	333	
TMP-25R	5/4/2020	200	111.6	313	
TMP-25R	5/4/2020	220	102.3	293	
TMP-25R	5/4/2020	235	94.8	278	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26R	4/6/2020	20	99.2	473	
TMP-26R	4/6/2020	40	111.2	453	
TMP-26R	4/6/2020	60	112.0	433	
TMP-26R	4/6/2020	80	105.7	413	
TMP-26R	4/6/2020	100	93.3	393	
TMP-26R	4/6/2020	120	107.3	373	
TMP-26R	4/6/2020	140	108.0	353	
TMP-26R	4/6/2020	142	107.5	351	
TMP-26R	4/13/2020	20	99.1	473	
TMP-26R	4/13/2020	40	111.0	453	
TMP-26R	4/13/2020	60	111.8	433	
TMP-26R	4/13/2020	80	105.7	413	
TMP-26R	4/13/2020	100	93.3	393	
TMP-26R	4/13/2020	120	107.4	373	
TMP-26R	4/13/2020	140	108.1	353	
TMP-26R	4/13/2020	142	107.5	351	
TMP-26R	4/20/2020	20	100.0	473	
TMP-26R	4/20/2020	40	112.6	453	
TMP-26R	4/20/2020	60	113.7	433	
TMP-26R	4/20/2020	80	107.4	413	
TMP-26R	4/20/2020	100	95.3	393	
TMP-26R	4/20/2020	120	109.4	373	
TMP-26R	4/20/2020	140	110.2	353	
TMP-26R	4/20/2020	142	109.9	351	
TMP-26R	4/27/2020	20	99.2	473	
TMP-26R	4/27/2020	40	111.8	453	
TMP-26R	4/27/2020	60	112.7	433	
TMP-26R	4/27/2020	80	106.4	413	
TMP-26R	4/27/2020	100	94.3	393	
TMP-26R	4/27/2020	120	108.2	373	
TMP-26R	4/27/2020	140	108.9	353	
TMP-26R	4/27/2020	142	108.4	351	
TMP-26R	5/4/2020	20	98.4	473	
TMP-26R	5/4/2020	40	111.0	453	
TMP-26R	5/4/2020	60	111.9	433	
TMP-26R	5/4/2020	80	105.5	413	
TMP-26R	5/4/2020	100	93.7	393	
TMP-26R	5/4/2020	120	107.6	373	
TMP-26R	5/4/2020	140	108.3	353	
TMP-26R	5/4/2020	142	108.0	351	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	4/6/2020	20	104.1	493	
TMP-27	4/6/2020	40	140.7	473	
TMP-27	4/6/2020	60	153.5	453	
TMP-27	4/6/2020	80	155.2	433	
TMP-27	4/6/2020	100	150.9	413	
TMP-27	4/6/2020	120	145.2	393	
TMP-27	4/6/2020	140	139.4	373	
TMP-27	4/6/2020	160	132.7	353	
TMP-27	4/6/2020	180	127.7	333	
TMP-27	4/6/2020	200	122.7	313	
TMP-27	4/6/2020	220	116.1	293	
TMP-27	4/6/2020	233	111.4	280	
TMP-27	4/13/2020	20	106.1	493	
TMP-27	4/13/2020	40	140.9	473	
TMP-27	4/13/2020	60	153.7	453	
TMP-27	4/13/2020	80	155.6	433	
TMP-27	4/13/2020	100	151.1	413	
TMP-27	4/13/2020	120	145.6	393	
TMP-27	4/13/2020	140	139.7	373	
TMP-27	4/13/2020	160	133.0	353	
TMP-27	4/13/2020	180	128.1	333	
TMP-27	4/13/2020	200	123.0	313	
TMP-27	4/13/2020	220	116.5	293	
TMP-27	4/13/2020	233	111.8	280	
TMP-27	4/20/2020	20	104.0	493	
TMP-27	4/20/2020	40	140.8	473	
TMP-27	4/20/2020	60	154.0	453	
TMP-27	4/20/2020	80	156.3	433	
TMP-27	4/20/2020	100	151.9	413	
TMP-27	4/20/2020	120	146.4	393	
TMP-27	4/20/2020	140	141.1	373	
TMP-27	4/20/2020	160	134.7	353	
TMP-27	4/20/2020	180	129.3	333	
TMP-27	4/20/2020	200	124.1	313	
TMP-27	4/20/2020	220	117.9	293	
TMP-27	4/20/2020	233	113.0	280	
TMP-27	4/27/2020	20	104.3	493	
TMP-27	4/27/2020	40	141.2	473	
TMP-27	4/27/2020	60	154.0	453	
TMP-27	4/27/2020	80	155.9	433	
TMP-27	4/27/2020	100	151.5	413	
TMP-27	4/27/2020	120	145.9	393	
TMP-27	4/27/2020	140	140.2	373	
TMP-27	4/27/2020	160	133.6	353	
TMP-27	4/27/2020	180	128.4	333	
TMP-27	4/27/2020	200	123.3	313	
TMP-27	4/27/2020	220	117.0	293	
TMP-27	4/27/2020	233	112.6	280	
TMP-27	5/4/2020	20	103.8	493	
TMP-27	5/4/2020	40	140.7	473	
TMP-27	5/4/2020	60	153.6	453	
TMP-27	5/4/2020	80	155.7	433	
TMP-27	5/4/2020	100	151.1	413	
TMP-27	5/4/2020	120	145.6	393	
TMP-27	5/4/2020	140	139.9	373	
TMP-27	5/4/2020	160	133.7	353	
TMP-27	5/4/2020	180	128.4	333	
TMP-27	5/4/2020	200	123.4	313	
TMP-27	5/4/2020	220	117.2	293	
TMP-27	5/4/2020	233	112.8	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28R	4/6/2020	20	81.2	478	
TMP-28R	4/6/2020	40	116.2	458	
TMP-28R	4/6/2020	60	120.3	438	
TMP-28R	4/6/2020	80	122.6	418	
TMP-28R	4/6/2020	100	122.1	398	
TMP-28R	4/6/2020	120	118.9	378	
TMP-28R	4/6/2020	140	116.0	358	
TMP-28R	4/6/2020	160	112.6	338	
TMP-28R	4/6/2020	180	108.8	318	
TMP-28R	4/6/2020	200	105.6	298	
TMP-28R	4/6/2020	220	101.5	278	
TMP-28R	4/13/2020	20	80.7	478	
TMP-28R	4/13/2020	40	115.9	458	
TMP-28R	4/13/2020	60	120.3	438	
TMP-28R	4/13/2020	80	122.8	418	
TMP-28R	4/13/2020	100	122.4	398	
TMP-28R	4/13/2020	120	119.1	378	
TMP-28R	4/13/2020	140	116.2	358	
TMP-28R	4/13/2020	160	112.8	338	
TMP-28R	4/13/2020	180	109.1	318	
TMP-28R	4/13/2020	200	106.0	298	
TMP-28R	4/13/2020	220	102.0	278	
TMP-28R	4/20/2020	20	81.9	478	
TMP-28R	4/20/2020	40	117.5	458	
TMP-28R	4/20/2020	60	121.2	438	
TMP-28R	4/20/2020	80	123.0	418	
TMP-28R	4/20/2020	100	122.3	398	
TMP-28R	4/20/2020	120	119.9	378	
TMP-28R	4/20/2020	140	117.6	358	
TMP-28R	4/20/2020	160	114.9	338	
TMP-28R	4/20/2020	180	111.0	318	
TMP-28R	4/20/2020	200	108.5	298	
TMP-28R	4/20/2020	220	104.6	278	
TMP-28R	4/27/2020	20	80.2	478	
TMP-28R	4/27/2020	40	116.1	458	
TMP-28R	4/27/2020	60	120.6	438	
TMP-28R	4/27/2020	80	123.0	418	
TMP-28R	4/27/2020	100	122.6	398	
TMP-28R	4/27/2020	120	119.4	378	
TMP-28R	4/27/2020	140	116.1	358	
TMP-28R	4/27/2020	160	112.9	338	
TMP-28R	4/27/2020	180	108.9	318	
TMP-28R	4/27/2020	200	105.6	298	
TMP-28R	4/27/2020	220	101.6	278	
TMP-28R	5/4/2020	20	80.6	478	
TMP-28R	5/4/2020	40	116.4	458	
TMP-28R	5/4/2020	60	120.8	438	
TMP-28R	5/4/2020	80	123.2	418	
TMP-28R	5/4/2020	100	122.7	398	
TMP-28R	5/4/2020	120	119.7	378	
TMP-28R	5/4/2020	140	116.6	358	
TMP-28R	5/4/2020	160	113.3	338	
TMP-28R	5/4/2020	180	109.4	318	
TMP-28R	5/4/2020	200	106.1	298	
TMP-28R	5/4/2020	220	101.9	278	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-29	4/6/2020	8	70.4	488	
TMP-29	4/6/2020	16	83.9	480	
TMP-29	4/6/2020	25	88.6	471	
TMP-29	4/13/2020	8	70.6	488	
TMP-29	4/13/2020	16	84.2	480	
TMP-29	4/13/2020	25	88.9	471	
TMP-29	4/20/2020	8	71.3	488	
TMP-29	4/20/2020	16	84.9	480	
TMP-29	4/20/2020	25	89.9	471	
TMP-29	4/27/2020	8	70.4	488	
TMP-29	4/27/2020	16	84.0	480	
TMP-29	4/27/2020	25	89.3	471	
TMP-29	5/4/2020	8	71.2	488	
TMP-29	5/4/2020	16	84.1	480	
TMP-29	5/4/2020	25	89.4	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	4/6/2020	20	89.9	484	
TMP-33	4/6/2020	40	97.3	464	
TMP-33	4/6/2020	53	97.4	451	
TMP-33	4/13/2020	20	89.8	484	
TMP-33	4/13/2020	40	97.2	464	
TMP-33	4/13/2020	53	97.2	451	
TMP-33	4/20/2020	20	90.6	484	
TMP-33	4/20/2020	40	98.2	464	
TMP-33	4/20/2020	53	98.3	451	
TMP-33	4/27/2020	20	89.4	484	
TMP-33	4/27/2020	40	97.0	464	
TMP-33	4/27/2020	53	97.0	451	
TMP-33	5/4/2020	20	89.0	484	
TMP-33	5/4/2020	40	96.8	464	
TMP-33	5/4/2020	53	96.8	451	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	4/6/2020	20	92.5	495	
TMP-34	4/6/2020	40	106.0	475	
TMP-34	4/6/2020	50	106.7	465	
TMP-34	4/6/2020	63	105.4	452	
TMP-34	4/13/2020	20	92.5	495	
TMP-34	4/13/2020	40	106.2	475	
TMP-34	4/13/2020	50	107.2	465	
TMP-34	4/13/2020	63	105.8	452	
TMP-34	4/20/2020	20	91.9	495	
TMP-34	4/20/2020	40	106.1	475	
TMP-34	4/20/2020	50	107.4	465	
TMP-34	4/20/2020	63	106.1	452	
TMP-34	4/27/2020	20	92.2	495	
TMP-34	4/27/2020	40	106.0	475	
TMP-34	4/27/2020	50	107.0	465	
TMP-34	4/27/2020	63	105.6	452	
TMP-34	5/4/2020	20	91.5	495	
TMP-34	5/4/2020	40	105.4	475	
TMP-34	5/4/2020	50	106.6	465	
TMP-34	5/4/2020	63	105.1	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	4/6/2020	20	90.4	500	
TMP-35	4/6/2020	40	103.3	480	
TMP-35	4/6/2020	60	103.4	460	
TMP-35	4/6/2020	70	101.2	450	
TMP-35	4/13/2020	20	92.4	500	
TMP-35	4/13/2020	40	104.8	480	
TMP-35	4/13/2020	60	104.6	460	
TMP-35	4/13/2020	70	102.1	450	
TMP-35	4/20/2020	20	93.6	500	
TMP-35	4/20/2020	40	106.8	480	
TMP-35	4/20/2020	60	107.0	460	
TMP-35	4/20/2020	70	104.4	450	
TMP-35	4/27/2020	20	90.4	500	
TMP-35	4/27/2020	40	103.4	480	
TMP-35	4/27/2020	60	103.5	460	
TMP-35	4/27/2020	70	101.4	450	
TMP-35	5/4/2020	20	90.8	500	
TMP-35	5/4/2020	40	103.7	480	
TMP-35	5/4/2020	60	103.8	460	
TMP-35	5/4/2020	70	101.6	450	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-36R	4/6/2020	15	75.7	472	
TMP-36R	4/6/2020	20	80.1	467	
TMP-36R	4/6/2020	30	81.9	457	
TMP-36R	4/13/2020	15	74.3	472	
TMP-36R	4/13/2020	20	79.3	467	
TMP-36R	4/13/2020	30	81.1	457	
TMP-36R	4/20/2020	15	75.5	472	
TMP-36R	4/20/2020	20	80.8	467	
TMP-36R	4/20/2020	30	82.9	457	
TMP-36R	4/27/2020	15	74.5	472	
TMP-36R	4/27/2020	20	79.0	467	
TMP-36R	4/27/2020	30	81.0	457	
TMP-36R	5/4/2020	15	73.5	472	
TMP-36R	5/4/2020	20	78.9	467	
TMP-36R	5/4/2020	30	81.1	457	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	4/6/2020	20	85.9	480	
TMP-37	4/6/2020	40	93.7	460	
TMP-37	4/6/2020	50	92.8	450	
TMP-37	4/13/2020	20	85.8	480	
TMP-37	4/13/2020	40	93.5	460	
TMP-37	4/13/2020	50	92.4	450	
TMP-37	4/20/2020	20	86.1	480	
TMP-37	4/20/2020	40	94.1	460	
TMP-37	4/20/2020	50	93.2	450	
TMP-37	4/27/2020	20	85.3	480	
TMP-37	4/27/2020	40	93.2	460	
TMP-37	4/27/2020	50	92.3	450	
TMP-37	5/4/2020	20	84.7	480	
TMP-37	5/4/2020	40	92.9	460	
TMP-37	5/4/2020	50	92.1	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	4/6/2020	20	97.4	495	
TMP-38	4/6/2020	40	109.3	475	
TMP-38	4/6/2020	60	106.6	455	
TMP-38	4/6/2020	70	104.3	445	
TMP-38	4/13/2020	20	97.5	495	
TMP-38	4/13/2020	40	109.5	475	
TMP-38	4/13/2020	60	106.7	455	
TMP-38	4/13/2020	70	104.3	445	
TMP-38	4/20/2020	20	97.7	495	
TMP-38	4/20/2020	40	109.9	475	
TMP-38	4/20/2020	60	107.5	455	
TMP-38	4/20/2020	70	105.3	445	
TMP-38	4/27/2020	20	97.3	495	
TMP-38	4/27/2020	40	109.0	475	
TMP-38	4/27/2020	60	106.3	455	
TMP-38	4/27/2020	70	103.9	445	
TMP-38	5/4/2020	20	97.2	495	
TMP-38	5/4/2020	40	109.1	475	
TMP-38	5/4/2020	60	106.5	455	
TMP-38	5/4/2020	70	104.2	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	4/6/2020	20	101.8	501	
TMP-39	4/6/2020	40	122.0	481	
TMP-39	4/6/2020	60	121.5	461	
TMP-39	4/6/2020	80	115.8	441	
TMP-39	4/13/2020	20	102.3	501	
TMP-39	4/13/2020	40	122.5	481	
TMP-39	4/13/2020	60	121.8	461	
TMP-39	4/13/2020	80	115.9	441	
TMP-39	4/20/2020	20	102.6	501	
TMP-39	4/20/2020	40	123.1	481	
TMP-39	4/20/2020	60	123.0	461	
TMP-39	4/20/2020	80	117.2	441	
TMP-39	4/27/2020	20	101.7	501	
TMP-39	4/27/2020	40	122.2	481	
TMP-39	4/27/2020	60	121.8	461	
TMP-39	4/27/2020	80	116.1	441	
TMP-39	5/4/2020	20	101.8	501	
TMP-39	5/4/2020	40	122.2	481	
TMP-39	5/4/2020	60	121.7	461	
TMP-39	5/4/2020	80	115.9	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	4/6/2020	20	94.7	505	
TMP-40	4/6/2020	40	122.1	485	
TMP-40	4/6/2020	60	127.0	465	
TMP-40	4/6/2020	80	123.3	445	
TMP-40	4/13/2020	20	94.0	505	
TMP-40	4/13/2020	40	121.4	485	
TMP-40	4/13/2020	60	125.9	465	
TMP-40	4/13/2020	80	122.1	445	
TMP-40	4/20/2020	20	94.8	505	
TMP-40	4/20/2020	40	122.5	485	
TMP-40	4/20/2020	60	127.4	465	
TMP-40	4/20/2020	80	123.7	445	
TMP-40	4/27/2020	20	94.5	505	
TMP-40	4/27/2020	40	122.3	485	
TMP-40	4/27/2020	60	127.2	465	
TMP-40	4/27/2020	80	123.5	445	
TMP-40	5/4/2020	20	94.2	505	
TMP-40	5/4/2020	40	121.9	485	
TMP-40	5/4/2020	60	126.8	465	
TMP-40	5/4/2020	80	123.2	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	4/6/2020	20	98.5	504	
TMP-41	4/6/2020	40	121.9	484	
TMP-41	4/6/2020	60	124.3	464	
TMP-41	4/6/2020	80	119.5	444	
TMP-41	4/6/2020	98	112.6	426	
TMP-41	4/13/2020	20	98.4	504	
TMP-41	4/13/2020	40	121.4	484	
TMP-41	4/13/2020	60	123.6	464	
TMP-41	4/13/2020	80	118.9	444	
TMP-41	4/13/2020	98	112.0	426	
TMP-41	4/20/2020	20	99.2	504	
TMP-41	4/20/2020	40	122.8	484	
TMP-41	4/20/2020	60	125.5	464	
TMP-41	4/20/2020	80	120.7	444	
TMP-41	4/20/2020	98	113.8	426	
TMP-41	4/27/2020	20	98.2	504	
TMP-41	4/27/2020	40	121.9	484	
TMP-41	4/27/2020	60	124.5	464	
TMP-41	4/27/2020	80	119.8	444	
TMP-41	4/27/2020	98	113.0	426	
TMP-41	5/4/2020	20	97.8	504	
TMP-41	5/4/2020	40	121.6	484	
TMP-41	5/4/2020	60	124.2	464	
TMP-41	5/4/2020	80	119.6	444	
TMP-41	5/4/2020	98	112.8	426	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	4/6/2020	20	103.3	498	
TMP-42	4/6/2020	40	118.5	478	
TMP-42	4/6/2020	60	117.8	458	
TMP-42	4/6/2020	78	113.1	440	
TMP-42	4/13/2020	20	103.3	498	
TMP-42	4/13/2020	40	118.4	478	
TMP-42	4/13/2020	60	117.5	458	
TMP-42	4/13/2020	78	112.9	440	
TMP-42	4/20/2020	20	103.6	498	
TMP-42	4/20/2020	40	119.5	478	
TMP-42	4/20/2020	60	119.3	458	
TMP-42	4/20/2020	78	114.8	440	
TMP-42	4/27/2020	20	103.5	498	
TMP-42	4/27/2020	40	119.1	478	
TMP-42	4/27/2020	60	118.4	458	
TMP-42	4/27/2020	78	113.8	440	
TMP-42	5/4/2020	20	103.7	498	
TMP-42	5/4/2020	40	119.0	478	
TMP-42	5/4/2020	60	118.5	458	
TMP-42	5/4/2020	78	114.1	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	4/6/2020	20	100.8	496	
TMP-43	4/6/2020	40	119.9	476	
TMP-43	4/6/2020	60	125.1	456	
TMP-43	4/6/2020	80	123.9	436	
TMP-43	4/6/2020	100	117.5	416	
TMP-43	4/13/2020	20	100.9	496	
TMP-43	4/13/2020	40	120.1	476	
TMP-43	4/13/2020	60	125.5	456	
TMP-43	4/13/2020	80	124.4	436	
TMP-43	4/13/2020	100	118.0	416	
TMP-43	4/20/2020	20	100.5	496	
TMP-43	4/20/2020	40	120.5	476	
TMP-43	4/20/2020	60	126.4	456	
TMP-43	4/20/2020	80	125.4	436	
TMP-43	4/20/2020	100	119.3	416	
TMP-43	4/27/2020	20	100.6	496	
TMP-43	4/27/2020	40	120.1	476	
TMP-43	4/27/2020	60	125.6	456	
TMP-43	4/27/2020	80	124.5	436	
TMP-43	4/27/2020	100	118.1	416	
TMP-43	5/4/2020	20	100.8	496	
TMP-43	5/4/2020	40	120.1	476	
TMP-43	5/4/2020	60	125.9	456	
TMP-43	5/4/2020	80	124.8	436	
TMP-43	5/4/2020	100	118.7	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	4/6/2020	20	102.3	491	
TMP-44	4/6/2020	40	130.1	471	
TMP-44	4/6/2020	60	143.5	451	
TMP-44	4/6/2020	80	148.9	431	
TMP-44	4/6/2020	100	151.3	411	
TMP-44	4/6/2020	120	150.6	391	
TMP-44	4/6/2020	140	150.7	371	
TMP-44	4/6/2020	160	140.1	351	
TMP-44	4/6/2020	180	123.2	331	
TMP-44	4/13/2020	20	102.3	491	
TMP-44	4/13/2020	40	130.0	471	
TMP-44	4/13/2020	60	143.4	451	
TMP-44	4/13/2020	80	148.8	431	
TMP-44	4/13/2020	100	151.2	411	
TMP-44	4/13/2020	120	150.4	391	
TMP-44	4/13/2020	140	150.4	371	
TMP-44	4/13/2020	160	139.6	351	
TMP-44	4/13/2020	180	122.7	331	
TMP-44	4/20/2020	20	102.2	491	
TMP-44	4/20/2020	40	130.1	471	
TMP-44	4/20/2020	60	143.9	451	
TMP-44	4/20/2020	80	149.2	431	
TMP-44	4/20/2020	100	151.9	411	
TMP-44	4/20/2020	120	151.3	391	
TMP-44	4/20/2020	140	151.6	371	
TMP-44	4/20/2020	160	141.3	351	
TMP-44	4/20/2020	180	124.5	331	
TMP-44	4/27/2020	20	102.4	491	
TMP-44	4/27/2020	40	130.5	471	
TMP-44	4/27/2020	60	144.1	451	
TMP-44	4/27/2020	80	149.3	431	
TMP-44	4/27/2020	100	151.7	411	
TMP-44	4/27/2020	120	150.9	391	
TMP-44	4/27/2020	140	151.0	371	
TMP-44	4/27/2020	160	140.4	351	
TMP-44	4/27/2020	180	123.8	331	
TMP-44	5/4/2020	20	101.9	491	
TMP-44	5/4/2020	40	129.7	471	
TMP-44	5/4/2020	60	143.3	451	
TMP-44	5/4/2020	80	148.5	431	
TMP-44	5/4/2020	100	151.1	411	
TMP-44	5/4/2020	120	150.4	391	
TMP-44	5/4/2020	140	150.5	371	
TMP-44	5/4/2020	160	139.9	351	
TMP-44	5/4/2020	180	123.3	331	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-45	4/6/2020	15	69.6	464	
TMP-45	4/6/2020	30	80.4	449	
TMP-45	4/6/2020	45	84.7	434	
TMP-45	4/13/2020	15	69.8	464	
TMP-45	4/13/2020	30	80.6	449	
TMP-45	4/13/2020	45	84.9	434	
TMP-45	4/20/2020	15	69.0	464	
TMP-45	4/20/2020	30	80.7	449	
TMP-45	4/20/2020	45	85.2	434	
TMP-45	4/27/2020	15	67.6	464	
TMP-45	4/27/2020	30	79.1	449	
TMP-45	4/27/2020	45	83.2	434	
TMP-45	5/4/2020	15	68.4	464	
TMP-45	5/4/2020	30	80.2	449	
TMP-45	5/4/2020	45	84.7	434	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-46	4/6/2020	20	70.1	457	
TMP-46	4/6/2020	40	81.5	437	
TMP-46	4/6/2020	60	88.8	417	
TMP-46	4/13/2020	20	70.6	457	
TMP-46	4/13/2020	40	82.5	437	
TMP-46	4/13/2020	60	89.9	417	
TMP-46	4/20/2020	20	70.4	457	
TMP-46	4/20/2020	40	82.9	437	
TMP-46	4/20/2020	60	90.7	417	
TMP-46	4/27/2020	20	68.7	457	
TMP-46	4/27/2020	40	82.1	437	
TMP-46	4/27/2020	60	88.6	417	
TMP-46	5/4/2020	20	68.7	457	
TMP-46	5/4/2020	40	81.3	437	
TMP-46	5/4/2020	60	88.9	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-47	4/6/2020	20	63.6	457	
TMP-47	4/6/2020	40	71.4	437	
TMP-47	4/6/2020	60	74.2	417	
TMP-47	4/13/2020	20	62.8	457	
TMP-47	4/13/2020	40	71.4	437	
TMP-47	4/13/2020	60	74.1	417	
TMP-47	4/20/2020	20	63.1	457	
TMP-47	4/20/2020	40	71.2	437	
TMP-47	4/20/2020	60	74.0	417	
TMP-47	4/27/2020	20	62.5	457	
TMP-47	4/27/2020	40	70.6	437	
TMP-47	4/27/2020	60	73.1	417	
TMP-47	5/4/2020	20	60.9	457	
TMP-47	5/4/2020	40	70.4	437	
TMP-47	5/4/2020	60	73.5	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	4/6/2020	20	63.5	455	
TMP-48	4/6/2020	40	68.1	435	
TMP-48	4/6/2020	60	72.4	415	
TMP-48	4/6/2020	72	71.1	403	
TMP-48	4/13/2020	20	66.0	455	
TMP-48	4/13/2020	40	71.0	435	
TMP-48	4/13/2020	60	75.0	415	
TMP-48	4/13/2020	72	73.7	403	
TMP-48	4/20/2020	20	63.4	455	
TMP-48	4/20/2020	40	68.7	435	
TMP-48	4/20/2020	60	73.3	415	
TMP-48	4/20/2020	72	72.0	403	
TMP-48	4/27/2020	20	62.6	455	
TMP-48	4/27/2020	40	67.8	435	
TMP-48	4/27/2020	60	72.1	415	
TMP-48	4/27/2020	72	70.8	403	
TMP-48	5/4/2020	20	64.6	455	
TMP-48	5/4/2020	40	70.2	435	
TMP-48	5/4/2020	60	74.4	415	
TMP-48	5/4/2020	72	73.2	403	