

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	9/12/2016	18	116.2	451	
TMP-1	9/12/2016	38	144.2	431	
TMP-1	9/12/2016	58	148.8	411	
TMP-1	9/12/2016	78	144.6	391	
TMP-1	9/12/2016	98	135.9	371	
TMP-1	9/12/2016	118	125.1	351	
TMP-1	9/12/2016	138	116.8	331	
TMP-1	9/20/2016	18	116.9	451	
TMP-1	9/20/2016	38	144.8	431	
TMP-1	9/20/2016	58	149.4	411	
TMP-1	9/20/2016	78	145.5	391	
TMP-1	9/20/2016	98	136.5	371	
TMP-1	9/20/2016	118	125.7	351	
TMP-1	9/20/2016	138	117.1	331	
TMP-1	9/26/2016	18	116.0	451	
TMP-1	9/26/2016	38	144.0	431	
TMP-1	9/26/2016	58	148.8	411	
TMP-1	9/26/2016	78	144.6	391	
TMP-1	9/26/2016	98	136.0	371	
TMP-1	9/26/2016	118	125.2	351	
TMP-1	9/26/2016	138	116.8	331	
TMP-1	10/4/2016	18	116.1	451	
TMP-1	10/4/2016	38	143.7	431	
TMP-1	10/4/2016	58	148.5	411	
TMP-1	10/4/2016	78	144.3	391	
TMP-1	10/4/2016	98	135.7	371	
TMP-1	10/4/2016	118	124.9	351	
TMP-1	10/4/2016	138	116.5	331	
TMP-1	10/11/2016	18	116.5	451	
TMP-1	10/11/2016	38	144.0	431	
TMP-1	10/11/2016	58	148.7	411	
TMP-1	10/11/2016	78	144.5	391	
TMP-1	10/11/2016	98	135.8	371	
TMP-1	10/11/2016	118	124.9	351	
TMP-1	10/11/2016	138	116.5	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2	9/12/2016	0	94.4	488	
TMP-2	9/12/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	9/12/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	9/12/2016	60	166.9	428	
TMP-2	9/12/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	9/12/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	9/12/2016	120	160.1	368	
TMP-2	9/12/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	9/12/2016	200	101.5	288	
TMP-2	9/20/2016	0	93.2	488	
TMP-2	9/20/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	9/20/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	9/20/2016	60	166.7	428	
TMP-2	9/20/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	9/20/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	9/20/2016	120	159.9	368	
TMP-2	9/20/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	9/20/2016	200	101.4	288	
TMP-2	9/26/2016	0	94.4	488	
TMP-2	9/26/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	9/26/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	9/26/2016	60	167.9	428	
TMP-2	9/26/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	9/26/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	9/26/2016	120	160.9	368	
TMP-2	9/26/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	9/26/2016	200	102.4	288	
TMP-2	10/4/2016	0	93.0	488	
TMP-2	10/4/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	10/4/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	10/4/2016	60	167.0	428	
TMP-2	10/4/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	10/4/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	10/4/2016	120	160.1	368	
TMP-2	10/4/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	10/4/2016	200	101.7	288	
TMP-2	10/11/2016	0	93.8	488	
TMP-2	10/11/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	10/11/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	10/11/2016	60	168.3	428	
TMP-2	10/11/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	10/11/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	10/11/2016	120	160.9	368	
TMP-2	10/11/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	10/11/2016	200	102.5	288	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	9/12/2016	30	148.4	470	
TMP-3	9/12/2016	50	155.2	450	
TMP-3	9/12/2016	70	154.4	430	
TMP-3	9/12/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	9/12/2016	150	145.2	350	
TMP-3	9/12/2016	190	124.1	310	
TMP-3	9/12/2016	230	101.3	270	
TMP-3	9/20/2016	30	148.1	470	
TMP-3	9/20/2016	50	155.6	450	
TMP-3	9/20/2016	70	154.9	430	
TMP-3	9/20/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	9/20/2016	150	146.1	350	
TMP-3	9/20/2016	190	124.9	310	
TMP-3	9/20/2016	230	102.3	270	
TMP-3	9/26/2016	30	147.5	470	
TMP-3	9/26/2016	50	154.9	450	
TMP-3	9/26/2016	70	154.2	430	
TMP-3	9/26/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	9/26/2016	150	145.4	350	
TMP-3	9/26/2016	190	124.4	310	
TMP-3	9/26/2016	230	101.9	270	
TMP-3	10/4/2016	30	146.9	470	
TMP-3	10/4/2016	50	154.9	450	
TMP-3	10/4/2016	70	154.3	430	
TMP-3	10/4/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	10/4/2016	150	145.8	350	
TMP-3	10/4/2016	190	124.7	310	
TMP-3	10/4/2016	230	102.4	270	
TMP-3	10/11/2016	30	147.3	470	
TMP-3	10/11/2016	50	155.5	450	
TMP-3	10/11/2016	70	154.8	430	
TMP-3	10/11/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	10/11/2016	150	145.9	350	
TMP-3	10/11/2016	190	124.9	310	
TMP-3	10/11/2016	230	102.5	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	9/12/2016	20	137.1	479	
TMP-3R	9/12/2016	40	155.4	459	
TMP-3R	9/12/2016	60	157.6	439	
TMP-3R	9/12/2016	80	159.0	419	
TMP-3R	9/12/2016	100	158.0	399	
TMP-3R	9/12/2016	120	154.2	379	
TMP-3R	9/12/2016	140	154.2	359	
TMP-3R	9/12/2016	160	142.2	339	
TMP-3R	9/12/2016	180	133.1	319	
TMP-3R	9/12/2016	200	117.8	299	
TMP-3R	9/12/2016	218	105.0	281	
TMP-3R	9/20/2016	20	137.1	479	
TMP-3R	9/20/2016	40	155.0	459	
TMP-3R	9/20/2016	60	157.0	439	
TMP-3R	9/20/2016	80	158.4	419	
TMP-3R	9/20/2016	100	157.3	399	
TMP-3R	9/20/2016	120	153.3	379	
TMP-3R	9/20/2016	140	153.3	359	
TMP-3R	9/20/2016	160	141.4	339	
TMP-3R	9/20/2016	180	132.2	319	
TMP-3R	9/20/2016	200	116.9	299	
TMP-3R	9/20/2016	218	104.3	281	
TMP-3R	9/26/2016	20	138.3	479	
TMP-3R	9/26/2016	40	156.3	459	
TMP-3R	9/26/2016	60	158.3	439	
TMP-3R	9/26/2016	80	159.6	419	
TMP-3R	9/26/2016	100	158.5	399	
TMP-3R	9/26/2016	120	154.7	379	
TMP-3R	9/26/2016	140	154.5	359	
TMP-3R	9/26/2016	160	142.5	339	
TMP-3R	9/26/2016	180	133.3	319	
TMP-3R	9/26/2016	200	117.9	299	
TMP-3R	9/26/2016	218	105.1	281	
TMP-3R	10/4/2016	20	137.1	479	
TMP-3R	10/4/2016	40	155.3	459	
TMP-3R	10/4/2016	60	157.1	439	
TMP-3R	10/4/2016	80	158.3	419	
TMP-3R	10/4/2016	100	157.2	399	
TMP-3R	10/4/2016	120	153.5	379	
TMP-3R	10/4/2016	140	153.3	359	
TMP-3R	10/4/2016	160	141.3	339	
TMP-3R	10/4/2016	180	132.1	319	
TMP-3R	10/4/2016	200	116.7	299	
TMP-3R	10/4/2016	218	103.9	281	
TMP-3R	10/11/2016	20	137.9	479	
TMP-3R	10/11/2016	40	156.5	459	
TMP-3R	10/11/2016	60	158.7	439	
TMP-3R	10/11/2016	80	160.1	419	
TMP-3R	10/11/2016	100	159.1	399	
TMP-3R	10/11/2016	120	155.5	379	
TMP-3R	10/11/2016	140	155.4	359	
TMP-3R	10/11/2016	160	143.7	339	
TMP-3R	10/11/2016	180	134.6	319	
TMP-3R	10/11/2016	200	119.4	299	
TMP-3R	10/11/2016	218	106.9	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	9/12/2016	28	134.1	472	
TMP-4	9/20/2016	28	134.9	472	
TMP-4	9/26/2016	28	135.5	472	
TMP-4	10/4/2016	28	135.3	472	
TMP-4	10/11/2016	28	135.3	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	9/12/2016	10	110.0	489	
TMP-4R	9/12/2016	20	121.4	479	
TMP-4R	9/12/2016	29	132.9	470	
TMP-4R	9/20/2016	10	108.7	489	
TMP-4R	9/20/2016	20	120.0	479	
TMP-4R	9/20/2016	29	131.4	470	
TMP-4R	9/26/2016	10	110.2	489	
TMP-4R	9/26/2016	20	121.2	479	
TMP-4R	9/26/2016	29	132.7	470	
TMP-4R	10/4/2016	10	110.0	489	
TMP-4R	10/4/2016	20	120.5	479	
TMP-4R	10/4/2016	29	131.9	470	
TMP-4R	10/11/2016	10	110.8	489	
TMP-4R	10/11/2016	20	121.1	479	
TMP-4R	10/11/2016	29	132.4	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	9/12/2016	15	158.6	472	
TMP-6	9/12/2016	95	163.1	392	fluctuating resistance, possibly unreliable
TMP-6	9/12/2016	115	154.0	372	
TMP-6	9/12/2016	135	141.7	352	
TMP-6	9/20/2016	15	158.3	472	
TMP-6	9/20/2016	95	163.3	392	fluctuating resistance, possibly unreliable
TMP-6	9/20/2016	115	153.8	372	
TMP-6	9/20/2016	135	141.3	352	
TMP-6	9/26/2016	15	159.0	472	
TMP-6	9/26/2016	95	163.3	392	fluctuating resistance, possibly unreliable
TMP-6	9/26/2016	115	154.4	372	
TMP-6	9/26/2016	135	142.0	352	
TMP-6	10/4/2016	15	158.5	472	
TMP-6	10/4/2016	95	163.6	392	fluctuating resistance, possibly unreliable
TMP-6	10/4/2016	115	154.2	372	
TMP-6	10/4/2016	135	141.8	352	
TMP-6	10/11/2016	15	158.8	472	
TMP-6	10/11/2016	95	163.4	392	fluctuating resistance, possibly unreliable
TMP-6	10/11/2016	115	154.4	372	
TMP-6	10/11/2016	135	142.0	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	9/12/2016	40	209.3	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	9/20/2016	40	207.6	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	9/26/2016	40	207.0	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	10/4/2016	40	206.0	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	10/11/2016	40	206.5	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	9/12/2016	13	108.4	476	
TMP-10	9/12/2016	33	149.0	456	
TMP-10	9/12/2016	53	166.9	436	
TMP-10	9/12/2016	73	173.6	416	
TMP-10	9/12/2016	93	170.5	396	
TMP-10	9/12/2016	113	161.3	376	
TMP-10	9/12/2016	133	151.3	356	
TMP-10	9/20/2016	13	108.9	476	
TMP-10	9/20/2016	33	149.4	456	
TMP-10	9/20/2016	53	167.2	436	
TMP-10	9/20/2016	73	173.7	416	
TMP-10	9/20/2016	93	170.5	396	
TMP-10	9/20/2016	113	161.3	376	
TMP-10	9/20/2016	133	151.3	356	
TMP-10	9/26/2016	13	110.1	476	
TMP-10	9/26/2016	33	150.1	456	
TMP-10	9/26/2016	53	168.0	436	
TMP-10	9/26/2016	73	174.6	416	
TMP-10	9/26/2016	93	171.3	396	
TMP-10	9/26/2016	113	162.2	376	
TMP-10	9/26/2016	133	152.2	356	
TMP-10	10/4/2016	13	110.1	476	
TMP-10	10/4/2016	33	150.0	456	
TMP-10	10/4/2016	53	167.9	436	
TMP-10	10/4/2016	73	174.4	416	
TMP-10	10/4/2016	93	171.2	396	
TMP-10	10/4/2016	113	161.8	376	
TMP-10	10/4/2016	133	152.2	356	
TMP-10	10/11/2016	13	110.4	476	
TMP-10	10/11/2016	33	150.1	456	
TMP-10	10/11/2016	53	167.9	436	
TMP-10	10/11/2016	73	174.4	416	
TMP-10	10/11/2016	93	171.2	396	
TMP-10	10/11/2016	113	161.7	376	
TMP-10	10/11/2016	133	152.1	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11	9/12/2016	16	138.2	482	
TMP-11	9/12/2016	36	170.9	462	
TMP-11	9/12/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/12/2016	96		402	no reading was obtained despite multiple attempts
TMP-11	9/12/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/12/2016	156		342	low resistivity value, unreliable temperature
TMP-11	9/12/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	9/12/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	9/20/2016	16	137.1	482	
TMP-11	9/20/2016	36	170.2	462	
TMP-11	9/20/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/20/2016	96		402	no reading was obtained despite multiple attempts
TMP-11	9/20/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/20/2016	156		342	low resistivity value, unreliable temperature
TMP-11	9/20/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	9/20/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	9/26/2016	16	139.0	482	
TMP-11	9/26/2016	36	171.8	462	
TMP-11	9/26/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/26/2016	96		402	no reading was obtained despite multiple attempts
TMP-11	9/26/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/26/2016	156		342	low resistivity value, unreliable temperature
TMP-11	9/26/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	9/26/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	10/4/2016	16	139.0	482	
TMP-11	10/4/2016	36	171.7	462	
TMP-11	10/4/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	10/4/2016	96		402	no reading was obtained despite multiple attempts
TMP-11	10/4/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	10/4/2016	156		342	low resistivity value, unreliable temperature
TMP-11	10/4/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	10/4/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	10/11/2016	16	139.9	482	
TMP-11	10/11/2016	36	172.5	462	
TMP-11	10/11/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	10/11/2016	96		402	no reading was obtained despite multiple attempts
TMP-11	10/11/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	10/11/2016	156		342	low resistivity value, unreliable temperature
TMP-11	10/11/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	10/11/2016	216		282	low resistivity values, unreliable temperatures

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14	9/12/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/12/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/12/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/12/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/12/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/12/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/20/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/20/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/20/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/20/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/20/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/20/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/26/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/26/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/26/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/26/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/26/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/26/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	10/4/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	10/4/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	10/4/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	10/4/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	10/4/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	10/4/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	10/11/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	10/11/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	10/11/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	10/11/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	10/11/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	10/11/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	9/12/2016	20	114.5	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/12/2016	39	146.0	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/12/2016	58	162.1	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/12/2016	77	162.3	435	wires repaired 6/15/16
TMP-16	9/12/2016	96	158.4	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/12/2016	115	149.9	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/12/2016	134	138.6	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/12/2016	153	113.3	359	wires repaired 6/15/16
TMP-16	9/20/2016	20	114.4	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/20/2016	39	146.1	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/20/2016	58	164.0	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/20/2016	77	162.5	435	wires repaired 6/15/16
TMP-16	9/20/2016	96	158.2	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/20/2016	115	149.9	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/20/2016	134	138.5	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/20/2016	153	112.7	359	wires repaired 6/15/16
TMP-16	9/26/2016	20	114.8	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/26/2016	39	146.7	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/26/2016	58	163.7	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/26/2016	77	163.1	435	wires repaired 6/15/16
TMP-16	9/26/2016	96	159.1	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/26/2016	115	150.2	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/26/2016	134	138.3	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/26/2016	153	113.3	359	wires repaired 6/15/16
TMP-16	10/4/2016	20	113.5	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	10/4/2016	39	146.2	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	10/4/2016	58	163.6	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	10/4/2016	77	163.0	435	wires repaired 6/15/16
TMP-16	10/4/2016	96	158.6	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	10/4/2016	115	149.9	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	10/4/2016	134	138.0	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	10/4/2016	153	112.5	359	wires repaired 6/15/16
TMP-16	10/11/2016	20	112.5	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	10/11/2016	39	145.5	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	10/11/2016	58	163.2	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	10/11/2016	77	162.9	435	wires repaired 6/15/16
TMP-16	10/11/2016	96	156.4	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	10/11/2016	115	149.1	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	10/11/2016	134	136.2	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	10/11/2016	153	111.4	359	wires repaired 6/15/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	9/12/2016	20	108.2	496	
TMP-17	9/12/2016	40	140.5	476	
TMP-17	9/12/2016	60	157.9	456	
TMP-17	9/12/2016	80	160.4	436	
TMP-17	9/12/2016	100	157.7	416	
TMP-17	9/12/2016	120	151.4	396	
TMP-17	9/12/2016	140	144.1	376	
TMP-17	9/12/2016	160	129.4	356	
TMP-17	9/12/2016	180	122.2	336	
TMP-17	9/12/2016	200	116.0	316	
TMP-17	9/12/2016	220	109.4	296	
TMP-17	9/12/2016	237	101.8	279	
TMP-17	9/20/2016	20	107.7	496	
TMP-17	9/20/2016	40	139.8	476	
TMP-17	9/20/2016	60	156.8	456	
TMP-17	9/20/2016	80	159.0	436	
TMP-17	9/20/2016	100	156.2	416	
TMP-17	9/20/2016	120	150.5	396	
TMP-17	9/20/2016	140	142.4	376	
TMP-17	9/20/2016	160	127.6	356	
TMP-17	9/20/2016	180	120.2	336	
TMP-17	9/20/2016	200	114.0	316	
TMP-17	9/20/2016	220	107.3	296	
TMP-17	9/20/2016	237	99.6	279	
TMP-17	9/26/2016	20	108.2	496	
TMP-17	9/26/2016	40	140.4	476	
TMP-17	9/26/2016	60	157.5	456	
TMP-17	9/26/2016	80	159.9	436	
TMP-17	9/26/2016	100	157.2	416	
TMP-17	9/26/2016	120	151.4	396	
TMP-17	9/26/2016	140	143.7	376	
TMP-17	9/26/2016	160	129.0	356	
TMP-17	9/26/2016	180	121.8	336	
TMP-17	9/26/2016	200	115.6	316	
TMP-17	9/26/2016	220	109.2	296	
TMP-17	9/26/2016	237	101.4	279	
TMP-17	10/4/2016	20	109.2	496	
TMP-17	10/4/2016	40	140.6	476	
TMP-17	10/4/2016	60	158.3	456	
TMP-17	10/4/2016	80	160.6	436	
TMP-17	10/4/2016	100	157.8	416	
TMP-17	10/4/2016	120	151.4	396	
TMP-17	10/4/2016	140	143.7	376	
TMP-17	10/4/2016	160	129.0	356	
TMP-17	10/4/2016	180	121.7	336	
TMP-17	10/4/2016	200	115.4	316	
TMP-17	10/4/2016	220	108.9	296	
TMP-17	10/4/2016	237	101.2	279	
TMP-17	10/11/2016	20	107.9	496	
TMP-17	10/11/2016	40	139.5	476	
TMP-17	10/11/2016	60	157.5	456	
TMP-17	10/11/2016	80	159.9	436	
TMP-17	10/11/2016	100	157.1	416	
TMP-17	10/11/2016	120	150.7	396	
TMP-17	10/11/2016	140	143.3	376	
TMP-17	10/11/2016	160	128.7	356	
TMP-17	10/11/2016	180	121.3	336	
TMP-17	10/11/2016	200	115.1	316	
TMP-17	10/11/2016	220	108.6	296	
TMP-17	10/11/2016	237	101.1	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	9/12/2016	20	94.6	489	
TMP-18	9/12/2016	39	135.2	470	
TMP-18	9/12/2016	58	152.8	451	
TMP-18	9/12/2016	77	152.3	432	
TMP-18	9/12/2016	96	147.3	413	
TMP-18	9/12/2016	115	139.6	394	
TMP-18	9/12/2016	134	131.5	375	
TMP-18	9/12/2016	153	125.0	356	
TMP-18	9/12/2016	172	118.9	337	
TMP-18	9/12/2016	191	114.0	318	
TMP-18	9/12/2016	210	110.0	299	
TMP-18	9/12/2016	227	107.3	282	
TMP-18	9/20/2016	20	94.2	489	
TMP-18	9/20/2016	39	134.4	470	
TMP-18	9/20/2016	58	152.0	451	
TMP-18	9/20/2016	77	151.3	432	
TMP-18	9/20/2016	96	146.3	413	
TMP-18	9/20/2016	115	138.6	394	
TMP-18	9/20/2016	134	130.6	375	
TMP-18	9/20/2016	153	124.1	356	
TMP-18	9/20/2016	172	117.9	337	
TMP-18	9/20/2016	191	113.0	318	
TMP-18	9/20/2016	210	109.0	299	
TMP-18	9/20/2016	227	106.4	282	
TMP-18	9/26/2016	20	93.1	489	
TMP-18	9/26/2016	39	133.5	470	
TMP-18	9/26/2016	58	151.4	451	
TMP-18	9/26/2016	77	150.9	432	
TMP-18	9/26/2016	96	146.2	413	
TMP-18	9/26/2016	115	138.7	394	
TMP-18	9/26/2016	134	130.6	375	
TMP-18	9/26/2016	153	124.2	356	
TMP-18	9/26/2016	172	118.3	337	
TMP-18	9/26/2016	191	113.4	318	
TMP-18	9/26/2016	210	109.6	299	
TMP-18	9/26/2016	227	107.0	282	
TMP-18	10/4/2016	20	95.3	489	
TMP-18	10/4/2016	39	135.7	470	
TMP-18	10/4/2016	58	153.2	451	
TMP-18	10/4/2016	77	152.6	432	
TMP-18	10/4/2016	96	147.7	413	
TMP-18	10/4/2016	115	140.0	394	
TMP-18	10/4/2016	134	132.0	375	
TMP-18	10/4/2016	153	125.4	356	
TMP-18	10/4/2016	172	119.4	337	
TMP-18	10/4/2016	191	114.5	318	
TMP-18	10/4/2016	210	110.5	299	
TMP-18	10/4/2016	227	107.8	282	
TMP-18	10/11/2016	20	94.6	489	
TMP-18	10/11/2016	39	135.1	470	
TMP-18	10/11/2016	58	152.6	451	
TMP-18	10/11/2016	77	152.1	432	
TMP-18	10/11/2016	96	147.4	413	
TMP-18	10/11/2016	115	139.9	394	
TMP-18	10/11/2016	134	132.0	375	
TMP-18	10/11/2016	153	125.6	356	
TMP-18	10/11/2016	172	119.5	337	
TMP-18	10/11/2016	191	114.6	318	
TMP-18	10/11/2016	210	110.6	299	
TMP-18	10/11/2016	227	108.1	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	9/12/2016	13	88.0	461	
TMP-21	9/12/2016	26	95.5	448	
TMP-21	9/12/2016	41	91.0	433	
TMP-21	9/20/2016	13	86.8	461	
TMP-21	9/20/2016	26	94.3	448	
TMP-21	9/20/2016	41	89.9	433	
TMP-21	9/26/2016	13	88.6	461	
TMP-21	9/26/2016	26	95.7	448	
TMP-21	9/26/2016	41	91.3	433	
TMP-21	10/4/2016	13	88.2	461	
TMP-21	10/4/2016	26	95.1	448	
TMP-21	10/4/2016	41	90.6	433	
TMP-21	10/11/2016	13	89.0	461	
TMP-21	10/11/2016	26	96.2	448	
TMP-21	10/11/2016	41	91.6	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	9/12/2016	15	105.7	474	
TMP-22	9/12/2016	31	125.8	458	
TMP-22	9/12/2016	50	124.1	439	
TMP-22	9/12/2016	70	115.9	419	
TMP-22	9/20/2016	15	105.1	474	
TMP-22	9/20/2016	31	125.2	458	
TMP-22	9/20/2016	50	123.7	439	
TMP-22	9/20/2016	70	115.6	419	
TMP-22	9/26/2016	15	106.3	474	
TMP-22	9/26/2016	31	126.3	458	
TMP-22	9/26/2016	50	124.9	439	
TMP-22	9/26/2016	70	116.8	419	
TMP-22	10/4/2016	15	105.4	474	
TMP-22	10/4/2016	31	125.4	458	
TMP-22	10/4/2016	50	124.1	439	
TMP-22	10/4/2016	70	116.1	419	
TMP-22	10/11/2016	15	105.7	474	
TMP-22	10/11/2016	31	125.6	458	
TMP-22	10/11/2016	50	124.3	439	
TMP-22	10/11/2016	70	116.3	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	9/12/2016	20	116.6	477	
TMP-23	9/12/2016	38	139.3	459	
TMP-23	9/12/2016	56	142.0	441	
TMP-23	9/12/2016	74	134.4	423	
TMP-23	9/12/2016	92	125.4	405	
TMP-23	9/12/2016	106	117.0	391	
TMP-23	9/20/2016	20	115.8	477	
TMP-23	9/20/2016	38	138.9	459	
TMP-23	9/20/2016	56	141.6	441	
TMP-23	9/20/2016	74	134.2	423	
TMP-23	9/20/2016	92	125.3	405	
TMP-23	9/20/2016	106	116.8	391	
TMP-23	9/26/2016	20	117.0	477	
TMP-23	9/26/2016	38	140.0	459	
TMP-23	9/26/2016	56	142.7	441	
TMP-23	9/26/2016	74	135.3	423	
TMP-23	9/26/2016	92	126.4	405	
TMP-23	9/26/2016	106	117.7	391	
TMP-23	10/4/2016	20	115.7	477	
TMP-23	10/4/2016	38	138.7	459	
TMP-23	10/4/2016	56	141.4	441	
TMP-23	10/4/2016	74	134.0	423	
TMP-23	10/4/2016	92	125.2	405	
TMP-23	10/4/2016	106	116.7	391	
TMP-23	10/11/2016	20	116.2	477	
TMP-23	10/11/2016	38	139.1	459	
TMP-23	10/11/2016	56	141.6	441	
TMP-23	10/11/2016	74	134.2	423	
TMP-23	10/11/2016	92	125.3	405	
TMP-23	10/11/2016	106	116.8	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	9/12/2016	20	102.7	492	
TMP-24	9/12/2016	40	129.9	472	
TMP-24	9/12/2016	60	142.5	452	
TMP-24	9/12/2016	67	143.4	445	
TMP-24	9/20/2016	20	101.1	492	
TMP-24	9/20/2016	40	128.4	472	
TMP-24	9/20/2016	60	141.3	452	
TMP-24	9/20/2016	67	142.1	445	
TMP-24	9/26/2016	20	102.8	492	
TMP-24	9/26/2016	40	129.8	472	
TMP-24	9/26/2016	60	142.3	452	
TMP-24	9/26/2016	67	143.1	445	
TMP-24	10/4/2016	20	101.7	492	
TMP-24	10/4/2016	40	128.8	472	
TMP-24	10/4/2016	60	141.6	452	
TMP-24	10/4/2016	67	142.7	445	
TMP-24	10/11/2016	20	101.9	492	
TMP-24	10/11/2016	40	129.0	472	
TMP-24	10/11/2016	60	141.8	452	
TMP-24	10/11/2016	67	142.6	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	9/12/2016	20	123.1	495	
TMP-25	9/12/2016	40	148.0	475	
TMP-25	9/12/2016	60	160.6	455	
TMP-25	9/12/2016	80	162.0	435	
TMP-25	9/12/2016	100	156.4	415	
TMP-25	9/12/2016	120	145.5	395	
TMP-25	9/12/2016	140	133.8	375	
TMP-25	9/12/2016	160	120.9	355	
TMP-25	9/12/2016	180	113.3	335	
TMP-25	9/12/2016	200	107.6	315	
TMP-25	9/12/2016	220	96.6	295	
TMP-25	9/12/2016	235	92.4	280	
TMP-25	9/20/2016	20	122.2	495	
TMP-25	9/20/2016	40	147.1	475	
TMP-25	9/20/2016	60	159.9	455	
TMP-25	9/20/2016	80	161.2	435	
TMP-25	9/20/2016	100	155.7	415	
TMP-25	9/20/2016	120	144.9	395	
TMP-25	9/20/2016	140	133.3	375	
TMP-25	9/20/2016	160	120.4	355	
TMP-25	9/20/2016	180	112.9	335	
TMP-25	9/20/2016	200	107.2	315	
TMP-25	9/20/2016	220	96.2	295	
TMP-25	9/20/2016	235	92.3	280	
TMP-25	9/26/2016	20	122.8	495	
TMP-25	9/26/2016	40	147.7	475	
TMP-25	9/26/2016	60	160.5	455	
TMP-25	9/26/2016	80	161.7	435	
TMP-25	9/26/2016	100	156.1	415	
TMP-25	9/26/2016	120	145.3	395	
TMP-25	9/26/2016	140	133.7	375	
TMP-25	9/26/2016	160	120.6	355	
TMP-25	9/26/2016	180	113.0	335	
TMP-25	9/26/2016	200	107.2	315	
TMP-25	9/26/2016	220	96.2	295	
TMP-25	9/26/2016	235	92.0	280	
TMP-25	10/4/2016	20	122.4	495	
TMP-25	10/4/2016	40	147.2	475	
TMP-25	10/4/2016	60	160.0	455	
TMP-25	10/4/2016	80	161.2	435	
TMP-25	10/4/2016	100	155.7	415	
TMP-25	10/4/2016	120	144.8	395	
TMP-25	10/4/2016	140	133.2	375	
TMP-25	10/4/2016	160	120.3	355	
TMP-25	10/4/2016	180	112.8	335	
TMP-25	10/4/2016	200	107.1	315	
TMP-25	10/4/2016	220	96.1	295	
TMP-25	10/4/2016	235	92.2	280	
TMP-25	10/11/2016	20	121.6	495	
TMP-25	10/11/2016	40	146.5	475	
TMP-25	10/11/2016	60	159.7	455	
TMP-25	10/11/2016	80	160.9	435	
TMP-25	10/11/2016	100	155.6	415	
TMP-25	10/11/2016	120	144.6	395	
TMP-25	10/11/2016	140	133.0	375	
TMP-25	10/11/2016	160	120.2	355	
TMP-25	10/11/2016	180	112.8	335	
TMP-25	10/11/2016	200	107.0	315	
TMP-25	10/11/2016	220	96.0	295	
TMP-25	10/11/2016	235	92.0	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	9/12/2016	20	102.7	479	
TMP-26	9/12/2016	40	118.3	459	
TMP-26	9/12/2016	60	122.3	439	
TMP-26	9/12/2016	80	122.0	419	
TMP-26	9/12/2016	100	113.7	399	
TMP-26	9/12/2016	120	118.7	379	
TMP-26	9/12/2016	140	119.9	359	
TMP-26	9/12/2016	142	119.0	357	
TMP-26	9/20/2016	20	103.4	479	
TMP-26	9/20/2016	40	118.7	459	
TMP-26	9/20/2016	60	122.8	439	
TMP-26	9/20/2016	80	122.4	419	
TMP-26	9/20/2016	100	114.1	399	
TMP-26	9/20/2016	120	118.9	379	
TMP-26	9/20/2016	140	120.2	359	
TMP-26	9/20/2016	142	119.2	357	
TMP-26	9/26/2016	20	102.9	479	
TMP-26	9/26/2016	40	117.4	459	
TMP-26	9/26/2016	60	121.3	439	
TMP-26	9/26/2016	80	120.7	419	
TMP-26	9/26/2016	100	112.6	399	
TMP-26	9/26/2016	120	117.3	379	
TMP-26	9/26/2016	140	118.6	359	
TMP-26	9/26/2016	142	117.6	357	
TMP-26	10/4/2016	20	104.1	479	
TMP-26	10/4/2016	40	119.2	459	
TMP-26	10/4/2016	60	123.0	439	
TMP-26	10/4/2016	80	122.6	419	
TMP-26	10/4/2016	100	114.4	399	
TMP-26	10/4/2016	120	119.2	379	
TMP-26	10/4/2016	140	120.6	359	
TMP-26	10/4/2016	142	119.7	357	
TMP-26	10/11/2016	20	105.2	479	
TMP-26	10/11/2016	40	120.3	459	
TMP-26	10/11/2016	60	124.0	439	
TMP-26	10/11/2016	80	123.9	419	
TMP-26	10/11/2016	100	115.6	399	
TMP-26	10/11/2016	120	120.4	379	
TMP-26	10/11/2016	140	121.8	359	
TMP-26	10/11/2016	142	120.7	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	9/12/2016	20	98.5	493	
TMP-27	9/12/2016	40	141.3	473	
TMP-27	9/12/2016	60	152.7	453	
TMP-27	9/12/2016	80	155.7	433	
TMP-27	9/12/2016	100	152.5	413	
TMP-27	9/12/2016	120	147.4	393	
TMP-27	9/12/2016	140	141.8	373	
TMP-27	9/12/2016	160	135.3	353	
TMP-27	9/12/2016	180	129.0	333	
TMP-27	9/12/2016	200	124.8	313	
TMP-27	9/12/2016	220	120.0	293	
TMP-27	9/12/2016	233	115.1	280	
TMP-27	9/20/2016	20	99.4	493	
TMP-27	9/20/2016	40	142.3	473	
TMP-27	9/20/2016	60	154.0	453	
TMP-27	9/20/2016	80	157.0	433	
TMP-27	9/20/2016	100	153.8	413	
TMP-27	9/20/2016	120	148.6	393	
TMP-27	9/20/2016	140	143.2	373	
TMP-27	9/20/2016	160	136.4	353	
TMP-27	9/20/2016	180	130.3	333	
TMP-27	9/20/2016	200	126.2	313	
TMP-27	9/20/2016	220	121.5	293	
TMP-27	9/20/2016	233	116.5	280	
TMP-27	9/26/2016	20	99.7	493	
TMP-27	9/26/2016	40	142.9	473	
TMP-27	9/26/2016	60	154.3	453	
TMP-27	9/26/2016	80	157.0	433	
TMP-27	9/26/2016	100	153.5	413	
TMP-27	9/26/2016	120	148.0	393	
TMP-27	9/26/2016	140	142.2	373	
TMP-27	9/26/2016	160	135.1	353	
TMP-27	9/26/2016	180	128.7	333	
TMP-27	9/26/2016	200	124.3	313	
TMP-27	9/26/2016	220	119.1	293	
TMP-27	9/26/2016	233	113.9	280	
TMP-27	10/4/2016	20	101.1	493	
TMP-27	10/4/2016	40	144.0	473	
TMP-27	10/4/2016	60	155.3	453	
TMP-27	10/4/2016	80	158.1	433	
TMP-27	10/4/2016	100	154.8	413	
TMP-27	10/4/2016	120	148.8	393	
TMP-27	10/4/2016	140	142.9	373	
TMP-27	10/4/2016	160	136.0	353	
TMP-27	10/4/2016	180	129.4	333	
TMP-27	10/4/2016	200	124.9	313	
TMP-27	10/4/2016	220	119.8	293	
TMP-27	10/4/2016	233	114.7	280	
TMP-27	10/11/2016	20	100.2	493	
TMP-27	10/11/2016	40	142.9	473	
TMP-27	10/11/2016	60	154.5	453	
TMP-27	10/11/2016	80	157.4	433	
TMP-27	10/11/2016	100	154.1	413	
TMP-27	10/11/2016	120	148.7	393	
TMP-27	10/11/2016	140	142.9	373	
TMP-27	10/11/2016	160	136.0	353	
TMP-27	10/11/2016	180	129.5	333	
TMP-27	10/11/2016	200	125.1	313	
TMP-27	10/11/2016	220	119.9	293	
TMP-27	10/11/2016	233	114.9	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	9/12/2016	20	97.0	480	
TMP-28	9/12/2016	40	136.3	460	
TMP-28	9/12/2016	60	132.1	440	
TMP-28	9/12/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	9/12/2016	100	130.6	400	
TMP-28	9/12/2016	120	125.3	380	
TMP-28	9/12/2016	140	121.1	360	
TMP-28	9/12/2016	160	117.0	340	
TMP-28	9/12/2016	180	113.5	320	
TMP-28	9/12/2016	200	111.5	300	
TMP-28	9/12/2016	217		283	no longer working
TMP-28	9/20/2016	20	98.6	480	
TMP-28	9/20/2016	40	137.2	460	
TMP-28	9/20/2016	60	133.1	440	
TMP-28	9/20/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	9/20/2016	100	131.5	400	
TMP-28	9/20/2016	120	126.2	380	
TMP-28	9/20/2016	140	121.8	360	
TMP-28	9/20/2016	160	117.6	340	
TMP-28	9/20/2016	180	113.9	320	
TMP-28	9/20/2016	200	112.0	300	
TMP-28	9/20/2016	217		283	no longer working
TMP-28	9/26/2016	20	98.4	480	
TMP-28	9/26/2016	40	137.3	460	
TMP-28	9/26/2016	60	133.5	440	
TMP-28	9/26/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	9/26/2016	100	131.8	400	
TMP-28	9/26/2016	120	126.4	380	
TMP-28	9/26/2016	140	121.8	360	
TMP-28	9/26/2016	160	117.1	340	
TMP-28	9/26/2016	180	112.7	320	
TMP-28	9/26/2016	200	110.3	300	
TMP-28	9/26/2016	217		283	no longer working
TMP-28	10/4/2016	20	99.4	480	
TMP-28	10/4/2016	40	137.6	460	
TMP-28	10/4/2016	60	133.6	440	
TMP-28	10/4/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	10/4/2016	100	131.8	400	
TMP-28	10/4/2016	120	126.4	380	
TMP-28	10/4/2016	140	122.0	360	
TMP-28	10/4/2016	160	117.5	340	
TMP-28	10/4/2016	180	113.8	320	
TMP-28	10/4/2016	200	111.6	300	
TMP-28	10/4/2016	217		283	no longer working
TMP-28	10/11/2016	20	99.1	480	
TMP-28	10/11/2016	40	137.4	460	
TMP-28	10/11/2016	60	133.5	440	
TMP-28	10/11/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	10/11/2016	100	131.8	400	
TMP-28	10/11/2016	120	126.4	380	
TMP-28	10/11/2016	140	122.0	360	
TMP-28	10/11/2016	160	117.5	340	
TMP-28	10/11/2016	180	113.7	320	
TMP-28	10/11/2016	200	111.5	300	
TMP-28	10/11/2016	217		283	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	9/12/2016	8	77.6	488	
TMP-29	9/12/2016	16	78.4	480	
TMP-29	9/12/2016	25	86.1	471	
TMP-29	9/20/2016	8	77.2	488	
TMP-29	9/20/2016	16	77.5	480	
TMP-29	9/20/2016	25	84.9	471	
TMP-29	9/26/2016	8	76.9	488	
TMP-29	9/26/2016	16	78.1	480	
TMP-29	9/26/2016	25	85.8	471	
TMP-29	10/4/2016	8	77.1	488	
TMP-29	10/4/2016	16	78.3	480	
TMP-29	10/4/2016	25	85.4	471	
TMP-29	10/11/2016	8	78.5	488	
TMP-29	10/11/2016	16	79.6	480	
TMP-29	10/11/2016	25	86.6	471	