

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	2/1/2016	18	119.3	451	
TMP-1	2/1/2016	38	144.9	431	
TMP-1	2/1/2016	58	149.2	411	
TMP-1	2/1/2016	78	145.0	391	
TMP-1	2/1/2016	98	136.4	371	
TMP-1	2/1/2016	118	125.6	351	
TMP-1	2/1/2016	138	117.1	331	
TMP-1	2/8/2016	18	119.1	451	
TMP-1	2/8/2016	38	145.0	431	
TMP-1	2/8/2016	58	148.7	411	
TMP-1	2/8/2016	78	144.9	391	
TMP-1	2/8/2016	98	135.7	371	
TMP-1	2/8/2016	118	124.8	351	
TMP-1	2/8/2016	138	117.9	331	
TMP-1	2/15/2016	18	120.5	451	
TMP-1	2/15/2016	38	146.4	431	
TMP-1	2/15/2016	58	150.6	411	
TMP-1	2/15/2016	78	146.6	391	
TMP-1	2/15/2016	98	137.5	371	
TMP-1	2/15/2016	118	127.3	351	
TMP-1	2/15/2016	138	118.9	331	
TMP-1	2/22/2016	18	118.6	451	
TMP-1	2/22/2016	38	144.6	431	
TMP-1	2/22/2016	58	149.2	411	
TMP-1	2/22/2016	78	145.0	391	
TMP-1	2/22/2016	98	136.5	371	
TMP-1	2/22/2016	118	125.9	351	
TMP-1	2/22/2016	138	117.4	331	
TMP-1	3/3/2016	18	119.1	451	
TMP-1	3/3/2016	38	145.3	431	
TMP-1	3/3/2016	58	148.9	411	
TMP-1	3/3/2016	78	145.8	391	
TMP-1	3/3/2016	98	136.9	371	
TMP-1	3/3/2016	118	126.4	351	
TMP-1	3/3/2016	138	118.0	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2	2/1/2016	0	75.1	488	
TMP-2	2/1/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	2/1/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	2/1/2016	60	167.2	428	
TMP-2	2/1/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	2/1/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	2/1/2016	120	160.8	368	
TMP-2	2/1/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	2/1/2016	200	102.2	288	
TMP-2	2/8/2016	0	76.3	488	
TMP-2	2/8/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	2/8/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	2/8/2016	60	167.9	428	
TMP-2	2/8/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	2/8/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	2/8/2016	120	161.1	368	
TMP-2	2/8/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	2/8/2016	200	101.8	288	
TMP-2	2/15/2016	0	77.5	488	
TMP-2	2/15/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	2/15/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	2/15/2016	60	168.4	428	
TMP-2	2/15/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	2/15/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	2/15/2016	120	161.7	368	
TMP-2	2/15/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	2/15/2016	200	103.0	288	
TMP-2	2/22/2016	0	78.0	488	
TMP-2	2/22/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	2/22/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	2/22/2016	60	168.0	428	
TMP-2	2/22/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	2/22/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	2/22/2016	120	161.3	368	
TMP-2	2/22/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	2/22/2016	200	102.9	288	
TMP-2	3/3/2016	0	70.6	488	
TMP-2	3/3/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	3/3/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	3/3/2016	60	167.5	428	
TMP-2	3/3/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	3/3/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	3/3/2016	120	160.6	368	
TMP-2	3/3/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	3/3/2016	200	102.2	288	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	2/1/2016	30	147.0	470	
TMP-3	2/1/2016	50	155.2	450	
TMP-3	2/1/2016	70	154.9	430	
TMP-3	2/1/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	2/1/2016	150	145.7	350	
TMP-3	2/1/2016	190	125.1	310	
TMP-3	2/1/2016	230	101.8	270	
TMP-3	2/8/2016	30	146.9	470	
TMP-3	2/8/2016	50	154.4	450	
TMP-3	2/8/2016	70	155.0	430	
TMP-3	2/8/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	2/8/2016	150	145.7	350	
TMP-3	2/8/2016	190	125.4	310	
TMP-3	2/8/2016	230	102.4	270	
TMP-3	2/15/2016	30	146.7	470	
TMP-3	2/15/2016	50	155.0	450	
TMP-3	2/15/2016	70	154.6	430	
TMP-3	2/15/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	2/15/2016	150	145.3	350	
TMP-3	2/15/2016	190	124.9	310	
TMP-3	2/15/2016	230	101.7	270	
TMP-3	2/22/2016	30	147.1	470	
TMP-3	2/22/2016	50	154.9	450	
TMP-3	2/22/2016	70	154.8	430	
TMP-3	2/22/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	2/22/2016	150	145.8	350	
TMP-3	2/22/2016	190	125.5	310	
TMP-3	2/22/2016	230	102.2	270	
TMP-3	3/3/2016	30	148.0	470	
TMP-3	3/3/2016	50	155.1	450	
TMP-3	3/3/2016	70	155.0	430	
TMP-3	3/3/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/3/2016	150	145.7	350	
TMP-3	3/3/2016	190	125.5	310	
TMP-3	3/3/2016	230	102.2	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	2/1/2016	20	138.9	479	
TMP-3R	2/1/2016	40	155.1	459	
TMP-3R	2/1/2016	60	158.3	439	
TMP-3R	2/1/2016	80	160.9	419	
TMP-3R	2/1/2016	100	160.0	399	
TMP-3R	2/1/2016	120	156.4	379	
TMP-3R	2/1/2016	140	155.0	359	
TMP-3R	2/1/2016	160	145.0	339	
TMP-3R	2/1/2016	180	136.0	319	
TMP-3R	2/1/2016	200	120.6	299	
TMP-3R	2/1/2016	218	107.6	281	
TMP-3R	2/8/2016	20	141.2	479	
TMP-3R	2/8/2016	40	157.0	459	
TMP-3R	2/8/2016	60	160.0	439	
TMP-3R	2/8/2016	80	162.2	419	
TMP-3R	2/8/2016	100	161.1	399	
TMP-3R	2/8/2016	120	157.4	379	
TMP-3R	2/8/2016	140	155.8	359	
TMP-3R	2/8/2016	160	145.7	339	
TMP-3R	2/8/2016	180	136.6	319	
TMP-3R	2/8/2016	200	121.2	299	
TMP-3R	2/8/2016	218	108.4	281	
TMP-3R	2/15/2016	20	140.8	479	
TMP-3R	2/15/2016	40	156.8	459	
TMP-3R	2/15/2016	60	159.9	439	
TMP-3R	2/15/2016	80	162.3	419	
TMP-3R	2/15/2016	100	161.4	399	
TMP-3R	2/15/2016	120	157.7	379	
TMP-3R	2/15/2016	140	155.1	359	
TMP-3R	2/15/2016	160	146.2	339	
TMP-3R	2/15/2016	180	137.1	319	
TMP-3R	2/15/2016	200	121.9	299	
TMP-3R	2/15/2016	218	109.1	281	
TMP-3R	2/22/2016	20	140.4	479	
TMP-3R	2/22/2016	40	156.2	459	
TMP-3R	2/22/2016	60	159.1	439	
TMP-3R	2/22/2016	80	161.4	419	
TMP-3R	2/22/2016	100	160.5	399	
TMP-3R	2/22/2016	120	156.7	379	
TMP-3R	2/22/2016	140	155.4	359	
TMP-3R	2/22/2016	160	145.4	339	
TMP-3R	2/22/2016	180	136.4	319	
TMP-3R	2/22/2016	200	121.2	299	
TMP-3R	2/22/2016	218	108.4	281	
TMP-3R	3/3/2016	20	138.2	479	
TMP-3R	3/3/2016	40	154.4	459	
TMP-3R	3/3/2016	60	157.3	439	
TMP-3R	3/3/2016	80	159.5	419	
TMP-3R	3/3/2016	100	158.5	399	
TMP-3R	3/3/2016	120	154.7	379	
TMP-3R	3/3/2016	140	153.5	359	
TMP-3R	3/3/2016	160	143.2	339	
TMP-3R	3/3/2016	180	134.2	319	
TMP-3R	3/3/2016	200	119.0	299	
TMP-3R	3/3/2016	218	106.2	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	2/1/2016	28	137.4	472	
TMP-4	2/8/2016	28	135.7	472	
TMP-4	2/15/2016	28	136.9	472	
TMP-4	2/22/2016	28	136.2	472	
TMP-4	3/3/2016	28	138	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	2/1/2016	10	105.3	489	
TMP-4R	2/1/2016	20	134.8	479	
TMP-4R	2/1/2016	29	135.7	470	
TMP-4R	2/8/2016	10	106.9	489	
TMP-4R	2/8/2016	20	135.9	479	
TMP-4R	2/8/2016	29	137.2	470	
TMP-4R	2/15/2016	10	107.4	489	
TMP-4R	2/15/2016	20	134.3	479	
TMP-4R	2/15/2016	29	136.3	470	
TMP-4R	2/22/2016	10	105.8	489	
TMP-4R	2/22/2016	20	132.5	479	
TMP-4R	2/22/2016	29	135.5	470	
TMP-4R	3/3/2016	10	104.8	489	
TMP-4R	3/3/2016	20	131.4	479	
TMP-4R	3/3/2016	29	135.3	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	2/1/2016	15	161.2	472	
TMP-6	2/1/2016	95	162.0	392	fluctuating resistance, possibly unreliable
TMP-6	2/1/2016	115	152.9	372	
TMP-6	2/1/2016	135	141.2	352	
TMP-6	2/8/2016	15	160.4	472	
TMP-6	2/8/2016	95	161.3	392	fluctuating resistance, possibly unreliable
TMP-6	2/8/2016	115	153.0	372	
TMP-6	2/8/2016	135	141.9	352	
TMP-6	2/15/2016	15	163.0	472	
TMP-6	2/15/2016	95	163.8	392	fluctuating resistance, possibly unreliable
TMP-6	2/15/2016	115	155.0	372	
TMP-6	2/15/2016	135	143.2	352	
TMP-6	2/22/2016	15	161.6	472	
TMP-6	2/22/2016	95	162.6	392	fluctuating resistance, possibly unreliable
TMP-6	2/22/2016	115	153.7	372	
TMP-6	2/22/2016	135	141.9	352	
TMP-6	3/3/2016	15	156.2	472	
TMP-6	3/3/2016	95	162.5	392	fluctuating resistance, possibly unreliable
TMP-6	3/3/2016	115	153.7	372	
TMP-6	3/3/2016	135	141.8	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	2/1/2016	40	218.2	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	2/8/2016	40	218.7	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	2/15/2016	40	220.6	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	2/22/2016	40	217.6	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	3/3/2016	40	217.6	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	2/1/2016	13	108.8	476	
TMP-10	2/1/2016	33	147.4	456	
TMP-10	2/1/2016	53	165.2	436	
TMP-10	2/1/2016	73	172.7	416	
TMP-10	2/1/2016	93	170.0	396	
TMP-10	2/1/2016	113	161.5	376	
TMP-10	2/1/2016	133	151.9	356	
TMP-10	2/8/2016	13	107.3	476	
TMP-10	2/8/2016	33	146.9	456	
TMP-10	2/8/2016	53	164.8	436	
TMP-10	2/8/2016	73	173.4	416	
TMP-10	2/8/2016	93	170.1	396	
TMP-10	2/8/2016	113	162.3	376	
TMP-10	2/8/2016	133	152.1	356	
TMP-10	2/15/2016	13	109.5	476	
TMP-10	2/15/2016	33	148.9	456	
TMP-10	2/15/2016	53	166.7	436	
TMP-10	2/15/2016	73	173.9	416	
TMP-10	2/15/2016	93	171.3	396	
TMP-10	2/15/2016	113	162.7	376	
TMP-10	2/15/2016	133	152.9	356	
TMP-10	2/22/2016	13	106.6	476	
TMP-10	2/22/2016	33	146.6	456	
TMP-10	2/22/2016	53	164.6	436	
TMP-10	2/22/2016	73	172.1	416	
TMP-10	2/22/2016	93	169.5	396	
TMP-10	2/22/2016	113	161.0	376	
TMP-10	2/22/2016	133	151.3	356	
TMP-10	3/3/2016	13	107.3	476	
TMP-10	3/3/2016	33	148.0	456	
TMP-10	3/3/2016	53	165.7	436	
TMP-10	3/3/2016	73	173.2	416	
TMP-10	3/3/2016	93	170.4	396	
TMP-10	3/3/2016	113	161.8	376	
TMP-10	3/3/2016	133	151.9	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11	2/1/2016	16	146.2	482	
TMP-11	2/1/2016	36	170.7	462	
TMP-11	2/1/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	2/1/2016	96	169.9	402	
TMP-11	2/1/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	2/1/2016	156	148.2	342	
TMP-11	2/1/2016	196	121.2	302	
TMP-11	2/1/2016	216	101.7	282	
TMP-11	2/8/2016	16	148.1	482	
TMP-11	2/8/2016	36	173.5	462	
TMP-11	2/8/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	2/8/2016	96	172.6	402	
TMP-11	2/8/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	2/8/2016	156	150.9	342	
TMP-11	2/8/2016	196	123.4	302	
TMP-11	2/8/2016	216	103.8	282	
TMP-11	2/15/2016	16	147.3	482	
TMP-11	2/15/2016	36	172.3	462	
TMP-11	2/15/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	2/15/2016	96	171.0	402	
TMP-11	2/15/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	2/15/2016	156	149.2	342	
TMP-11	2/15/2016	196	123.1	302	
TMP-11	2/15/2016	216	102.6	282	
TMP-11	2/22/2016	16	146.1	482	
TMP-11	2/22/2016	36	172.5	462	
TMP-11	2/22/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	2/22/2016	96	171.0	402	
TMP-11	2/22/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	2/22/2016	156	149.6	342	
TMP-11	2/22/2016	196	122.5	302	
TMP-11	2/22/2016	216	102.4	282	
TMP-11	3/3/2016	16	145.4	482	
TMP-11	3/3/2016	36	172.1	462	
TMP-11	3/3/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	3/3/2016	96	170.5	402	
TMP-11	3/3/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	3/3/2016	156	149.1	342	
TMP-11	3/3/2016	196	123.4	302	
TMP-11	3/3/2016	216	101.7	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14	2/1/2016	41	190.9	457	
TMP-14	2/1/2016	61	204.1	437	
TMP-14	2/1/2016	81	184.8	417	
TMP-14	2/1/2016	101		397	temperature fluctuates occasionally , may be unreliable
TMP-14	2/1/2016	161		337	fluctuating readings, no resistivity or temperature obtained
TMP-14	2/1/2016	201		297	resistivity is high, temperature is unreliable
TMP-14	2/8/2016	41	191.3	457	
TMP-14	2/8/2016	61	204.1	437	
TMP-14	2/8/2016	81	185.2	417	
TMP-14	2/8/2016	101		397	temperature fluctuates occasionally , may be unreliable
TMP-14	2/8/2016	161		337	fluctuating readings, no resistivity or temperature obtained
TMP-14	2/8/2016	201		297	resistivity is high, temperature is unreliable
TMP-14	2/15/2016	41	189.8	457	
TMP-14	2/15/2016	61	202.9	437	
TMP-14	2/15/2016	81	184.0	417	
TMP-14	2/15/2016	101		397	temperature fluctuates occasionally , may be unreliable
TMP-14	2/15/2016	161		337	fluctuating readings, no resistivity or temperature obtained
TMP-14	2/15/2016	201		297	resistivity is high, temperature is unreliable
TMP-14	2/22/2016	41	188.7	457	
TMP-14	2/22/2016	61	202.3	437	
TMP-14	2/22/2016	81	185.1	417	
TMP-14	2/22/2016	101		397	no resistivity or temperature obtained
TMP-14	2/22/2016	161		337	fluctuating readings, no resistivity or temperature obtained
TMP-14	2/22/2016	201		297	no resistivity or temperature obtained
TMP-14	3/3/2016	41	187.8	457	
TMP-14	3/3/2016	61	201.7	437	
TMP-14	3/3/2016	81	171.0	417	temperature obtained differs by >5 degrees from previous reading, may be unreliable
TMP-14	3/3/2016	101		397	no resistivity or temperature obtained
TMP-14	3/3/2016	161		337	fluctuating readings, no resistivity or temperature obtained
TMP-14	3/3/2016	201		297	no resistivity or temperature obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	2/1/2016	20	112.8	492	[possibly not reliable per connectivity test 10/15]
TMP-16	2/1/2016	39	145.1	473	[possibly not reliable per connectivity test 10/15]
TMP-16	2/1/2016	58	162.5	454	[possibly not reliable per connectivity test 10/15]
TMP-16	2/1/2016	77	164.8	435	[possibly not reliable per connectivity test 10/15]
TMP-16	2/1/2016	96	158.8	416	[possibly not reliable per connectivity test 10/15]
TMP-16	2/1/2016	115	150.4	397	[possibly not reliable per connectivity test 10/15]
TMP-16	2/1/2016	134	139.6	378	[possibly not reliable per connectivity test 10/15]
TMP-16	2/1/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	2/8/2016	20	114.1	492	[possibly not reliable per connectivity test 10/15]
TMP-16	2/8/2016	39	146.5	473	[possibly not reliable per connectivity test 10/15]
TMP-16	2/8/2016	58	163.9	454	[possibly not reliable per connectivity test 10/15]
TMP-16	2/8/2016	77	166.2	435	[possibly not reliable per connectivity test 10/15]
TMP-16	2/8/2016	96	160.1	416	[possibly not reliable per connectivity test 10/15]
TMP-16	2/8/2016	115	151.7	397	[possibly not reliable per connectivity test 10/15]
TMP-16	2/8/2016	134	140.8	378	[possibly not reliable per connectivity test 10/15]
TMP-16	2/8/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	2/15/2016	20	116.2	492	[possibly not reliable per connectivity test 10/15]
TMP-16	2/15/2016	39	148.5	473	[possibly not reliable per connectivity test 10/15]
TMP-16	2/15/2016	58	166.0	454	[possibly not reliable per connectivity test 10/15]
TMP-16	2/15/2016	77	168.3	435	[possibly not reliable per connectivity test 10/15]
TMP-16	2/15/2016	96	162.2	416	[possibly not reliable per connectivity test 10/15]
TMP-16	2/15/2016	115	153.8	397	[possibly not reliable per connectivity test 10/15]
TMP-16	2/15/2016	134	142.9	378	[possibly not reliable per connectivity test 10/15]
TMP-16	2/15/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	2/22/2016	20	118.9	492	[possibly not reliable per connectivity test 10/15]
TMP-16	2/22/2016	39	146.5	473	[possibly not reliable per connectivity test 10/15]
TMP-16	2/22/2016	58	164.1	454	[possibly not reliable per connectivity test 10/15]
TMP-16	2/22/2016	77	166.5	435	[possibly not reliable per connectivity test 10/15]
TMP-16	2/22/2016	96	160.4	416	[possibly not reliable per connectivity test 10/15]
TMP-16	2/22/2016	115	152.0	397	[possibly not reliable per connectivity test 10/15]
TMP-16	2/22/2016	134	141.1	378	[possibly not reliable per connectivity test 10/15]
TMP-16	2/22/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	3/3/2016	20	118.8	492	[possibly not reliable per connectivity test 10/15]
TMP-16	3/3/2016	39	147.2	473	[possibly not reliable per connectivity test 10/15]
TMP-16	3/3/2016	58	164.9	454	[possibly not reliable per connectivity test 10/15]
TMP-16	3/3/2016	77	166.6	435	[possibly not reliable per connectivity test 10/15]
TMP-16	3/3/2016	96	160.5	416	[possibly not reliable per connectivity test 10/15]
TMP-16	3/3/2016	115	152.1	397	[possibly not reliable per connectivity test 10/15]
TMP-16	3/3/2016	134	141.1	378	[possibly not reliable per connectivity test 10/15]
TMP-16	3/3/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	2/1/2016	20	110.7	496	
TMP-17	2/1/2016	40	142.7	476	
TMP-17	2/1/2016	60	159.2	456	
TMP-17	2/1/2016	80	162.0	436	
TMP-17	2/1/2016	100	159.3	416	
TMP-17	2/1/2016	120	154.9	396	
TMP-17	2/1/2016	140	145.3	376	
TMP-17	2/1/2016	160	131.7	356	
TMP-17	2/1/2016	180	124.1	336	
TMP-17	2/1/2016	200	117.9	316	
TMP-17	2/1/2016	220	111.5	296	
TMP-17	2/1/2016	237	103.1	279	
TMP-17	2/8/2016	20	110.8	496	
TMP-17	2/8/2016	40	142.6	476	
TMP-17	2/8/2016	60	158.7	456	
TMP-17	2/8/2016	80	161.4	436	
TMP-17	2/8/2016	100	158.6	416	
TMP-17	2/8/2016	120	154.0	396	
TMP-17	2/8/2016	140	144.2	376	
TMP-17	2/8/2016	160	130.6	356	
TMP-17	2/8/2016	180	123.2	336	
TMP-17	2/8/2016	200	116.7	316	
TMP-17	2/8/2016	220	110.4	296	
TMP-17	2/8/2016	237	102.1	279	
TMP-17	2/15/2016	20	110.1	496	
TMP-17	2/15/2016	40	142.5	476	
TMP-17	2/15/2016	60	158.7	456	
TMP-17	2/15/2016	80	161.5	436	
TMP-17	2/15/2016	100	158.8	416	
TMP-17	2/15/2016	120	154.4	396	
TMP-17	2/15/2016	140	144.7	376	
TMP-17	2/15/2016	160	131.0	356	
TMP-17	2/15/2016	180	123.3	336	
TMP-17	2/15/2016	200	117.3	316	
TMP-17	2/15/2016	220	111.5	296	
TMP-17	2/15/2016	237	103.9	279	
TMP-17	2/22/2016	20	110.6	496	
TMP-17	2/22/2016	40	142.7	476	
TMP-17	2/22/2016	60	159.3	456	
TMP-17	2/22/2016	80	162.1	436	
TMP-17	2/22/2016	100	159.4	416	
TMP-17	2/22/2016	120	155.1	396	
TMP-17	2/22/2016	140	145.0	376	
TMP-17	2/22/2016	160	131.7	356	
TMP-17	2/22/2016	180	124.2	336	
TMP-17	2/22/2016	200	117.8	316	
TMP-17	2/22/2016	220	111.4	296	
TMP-17	2/22/2016	237	103.3	279	
TMP-17	3/3/2016	20	112.2	496	
TMP-17	3/3/2016	40	143.9	476	
TMP-17	3/3/2016	60	159.5	456	
TMP-17	3/3/2016	80	162.2	436	
TMP-17	3/3/2016	100	159.1	416	
TMP-17	3/3/2016	120	154.7	396	
TMP-17	3/3/2016	140	144.6	376	
TMP-17	3/3/2016	160	131.0	356	
TMP-17	3/3/2016	180	123.5	336	
TMP-17	3/3/2016	200	117.0	316	
TMP-17	3/3/2016	220	110.6	296	
TMP-17	3/3/2016	237	102.2	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	2/1/2016	20	97.5	489	
TMP-18	2/1/2016	39	134.7	470	
TMP-18	2/1/2016	58	154.2	451	
TMP-18	2/1/2016	77	154.1	432	
TMP-18	2/1/2016	96	149.6	413	
TMP-18	2/1/2016	115	142.1	394	
TMP-18	2/1/2016	134	134.1	375	
TMP-18	2/1/2016	153	127.8	356	
TMP-18	2/1/2016	172	122.1	337	
TMP-18	2/1/2016	191	117.1	318	
TMP-18	2/1/2016	210	113.3	299	
TMP-18	2/1/2016	227	110.8	282	
TMP-18	2/8/2016	20	98.4	489	
TMP-18	2/8/2016	39	135.3	470	
TMP-18	2/8/2016	58	154.7	451	
TMP-18	2/8/2016	77	154.1	432	
TMP-18	2/8/2016	96	149.4	413	
TMP-18	2/8/2016	115	141.8	394	
TMP-18	2/8/2016	134	133.6	375	
TMP-18	2/8/2016	153	127.2	356	
TMP-18	2/8/2016	172	121.5	337	
TMP-18	2/8/2016	191	116.3	318	
TMP-18	2/8/2016	210	112.6	299	
TMP-18	2/8/2016	227	110.0	282	
TMP-18	2/15/2016	20	98.4	489	
TMP-18	2/15/2016	39	135.3	470	
TMP-18	2/15/2016	58	154.7	451	
TMP-18	2/15/2016	77	154.2	432	
TMP-18	2/15/2016	96	149.5	413	
TMP-18	2/15/2016	115	141.8	394	
TMP-18	2/15/2016	134	133.5	375	
TMP-18	2/15/2016	153	127.1	356	
TMP-18	2/15/2016	172	121.2	337	
TMP-18	2/15/2016	191	115.9	318	
TMP-18	2/15/2016	210	112.0	299	
TMP-18	2/15/2016	227	109.3	282	
TMP-18	2/22/2016	20	98.3	489	
TMP-18	2/22/2016	39	135.6	470	
TMP-18	2/22/2016	58	154.9	451	
TMP-18	2/22/2016	77	154.4	432	
TMP-18	2/22/2016	96	149.7	413	
TMP-18	2/22/2016	115	142.0	394	
TMP-18	2/22/2016	134	133.8	375	
TMP-18	2/22/2016	153	127.4	356	
TMP-18	2/22/2016	172	121.5	337	
TMP-18	2/22/2016	191	116.4	318	
TMP-18	2/22/2016	210	112.7	299	
TMP-18	2/22/2016	227	110.1	282	
TMP-18	3/3/2016	20	98.1	489	
TMP-18	3/3/2016	39	135.4	470	
TMP-18	3/3/2016	58	154.6	451	
TMP-18	3/3/2016	77	153.9	432	
TMP-18	3/3/2016	96	149.2	413	
TMP-18	3/3/2016	115	141.5	394	
TMP-18	3/3/2016	134	133.3	375	
TMP-18	3/3/2016	153	126.9	356	
TMP-18	3/3/2016	172	121.0	337	
TMP-18	3/3/2016	191	115.8	318	
TMP-18	3/3/2016	210	111.9	299	
TMP-18	3/3/2016	227	109.3	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	2/1/2016	13	93.1	461	
TMP-21	2/1/2016	26	97.4	448	
TMP-21	2/1/2016	41	91.3	433	
TMP-21	2/8/2016	13	95.3	461	
TMP-21	2/8/2016	26	99.3	448	
TMP-21	2/8/2016	41	93.2	433	
TMP-21	2/15/2016	13	97.2	461	
TMP-21	2/15/2016	26	101.7	448	
TMP-21	2/15/2016	41	95.8	433	
TMP-21	2/22/2016	13	95.6	461	
TMP-21	2/22/2016	26	98.9	448	
TMP-21	2/22/2016	41	92.9	433	
TMP-21	3/3/2016	13	95.2	461	
TMP-21	3/3/2016	26	99.5	448	
TMP-21	3/3/2016	41	93.4	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	2/1/2016	15	109.9	474	
TMP-22	2/1/2016	31	127.4	458	
TMP-22	2/1/2016	50	124.0	439	
TMP-22	2/1/2016	70	115.8	419	
TMP-22	2/8/2016	15	111.6	474	
TMP-22	2/8/2016	31	128.7	458	
TMP-22	2/8/2016	50	125.3	439	
TMP-22	2/8/2016	70	117.2	419	
TMP-22	2/15/2016	15	113.4	474	
TMP-22	2/15/2016	31	130.7	458	
TMP-22	2/15/2016	50	127.5	439	
TMP-22	2/15/2016	70	119.4	419	
TMP-22	2/22/2016	15	111.6	474	
TMP-22	2/22/2016	31	128.8	458	
TMP-22	2/22/2016	50	125.5	439	
TMP-22	2/22/2016	70	117.4	419	
TMP-22	3/3/2016	15	109.5	474	
TMP-22	3/3/2016	31	127.2	458	
TMP-22	3/3/2016	50	124.2	439	
TMP-22	3/3/2016	70	116.2	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	2/1/2016	20	119.0	477	
TMP-23	2/1/2016	38	140.0	459	
TMP-23	2/1/2016	56	142.1	441	
TMP-23	2/1/2016	74	134.4	423	
TMP-23	2/1/2016	92	125.4	405	
TMP-23	2/1/2016	106	117.0	391	
TMP-23	2/8/2016	20	121.2	477	
TMP-23	2/8/2016	38	142.4	459	
TMP-23	2/8/2016	56	144.5	441	
TMP-23	2/8/2016	74	136.7	423	
TMP-23	2/8/2016	92	127.7	405	
TMP-23	2/8/2016	106	119.2	391	
TMP-23	2/15/2016	20	122.6	477	
TMP-23	2/15/2016	38	143.8	459	
TMP-23	2/15/2016	56	146.0	441	
TMP-23	2/15/2016	74	138.5	423	
TMP-23	2/15/2016	92	129.5	405	
TMP-23	2/15/2016	106	121.0	391	
TMP-23	2/22/2016	20	120.2	477	
TMP-23	2/22/2016	38	141.5	459	
TMP-23	2/22/2016	56	143.7	441	
TMP-23	2/22/2016	74	136.0	423	
TMP-23	2/22/2016	92	127.1	405	
TMP-23	2/22/2016	106	118.6	391	
TMP-23	3/3/2016	20	118.6	477	
TMP-23	3/3/2016	38	139.8	459	
TMP-23	3/3/2016	56	142.0	441	
TMP-23	3/3/2016	74	134.3	423	
TMP-23	3/3/2016	92	125.3	405	
TMP-23	3/3/2016	106	116.9	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	2/1/2016	20	105.6	492	
TMP-24	2/1/2016	40	131.6	472	
TMP-24	2/1/2016	60	144.1	452	
TMP-24	2/1/2016	67	145.5	445	
TMP-24	2/8/2016	20	107.8	492	
TMP-24	2/8/2016	40	133.8	472	
TMP-24	2/8/2016	60	146.7	452	
TMP-24	2/8/2016	67	146.9	445	
TMP-24	2/15/2016	20	108.3	492	
TMP-24	2/15/2016	40	134.1	472	
TMP-24	2/15/2016	60	146.8	452	
TMP-24	2/15/2016	67	148.7	445	
TMP-24	2/22/2016	20	106.1	492	
TMP-24	2/22/2016	40	131.8	472	
TMP-24	2/22/2016	60	144.3	452	
TMP-24	2/22/2016	67	146.0	445	
TMP-24	3/3/2016	20	104.5	492	
TMP-24	3/3/2016	40	130.4	472	
TMP-24	3/3/2016	60	142.9	452	
TMP-24	3/3/2016	67	144.0	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	2/1/2016	20	123.3	495	
TMP-25	2/1/2016	40	147.9	475	
TMP-25	2/1/2016	60	160.2	455	
TMP-25	2/1/2016	80	161.7	435	
TMP-25	2/1/2016	100	156.9	415	
TMP-25	2/1/2016	120	146.2	395	
TMP-25	2/1/2016	140	134.7	375	
TMP-25	2/1/2016	160	121.6	355	
TMP-25	2/1/2016	180	113.8	335	
TMP-25	2/1/2016	200	107.6	315	
TMP-25	2/1/2016	220	96.3	295	
TMP-25	2/1/2016	235	92.4	280	
TMP-25	2/8/2016	20	122.9	495	
TMP-25	2/8/2016	40	147.6	475	
TMP-25	2/8/2016	60	159.9	455	
TMP-25	2/8/2016	80	161.4	435	
TMP-25	2/8/2016	100	156.4	415	
TMP-25	2/8/2016	120	146.0	395	
TMP-25	2/8/2016	140	134.7	375	
TMP-25	2/8/2016	160	121.6	355	
TMP-25	2/8/2016	180	114.0	335	
TMP-25	2/8/2016	200	108.2	315	
TMP-25	2/8/2016	220	97.1	295	
TMP-25	2/8/2016	235	93.7	280	
TMP-25	2/15/2016	20	123.7	495	
TMP-25	2/15/2016	40	148.2	475	
TMP-25	2/15/2016	60	160.5	455	
TMP-25	2/15/2016	80	162.1	435	
TMP-25	2/15/2016	100	157.2	415	
TMP-25	2/15/2016	120	146.7	395	
TMP-25	2/15/2016	140	135.4	375	
TMP-25	2/15/2016	160	122.4	355	
TMP-25	2/15/2016	180	114.9	335	
TMP-25	2/15/2016	200	108.9	315	
TMP-25	2/15/2016	220	97.8	295	
TMP-25	2/15/2016	235	94.2	280	
TMP-25	2/22/2016	20	123.5	495	
TMP-25	2/22/2016	40	148.0	475	
TMP-25	2/22/2016	60	160.4	455	
TMP-25	2/22/2016	80	161.9	435	
TMP-25	2/22/2016	100	157.0	415	
TMP-25	2/22/2016	120	146.3	395	
TMP-25	2/22/2016	140	134.8	375	
TMP-25	2/22/2016	160	121.6	355	
TMP-25	2/22/2016	180	113.8	335	
TMP-25	2/22/2016	200	107.8	315	
TMP-25	2/22/2016	220	96.4	295	
TMP-25	2/22/2016	235	92.6	280	
TMP-25	3/3/2016	20	124.4	495	
TMP-25	3/3/2016	40	148.9	475	
TMP-25	3/3/2016	60	161.2	455	
TMP-25	3/3/2016	80	162.8	435	
TMP-25	3/3/2016	100	157.8	415	
TMP-25	3/3/2016	120	147.4	395	
TMP-25	3/3/2016	140	136.2	375	
TMP-25	3/3/2016	160	123.2	355	
TMP-25	3/3/2016	180	115.7	335	
TMP-25	3/3/2016	200	110.0	315	
TMP-25	3/3/2016	220	99.0	295	
TMP-25	3/3/2016	235	95.0	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	2/1/2016	20	99.1	479	
TMP-26	2/1/2016	40	119.5	459	
TMP-26	2/1/2016	60	125.1	439	
TMP-26	2/1/2016	80	124.8	419	
TMP-26	2/1/2016	100	116.2	399	
TMP-26	2/1/2016	120	121.4	379	
TMP-26	2/1/2016	140	123.0	359	
TMP-26	2/1/2016	142	122.2	357	
TMP-26	2/8/2016	20	101.8	479	
TMP-26	2/8/2016	40	122.0	459	
TMP-26	2/8/2016	60	127.4	439	
TMP-26	2/8/2016	80	127.2	419	
TMP-26	2/8/2016	100	118.5	399	
TMP-26	2/8/2016	120	123.7	379	
TMP-26	2/8/2016	140	125.3	359	
TMP-26	2/8/2016	142	124.5	357	
TMP-26	2/15/2016	20	103.0	479	
TMP-26	2/15/2016	40	123.2	459	
TMP-26	2/15/2016	60	128.5	439	
TMP-26	2/15/2016	80	128.4	419	
TMP-26	2/15/2016	100	119.4	399	
TMP-26	2/15/2016	120	124.8	379	
TMP-26	2/15/2016	140	126.3	359	
TMP-26	2/15/2016	142	125.3	357	
TMP-26	2/22/2016	20	102.4	479	
TMP-26	2/22/2016	40	122.6	459	
TMP-26	2/22/2016	60	127.4	439	
TMP-26	2/22/2016	80	127.3	419	
TMP-26	2/22/2016	100	118.5	399	
TMP-26	2/22/2016	120	123.5	379	
TMP-26	2/22/2016	140	124.8	359	
TMP-26	2/22/2016	142	123.8	357	
TMP-26	3/3/2016	20	100.1	479	
TMP-26	3/3/2016	40	119.9	459	
TMP-26	3/3/2016	60	125.3	439	
TMP-26	3/3/2016	80	125.2	419	
TMP-26	3/3/2016	100	116.5	399	
TMP-26	3/3/2016	120	121.6	379	
TMP-26	3/3/2016	140	123.0	359	
TMP-26	3/3/2016	142	122.1	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	2/1/2016	20	103.0	493	
TMP-27	2/1/2016	40	143.1	473	
TMP-27	2/1/2016	60	156.2	453	
TMP-27	2/1/2016	80	159.4	433	
TMP-27	2/1/2016	100	156.2	413	
TMP-27	2/1/2016	120	150.8	393	
TMP-27	2/1/2016	140	145.0	373	
TMP-27	2/1/2016	160	138.3	353	
TMP-27	2/1/2016	180	131.7	333	
TMP-27	2/1/2016	200	127.2	313	
TMP-27	2/1/2016	220	121.8	293	
TMP-27	2/1/2016	233	116.5	280	
TMP-27	2/8/2016	20	102.4	493	
TMP-27	2/8/2016	40	142.4	473	
TMP-27	2/8/2016	60	155.4	453	
TMP-27	2/8/2016	80	158.3	433	
TMP-27	2/8/2016	100	155.2	413	
TMP-27	2/8/2016	120	149.8	393	
TMP-27	2/8/2016	140	144.1	373	
TMP-27	2/8/2016	160	137.4	353	
TMP-27	2/8/2016	180	131.0	333	
TMP-27	2/8/2016	200	126.8	313	
TMP-27	2/8/2016	220	121.6	293	
TMP-27	2/8/2016	233	116.6	280	
TMP-27	2/15/2016	20	103.6	493	
TMP-27	2/15/2016	40	143.3	473	
TMP-27	2/15/2016	60	156.2	453	
TMP-27	2/15/2016	80	159.4	433	
TMP-27	2/15/2016	100	156.3	413	
TMP-27	2/15/2016	120	151.1	393	
TMP-27	2/15/2016	140	145.4	373	
TMP-27	2/15/2016	160	138.7	353	
TMP-27	2/15/2016	180	132.3	333	
TMP-27	2/15/2016	200	127.9	313	
TMP-27	2/15/2016	220	122.7	293	
TMP-27	2/15/2016	233	117.4	280	
TMP-27	2/22/2016	20	103.7	493	
TMP-27	2/22/2016	40	143.8	473	
TMP-27	2/22/2016	60	156.4	453	
TMP-27	2/22/2016	80	159.5	433	
TMP-27	2/22/2016	100	156.4	413	
TMP-27	2/22/2016	120	151.2	393	
TMP-27	2/22/2016	140	145.4	373	
TMP-27	2/22/2016	160	138.8	353	
TMP-27	2/22/2016	180	132.2	333	
TMP-27	2/22/2016	200	127.8	313	
TMP-27	2/22/2016	220	122.5	293	
TMP-27	2/22/2016	233	117.1	280	
TMP-27	3/3/2016	20	102.6	493	
TMP-27	3/3/2016	40	142.9	473	
TMP-27	3/3/2016	60	155.5	453	
TMP-27	3/3/2016	80	158.6	433	
TMP-27	3/3/2016	100	155.4	413	
TMP-27	3/3/2016	120	150.2	393	
TMP-27	3/3/2016	140	144.6	373	
TMP-27	3/3/2016	160	138.0	353	
TMP-27	3/3/2016	180	131.6	333	
TMP-27	3/3/2016	200	127.4	313	
TMP-27	3/3/2016	220	122.5	293	
TMP-27	3/3/2016	233	117.6	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	2/1/2016	20	104.8	480	
TMP-28	2/1/2016	40	142.8	460	
TMP-28	2/1/2016	60	138.8	440	
TMP-28	2/1/2016	80	138.5	420	
TMP-28	2/1/2016	100	135.8	400	
TMP-28	2/1/2016	120	129.7	380	
TMP-28	2/1/2016	140	125.1	360	
TMP-28	2/1/2016	160	120.6	340	
TMP-28	2/1/2016	180	116.5	320	
TMP-28	2/1/2016	200	113.9	300	
TMP-28	2/1/2016	217		283	no longer working
TMP-28	2/8/2016	20	104.2	480	
TMP-28	2/8/2016	40	141.8	460	
TMP-28	2/8/2016	60	137.7	440	
TMP-28	2/8/2016	80	137.8	420	
TMP-28	2/8/2016	100	135.2	400	
TMP-28	2/8/2016	120	129.3	380	
TMP-28	2/8/2016	140	124.8	360	
TMP-28	2/8/2016	160	120.6	340	
TMP-28	2/8/2016	180	116.9	320	
TMP-28	2/8/2016	200	114.8	300	
TMP-28	2/8/2016	217		283	no longer working
TMP-28	2/15/2016	20	103.4	480	
TMP-28	2/15/2016	40	141.1	460	
TMP-28	2/15/2016	60	137.0	440	
TMP-28	2/15/2016	80	137.1	420	
TMP-28	2/15/2016	100	134.7	400	
TMP-28	2/15/2016	120	129.1	380	
TMP-28	2/15/2016	140	124.8	360	
TMP-28	2/15/2016	160	120.3	340	
TMP-28	2/15/2016	180	116.5	320	
TMP-28	2/15/2016	200	114.3	300	
TMP-28	2/15/2016	217		283	no longer working
TMP-28	2/22/2016	20	104.6	480	
TMP-28	2/22/2016	40	142.1	460	
TMP-28	2/22/2016	60	137.7	440	
TMP-28	2/22/2016	80	137.8	420	
TMP-28	2/22/2016	100	135.2	400	
TMP-28	2/22/2016	120	129.5	380	
TMP-28	2/22/2016	140	124.9	360	
TMP-28	2/22/2016	160	120.4	340	
TMP-28	2/22/2016	180	116.5	320	
TMP-28	2/22/2016	200	114.2	300	
TMP-28	2/22/2016	217		283	no longer working
TMP-28	3/3/2016	20	103.6	480	
TMP-28	3/3/2016	40	141.4	460	
TMP-28	3/3/2016	60	137.3	440	
TMP-28	3/3/2016	80	137.4	420	
TMP-28	3/3/2016	100	135.0	400	
TMP-28	3/3/2016	120	129.4	380	
TMP-28	3/3/2016	140	125.3	360	
TMP-28	3/3/2016	160	121.1	340	
TMP-28	3/3/2016	180	117.6	320	
TMP-28	3/3/2016	200	115.5	300	
TMP-28	3/3/2016	217		283	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	2/1/2016	8	66.2	488	
TMP-29	2/1/2016	16	82.7	480	
TMP-29	2/1/2016	25	90.0	471	
TMP-29	2/8/2016	8	66.4	488	
TMP-29	2/8/2016	16	82.7	480	
TMP-29	2/8/2016	25	89.6	471	
TMP-29	2/15/2016	8	65.2	488	
TMP-29	2/15/2016	16	82.5	480	
TMP-29	2/15/2016	25	90.7	471	
TMP-29	2/22/2016	8	65.7	488	
TMP-29	2/22/2016	16	83.0	480	
TMP-29	2/22/2016	25	91.3	471	
TMP-29	3/3/2016	8	62.7	488	
TMP-29	3/3/2016	16	80.2	480	
TMP-29	3/3/2016	25	89.8	471	