

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	1/23/2017	18	116.8	451	
TMP-1	1/23/2017	38	143.8	431	
TMP-1	1/23/2017	58	148.7	411	
TMP-1	1/23/2017	78	144.6	391	
TMP-1	1/23/2017	98	135.9	371	
TMP-1	1/23/2017	118	125.1	351	
TMP-1	1/23/2017	138	116.6	331	
TMP-1	1/30/2017	18	117.5	451	
TMP-1	1/30/2017	38	144.4	431	
TMP-1	1/30/2017	58	149.3	411	
TMP-1	1/30/2017	78	145.1	391	
TMP-1	1/30/2017	98	136.5	371	
TMP-1	1/30/2017	118	125.7	351	
TMP-1	1/30/2017	138	117.1	331	
TMP-1	2/7/2017	18	115.7	451	
TMP-1	2/7/2017	38	143.1	431	
TMP-1	2/7/2017	58	148.0	411	
TMP-1	2/7/2017	78	143.9	391	
TMP-1	2/7/2017	98	135.2	371	
TMP-1	2/7/2017	118	124.4	351	
TMP-1	2/7/2017	138	116.1	331	
TMP-1	2/13/2017	18	116.6	451	
TMP-1	2/13/2017	38	143.8	431	
TMP-1	2/13/2017	58	148.7	411	
TMP-1	2/13/2017	78	144.7	391	
TMP-1	2/13/2017	98	136.1	371	
TMP-1	2/13/2017	118	125.3	351	
TMP-1	2/13/2017	138	116.8	331	
TMP-1	2/20/2017	18	116.0	451	
TMP-1	2/20/2017	38	143.7	431	
TMP-1	2/20/2017	58	148.5	411	
TMP-1	2/20/2017	78	144.4	391	
TMP-1	2/20/2017	98	135.6	371	
TMP-1	2/20/2017	118	124.8	351	
TMP-1	2/20/2017	138	116.4	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	1/23/2017	20	122.2	440	
TMP-2R	1/23/2017	40	151.8	420	
TMP-2R	1/23/2017	60	163.1	400	
TMP-2R	1/23/2017	80	177.4	380	
TMP-2R	1/23/2017	100	173.1	360	
TMP-2R	1/23/2017	120	160.9	340	
TMP-2R	1/23/2017	140	156.1	320	
TMP-2R	1/23/2017	160	149.1	300	
TMP-2R	1/23/2017	180	135.4	280	
TMP-2R	1/30/2017	20	122.6	440	
TMP-2R	1/30/2017	40	152.2	420	
TMP-2R	1/30/2017	60	163.6	400	
TMP-2R	1/30/2017	80	177.8	380	
TMP-2R	1/30/2017	100	173.6	360	
TMP-2R	1/30/2017	120	161.5	340	
TMP-2R	1/30/2017	140	156.5	320	
TMP-2R	1/30/2017	160	149.6	300	
TMP-2R	1/30/2017	180	135.7	280	
TMP-2R	2/7/2017	20	121.9	440	
TMP-2R	2/7/2017	40	151.5	420	
TMP-2R	2/7/2017	60	162.9	400	
TMP-2R	2/7/2017	80	177.0	380	
TMP-2R	2/7/2017	100	172.7	360	
TMP-2R	2/7/2017	120	160.8	340	
TMP-2R	2/7/2017	140	155.6	320	
TMP-2R	2/7/2017	160	148.8	300	
TMP-2R	2/7/2017	180	134.9	280	
TMP-2R	2/13/2017	20	122.8	440	
TMP-2R	2/13/2017	40	152.7	420	
TMP-2R	2/13/2017	60	164.3	400	
TMP-2R	2/13/2017	80	178.3	380	
TMP-2R	2/13/2017	100	174.2	360	
TMP-2R	2/13/2017	120	162.4	340	
TMP-2R	2/13/2017	140	157.4	320	
TMP-2R	2/13/2017	160	150.6	300	
TMP-2R	2/13/2017	180	136.9	280	
TMP-2R	2/20/2017	20	121.8	440	
TMP-2R	2/20/2017	40	151.7	420	
TMP-2R	2/20/2017	60	163.2	400	
TMP-2R	2/20/2017	80	177.0	380	
TMP-2R	2/20/2017	100	172.8	360	
TMP-2R	2/20/2017	120	161.0	340	
TMP-2R	2/20/2017	140	155.7	320	
TMP-2R	2/20/2017	160	149.0	300	
TMP-2R	2/20/2017	180	135.1	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	1/23/2017	30	146.8	470	
TMP-3	1/23/2017	50	155.2	450	
TMP-3	1/23/2017	70	154.4	430	
TMP-3	1/23/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	1/23/2017	150	145.2	350	
TMP-3	1/23/2017	190	124.1	310	
TMP-3	1/23/2017	230	101.5	270	
TMP-3	1/30/2017	30	148.3	470	
TMP-3	1/30/2017	50	156.5	450	
TMP-3	1/30/2017	70	155.5	430	
TMP-3	1/30/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	1/30/2017	150	146.1	350	
TMP-3	1/30/2017	190	125.1	310	
TMP-3	1/30/2017	230	102.3	270	
TMP-3	2/7/2017	30	148.3	470	
TMP-3	2/7/2017	50	156.2	450	
TMP-3	2/7/2017	70	155.3	430	
TMP-3	2/7/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	2/7/2017	150	145.8	350	
TMP-3	2/7/2017	190	124.7	310	
TMP-3	2/7/2017	230	101.8	270	
TMP-3	2/13/2017	30	147.9	470	
TMP-3	2/13/2017	50	156.0	450	
TMP-3	2/13/2017	70	155.2	430	
TMP-3	2/13/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	2/13/2017	150	145.6	350	
TMP-3	2/13/2017	190	124.8	310	
TMP-3	2/13/2017	230	101.6	270	
TMP-3	2/20/2017	30	147.8	470	
TMP-3	2/20/2017	50	155.8	450	
TMP-3	2/20/2017	70	154.9	430	
TMP-3	2/20/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	2/20/2017	150	145.4	350	
TMP-3	2/20/2017	190	124.6	310	
TMP-3	2/20/2017	230	101.4	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	1/23/2017	20	138.8	479	
TMP-3R	1/23/2017	40	158.0	459	
TMP-3R	1/23/2017	60	159.7	439	
TMP-3R	1/23/2017	80	160.6	419	
TMP-3R	1/23/2017	100	159.5	399	
TMP-3R	1/23/2017	120	155.8	379	
TMP-3R	1/23/2017	140	154.4	359	
TMP-3R	1/23/2017	160	143.5	339	
TMP-3R	1/23/2017	180	134.0	319	
TMP-3R	1/23/2017	200	118.8	299	
TMP-3R	1/23/2017	218	106.3	281	
TMP-3R	1/30/2017	20	139.0	479	
TMP-3R	1/30/2017	40	158.2	459	
TMP-3R	1/30/2017	60	159.8	439	
TMP-3R	1/30/2017	80	160.6	419	
TMP-3R	1/30/2017	100	159.5	399	
TMP-3R	1/30/2017	120	155.8	379	
TMP-3R	1/30/2017	140	154.4	359	
TMP-3R	1/30/2017	160	143.6	339	
TMP-3R	1/30/2017	180	134.1	319	
TMP-3R	1/30/2017	200	118.9	299	
TMP-3R	1/30/2017	218	106.5	281	
TMP-3R	2/7/2017	20	138.3	479	
TMP-3R	2/7/2017	40	157.6	459	
TMP-3R	2/7/2017	60	159.4	439	
TMP-3R	2/7/2017	80	160.3	419	
TMP-3R	2/7/2017	100	159.2	399	
TMP-3R	2/7/2017	120	155.6	379	
TMP-3R	2/7/2017	140	154.3	359	
TMP-3R	2/7/2017	160	143.4	339	
TMP-3R	2/7/2017	180	134.1	319	
TMP-3R	2/7/2017	200	118.9	299	
TMP-3R	2/7/2017	218	106.3	281	
TMP-3R	2/13/2017	20	139.2	479	
TMP-3R	2/13/2017	40	158.6	459	
TMP-3R	2/13/2017	60	160.5	439	
TMP-3R	2/13/2017	80	161.5	419	
TMP-3R	2/13/2017	100	160.3	399	
TMP-3R	2/13/2017	120	156.7	379	
TMP-3R	2/13/2017	140	155.3	359	
TMP-3R	2/13/2017	160	144.6	339	
TMP-3R	2/13/2017	180	135.1	319	
TMP-3R	2/13/2017	200	120.0	299	
TMP-3R	2/13/2017	218	107.3	281	
TMP-3R	2/20/2017	20	138.2	479	
TMP-3R	2/20/2017	40	157.7	459	
TMP-3R	2/20/2017	60	159.5	439	
TMP-3R	2/20/2017	80	160.4	419	
TMP-3R	2/20/2017	100	159.3	399	
TMP-3R	2/20/2017	120	155.6	379	
TMP-3R	2/20/2017	140	154.1	359	
TMP-3R	2/20/2017	160	143.3	339	
TMP-3R	2/20/2017	180	133.9	319	
TMP-3R	2/20/2017	200	118.6	299	
TMP-3R	2/20/2017	218	106.0	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	1/23/2017	28	133.1	472	
TMP-4	1/30/2017	28	133.5	472	
TMP-4	2/7/2017	28	132.8	472	
TMP-4	2/13/2017	28	132.6	472	
TMP-4	2/20/2017	28	132.2	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	1/23/2017	10	102.3	489	
TMP-4R	1/23/2017	20	121.8	479	
TMP-4R	1/23/2017	29	132.8	470	
TMP-4R	1/30/2017	10	101.1	489	
TMP-4R	1/30/2017	20	121.3	479	
TMP-4R	1/30/2017	29	132.2	470	
TMP-4R	2/7/2017	10	100.0	489	
TMP-4R	2/7/2017	20	120.7	479	
TMP-4R	2/7/2017	29	131.7	470	
TMP-4R	2/13/2017	10	99.6	489	
TMP-4R	2/13/2017	20	120.8	479	
TMP-4R	2/13/2017	29	131.8	470	
TMP-4R	2/20/2017	10	99.0	489	
TMP-4R	2/20/2017	20	121.0	479	
TMP-4R	2/20/2017	29	132.1	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	1/23/2017	15	157.9	472	
TMP-6	1/23/2017	95	163.6	392	fluctuating resistance, possibly unreliable
TMP-6	1/23/2017	115	154.6	372	
TMP-6	1/23/2017	135	142.2	352	
TMP-6	1/30/2017	15	158.1	472	
TMP-6	1/30/2017	95	164.3	392	fluctuating resistance, possibly unreliable
TMP-6	1/30/2017	115	155.3	372	
TMP-6	1/30/2017	135	142.8	352	
TMP-6	2/7/2017	15	157.5	472	
TMP-6	2/7/2017	95	163.5	392	fluctuating resistance, possibly unreliable
TMP-6	2/7/2017	115	154.6	372	
TMP-6	2/7/2017	135	142.2	352	
TMP-6	2/13/2017	15	158.4	472	
TMP-6	2/13/2017	95	164.1	392	fluctuating resistance, possibly unreliable
TMP-6	2/13/2017	115	155.3	372	
TMP-6	2/13/2017	135	142.8	352	
TMP-6	2/20/2017	15	157.2	472	
TMP-6	2/20/2017	95	163.1	392	fluctuating resistance, possibly unreliable
TMP-6	2/20/2017	115	154.2	372	
TMP-6	2/20/2017	135	141.6	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	1/23/2017	40	202.9	446	Previous report of moisture in line sheeting & end corrosion
TMP-9	1/30/2017	40	202.9	446	Previous report of moisture in line sheeting & end corrosion
TMP-9	2/7/2017	40	202.6	446	Previous report of moisture in line sheeting & end corrosion
TMP-9	2/13/2017	40	203.0	446	Previous report of moisture in line sheeting & end corrosion
TMP-9	2/20/2017	40	202.0	446	Previous report of moisture in line sheeting & end corrosion

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	1/23/2017	13	109.2	476	
TMP-10	1/23/2017	33	151.5	456	
TMP-10	1/23/2017	53	168.2	436	
TMP-10	1/23/2017	73	174.3	416	
TMP-10	1/23/2017	93	170.9	396	
TMP-10	1/23/2017	113		376	unreliable reading - resistance too low
TMP-10	1/23/2017	133	151.3	356	
TMP-10	1/30/2017	13	109.3	476	
TMP-10	1/30/2017	33	152.0	456	
TMP-10	1/30/2017	53	168.8	436	
TMP-10	1/30/2017	73	174.8	416	
TMP-10	1/30/2017	93	171.5	396	
TMP-10	1/30/2017	113		376	unreliable reading - resistance too low
TMP-10	1/30/2017	133	152.0	356	
TMP-10	2/7/2017	13	107.9	476	
TMP-10	2/7/2017	33	151.3	456	
TMP-10	2/7/2017	53	167.9	436	
TMP-10	2/7/2017	73	174.0	416	
TMP-10	2/7/2017	93	170.6	396	
TMP-10	2/7/2017	113		376	unreliable reading - resistance too low
TMP-10	2/7/2017	133	151.0	356	
TMP-10	2/13/2017	13	108.2	476	
TMP-10	2/13/2017	33	152.0	456	
TMP-10	2/13/2017	53	168.5	436	
TMP-10	2/13/2017	73	174.5	416	
TMP-10	2/13/2017	93	171.2	396	
TMP-10	2/13/2017	113		376	unreliable reading - resistance too low
TMP-10	2/13/2017	133	151.6	356	
TMP-10	2/20/2017	13	106.2	476	
TMP-10	2/20/2017	33	150.6	456	
TMP-10	2/20/2017	53	167.3	436	
TMP-10	2/20/2017	73	173.2	416	
TMP-10	2/20/2017	93	169.8	396	
TMP-10	2/20/2017	113		376	unreliable reading - resistance too low
TMP-10	2/20/2017	133	150.3	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	1/23/2017	20	121.6	448	
TMP-11R	1/23/2017	40	130.7	428	
TMP-11R	1/23/2017	60	125.4	408	
TMP-11R	1/23/2017	80	122.6	388	
TMP-11R	1/23/2017	100	113.6	368	
TMP-11R	1/23/2017	120	107.1	348	
TMP-11R	1/30/2017	20	121.8	448	
TMP-11R	1/30/2017	40	130.8	428	
TMP-11R	1/30/2017	60	125.5	408	
TMP-11R	1/30/2017	80	122.7	388	
TMP-11R	1/30/2017	100	113.8	368	
TMP-11R	1/30/2017	120	107.4	348	
TMP-11R	2/7/2017	20	120.6	448	
TMP-11R	2/7/2017	40	129.5	428	
TMP-11R	2/7/2017	60	124.3	408	
TMP-11R	2/7/2017	80	121.5	388	
TMP-11R	2/7/2017	100	112.5	368	
TMP-11R	2/7/2017	120	106.0	348	
TMP-11R	2/13/2017	20	121.8	448	
TMP-11R	2/13/2017	40	130.9	428	
TMP-11R	2/13/2017	60	125.7	408	
TMP-11R	2/13/2017	80	123.1	388	
TMP-11R	2/13/2017	100	114.2	368	
TMP-11R	2/13/2017	120	107.9	348	
TMP-11R	2/20/2017	20	120.6	448	
TMP-11R	2/20/2017	40	129.8	428	
TMP-11R	2/20/2017	60	124.6	408	
TMP-11R	2/20/2017	80	121.8	388	
TMP-11R	2/20/2017	100	112.9	368	
TMP-11R	2/20/2017	120	106.5	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	1/23/2017	20	113.7	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	1/23/2017	39	146.9	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	1/23/2017	58	163.3	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	1/23/2017	77	165.5	435	wires repaired 6/15/16
TMP-16	1/23/2017	96	159.1	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	1/23/2017	115	150.1	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	1/23/2017	134	137.9	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	1/23/2017	153	119.8	359	wires repaired 6/15/16
TMP-16	1/30/2017	20	112.7	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	1/30/2017	39	145.9	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	1/30/2017	58	162.6	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	1/30/2017	77	164.7	435	wires repaired 6/15/16
TMP-16	1/30/2017	96	158.3	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	1/30/2017	115	149.5	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	1/30/2017	134	137.6	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	1/30/2017	153	119.2	359	wires repaired 6/15/16
TMP-16	2/7/2017	20	112.2	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/7/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	2/7/2017	58	162.8	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/7/2017	77	166.4	435	wires repaired 6/15/16
TMP-16	2/7/2017	96	159.0	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/7/2017	115	149.4	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/7/2017	134	137.1	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/7/2017	153	119.1	359	wires repaired 6/15/16
TMP-16	2/13/2017	20	113.2	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/13/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	2/13/2017	58	163.4	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/13/2017	77	165.4	435	wires repaired 6/15/16
TMP-16	2/13/2017	96	159.0	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/13/2017	115	150.0	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/13/2017	134	137.6	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/13/2017	153	120.0	359	wires repaired 6/15/16
TMP-16	2/20/2017	20	112.7	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/20/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	2/20/2017	58	163.2	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/20/2017	77	165.9	435	wires repaired 6/15/16
TMP-16	2/20/2017	96	158.7	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/20/2017	115	149.5	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/20/2017	134	137.3	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	2/20/2017	153	119.5	359	wires repaired 6/15/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	1/23/2017	20	110.6	496	
TMP-17	1/23/2017	40	138.1	476	
TMP-17	1/23/2017	60	159.3	456	
TMP-17	1/23/2017	80	161.5	436	
TMP-17	1/23/2017	100	158.4	416	
TMP-17	1/23/2017	120	152.9	396	
TMP-17	1/23/2017	140	144.2	376	
TMP-17	1/23/2017	160	130.6	356	
TMP-17	1/23/2017	180	123.6	336	
TMP-17	1/23/2017	200	117.0	316	
TMP-17	1/23/2017	220	109.8	296	
TMP-17	1/23/2017	237	102.2	279	
TMP-17	1/30/2017	20	109.7	496	
TMP-17	1/30/2017	40	137.5	476	
TMP-17	1/30/2017	60	158.7	456	
TMP-17	1/30/2017	80	161.1	436	
TMP-17	1/30/2017	100	158.0	416	
TMP-17	1/30/2017	120	152.6	396	
TMP-17	1/30/2017	140	143.8	376	
TMP-17	1/30/2017	160	130.4	356	
TMP-17	1/30/2017	180	123.3	336	
TMP-17	1/30/2017	200	116.8	316	
TMP-17	1/30/2017	220	109.8	296	
TMP-17	1/30/2017	237	102.1	279	
TMP-17	2/7/2017	20	110.3	496	
TMP-17	2/7/2017	40	139.2	476	
TMP-17	2/7/2017	60	159.3	456	
TMP-17	2/7/2017	80	161.4	436	
TMP-17	2/7/2017	100	158.5	416	
TMP-17	2/7/2017	120	152.9	396	
TMP-17	2/7/2017	140	144.2	376	
TMP-17	2/7/2017	160	130.6	356	
TMP-17	2/7/2017	180	123.4	336	
TMP-17	2/7/2017	200	116.9	316	
TMP-17	2/7/2017	220	109.5	296	
TMP-17	2/7/2017	237	101.7	279	
TMP-17	2/13/2017	20	110.7	496	
TMP-17	2/13/2017	40	139.8	476	
TMP-17	2/13/2017	60	159.9	456	
TMP-17	2/13/2017	80	162.2	436	
TMP-17	2/13/2017	100	159.2	416	
TMP-17	2/13/2017	120	153.7	396	
TMP-17	2/13/2017	140	144.8	376	
TMP-17	2/13/2017	160	131.4	356	
TMP-17	2/13/2017	180	124.3	336	
TMP-17	2/13/2017	200	117.7	316	
TMP-17	2/13/2017	220	110.2	296	
TMP-17	2/13/2017	237	102.2	279	
TMP-17	2/20/2017	20	109.2	496	
TMP-17	2/20/2017	40	138.6	476	
TMP-17	2/20/2017	60	158.5	456	
TMP-17	2/20/2017	80	160.7	436	
TMP-17	2/20/2017	100	157.8	416	
TMP-17	2/20/2017	120	152.3	396	
TMP-17	2/20/2017	140	143.5	376	
TMP-17	2/20/2017	160	130.3	356	
TMP-17	2/20/2017	180	123.1	336	
TMP-17	2/20/2017	200	116.6	316	
TMP-17	2/20/2017	220	109.3	296	
TMP-17	2/20/2017	237	101.7	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	1/23/2017	20	98.0	489	
TMP-18	1/23/2017	39	137.3	470	
TMP-18	1/23/2017	58	154.0	451	
TMP-18	1/23/2017	77	153.2	432	
TMP-18	1/23/2017	96	148.3	413	
TMP-18	1/23/2017	115	140.7	394	
TMP-18	1/23/2017	134	132.6	375	
TMP-18	1/23/2017	153	126.1	356	
TMP-18	1/23/2017	172	120.4	337	
TMP-18	1/23/2017	191	115.3	318	
TMP-18	1/23/2017	210	111.4	299	
TMP-18	1/23/2017	227	108.7	282	
TMP-18	1/30/2017	20	98.0	489	
TMP-18	1/30/2017	39	137.7	470	
TMP-18	1/30/2017	58	154.6	451	
TMP-18	1/30/2017	77	154.0	432	
TMP-18	1/30/2017	96	149.2	413	
TMP-18	1/30/2017	115	141.7	394	
TMP-18	1/30/2017	134	133.8	375	
TMP-18	1/30/2017	153	127.4	356	
TMP-18	1/30/2017	172	121.5	337	
TMP-18	1/30/2017	191	116.5	318	
TMP-18	1/30/2017	210	112.7	299	
TMP-18	1/30/2017	227	110.1	282	
TMP-18	2/7/2017	20	97.6	489	
TMP-18	2/7/2017	39	137.3	470	
TMP-18	2/7/2017	58	154.1	451	
TMP-18	2/7/2017	77	153.4	432	
TMP-18	2/7/2017	96	148.2	413	
TMP-18	2/7/2017	115	140.8	394	
TMP-18	2/7/2017	134	132.7	375	
TMP-18	2/7/2017	153	126.3	356	
TMP-18	2/7/2017	172	120.4	337	
TMP-18	2/7/2017	191	115.5	318	
TMP-18	2/7/2017	210	111.6	299	
TMP-18	2/7/2017	227	109.0	282	
TMP-18	2/13/2017	20	97.8	489	
TMP-18	2/13/2017	39	137.4	470	
TMP-18	2/13/2017	58	154.3	451	
TMP-18	2/13/2017	77	154.0	432	
TMP-18	2/13/2017	96	148.8	413	
TMP-18	2/13/2017	115	141.4	394	
TMP-18	2/13/2017	134	133.5	375	
TMP-18	2/13/2017	153	127.1	356	
TMP-18	2/13/2017	172	121.2	337	
TMP-18	2/13/2017	191	116.2	318	
TMP-18	2/13/2017	210	112.2	299	
TMP-18	2/13/2017	227	109.8	282	
TMP-18	2/20/2017	20	96.9	489	
TMP-18	2/20/2017	39	136.5	470	
TMP-18	2/20/2017	58	153.3	451	
TMP-18	2/20/2017	77	152.8	432	
TMP-18	2/20/2017	96	147.8	413	
TMP-18	2/20/2017	115	140.4	394	
TMP-18	2/20/2017	134	132.5	375	
TMP-18	2/20/2017	153	126.0	356	
TMP-18	2/20/2017	172	120.1	337	
TMP-18	2/20/2017	191	115.2	318	
TMP-18	2/20/2017	210	111.2	299	
TMP-18	2/20/2017	227	108.5	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	1/23/2017	13	88.9	461	
TMP-21	1/23/2017	26	94.9	448	
TMP-21	1/23/2017	41	91.1	433	
TMP-21	1/30/2017	13	88.9	461	
TMP-21	1/30/2017	26	95.0	448	
TMP-21	1/30/2017	41	91.3	433	
TMP-21	2/7/2017	13	89.0	461	
TMP-21	2/7/2017	26	95.3	448	
TMP-21	2/7/2017	41	91.6	433	
TMP-21	2/13/2017	13	89.3	461	
TMP-21	2/13/2017	26	95.9	448	
TMP-21	2/13/2017	41	92.3	433	
TMP-21	2/20/2017	13	88.3	461	
TMP-21	2/20/2017	26	95.1	448	
TMP-21	2/20/2017	41	91.5	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	1/23/2017	15	105.5	474	
TMP-22	1/23/2017	31	125.2	458	
TMP-22	1/23/2017	50	124.6	439	
TMP-22	1/23/2017	70	116.7	419	
TMP-22	1/30/2017	15	104.0	474	
TMP-22	1/30/2017	31	125.1	458	
TMP-22	1/30/2017	50	124.5	439	
TMP-22	1/30/2017	70	116.5	419	
TMP-22	2/7/2017	15	104.9	474	
TMP-22	2/7/2017	31	124.9	458	
TMP-22	2/7/2017	50	124.5	439	
TMP-22	2/7/2017	70	116.7	419	
TMP-22	2/13/2017	15	104.9	474	
TMP-22	2/13/2017	31	124.6	458	
TMP-22	2/13/2017	50	123.9	439	
TMP-22	2/13/2017	70	116.2	419	
TMP-22	2/20/2017	15	103.7	474	
TMP-22	2/20/2017	31	123.6	458	
TMP-22	2/20/2017	50	123.2	439	
TMP-22	2/20/2017	70	115.4	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	1/23/2017	20	115.5	477	
TMP-23	1/23/2017	38	138.6	459	
TMP-23	1/23/2017	56	141.7	441	
TMP-23	1/23/2017	74	134.2	423	
TMP-23	1/23/2017	92	125.4	405	
TMP-23	1/23/2017	106	116.9	391	
TMP-23	1/30/2017	20	115.4	477	
TMP-23	1/30/2017	38	138.6	459	
TMP-23	1/30/2017	56	141.7	441	
TMP-23	1/30/2017	74	134.3	423	
TMP-23	1/30/2017	92	125.4	405	
TMP-23	1/30/2017	106	116.8	391	
TMP-23	2/7/2017	20	114.9	477	
TMP-23	2/7/2017	38	138.3	459	
TMP-23	2/7/2017	56	141.4	441	
TMP-23	2/7/2017	74	134.0	423	
TMP-23	2/7/2017	92	125.2	405	
TMP-23	2/7/2017	106	116.8	391	
TMP-23	2/13/2017	20	115.3	477	
TMP-23	2/13/2017	38	138.4	459	
TMP-23	2/13/2017	56	141.6	441	
TMP-23	2/13/2017	74	134.2	423	
TMP-23	2/13/2017	92	125.3	405	
TMP-23	2/13/2017	106	117.1	391	
TMP-23	2/20/2017	20	114.0	477	
TMP-23	2/20/2017	38	137.1	459	
TMP-23	2/20/2017	56	140.6	441	
TMP-23	2/20/2017	74	133.2	423	
TMP-23	2/20/2017	92	124.5	405	
TMP-23	2/20/2017	106	116.2	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	1/23/2017	20	103.3	492	
TMP-24	1/23/2017	40	129.4	472	
TMP-24	1/23/2017	60	142.5	452	
TMP-24	1/23/2017	67	143.6	445	
TMP-24	1/30/2017	20	103.0	492	
TMP-24	1/30/2017	40	128.9	472	
TMP-24	1/30/2017	60	142.1	452	
TMP-24	1/30/2017	67	143.1	445	
TMP-24	2/7/2017	20	102.6	492	
TMP-24	2/7/2017	40	128.5	472	
TMP-24	2/7/2017	60	141.6	452	
TMP-24	2/7/2017	67	142.7	445	
TMP-24	2/13/2017	20	103.7	492	
TMP-24	2/13/2017	40	129.3	472	
TMP-24	2/13/2017	60	142.2	452	
TMP-24	2/13/2017	67	142.9	445	
TMP-24	2/20/2017	20	102.2	492	
TMP-24	2/20/2017	40	128.2	472	
TMP-24	2/20/2017	60	141.4	452	
TMP-24	2/20/2017	67	142.4	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	1/23/2017	20	122.8	495	
TMP-25	1/23/2017	40	147.7	475	
TMP-25	1/23/2017	60	160.6	455	
TMP-25	1/23/2017	80	161.5	435	
TMP-25	1/23/2017	100	155.8	415	
TMP-25	1/23/2017	120	144.8	395	
TMP-25	1/23/2017	140	133.4	375	
TMP-25	1/23/2017	160	120.5	355	
TMP-25	1/23/2017	180	112.9	335	
TMP-25	1/23/2017	200	107.3	315	
TMP-25	1/23/2017	220	95.7	295	
TMP-25	1/23/2017	235	92.6	280	
TMP-25	1/30/2017	20	122.1	495	
TMP-25	1/30/2017	40	147.0	475	
TMP-25	1/30/2017	60	160.2	455	
TMP-25	1/30/2017	80	160.9	435	
TMP-25	1/30/2017	100	155.2	415	
TMP-25	1/30/2017	120	144.2	395	
TMP-25	1/30/2017	140	132.8	375	
TMP-25	1/30/2017	160	120.0	355	
TMP-25	1/30/2017	180	112.2	335	
TMP-25	1/30/2017	200	106.6	315	
TMP-25	1/30/2017	220	94.9	295	
TMP-25	1/30/2017	235	92.1	280	
TMP-25	2/7/2017	20	121.8	495	
TMP-25	2/7/2017	40	146.7	475	
TMP-25	2/7/2017	60	160.0	455	
TMP-25	2/7/2017	80	160.6	435	
TMP-25	2/7/2017	100	155.0	415	
TMP-25	2/7/2017	120	144.1	395	
TMP-25	2/7/2017	140	132.7	375	
TMP-25	2/7/2017	160	120.0	355	
TMP-25	2/7/2017	180	112.4	335	
TMP-25	2/7/2017	200	106.8	315	
TMP-25	2/7/2017	220	95.1	295	
TMP-25	2/7/2017	235	92.3	280	
TMP-25	2/13/2017	20	122.8	495	
TMP-25	2/13/2017	40	147.7	475	
TMP-25	2/13/2017	60	161.1	455	
TMP-25	2/13/2017	80	161.5	435	
TMP-25	2/13/2017	100	155.9	415	
TMP-25	2/13/2017	120	144.9	395	
TMP-25	2/13/2017	140	133.5	375	
TMP-25	2/13/2017	160	120.8	355	
TMP-25	2/13/2017	180	113.2	335	
TMP-25	2/13/2017	200	107.5	315	
TMP-25	2/13/2017	220	96.0	295	
TMP-25	2/13/2017	235	93.2	280	
TMP-25	2/20/2017	20	121.5	495	
TMP-25	2/20/2017	40	146.6	475	
TMP-25	2/20/2017	60	160.2	455	
TMP-25	2/20/2017	80	160.6	435	
TMP-25	2/20/2017	100	155.1	415	
TMP-25	2/20/2017	120	144.1	395	
TMP-25	2/20/2017	140	132.7	375	
TMP-25	2/20/2017	160	120.1	355	
TMP-25	2/20/2017	180	112.5	335	
TMP-25	2/20/2017	200	106.9	315	
TMP-25	2/20/2017	220	95.5	295	
TMP-25	2/20/2017	235	92.6	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	1/23/2017	20	109.2	479	
TMP-26	1/23/2017	40	120.2	459	
TMP-26	1/23/2017	60	123.5	439	
TMP-26	1/23/2017	80	123.1	419	
TMP-26	1/23/2017	100	113.3	399	
TMP-26	1/23/2017	120	119.6	379	
TMP-26	1/23/2017	140	121.0	359	
TMP-26	1/23/2017	142	120.1	357	
TMP-26	1/30/2017	20	108.5	479	
TMP-26	1/30/2017	40	119.9	459	
TMP-26	1/30/2017	60	122.8	439	
TMP-26	1/30/2017	80	122.6	419	
TMP-26	1/30/2017	100	113.0	399	
TMP-26	1/30/2017	120	119.4	379	
TMP-26	1/30/2017	140	121.1	359	
TMP-26	1/30/2017	142	120.5	357	
TMP-26	2/7/2017	20	107.8	479	
TMP-26	2/7/2017	40	119.2	459	
TMP-26	2/7/2017	60	122.2	439	
TMP-26	2/7/2017	80	122.3	419	
TMP-26	2/7/2017	100	112.9	399	
TMP-26	2/7/2017	120	119.3	379	
TMP-26	2/7/2017	140	121.1	359	
TMP-26	2/7/2017	142	120.5	357	
TMP-26	2/13/2017	20	109.1	479	
TMP-26	2/13/2017	40	120.1	459	
TMP-26	2/13/2017	60	123.3	439	
TMP-26	2/13/2017	80	123.1	419	
TMP-26	2/13/2017	100	113.6	399	
TMP-26	2/13/2017	120	119.7	379	
TMP-26	2/13/2017	140	121.1	359	
TMP-26	2/13/2017	142	120.3	357	
TMP-26	2/20/2017	20	107.4	479	
TMP-26	2/20/2017	40	118.6	459	
TMP-26	2/20/2017	60	121.5	439	
TMP-26	2/20/2017	80	121.3	419	
TMP-26	2/20/2017	100	111.4	399	
TMP-26	2/20/2017	120	118.0	379	
TMP-26	2/20/2017	140	119.5	359	
TMP-26	2/20/2017	142	118.8	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	1/23/2017	20	102.6	493	
TMP-27	1/23/2017	40	144.4	473	
TMP-27	1/23/2017	60	155.7	453	
TMP-27	1/23/2017	80	158.2	433	
TMP-27	1/23/2017	100	154.8	413	
TMP-27	1/23/2017	120	149.3	393	
TMP-27	1/23/2017	140	143.3	373	
TMP-27	1/23/2017	160	136.3	353	
TMP-27	1/23/2017	180	129.9	333	
TMP-27	1/23/2017	200	125.6	313	
TMP-27	1/23/2017	220	120.5	293	
TMP-27	1/23/2017	233	115.6	280	
TMP-27	1/30/2017	20	101.9	493	
TMP-27	1/30/2017	40	143.4	473	
TMP-27	1/30/2017	60	154.6	453	
TMP-27	1/30/2017	80	157.2	433	
TMP-27	1/30/2017	100	153.7	413	
TMP-27	1/30/2017	120	148.4	393	
TMP-27	1/30/2017	140	142.8	373	
TMP-27	1/30/2017	160	136.1	353	
TMP-27	1/30/2017	180	129.9	333	
TMP-27	1/30/2017	200	126.0	313	
TMP-27	1/30/2017	220	121.1	293	
TMP-27	1/30/2017	233	116.5	280	
TMP-27	2/7/2017	20	102.5	493	
TMP-27	2/7/2017	40	144.0	473	
TMP-27	2/7/2017	60	155.3	453	
TMP-27	2/7/2017	80	157.8	433	
TMP-27	2/7/2017	100	154.4	413	
TMP-27	2/7/2017	120	148.9	393	
TMP-27	2/7/2017	140	143.0	373	
TMP-27	2/7/2017	160	136.0	353	
TMP-27	2/7/2017	180	129.5	333	
TMP-27	2/7/2017	200	125.0	313	
TMP-27	2/7/2017	220	119.9	293	
TMP-27	2/7/2017	233	114.9	280	
TMP-27	2/13/2017	20	102.3	493	
TMP-27	2/13/2017	40	143.8	473	
TMP-27	2/13/2017	60	154.9	453	
TMP-27	2/13/2017	80	157.5	433	
TMP-27	2/13/2017	100	154.2	413	
TMP-27	2/13/2017	120	148.8	393	
TMP-27	2/13/2017	140	143.1	373	
TMP-27	2/13/2017	160	136.4	353	
TMP-27	2/13/2017	180	130.1	333	
TMP-27	2/13/2017	200	125.9	313	
TMP-27	2/13/2017	220	121.0	293	
TMP-27	2/13/2017	233	116.4	280	
TMP-27	2/20/2017	20	101.2	493	
TMP-27	2/20/2017	40	142.3	473	
TMP-27	2/20/2017	60	153.8	453	
TMP-27	2/20/2017	80	156.3	433	
TMP-27	2/20/2017	100	152.9	413	
TMP-27	2/20/2017	120	147.6	393	
TMP-27	2/20/2017	140	141.8	373	
TMP-27	2/20/2017	160	135.0	353	
TMP-27	2/20/2017	180	128.7	333	
TMP-27	2/20/2017	200	124.5	313	
TMP-27	2/20/2017	220	119.5	293	
TMP-27	2/20/2017	233	114.7	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	1/23/2017	20	102.6	480	
TMP-28	1/23/2017	40	137.9	460	
TMP-28	1/23/2017	60	134.4	440	
TMP-28	1/23/2017	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	1/23/2017	100	132.9	400	
TMP-28	1/23/2017	120	127.8	380	
TMP-28	1/23/2017	140	123.4	360	
TMP-28	1/23/2017	160	118.9	340	
TMP-28	1/23/2017	180	115.2	320	
TMP-28	1/23/2017	200	113.0	300	
TMP-28	1/23/2017	217		283	no longer working
TMP-28	1/30/2017	20	101.6	480	
TMP-28	1/30/2017	40	137.0	460	
TMP-28	1/30/2017	60	133.8	440	
TMP-28	1/30/2017	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	1/30/2017	100	132.7	400	
TMP-28	1/30/2017	120	128.0	380	
TMP-28	1/30/2017	140	123.8	360	
TMP-28	1/30/2017	160	119.1	340	
TMP-28	1/30/2017	180	115.2	320	
TMP-28	1/30/2017	200	112.7	300	
TMP-28	1/30/2017	217		283	no longer working
TMP-28	2/7/2017	20	101.6	480	
TMP-28	2/7/2017	40	136.9	460	
TMP-28	2/7/2017	60	133.3	440	
TMP-28	2/7/2017	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	2/7/2017	100	131.8	400	
TMP-28	2/7/2017	120	126.8	380	
TMP-28	2/7/2017	140	122.5	360	
TMP-28	2/7/2017	160	117.9	340	
TMP-28	2/7/2017	180	114.1	320	
TMP-28	2/7/2017	200	111.9	300	
TMP-28	2/7/2017	217		283	no longer working
TMP-28	2/13/2017	20	102.0	480	
TMP-28	2/13/2017	40	137.0	460	
TMP-28	2/13/2017	60	133.6	440	
TMP-28	2/13/2017	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	2/13/2017	100	132.0	400	
TMP-28	2/13/2017	120	127.0	380	
TMP-28	2/13/2017	140	122.6	360	
TMP-28	2/13/2017	160	118.1	340	
TMP-28	2/13/2017	180	114.3	320	
TMP-28	2/13/2017	200	111.8	300	
TMP-28	2/13/2017	217		283	no longer working
TMP-28	2/20/2017	20	101.0	480	
TMP-28	2/20/2017	40	135.9	460	
TMP-28	2/20/2017	60	132.8	440	
TMP-28	2/20/2017	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	2/20/2017	100	131.8	400	
TMP-28	2/20/2017	120	127.1	380	
TMP-28	2/20/2017	140	122.7	360	
TMP-28	2/20/2017	160	118.2	340	
TMP-28	2/20/2017	180	114.1	320	
TMP-28	2/20/2017	200	111.6	300	
TMP-28	2/20/2017	217		283	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	1/23/2017	8	69.2	488	
TMP-29	1/23/2017	16	82.0	480	
TMP-29	1/23/2017	25	88.3	471	
TMP-29	1/30/2017	8	68.2	488	
TMP-29	1/30/2017	16	81.9	480	
TMP-29	1/30/2017	25	88.5	471	
TMP-29	2/7/2017	8	67.8	488	
TMP-29	2/7/2017	16	81.8	480	
TMP-29	2/7/2017	25	88.4	471	
TMP-29	2/13/2017	8	67.2	488	
TMP-29	2/13/2017	16	81.8	480	
TMP-29	2/13/2017	25	88.7	471	
TMP-29	2/20/2017	8	65.0	488	
TMP-29	2/20/2017	16	79.8	480	
TMP-29	2/20/2017	25	86.9	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	1/23/2017	20	97.6	484	
TMP-33	1/23/2017	40	105.2	464	
TMP-33	1/23/2017	53	104.2	451	
TMP-33	1/30/2017	20	96.6	484	
TMP-33	1/30/2017	40	104.0	464	
TMP-33	1/30/2017	53	102.9	451	
TMP-33	2/7/2017	20	96.1	484	
TMP-33	2/7/2017	40	103.5	464	
TMP-33	2/7/2017	53	102.6	451	
TMP-33	2/13/2017	20	97.2	484	
TMP-33	2/13/2017	40	104.4	464	
TMP-33	2/13/2017	53	103.2	451	
TMP-33	2/20/2017	20	96.2	484	
TMP-33	2/20/2017	40	103.3	464	
TMP-33	2/20/2017	53	102.4	451	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	1/23/2017	20	100.9	495	
TMP-34	1/23/2017	40	112.4	475	
TMP-34	1/23/2017	50	112.7	465	
TMP-34	1/23/2017	63	110.7	452	
TMP-34	1/30/2017	20	100.3	495	
TMP-34	1/30/2017	40	111.9	475	
TMP-34	1/30/2017	50	112.3	465	
TMP-34	1/30/2017	63	110.3	452	
TMP-34	2/7/2017	20	99.5	495	
TMP-34	2/7/2017	40	110.9	475	
TMP-34	2/7/2017	50	111.4	465	
TMP-34	2/7/2017	63	109.2	452	
TMP-34	2/13/2017	20	101.6	495	
TMP-34	2/13/2017	40	113.3	475	
TMP-34	2/13/2017	50	113.8	465	
TMP-34	2/13/2017	63	111.9	452	
TMP-34	2/20/2017	20	99.9	495	
TMP-34	2/20/2017	40	111.6	475	
TMP-34	2/20/2017	50	112.2	465	
TMP-34	2/20/2017	63	110.2	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	1/23/2017	20	95.0	500	
TMP-35	1/23/2017	40	108.8	480	
TMP-35	1/23/2017	60	108.3	460	
TMP-35	1/23/2017	70	105.2	450	
TMP-35	1/30/2017	20	94.8	500	
TMP-35	1/30/2017	40	108.6	480	
TMP-35	1/30/2017	60	108.0	460	
TMP-35	1/30/2017	70	104.9	450	
TMP-35	2/7/2017	20	94.1	500	
TMP-35	2/7/2017	40	107.7	480	
TMP-35	2/7/2017	60	107.2	460	
TMP-35	2/7/2017	70	104.1	450	
TMP-35	2/13/2017	20	95.6	500	
TMP-35	2/13/2017	40	109.5	480	
TMP-35	2/13/2017	60	109.2	460	
TMP-35	2/13/2017	70	106.1	450	
TMP-35	2/20/2017	20	94.5	500	
TMP-35	2/20/2017	40	108.4	480	
TMP-35	2/20/2017	60	108.1	460	
TMP-35	2/20/2017	70	105.0	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-36	1/23/2017	15	83.5	471	
TMP-36	1/23/2017	20	84.1	466	
TMP-36	1/23/2017	30	84.7	456	
TMP-36	1/30/2017	15	81.7	471	
TMP-36	1/30/2017	20	82.2	466	
TMP-36	1/30/2017	30	82.7	456	
TMP-36	2/7/2017	15	81.1	471	
TMP-36	2/7/2017	20	81.8	466	
TMP-36	2/7/2017	30	82.2	456	
TMP-36	2/13/2017	15	81.7	471	
TMP-36	2/13/2017	20	81.9	466	
TMP-36	2/13/2017	30	82.1	456	
TMP-36	2/20/2017	15	80.8	471	
TMP-36	2/20/2017	20	81.4	466	
TMP-36	2/20/2017	30	81.8	456	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	1/23/2017	20	93.8	480	
TMP-37	1/23/2017	40	100.3	460	
TMP-37	1/23/2017	50	98.6	450	
TMP-37	1/30/2017	20	91.6	480	
TMP-37	1/30/2017	40	98.0	460	
TMP-37	1/30/2017	50	96.3	450	
TMP-37	2/7/2017	20	91.2	480	
TMP-37	2/7/2017	40	97.8	460	
TMP-37	2/7/2017	50	96.1	450	
TMP-37	2/13/2017	20	92.1	480	
TMP-37	2/13/2017	40	98.2	460	
TMP-37	2/13/2017	50	96.2	450	
TMP-37	2/20/2017	20	90.8	480	
TMP-37	2/20/2017	40	97.3	460	
TMP-37	2/20/2017	50	95.5	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	1/23/2017	20	104.2	495	
TMP-38	1/23/2017	40	116.3	475	
TMP-38	1/23/2017	60	112.4	455	
TMP-38	1/23/2017	70	109.6	445	
TMP-38	1/30/2017	20	102.6	495	
TMP-38	1/30/2017	40	114.7	475	
TMP-38	1/30/2017	60	110.6	455	
TMP-38	1/30/2017	70	107.8	445	
TMP-38	2/7/2017	20	102.0	495	
TMP-38	2/7/2017	40	114.4	475	
TMP-38	2/7/2017	60	110.3	455	
TMP-38	2/7/2017	70	107.5	445	
TMP-38	2/13/2017	20	103.0	495	
TMP-38	2/13/2017	40	114.8	475	
TMP-38	2/13/2017	60	110.6	455	
TMP-38	2/13/2017	70	107.7	445	
TMP-38	2/20/2017	20	102.2	495	
TMP-38	2/20/2017	40	114.1	475	
TMP-38	2/20/2017	60	110.0	455	
TMP-38	2/20/2017	70	107.1	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	1/23/2017	20	101.7	501	
TMP-39	1/23/2017	40	125.1	481	
TMP-39	1/23/2017	60	125.2	461	
TMP-39	1/23/2017	80	118.7	441	
TMP-39	1/30/2017	20	102.3	501	
TMP-39	1/30/2017	40	125.2	481	
TMP-39	1/30/2017	60	125.3	461	
TMP-39	1/30/2017	80	118.6	441	
TMP-39	2/7/2017	20	101.4	501	
TMP-39	2/7/2017	40	124.5	481	
TMP-39	2/7/2017	60	124.6	461	
TMP-39	2/7/2017	80	117.8	441	
TMP-39	2/13/2017	20	102.9	501	
TMP-39	2/13/2017	40	126.2	481	
TMP-39	2/13/2017	60	126.3	461	
TMP-39	2/13/2017	80	119.7	441	
TMP-39	2/20/2017	20	101.2	501	
TMP-39	2/20/2017	40	124.6	481	
TMP-39	2/20/2017	60	124.7	461	
TMP-39	2/20/2017	80	118.3	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	1/23/2017	20	97.1	505	
TMP-40	1/23/2017	40	126.8	485	
TMP-40	1/23/2017	60	131.4	465	
TMP-40	1/23/2017	80	127.1	445	
TMP-40	1/30/2017	20	97.4	505	
TMP-40	1/30/2017	40	126.9	485	
TMP-40	1/30/2017	60	131.4	465	
TMP-40	1/30/2017	80	127.0	445	
TMP-40	2/7/2017	20	96.4	505	
TMP-40	2/7/2017	40	125.9	485	
TMP-40	2/7/2017	60	130.3	465	
TMP-40	2/7/2017	80	125.9	445	
TMP-40	2/13/2017	20	97.9	505	
TMP-40	2/13/2017	40	127.5	485	
TMP-40	2/13/2017	60	132.0	465	
TMP-40	2/13/2017	80	127.8	445	
TMP-40	2/20/2017	20	96.4	505	
TMP-40	2/20/2017	40	126.1	485	
TMP-40	2/20/2017	60	130.6	465	
TMP-40	2/20/2017	80	126.4	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	1/23/2017	20	103.2	504	
TMP-41	1/23/2017	40	126.7	484	
TMP-41	1/23/2017	60	128.1	464	
TMP-41	1/23/2017	80	122.3	444	
TMP-41	1/23/2017	98	114.6	426	
TMP-41	1/30/2017	20	103.5	504	
TMP-41	1/30/2017	40	126.9	484	
TMP-41	1/30/2017	60	128.3	464	
TMP-41	1/30/2017	80	122.5	444	
TMP-41	1/30/2017	98	114.7	426	
TMP-41	2/7/2017	20	102.5	504	
TMP-41	2/7/2017	40	125.9	484	
TMP-41	2/7/2017	60	127.2	464	
TMP-41	2/7/2017	80	121.3	444	
TMP-41	2/7/2017	98	113.6	426	
TMP-41	2/13/2017	20	104.3	504	
TMP-41	2/13/2017	40	127.8	484	
TMP-41	2/13/2017	60	129.3	464	
TMP-41	2/13/2017	80	123.5	444	
TMP-41	2/13/2017	98	115.8	426	
TMP-41	2/20/2017	20	102.6	504	
TMP-41	2/20/2017	40	126.0	484	
TMP-41	2/20/2017	60	127.5	464	
TMP-41	2/20/2017	80	121.6	444	
TMP-41	2/20/2017	98	114.0	426	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	1/23/2017	20	117.4	498	
TMP-42	1/23/2017	40	123.8	478	
TMP-42	1/23/2017	60	120.7	458	
TMP-42	1/23/2017	78	115.4	440	
TMP-42	1/30/2017	20	117.5	498	
TMP-42	1/30/2017	40	123.6	478	
TMP-42	1/30/2017	60	120.4	458	
TMP-42	1/30/2017	78	114.9	440	
TMP-42	2/7/2017	20	116.6	498	
TMP-42	2/7/2017	40	122.8	478	
TMP-42	2/7/2017	60	119.8	458	
TMP-42	2/7/2017	78	114.3	440	
TMP-42	2/13/2017	20	116.6	498	
TMP-42	2/13/2017	40	122.5	478	
TMP-42	2/13/2017	60	119.2	458	
TMP-42	2/13/2017	78	113.7	440	
TMP-42	2/20/2017	20	116.2	498	
TMP-42	2/20/2017	40	122.6	478	
TMP-42	2/20/2017	60	119.6	458	
TMP-42	2/20/2017	78	114.1	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	1/23/2017	20	108.6	496	
TMP-43	1/23/2017	40	124.8	476	
TMP-43	1/23/2017	60	128.5	456	
TMP-43	1/23/2017	80	126.8	436	
TMP-43	1/23/2017	100	119.4	416	
TMP-43	1/30/2017	20	108.4	496	
TMP-43	1/30/2017	40	124.5	476	
TMP-43	1/30/2017	60	128.1	456	
TMP-43	1/30/2017	80	126.4	436	
TMP-43	1/30/2017	100	119.1	416	
TMP-43	2/7/2017	20	107.9	496	
TMP-43	2/7/2017	40	123.9	476	
TMP-43	2/7/2017	60	127.6	456	
TMP-43	2/7/2017	80	125.9	436	
TMP-43	2/7/2017	100	118.5	416	
TMP-43	2/13/2017	20	108.5	496	
TMP-43	2/13/2017	40	124.5	476	
TMP-43	2/13/2017	60	128.2	456	
TMP-43	2/13/2017	80	126.6	436	
TMP-43	2/13/2017	100	119.3	416	
TMP-43	2/20/2017	20	107.7	496	
TMP-43	2/20/2017	40	123.8	476	
TMP-43	2/20/2017	60	127.6	456	
TMP-43	2/20/2017	80	125.8	436	
TMP-43	2/20/2017	100	118.6	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	1/23/2017	20	102.7	491	
TMP-44	1/23/2017	40	133.2	471	
TMP-44	1/23/2017	60	146.7	451	
TMP-44	1/23/2017	80	152.8	431	
TMP-44	1/23/2017	100	155.4	411	
TMP-44	1/23/2017	120	155.3	391	
TMP-44	1/23/2017	140	155.1	371	
TMP-44	1/23/2017	160	144.9	351	
TMP-44	1/23/2017	180	127.7	331	
TMP-44	1/30/2017	20	102.4	491	
TMP-44	1/30/2017	40	132.9	471	
TMP-44	1/30/2017	60	146.5	451	
TMP-44	1/30/2017	80	152.6	431	
TMP-44	1/30/2017	100	155.2	411	
TMP-44	1/30/2017	120	155.1	391	
TMP-44	1/30/2017	140	154.7	371	
TMP-44	1/30/2017	160	144.4	351	
TMP-44	1/30/2017	180	127.2	331	
TMP-44	2/7/2017	20	101.7	491	
TMP-44	2/7/2017	40	132.1	471	
TMP-44	2/7/2017	60	145.8	451	
TMP-44	2/7/2017	80	151.8	431	
TMP-44	2/7/2017	100	154.5	411	
TMP-44	2/7/2017	120	154.3	391	
TMP-44	2/7/2017	140	154.2	371	
TMP-44	2/7/2017	160	143.7	351	
TMP-44	2/7/2017	180	126.5	331	
TMP-44	2/13/2017	20	102.8	491	
TMP-44	2/13/2017	40	133.1	471	
TMP-44	2/13/2017	60	146.7	451	
TMP-44	2/13/2017	80	152.6	431	
TMP-44	2/13/2017	100	155.2	411	
TMP-44	2/13/2017	120	155.0	391	
TMP-44	2/13/2017	140	154.4	371	
TMP-44	2/13/2017	160	143.9	351	
TMP-44	2/13/2017	180	126.5	331	
TMP-44	2/20/2017	20	101.8	491	
TMP-44	2/20/2017	40	132.2	471	
TMP-44	2/20/2017	60	145.8	451	
TMP-44	2/20/2017	80	151.9	431	
TMP-44	2/20/2017	100	154.5	411	
TMP-44	2/20/2017	120	154.4	391	
TMP-44	2/20/2017	140	154.2	371	
TMP-44	2/20/2017	160	143.8	351	
TMP-44	2/20/2017	180	126.6	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-45	1/23/2017	15	79.7	464	
TMP-45	1/23/2017	30	87.1	449	
TMP-45	1/23/2017	45	90.2	434	
TMP-45	1/30/2017	15	78.1	464	
TMP-45	1/30/2017	30	85.7	449	
TMP-45	1/30/2017	45	88.7	434	
TMP-45	2/7/2017	15	77.4	464	
TMP-45	2/7/2017	30	85.4	449	
TMP-45	2/7/2017	45	88.4	434	
TMP-45	2/13/2017	15	78.2	464	
TMP-45	2/13/2017	30	85.8	449	
TMP-45	2/13/2017	45	88.5	434	
TMP-45	2/20/2017	15	76.7	464	
TMP-45	2/20/2017	30	85.1	449	
TMP-45	2/20/2017	45	87.9	434	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-46	1/23/2017	20	76.0	457	
TMP-46	1/23/2017	40	85.7	437	
TMP-46	1/23/2017	60	93.8	417	
TMP-46	1/30/2017	20	75.1	457	
TMP-46	1/30/2017	40	84.9	437	
TMP-46	1/30/2017	60	92.9	417	
TMP-46	2/7/2017	20	74.2	457	
TMP-46	2/7/2017	40	84.1	437	
TMP-46	2/7/2017	60	92.2	417	
TMP-46	2/13/2017	20	75.4	457	
TMP-46	2/13/2017	40	85.0	437	
TMP-46	2/13/2017	60	93.0	417	
TMP-46	2/20/2017	20	74.0	457	
TMP-46	2/20/2017	40	84.1	437	
TMP-46	2/20/2017	60	92.3	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-47	1/23/2017	20	70.6	457	
TMP-47	1/23/2017	40	74.6	437	
TMP-47	1/23/2017	60	77.7	417	
TMP-47	1/30/2017	20	68.5	457	
TMP-47	1/30/2017	40	73.0	437	
TMP-47	1/30/2017	60	75.8	417	
TMP-47	2/7/2017	20	68.0	457	
TMP-47	2/7/2017	40	73.1	437	
TMP-47	2/7/2017	60	76.0	417	
TMP-47	2/13/2017	20	68.9	457	
TMP-47	2/13/2017	40	73.5	437	
TMP-47	2/13/2017	60	75.9	417	
TMP-47	2/20/2017	20	67.1	457	
TMP-47	2/20/2017	40	72.4	437	
TMP-47	2/20/2017	60	75.2	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	1/23/2017	20	69.5	455	
TMP-48	1/23/2017	40	70.4	435	
TMP-48	1/23/2017	60	76.4	415	
TMP-48	1/23/2017	72	74.8	403	
TMP-48	1/30/2017	20	67.8	455	
TMP-48	1/30/2017	40	68.3	435	
TMP-48	1/30/2017	60	74.6	415	
TMP-48	1/30/2017	72	72.9	403	
TMP-48	2/7/2017	20	67.2	455	
TMP-48	2/7/2017	40	68.3	435	
TMP-48	2/7/2017	60	74.4	415	
TMP-48	2/7/2017	72	72.8	403	
TMP-48	2/13/2017	20	67.6	455	
TMP-48	2/13/2017	40	67.9	435	
TMP-48	2/13/2017	60	74.0	415	
TMP-48	2/13/2017	72	72.3	403	
TMP-48	2/20/2017	20	65.6	455	
TMP-48	2/20/2017	40	66.4	435	
TMP-48	2/20/2017	60	72.6	415	
TMP-48	2/20/2017	72	70.9	403	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-49	1/23/2017	20	67.6	453	
TMP-49	1/23/2017	40	68.1	433	
TMP-49	1/23/2017	60	72.3	413	
TMP-49	1/30/2017	20	66.2	453	
TMP-49	1/30/2017	40	66.5	433	
TMP-49	1/30/2017	60	70.7	413	
TMP-49	2/7/2017	20	65.3	453	
TMP-49	2/7/2017	40	65.8	433	
TMP-49	2/7/2017	60	70.2	413	
TMP-49	2/13/2017	20	66.5	453	
TMP-49	2/13/2017	40	66.6	433	
TMP-49	2/13/2017	60	70.8	413	
TMP-49	2/20/2017	20	64.1	453	
TMP-49	2/20/2017	40	64.3	433	
TMP-49	2/20/2017	60	68.8	413	