

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	3/13/2017	18	115.7	451	
TMP-1	3/13/2017	38	144.1	431	
TMP-1	3/13/2017	58	149.1	411	
TMP-1	3/13/2017	78	144.9	391	
TMP-1	3/13/2017	98	136.4	371	
TMP-1	3/13/2017	118	125.6	351	
TMP-1	3/13/2017	138	117.3	331	
TMP-1	3/20/2017	18	114.8	451	
TMP-1	3/20/2017	38	143.4	431	
TMP-1	3/20/2017	58	148.2	411	
TMP-1	3/20/2017	78	144.1	391	
TMP-1	3/20/2017	98	135.3	371	
TMP-1	3/20/2017	118	124.5	351	
TMP-1	3/20/2017	138	116.2	331	
TMP-1	3/28/2017	18	114.9	451	
TMP-1	3/28/2017	38	143.8	431	
TMP-1	3/28/2017	58	148.5	411	
TMP-1	3/28/2017	78	144.4	391	
TMP-1	3/28/2017	98	135.7	371	
TMP-1	3/28/2017	118	124.8	351	
TMP-1	3/28/2017	138	116.4	331	
TMP-1	4/4/2017	18	114.0	451	
TMP-1	4/4/2017	38	143.2	431	
TMP-1	4/4/2017	58	148.1	411	
TMP-1	4/4/2017	78	144.1	391	
TMP-1	4/4/2017	98	135.4	371	
TMP-1	4/4/2017	118	124.6	351	
TMP-1	4/4/2017	138	116.1	331	
TMP-1	4/10/2017	18	114.1	451	
TMP-1	4/10/2017	38	143.3	431	
TMP-1	4/10/2017	58	148.1	411	
TMP-1	4/10/2017	78	144.0	391	
TMP-1	4/10/2017	98	135.2	371	
TMP-1	4/10/2017	118	124.4	351	
TMP-1	4/10/2017	138	115.9	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	3/13/2017	20	122.3	440	
TMP-2R	3/13/2017	40	152.2	420	
TMP-2R	3/13/2017	60	163.7	400	
TMP-2R	3/13/2017	80	177.0	380	
TMP-2R	3/13/2017	100	172.9	360	
TMP-2R	3/13/2017	120	161.3	340	
TMP-2R	3/13/2017	140	155.8	320	
TMP-2R	3/13/2017	160	148.8	300	
TMP-2R	3/13/2017	180	134.8	280	
TMP-2R	3/20/2017	20	122.0	440	
TMP-2R	3/20/2017	40	152.1	420	
TMP-2R	3/20/2017	60	163.8	400	
TMP-2R	3/20/2017	80	177.1	380	
TMP-2R	3/20/2017	100	173.1	360	
TMP-2R	3/20/2017	120	161.6	340	
TMP-2R	3/20/2017	140	156.1	320	
TMP-2R	3/20/2017	160	149.3	300	
TMP-2R	3/20/2017	180	135.4	280	
TMP-2R	3/28/2017	20	122.1	440	
TMP-2R	3/28/2017	40	152.3	420	
TMP-2R	3/28/2017	60	164.0	400	
TMP-2R	3/28/2017	80	177.1	380	
TMP-2R	3/28/2017	100	173.0	360	
TMP-2R	3/28/2017	120	161.4	340	
TMP-2R	3/28/2017	140	155.9	320	
TMP-2R	3/28/2017	160	148.9	300	
TMP-2R	3/28/2017	180	135.0	280	
TMP-2R	4/4/2017	20	122.2	440	
TMP-2R	4/4/2017	40	152.3	420	
TMP-2R	4/4/2017	60	163.9	400	
TMP-2R	4/4/2017	80	176.9	380	
TMP-2R	4/4/2017	100	173.0	360	
TMP-2R	4/4/2017	120	161.6	340	
TMP-2R	4/4/2017	140	156.1	320	
TMP-2R	4/4/2017	160	149.2	300	
TMP-2R	4/4/2017	180	135.4	280	
TMP-2R	4/10/2017	20	121.3	440	
TMP-2R	4/10/2017	40	151.5	420	
TMP-2R	4/10/2017	60	163.2	400	
TMP-2R	4/10/2017	80	176.1	380	
TMP-2R	4/10/2017	100	172.1	360	
TMP-2R	4/10/2017	120	160.7	340	
TMP-2R	4/10/2017	140	155.0	320	
TMP-2R	4/10/2017	160	148.0	300	
TMP-2R	4/10/2017	180	134.0	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	3/13/2017	30	148.1	470	
TMP-3	3/13/2017	50	156.1	450	
TMP-3	3/13/2017	70	155.4	430	
TMP-3	3/13/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/13/2017	150	145.6	350	
TMP-3	3/13/2017	190	125.0	310	
TMP-3	3/13/2017	230	101.8	270	
TMP-3	3/20/2017	30	147.8	470	
TMP-3	3/20/2017	50	155.9	450	
TMP-3	3/20/2017	70	155.0	430	
TMP-3	3/20/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/20/2017	150	145.3	350	
TMP-3	3/20/2017	190	124.5	310	
TMP-3	3/20/2017	230	101.2	270	
TMP-3	3/28/2017	30	147.5	470	
TMP-3	3/28/2017	50	155.9	450	
TMP-3	3/28/2017	70	155.1	430	
TMP-3	3/28/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/28/2017	150	145.4	350	
TMP-3	3/28/2017	190	124.4	310	
TMP-3	3/28/2017	230	101.4	270	
TMP-3	4/4/2017	30	148.2	470	
TMP-3	4/4/2017	50	156.5	450	
TMP-3	4/4/2017	70	155.5	430	
TMP-3	4/4/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/4/2017	150	145.7	350	
TMP-3	4/4/2017	190	124.6	310	
TMP-3	4/4/2017	230	101.4	270	
TMP-3	4/10/2017	30	147	470	
TMP-3	4/10/2017	50	155.5	450	
TMP-3	4/10/2017	70	154.8	430	
TMP-3	4/10/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/10/2017	150	145	350	
TMP-3	4/10/2017	190	123.8	310	
TMP-3	4/10/2017	230	100.9	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	3/13/2017	20	139.1	479	
TMP-3R	3/13/2017	40	158.5	459	
TMP-3R	3/13/2017	60	160.2	439	
TMP-3R	3/13/2017	80	161.0	419	
TMP-3R	3/13/2017	100	159.7	399	
TMP-3R	3/13/2017	120	156.1	379	
TMP-3R	3/13/2017	140	154.4	359	
TMP-3R	3/13/2017	160	143.7	339	
TMP-3R	3/13/2017	180	134.2	319	
TMP-3R	3/13/2017	200	119.1	299	
TMP-3R	3/13/2017	218	106.4	281	
TMP-3R	3/20/2017	20	138.6	479	
TMP-3R	3/20/2017	40	158.1	459	
TMP-3R	3/20/2017	60	159.9	439	
TMP-3R	3/20/2017	80	160.8	419	
TMP-3R	3/20/2017	100	159.8	399	
TMP-3R	3/20/2017	120	156.3	379	
TMP-3R	3/20/2017	140	154.8	359	
TMP-3R	3/20/2017	160	144.2	339	
TMP-3R	3/20/2017	180	134.8	319	
TMP-3R	3/20/2017	200	119.6	299	
TMP-3R	3/20/2017	218	107.2	281	
TMP-3R	3/28/2017	20	138.5	479	
TMP-3R	3/28/2017	40	158.1	459	
TMP-3R	3/28/2017	60	159.7	439	
TMP-3R	3/28/2017	80	160.4	419	
TMP-3R	3/28/2017	100	159.2	399	
TMP-3R	3/28/2017	120	155.5	379	
TMP-3R	3/28/2017	140	153.8	359	
TMP-3R	3/28/2017	160	143.1	339	
TMP-3R	3/28/2017	180	133.6	319	
TMP-3R	3/28/2017	200	118.4	299	
TMP-3R	3/28/2017	218	105.8	281	
TMP-3R	4/4/2017	20	138.1	479	
TMP-3R	4/4/2017	40	157.6	459	
TMP-3R	4/4/2017	60	159.2	439	
TMP-3R	4/4/2017	80	159.9	419	
TMP-3R	4/4/2017	100	158.8	399	
TMP-3R	4/4/2017	120	155.1	379	
TMP-3R	4/4/2017	140	153.4	359	
TMP-3R	4/4/2017	160	142.7	339	
TMP-3R	4/4/2017	180	133.2	319	
TMP-3R	4/4/2017	200	118.0	299	
TMP-3R	4/4/2017	218	105.3	281	
TMP-3R	4/10/2017	20	138.0	479	
TMP-3R	4/10/2017	40	157.5	459	
TMP-3R	4/10/2017	60	159.2	439	
TMP-3R	4/10/2017	80	159.8	419	
TMP-3R	4/10/2017	100	158.7	399	
TMP-3R	4/10/2017	120	155.0	379	
TMP-3R	4/10/2017	140	153.3	359	
TMP-3R	4/10/2017	160	142.8	339	
TMP-3R	4/10/2017	180	133.3	319	
TMP-3R	4/10/2017	200	118.2	299	
TMP-3R	4/10/2017	218	105.5	281	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-4	3/13/2017	28	132.3	472	
TMP-4	3/20/2017	28	131.7	472	
TMP-4	3/28/2017	28	130.2	472	
TMP-4	4/4/2017	28	130.9	472	
TMP-4	4/10/2017	28	130.3	472	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-4R	3/13/2017	10	97.7	489	
TMP-4R	3/13/2017	20	120.5	479	
TMP-4R	3/13/2017	29	131.9	470	
TMP-4R	3/20/2017	10	97.0	489	
TMP-4R	3/20/2017	20	119.9	479	
TMP-4R	3/20/2017	29	131.5	470	
TMP-4R	3/28/2017	10	95.8	489	
TMP-4R	3/28/2017	20	119.2	479	
TMP-4R	3/28/2017	29	130.8	470	
TMP-4R	4/4/2017	10	95.9	489	
TMP-4R	4/4/2017	20	119.5	479	
TMP-4R	4/4/2017	29	131.4	470	
TMP-4R	4/10/2017	10	95.5	489	
TMP-4R	4/10/2017	20	118.5	479	
TMP-4R	4/10/2017	29	130.4	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	3/13/2017	15	157.3	472	
TMP-6	3/13/2017	95	164.7	392	fluctuating resistance, possibly unreliable
TMP-6	3/13/2017	115	155.8	372	
TMP-6	3/13/2017	135	143.3	352	
TMP-6	3/20/2017	15	156.5	472	
TMP-6	3/20/2017	95	163.7	392	fluctuating resistance, possibly unreliable
TMP-6	3/20/2017	115	154.5	372	
TMP-6	3/20/2017	135	142.0	352	
TMP-6	3/28/2017	15	155.3	472	
TMP-6	3/28/2017	95	163.1	392	fluctuating resistance, possibly unreliable
TMP-6	3/28/2017	115	154.3	372	
TMP-6	3/28/2017	135	141.8	352	
TMP-6	4/4/2017	15	155.3	472	
TMP-6	4/4/2017	95	163.2	392	fluctuating resistance, possibly unreliable
TMP-6	4/4/2017	115	154.4	372	
TMP-6	4/4/2017	135	141.8	352	
TMP-6	4/10/2017	15	155.5	472	
TMP-6	4/10/2017	95	163.5	392	fluctuating resistance, possibly unreliable
TMP-6	4/10/2017	115	154.4	372	
TMP-6	4/10/2017	135	141.9	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	3/13/2017	40	203.4	446	Previous report of moisture in line sheeting & end corrosion
TMP-9	3/20/2017	40	202.6	446	Previous report of moisture in line sheeting & end corrosion
TMP-9	3/28/2017	40	201.8	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/4/2017	40	201.3	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/10/2017	40	202.0	446	Previous report of moisture in line sheeting & end corrosion.



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	3/13/2017	13	104.0	476	
TMP-10	3/13/2017	33	150.0	456	
TMP-10	3/13/2017	53	166.7	436	
TMP-10	3/13/2017	73	172.5	416	
TMP-10	3/13/2017	93	169.3	396	
TMP-10	3/13/2017	113		376	unreliable reading - resistance too low
TMP-10	3/13/2017	133	150.2	356	
TMP-10	3/20/2017	13	104.3	476	
TMP-10	3/20/2017	33	150.3	456	
TMP-10	3/20/2017	53	167.0	436	
TMP-10	3/20/2017	73	172.7	416	
TMP-10	3/20/2017	93	169.5	396	
TMP-10	3/20/2017	113		376	unreliable reading - resistance too low
TMP-10	3/20/2017	133	149.9	356	
TMP-10	3/28/2017	13	104.5	476	
TMP-10	3/28/2017	33	151.0	456	
TMP-10	3/28/2017	53	167.5	436	
TMP-10	3/28/2017	73	173.2	416	
TMP-10	3/28/2017	93	169.9	396	
TMP-10	3/28/2017	113		376	unreliable reading - resistance too low
TMP-10	3/28/2017	133	150.2	356	
TMP-10	4/4/2017	13	103.9	476	
TMP-10	4/4/2017	33	150.6	456	
TMP-10	4/4/2017	53	167.1	436	
TMP-10	4/4/2017	73	172.7	416	
TMP-10	4/4/2017	93	169.4	396	
TMP-10	4/4/2017	113		376	unreliable reading - resistance too low
TMP-10	4/4/2017	133	149.6	356	
TMP-10	4/10/2017	13	102.8	476	
TMP-10	4/10/2017	33	150	456	
TMP-10	4/10/2017	53	166.3	436	
TMP-10	4/10/2017	73	171.9	416	
TMP-10	4/10/2017	93	168.6	396	
TMP-10	4/10/2017	113		376	unreliable reading - resistance too low
TMP-10	4/10/2017	133	148.8	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	3/13/2017	20	120.8	448	
TMP-11R	3/13/2017	40	130.1	428	
TMP-11R	3/13/2017	60	124.9	408	
TMP-11R	3/13/2017	80	122.0	388	
TMP-11R	3/13/2017	100	113.1	368	
TMP-11R	3/13/2017	120	106.5	348	
TMP-11R	3/20/2017	20	120.2	448	
TMP-11R	3/20/2017	40	129.7	428	
TMP-11R	3/20/2017	60	124.6	408	
TMP-11R	3/20/2017	80	122.0	388	
TMP-11R	3/20/2017	100	113.1	368	
TMP-11R	3/20/2017	120	106.8	348	
TMP-11R	3/28/2017	20	120.6	448	
TMP-11R	3/28/2017	40	130.3	428	
TMP-11R	3/28/2017	60	125.3	408	
TMP-11R	3/28/2017	80	122.5	388	
TMP-11R	3/28/2017	100	113.5	368	
TMP-11R	3/28/2017	120	107.0	348	
TMP-11R	4/4/2017	20	121.3	448	
TMP-11R	4/4/2017	40	130.8	428	
TMP-11R	4/4/2017	60	126.0	408	
TMP-11R	4/4/2017	80	123.2	388	
TMP-11R	4/4/2017	100	114.3	368	
TMP-11R	4/4/2017	120	108.0	348	
TMP-11R	4/10/2017	20	119.3	448	
TMP-11R	4/10/2017	40	129.0	428	
TMP-11R	4/10/2017	60	123.9	408	
TMP-11R	4/10/2017	80	121.0	388	
TMP-11R	4/10/2017	100	112.0	368	
TMP-11R	4/10/2017	120	105.5	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	3/13/2017	20	161.0	479	
TMP-14R	3/13/2017	40	191.4	459	
TMP-14R	3/13/2017	60	197.3	439	
TMP-14R	3/13/2017	80	196.7	419	
TMP-14R	3/13/2017	100	185.7	399	
TMP-14R	3/13/2017	120	184.0	379	
TMP-14R	3/13/2017	140	180.3	359	
TMP-14R	3/20/2017	20	159.3	479	
TMP-14R	3/20/2017	40	190.6	459	
TMP-14R	3/20/2017	60	196.8	439	
TMP-14R	3/20/2017	80	196.6	419	
TMP-14R	3/20/2017	100	185.5	399	
TMP-14R	3/20/2017	120	184.0	379	
TMP-14R	3/20/2017	140	180.5	359	
TMP-14R	3/28/2017	20	159.0	479	
TMP-14R	3/28/2017	40	190.7	459	
TMP-14R	3/28/2017	60	196.7	439	
TMP-14R	3/28/2017	80	196.6	419	
TMP-14R	3/28/2017	100	185.4	399	
TMP-14R	3/28/2017	120	183.8	379	
TMP-14R	3/28/2017	140	180.1	359	
TMP-14R	4/4/2017	20	158.7	479	
TMP-14R	4/4/2017	40	190.6	459	
TMP-14R	4/4/2017	60	196.6	439	
TMP-14R	4/4/2017	80	196.6	419	
TMP-14R	4/4/2017	100	185.6	399	
TMP-14R	4/4/2017	120	184.1	379	
TMP-14R	4/4/2017	140	180.4	359	
TMP-14R	4/10/2017	20	158.0	479	
TMP-14R	4/10/2017	40	189.8	459	
TMP-14R	4/10/2017	60	195.9	439	
TMP-14R	4/10/2017	80	195.9	419	
TMP-14R	4/10/2017	100	185.0	399	
TMP-14R	4/10/2017	120	183.6	379	
TMP-14R	4/10/2017	140	179.9	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	3/13/2017	20	113.0	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/13/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	3/13/2017	58	163.0	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/13/2017	77	164.9	435	wires repaired 6/15/16
TMP-16	3/13/2017	96	158.6	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/13/2017	115	149.7	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/13/2017	134	137.8	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/13/2017	153	121.9	359	wires repaired 6/15/16
TMP-16	3/20/2017	20	112.7	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/20/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	3/20/2017	58	161.0	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/20/2017	77	165.0	435	wires repaired 6/15/16
TMP-16	3/20/2017	96	161.3	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/20/2017	115	149.7	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/20/2017	134	137.4	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/20/2017	153	120.8	359	wires repaired 6/15/16
TMP-16	3/28/2017	20	113.1	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/28/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	3/28/2017	58	162.8	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/28/2017	77	165	435	wires repaired 6/15/16
TMP-16	3/28/2017	96	159.1	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/28/2017	115	149.9	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/28/2017	134	138.0	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/28/2017	153	121.0	359	wires repaired 6/15/16
TMP-16	4/4/2017	20	112.6	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/4/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	4/4/2017	58	163.2	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/4/2017	77	164.3	435	wires repaired 6/15/16
TMP-16	4/4/2017	96	158.3	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/4/2017	115	149.1	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/4/2017	134	137.4	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/4/2017	153	120.7	359	wires repaired 6/15/16
TMP-16	4/10/2017	20	113.4	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/10/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	4/10/2017	58	161.8	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/10/2017	77	164.7	435	wires repaired 6/15/16
TMP-16	4/10/2017	96	158.7	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/10/2017	115	149.4	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/10/2017	134	137.7	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/10/2017	153	120.5	359	wires repaired 6/15/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	3/13/2017	20	111.0	496	
TMP-17	3/13/2017	40	141.5	476	
TMP-17	3/13/2017	60	160.6	456	
TMP-17	3/13/2017	80	162.7	436	
TMP-17	3/13/2017	100	159.3	416	
TMP-17	3/13/2017	120	153.8	396	
TMP-17	3/13/2017	140	144.9	376	
TMP-17	3/13/2017	160	131.6	356	
TMP-17	3/13/2017	180	124.6	336	
TMP-17	3/13/2017	200	118.1	316	
TMP-17	3/13/2017	220	110.5	296	
TMP-17	3/13/2017	237	102.7	279	
TMP-17	3/20/2017	20	109.5	496	
TMP-17	3/20/2017	40	140.2	476	
TMP-17	3/20/2017	60	159.1	456	
TMP-17	3/20/2017	80	161.2	436	
TMP-17	3/20/2017	100	158.1	416	
TMP-17	3/20/2017	120	152.5	396	
TMP-17	3/20/2017	140	143.7	376	
TMP-17	3/20/2017	160	130.5	356	
TMP-17	3/20/2017	180	123.3	336	
TMP-17	3/20/2017	200	116.8	316	
TMP-17	3/20/2017	220	109.2	296	
TMP-17	3/20/2017	237	101.3	279	
TMP-17	3/28/2017	20	110.3	496	
TMP-17	3/28/2017	40	139.9	476	
TMP-17	3/28/2017	60	159.1	456	
TMP-17	3/28/2017	80	161.2	436	
TMP-17	3/28/2017	100	157.9	416	
TMP-17	3/28/2017	120	152.5	396	
TMP-17	3/28/2017	140	143.4	376	
TMP-17	3/28/2017	160	130.3	356	
TMP-17	3/28/2017	180	123.2	336	
TMP-17	3/28/2017	200	116.8	316	
TMP-17	3/28/2017	220	109.1	296	
TMP-17	3/28/2017	237	101.3	279	
TMP-17	4/4/2017	20	111.3	496	
TMP-17	4/4/2017	40	141.3	476	
TMP-17	4/4/2017	60	160.1	456	
TMP-17	4/4/2017	80	162.2	436	
TMP-17	4/4/2017	100	158.9	416	
TMP-17	4/4/2017	120	153.7	396	
TMP-17	4/4/2017	140	144.5	376	
TMP-17	4/4/2017	160	131.5	356	
TMP-17	4/4/2017	180	124.6	336	
TMP-17	4/4/2017	200	118.2	316	
TMP-17	4/4/2017	220	110.4	296	
TMP-17	4/4/2017	237	102.6	279	
TMP-17	4/10/2017	20	109.5	496	
TMP-17	4/10/2017	40	139.8	476	
TMP-17	4/10/2017	60	158.4	456	
TMP-17	4/10/2017	80	160.5	436	
TMP-17	4/10/2017	100	157.0	416	
TMP-17	4/10/2017	120	151.6	396	
TMP-17	4/10/2017	140	142.5	376	
TMP-17	4/10/2017	160	129.5	356	
TMP-17	4/10/2017	180	122.5	336	
TMP-17	4/10/2017	200	116.0	316	
TMP-17	4/10/2017	220	108.5	296	
TMP-17	4/10/2017	237	100.7	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	3/13/2017	20	98.8	489	
TMP-18	3/13/2017	39	138.5	470	
TMP-18	3/13/2017	58	154.8	451	
TMP-18	3/13/2017	77	154.2	432	
TMP-18	3/13/2017	96	149.0	413	
TMP-18	3/13/2017	115	141.5	394	
TMP-18	3/13/2017	134	133.5	375	
TMP-18	3/13/2017	153	127.0	356	
TMP-18	3/13/2017	172	121.2	337	
TMP-18	3/13/2017	191	116.2	318	
TMP-18	3/13/2017	210	112.2	299	
TMP-18	3/13/2017	227	109.5	282	
TMP-18	3/20/2017	20	97.4	489	
TMP-18	3/20/2017	39	137.1	470	
TMP-18	3/20/2017	58	153.5	451	
TMP-18	3/20/2017	77	152.9	432	
TMP-18	3/20/2017	96	147.8	413	
TMP-18	3/20/2017	115	140.4	394	
TMP-18	3/20/2017	134	132.5	375	
TMP-18	3/20/2017	153	126.0	356	
TMP-18	3/20/2017	172	120.1	337	
TMP-18	3/20/2017	191	115.2	318	
TMP-18	3/20/2017	210	111.1	299	
TMP-18	3/20/2017	227	108.4	282	
TMP-18	3/28/2017	20	97.2	489	
TMP-18	3/28/2017	39	137.0	470	
TMP-18	3/28/2017	58	153.3	451	
TMP-18	3/28/2017	77	152.7	432	
TMP-18	3/28/2017	96	147.6	413	
TMP-18	3/28/2017	115	140.4	394	
TMP-18	3/28/2017	134	132.5	375	
TMP-18	3/28/2017	153	126.0	356	
TMP-18	3/28/2017	172	120.3	337	
TMP-18	3/28/2017	191	115.4	318	
TMP-18	3/28/2017	210	111.2	299	
TMP-18	3/28/2017	227	108.3	282	
TMP-18	4/4/2017	20	97.6	489	
TMP-18	4/4/2017	39	137.9	470	
TMP-18	4/4/2017	58	154.2	451	
TMP-18	4/4/2017	77	153.6	432	
TMP-18	4/4/2017	96	148.5	413	
TMP-18	4/4/2017	115	141.0	394	
TMP-18	4/4/2017	134	133.0	375	
TMP-18	4/4/2017	153	126.4	356	
TMP-18	4/4/2017	172	120.6	337	
TMP-18	4/4/2017	191	115.7	318	
TMP-18	4/4/2017	210	111.6	299	
TMP-18	4/4/2017	227	108.9	282	
TMP-18	4/10/2017	20	97.0	489	
TMP-18	4/10/2017	39	137.0	470	
TMP-18	4/10/2017	58	153.2	451	
TMP-18	4/10/2017	77	152.5	432	
TMP-18	4/10/2017	96	147.4	413	
TMP-18	4/10/2017	115	139.9	394	
TMP-18	4/10/2017	134	132.0	375	
TMP-18	4/10/2017	153	125.5	356	
TMP-18	4/10/2017	172	119.6	337	
TMP-18	4/10/2017	191	114.7	318	
TMP-18	4/10/2017	210	110.6	299	
TMP-18	4/10/2017	227	107.9	282	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-21	3/13/2017	13	90.2	461	
TMP-21	3/13/2017	26	97.2	448	
TMP-21	3/13/2017	41	93.8	433	
TMP-21	3/20/2017	13	87.6	461	
TMP-21	3/20/2017	26	95.0	448	
TMP-21	3/20/2017	41	91.9	433	
TMP-21	3/28/2017	13	87.6	461	
TMP-21	3/28/2017	26	95.0	448	
TMP-21	3/28/2017	41	91.8	433	
TMP-21	4/4/2017	13	87.5	461	
TMP-21	4/4/2017	26	95.6	448	
TMP-21	4/4/2017	41	92.5	433	
TMP-21	4/10/2017	13	86.3	461	
TMP-21	4/10/2017	26	94.1	448	
TMP-21	4/10/2017	41	91.0	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	3/13/2017	15	106.8	474	
TMP-22	3/13/2017	31	126.7	458	
TMP-22	3/13/2017	50	126.4	439	
TMP-22	3/13/2017	70	118.7	419	
TMP-22	3/20/2017	15	104.6	474	
TMP-22	3/20/2017	31	124.4	458	
TMP-22	3/20/2017	50	124.3	439	
TMP-22	3/20/2017	70	116.4	419	
TMP-22	3/28/2017	15	104.5	474	
TMP-22	3/28/2017	31	124.7	458	
TMP-22	3/28/2017	50	124.7	439	
TMP-22	3/28/2017	70	117.1	419	
TMP-22	4/4/2017	15	105.1	474	
TMP-22	4/4/2017	31	125.4	458	
TMP-22	4/4/2017	50	125.3	439	
TMP-22	4/4/2017	70	117.9	419	
TMP-22	4/10/2017	15	103.0	474	
TMP-22	4/10/2017	31	123.5	458	
TMP-22	4/10/2017	50	123.4	439	
TMP-22	4/10/2017	70	115.4	419	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	3/13/2017	20	116.3	477	
TMP-23	3/13/2017	38	139.6	459	
TMP-23	3/13/2017	56	142.9	441	
TMP-23	3/13/2017	74	135.5	423	
TMP-23	3/13/2017	92	126.8	405	
TMP-23	3/13/2017	106	118.4	391	
TMP-23	3/20/2017	20	114.6	477	
TMP-23	3/20/2017	38	137.8	459	
TMP-23	3/20/2017	56	141.1	441	
TMP-23	3/20/2017	74	133.7	423	
TMP-23	3/20/2017	92	124.9	405	
TMP-23	3/20/2017	106	116.5	391	
TMP-23	3/28/2017	20	114.8	477	
TMP-23	3/28/2017	38	137.9	459	
TMP-23	3/28/2017	56	141.3	441	
TMP-23	3/28/2017	74	133.9	423	
TMP-23	3/28/2017	92	125.1	405	
TMP-23	3/28/2017	106	116.8	391	
TMP-23	4/4/2017	20	115.2	477	
TMP-23	4/4/2017	38	138.8	459	
TMP-23	4/4/2017	56	142.3	441	
TMP-23	4/4/2017	74	135.0	423	
TMP-23	4/4/2017	92	126.3	405	
TMP-23	4/4/2017	106	118.0	391	
TMP-23	4/10/2017	20	113.3	477	
TMP-23	4/10/2017	38	136.7	459	
TMP-23	4/10/2017	56	140.1	441	
TMP-23	4/10/2017	74	132.7	423	
TMP-23	4/10/2017	92	124.0	405	
TMP-23	4/10/2017	106	115.6	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	3/13/2017	20	103.3	492	
TMP-24	3/13/2017	40	129.2	472	
TMP-24	3/13/2017	60	142.4	452	
TMP-24	3/13/2017	67	143.5	445	
TMP-24	3/20/2017	20	102.6	492	
TMP-24	3/20/2017	40	128.5	472	
TMP-24	3/20/2017	60	141.6	452	
TMP-24	3/20/2017	67	142.5	445	
TMP-24	3/28/2017	20	102.4	492	
TMP-24	3/28/2017	40	128.4	472	
TMP-24	3/28/2017	60	141.7	452	
TMP-24	3/28/2017	67	142.9	445	
TMP-24	4/4/2017	20	102.9	492	
TMP-24	4/4/2017	40	128.9	472	
TMP-24	4/4/2017	60	142.0	452	
TMP-24	4/4/2017	67	143.1	445	
TMP-24	4/10/2017	20	102.1	492	
TMP-24	4/10/2017	40	128.1	472	
TMP-24	4/10/2017	60	141.4	452	
TMP-24	4/10/2017	67	142.5	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	3/13/2017	20	124.1	495	
TMP-25	3/13/2017	40	149.0	475	
TMP-25	3/13/2017	60	162.1	455	
TMP-25	3/13/2017	80	162.6	435	
TMP-25	3/13/2017	100	156.8	415	
TMP-25	3/13/2017	120	145.8	395	
TMP-25	3/13/2017	140	134.4	375	
TMP-25	3/13/2017	160	121.8	355	
TMP-25	3/13/2017	180	114.0	335	
TMP-25	3/13/2017	200	108.5	315	
TMP-25	3/13/2017	220	97.2	295	
TMP-25	3/13/2017	235	94.2	280	
TMP-25	3/20/2017	20	123.1	495	
TMP-25	3/20/2017	40	148.2	475	
TMP-25	3/20/2017	60	161.4	455	
TMP-25	3/20/2017	80	161.7	435	
TMP-25	3/20/2017	100	156.0	415	
TMP-25	3/20/2017	120	144.8	395	
TMP-25	3/20/2017	140	133.4	375	
TMP-25	3/20/2017	160	120.7	355	
TMP-25	3/20/2017	180	112.8	335	
TMP-25	3/20/2017	200	107.3	315	
TMP-25	3/20/2017	220	95.8	295	
TMP-25	3/20/2017	235	92.5	280	
TMP-25	3/28/2017	20	122.7	495	
TMP-25	3/28/2017	40	147.8	475	
TMP-25	3/28/2017	60	160.9	455	
TMP-25	3/28/2017	80	161.2	435	
TMP-25	3/28/2017	100	155.6	415	
TMP-25	3/28/2017	120	144.5	395	
TMP-25	3/28/2017	140	133.4	375	
TMP-25	3/28/2017	160	120.6	355	
TMP-25	3/28/2017	180	112.7	335	
TMP-25	3/28/2017	200	111.6	315	
TMP-25	3/28/2017	220	95.8	295	
TMP-25	3/28/2017	235	92.6	280	
TMP-25	4/4/2017	20	123.3	495	
TMP-25	4/4/2017	40	148.8	475	
TMP-25	4/4/2017	60	161.6	455	
TMP-25	4/4/2017	80	162.1	435	
TMP-25	4/4/2017	100	156.3	415	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/4/2017	120	145.1	395	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/4/2017	140	133.9	375	
TMP-25	4/4/2017	160	121.2	355	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/4/2017	180	113.5	335	
TMP-25	4/4/2017	200		315	resistance reading >4000 ohms [no longer working - connectivity test 04/07/2017]
TMP-25	4/4/2017	220	96.8	295	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/4/2017	235	93.6	280	
TMP-25	4/10/2017	20	122	495	
TMP-25	4/10/2017	40	147.6	475	
TMP-25	4/10/2017	60	160.4	455	
TMP-25	4/10/2017	80	160.8	435	
TMP-25	4/10/2017	100	155.1	415	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/10/2017	120	144	395	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/10/2017	140	132.8	375	
TMP-25	4/10/2017	160	120.1	355	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/10/2017	180	112.3	335	
TMP-25	4/10/2017	220	95.6	295	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/10/2017	235	92.1	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	3/13/2017	20	110.3	479	
TMP-26	3/13/2017	40	121.3	459	
TMP-26	3/13/2017	60	124.4	439	
TMP-26	3/13/2017	80	123.9	419	
TMP-26	3/13/2017	100	113.7	399	
TMP-26	3/13/2017	120	120.5	379	
TMP-26	3/13/2017	140	121.9	359	
TMP-26	3/13/2017	142	120.9	357	
TMP-26	3/20/2017	20	107.6	479	
TMP-26	3/20/2017	40	118.4	459	
TMP-26	3/20/2017	60	121.5	439	
TMP-26	3/20/2017	80	121.0	419	
TMP-26	3/20/2017	100	110.8	399	
TMP-26	3/20/2017	120	117.6	379	
TMP-26	3/20/2017	140	119.2	359	
TMP-26	3/20/2017	142	118.3	357	
TMP-26	3/28/2017	20	109.1	479	
TMP-26	3/28/2017	40	120.2	459	
TMP-26	3/28/2017	60	123.2	439	
TMP-26	3/28/2017	80	122.8	419	
TMP-26	3/28/2017	100	112.9	399	
TMP-26	3/28/2017	120	119.3	379	
TMP-26	3/28/2017	140	120.7	359	
TMP-26	3/28/2017	142	119.9	357	
TMP-26	4/4/2017	20	108.9	479	
TMP-26	4/4/2017	40	119.8	459	
TMP-26	4/4/2017	60	122.7	439	
TMP-26	4/4/2017	80	122.2	419	
TMP-26	4/4/2017	100	112.8	399	
TMP-26	4/4/2017	120	118.7	379	
TMP-26	4/4/2017	140	120.1	359	
TMP-26	4/4/2017	142	119.6	357	
TMP-26	4/10/2017	20	108.4	479	
TMP-26	4/10/2017	40	119.4	459	
TMP-26	4/10/2017	60	122.6	439	
TMP-26	4/10/2017	80	122.0	419	
TMP-26	4/10/2017	100	112.7	399	
TMP-26	4/10/2017	120	118.5	379	
TMP-26	4/10/2017	140	120.0	359	
TMP-26	4/10/2017	142	119.5	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	3/13/2017	20	103.5	493	
TMP-27	3/13/2017	40	144.7	473	
TMP-27	3/13/2017	60	155.9	453	
TMP-27	3/13/2017	80	158.3	433	
TMP-27	3/13/2017	100	154.9	413	
TMP-27	3/13/2017	120	149.4	393	
TMP-27	3/13/2017	140	143.5	373	
TMP-27	3/13/2017	160	136.7	353	
TMP-27	3/13/2017	180	130.3	333	
TMP-27	3/13/2017	200	125.8	313	
TMP-27	3/13/2017	220	121.0	293	
TMP-27	3/13/2017	233	116.1	280	
TMP-27	3/20/2017	20	103.0	493	
TMP-27	3/20/2017	40	144.5	473	
TMP-27	3/20/2017	60	155.7	453	
TMP-27	3/20/2017	80	158.1	433	
TMP-27	3/20/2017	100	154.8	413	
TMP-27	3/20/2017	120	149.3	393	
TMP-27	3/20/2017	140	143.3	373	
TMP-27	3/20/2017	160	136.4	353	
TMP-27	3/20/2017	180	130.0	333	
TMP-27	3/20/2017	200	125.4	313	
TMP-27	3/20/2017	220	120.2	293	
TMP-27	3/20/2017	233	115.2	280	
TMP-27	3/28/2017	20	102.1	493	
TMP-27	3/28/2017	40	143.8	473	
TMP-27	3/28/2017	60	154.8	453	
TMP-27	3/28/2017	80	157.4	433	
TMP-27	3/28/2017	100	153.9	413	
TMP-27	3/28/2017	120	148.5	393	
TMP-27	3/28/2017	140	142.7	373	
TMP-27	3/28/2017	160	136.0	353	
TMP-27	3/28/2017	180	129.8	333	
TMP-27	3/28/2017	200	125.5	313	
TMP-27	3/28/2017	220	120.6	293	
TMP-27	3/28/2017	233	115.9	280	
TMP-27	4/4/2017	20	104.3	493	
TMP-27	4/4/2017	40	144.7	473	
TMP-27	4/4/2017	60	155.7	453	
TMP-27	4/4/2017	80	158.2	433	
TMP-27	4/4/2017	100	154.7	413	
TMP-27	4/4/2017	120	149.2	393	
TMP-27	4/4/2017	140	143.2	373	
TMP-27	4/4/2017	160	136.4	353	
TMP-27	4/4/2017	180	130.0	333	
TMP-27	4/4/2017	200	125.5	313	
TMP-27	4/4/2017	220	120.5	293	
TMP-27	4/4/2017	233	115.6	280	
TMP-27	4/10/2017	20	106.1	493	
TMP-27	4/10/2017	40	143.8	473	
TMP-27	4/10/2017	60	154.7	453	
TMP-27	4/10/2017	80	157.2	433	
TMP-27	4/10/2017	100	153.6	413	
TMP-27	4/10/2017	120	148.3	393	
TMP-27	4/10/2017	140	142.4	373	
TMP-27	4/10/2017	160	135.4	353	
TMP-27	4/10/2017	180	129.1	333	
TMP-27	4/10/2017	200	124.7	313	
TMP-27	4/10/2017	220	119.7	293	
TMP-27	4/10/2017	233	114.9	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	3/13/2017	20	103.7	480	
TMP-28	3/13/2017	40	138.5	460	
TMP-28	3/13/2017	60	135.3	440	
TMP-28	3/13/2017	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	3/13/2017	100	133.6	400	
TMP-28	3/13/2017	120	128.6	380	
TMP-28	3/13/2017	140	124.3	360	
TMP-28	3/13/2017	160	119.8	340	
TMP-28	3/13/2017	180	116.1	320	
TMP-28	3/13/2017	200	113.9	300	
TMP-28	3/13/2017	217		283	no longer working
TMP-28	3/20/2017	20	101.1	480	
TMP-28	3/20/2017	40	136.2	460	
TMP-28	3/20/2017	60	133.0	440	
TMP-28	3/20/2017	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	3/20/2017	100	131.4	400	
TMP-28	3/20/2017	120	126.4	380	
TMP-28	3/20/2017	140	122.2	360	
TMP-28	3/20/2017	160	117.5	340	
TMP-28	3/20/2017	180	113.7	320	
TMP-28	3/20/2017	200	111.3	300	
TMP-28	3/20/2017	217		283	no longer working
TMP-28	3/28/2017	20	101.1	480	
TMP-28	3/28/2017	40	136.1	460	
TMP-28	3/28/2017	60	133.1	440	
TMP-28	3/28/2017	100	131.7	400	
TMP-28	3/28/2017	120	126.8	380	
TMP-28	3/28/2017	140	122.5	360	
TMP-28	3/28/2017	160	117.9	340	
TMP-28	3/28/2017	180	114.2	320	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-28	3/28/2017	200	111.8	300	
TMP-28	3/13/2017	217		283	no longer working
TMP-28	4/4/2017	20	101.5	480	
TMP-28	4/4/2017	40	136.4	460	
TMP-28	4/4/2017	60	133.5	440	
TMP-28	4/4/2017	100	132.2	400	
TMP-28	4/4/2017	120	127.4	380	
TMP-28	4/4/2017	140	123.1	360	
TMP-28	4/4/2017	160	118.7	340	
TMP-28	4/4/2017	180		320	resistivity higher than acceptable limit since 3/28/2017, unreliable temperature
TMP-28	4/4/2017	200	112.6	300	
TMP-28	4/4/2017	217		283	no longer working
TMP-28	4/10/2017	20	101.7	480	
TMP-28	4/10/2017	40	136.4	460	
TMP-28	4/10/2017	60	133.3	440	
TMP-28	4/10/2017	100	131.9	400	
TMP-28	4/10/2017	120	126.9	380	
TMP-28	4/10/2017	140	122.7	360	
TMP-28	4/10/2017	160	118.3	340	
TMP-28	4/10/2017	180		320	resistivity higher than acceptable limit since 3/28/2017, unreliable temperature
TMP-28	4/10/2017	200	112.2	300	
TMP-28	4/10/2017	217		283	no longer working

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-29	3/13/2017	8	67.0	488	
TMP-29	3/13/2017	16	82.1	480	
TMP-29	3/13/2017	25	89.7	471	
TMP-29	3/20/2017	8	65.4	488	
TMP-29	3/20/2017	16	80.6	480	
TMP-29	3/20/2017	25	88.3	471	
TMP-29	3/28/2017	8	65.2	488	
TMP-29	3/28/2017	16	80.0	480	
TMP-29	3/28/2017	25	87.8	471	
TMP-29	4/4/2017	8	66.0	488	
TMP-29	4/4/2017	16	80.9	480	
TMP-29	4/4/2017	25	88.8	471	
TMP-29	4/10/2017	8	65.2	488	
TMP-29	4/10/2017	16	79.7	480	
TMP-29	4/10/2017	25	87.5	471	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-33	3/13/2017	20	97.4	484	
TMP-33	3/13/2017	40	104.9	464	
TMP-33	3/13/2017	53	104.1	451	
TMP-33	3/20/2017	20	96.1	484	
TMP-33	3/20/2017	40	103.2	464	
TMP-33	3/20/2017	53	102.2	451	
TMP-33	3/28/2017	20	96.3	484	
TMP-33	3/28/2017	40	103.7	464	
TMP-33	3/28/2017	53	102.8	451	
TMP-33	4/4/2017	20	96.1	484	
TMP-33	4/4/2017	40	103.3	464	
TMP-33	4/4/2017	53	102.4	451	
TMP-33	4/10/2017	20	95.5	484	
TMP-33	4/10/2017	40	103.0	464	
TMP-33	4/10/2017	53	102.2	451	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	3/13/2017	20	100.5	495	
TMP-34	3/13/2017	40	111.7	475	
TMP-34	3/13/2017	50	112.2	465	
TMP-34	3/13/2017	63	110.1	452	
TMP-34	3/20/2017	20	100.1	495	
TMP-34	3/20/2017	40	111.5	475	
TMP-34	3/20/2017	50	112.2	465	
TMP-34	3/20/2017	63	110.1	452	
TMP-34	3/28/2017	20	99.8	495	
TMP-34	3/28/2017	40	111.0	475	
TMP-34	3/28/2017	50	111.5	465	
TMP-34	3/28/2017	63	109.4	452	
TMP-34	4/4/2017	20	100.2	495	
TMP-34	4/4/2017	40	111.5	475	
TMP-34	4/4/2017	50	112.1	465	
TMP-34	4/4/2017	63	110.0	452	
TMP-34	4/10/2017	20	99.2	495	
TMP-34	4/10/2017	40	110.3	475	
TMP-34	4/10/2017	50	110.9	465	
TMP-34	4/10/2017	63	108.8	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	3/13/2017	20	95.0	500	
TMP-35	3/13/2017	40	108.5	480	
TMP-35	3/13/2017	60	107.9	460	
TMP-35	3/13/2017	70	104.9	450	
TMP-35	3/20/2017	20	94.8	500	
TMP-35	3/20/2017	40	108.3	480	
TMP-35	3/20/2017	60	108.1	460	
TMP-35	3/20/2017	70	104.9	450	
TMP-35	3/28/2017	20	94.5	500	
TMP-35	3/28/2017	40	108.0	480	
TMP-35	3/28/2017	60	107.5	460	
TMP-35	3/28/2017	70	104.7	450	
TMP-35	4/4/2017	20	95.0	500	
TMP-35	4/4/2017	40	108.4	480	
TMP-35	4/4/2017	60	108.0	460	
TMP-35	4/4/2017	70	105.0	450	
TMP-35	4/10/2017	20	94.0	500	
TMP-35	4/10/2017	40	107.4	480	
TMP-35	4/10/2017	60	106.8	460	
TMP-35	4/10/2017	70	103.8	450	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-36	3/13/2017	15	82.2	471	
TMP-36	3/13/2017	20	83.4	466	
TMP-36	3/13/2017	30	83.9	456	
TMP-36	3/20/2017	15	80.6	471	
TMP-36	3/20/2017	20	81.6	466	
TMP-36	3/20/2017	30	81.8	456	
TMP-36	3/28/2017	15	81.0	471	
TMP-36	3/28/2017	20	82.0	466	
TMP-36	3/28/2017	30	82.6	456	
TMP-36	4/4/2017	15	80.5	471	
TMP-36	4/4/2017	20	81.5	466	
TMP-36	4/4/2017	30	81.8	456	
TMP-36	4/10/2017	15	80.0	471	
TMP-36	4/10/2017	20	81.5	466	
TMP-36	4/10/2017	30	82.0	456	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	3/13/2017	20	92.7	480	
TMP-37	3/13/2017	40	99.6	460	
TMP-37	3/13/2017	50	97.9	450	
TMP-37	3/20/2017	20	90.8	480	
TMP-37	3/20/2017	40	97.4	460	
TMP-37	3/20/2017	50	95.6	450	
TMP-37	3/28/2017	20	91.0	480	
TMP-37	3/28/2017	40	97.8	460	
TMP-37	3/28/2017	50	96.2	450	
TMP-37	4/4/2017	20	90.8	480	
TMP-37	4/4/2017	40	97.4	460	
TMP-37	4/4/2017	50	95.7	450	
TMP-37	4/10/2017	20	90.4	480	
TMP-37	4/10/2017	40	97.4	460	
TMP-37	4/10/2017	50	95.7	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	3/13/2017	20	103.6	495	
TMP-38	3/13/2017	40	115.8	475	
TMP-38	3/13/2017	60	111.5	455	
TMP-38	3/20/2017	20	102.0	495	
TMP-38	3/20/2017	40	114.3	475	
TMP-38	3/20/2017	60	109.8	455	
TMP-38	3/20/2017	70	107.0	445	
TMP-38	3/28/2017	20	102.0	495	
TMP-38	3/28/2017	40	114.6	475	
TMP-38	3/28/2017	60	110.2	455	
TMP-38	3/28/2017	70	107.5	445	
TMP-38	4/4/2017	20	101.9	495	
TMP-38	4/4/2017	40	114.5	475	
TMP-38	4/4/2017	60	110.0	455	
TMP-38	4/4/2017	70	107.2	445	
TMP-38	4/10/2017	20	101.5	495	
TMP-38	4/10/2017	40	114.3	475	
TMP-38	4/10/2017	60	109.9	455	
TMP-38	4/10/2017	70	107.1	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	3/13/2017	20	101.8	501	
TMP-39	3/13/2017	40	124.9	481	
TMP-39	3/13/2017	60	124.9	461	
TMP-39	3/13/2017	80	118.4	441	
TMP-39	3/20/2017	20	101.9	501	
TMP-39	3/20/2017	40	125.2	481	
TMP-39	3/20/2017	60	125.3	461	
TMP-39	3/20/2017	80	118.8	441	
TMP-39	3/28/2017	20	101.6	501	
TMP-39	3/28/2017	40	124.8	481	
TMP-39	3/28/2017	60	124.9	461	
TMP-39	3/28/2017	80	118.4	441	
TMP-39	4/4/2017	20	102.5	501	
TMP-39	4/4/2017	40	125.5	481	
TMP-39	4/4/2017	60	125.6	461	
TMP-39	4/4/2017	80	119.2	441	
TMP-39	4/10/2017	20	100.9	501	
TMP-39	4/10/2017	40	124.1	481	
TMP-39	4/10/2017	60	124.1	461	
TMP-39	4/10/2017	80	117.6	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	3/13/2017	20	96.8	505	
TMP-40	3/13/2017	40	126.5	485	
TMP-40	3/13/2017	60	130.9	465	
TMP-40	3/13/2017	80	126.6	445	
TMP-40	3/20/2017	20	96.7	505	
TMP-40	3/20/2017	40	126.5	485	
TMP-40	3/20/2017	60	130.9	465	
TMP-40	3/20/2017	80	126.6	445	
TMP-40	3/28/2017	20	96.8	505	
TMP-40	3/28/2017	40	126.4	485	
TMP-40	3/28/2017	60	130.7	465	
TMP-40	3/28/2017	80	126.4	445	
TMP-40	4/4/2017	20	97.1	505	
TMP-40	4/4/2017	40	126.7	485	
TMP-40	4/4/2017	60	131.0	465	
TMP-40	4/4/2017	80	126.7	445	
TMP-40	4/10/2017	20	95.8	505	
TMP-40	4/10/2017	40	125.6	485	
TMP-40	4/10/2017	60	130.0	465	
TMP-40	4/10/2017	80	125.6	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	3/13/2017	20	103.0	504	
TMP-41	3/13/2017	40	126.4	484	
TMP-41	3/13/2017	60	127.8	464	
TMP-41	3/13/2017	80	122.0	444	
TMP-41	3/13/2017	98	114.3	426	
TMP-41	3/20/2017	20	102.6	504	
TMP-41	3/20/2017	40	126.2	484	
TMP-41	3/20/2017	60	127.7	464	
TMP-41	3/20/2017	80	121.9	444	
TMP-41	3/20/2017	98	114.3	426	
TMP-41	3/28/2017	20	108.9	504	
TMP-41	3/28/2017	40	126.0	484	
TMP-41	3/28/2017	60	127.3	464	
TMP-41	3/28/2017	80	121.5	444	
TMP-41	3/28/2017	98	113.8	426	
TMP-41	4/4/2017	20	109.6	504	
TMP-41	4/4/2017	40	126.5	484	
TMP-41	4/4/2017	60	127.9	464	
TMP-41	4/4/2017	80	122.1	444	
TMP-41	4/4/2017	98	114.5	426	
TMP-41	4/10/2017	20	108.3	504	
TMP-41	4/10/2017	40	125.5	484	
TMP-41	4/10/2017	60	126.9	464	
TMP-41	4/10/2017	80	121.0	444	
TMP-41	4/10/2017	98	113.3	426	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	3/13/2017	20	117.7	498	
TMP-42	3/13/2017	40	124.2	478	
TMP-42	3/13/2017	60	121.1	458	
TMP-42	3/13/2017	78	115.9	440	
TMP-42	3/20/2017	20	115.9	498	
TMP-42	3/20/2017	40	122.2	478	
TMP-42	3/20/2017	60	119.3	458	
TMP-42	3/20/2017	78	113.8	440	
TMP-42	3/28/2017	20	116.6	498	
TMP-42	3/28/2017	40	123.1	478	
TMP-42	3/28/2017	60	120.1	458	
TMP-42	3/28/2017	78	114.7	440	
TMP-42	4/4/2017	20	116.8	498	
TMP-42	4/4/2017	40	123.2	478	
TMP-42	4/4/2017	60	120.2	458	
TMP-42	4/4/2017	78	114.9	440	
TMP-42	4/10/2017	20	116.4	498	
TMP-42	4/10/2017	40	123.0	478	
TMP-42	4/10/2017	60	120.0	458	
TMP-42	4/10/2017	78	114.6	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	3/13/2017	20	108.5	496	
TMP-43	3/13/2017	40	124.6	476	
TMP-43	3/13/2017	60	128.3	456	
TMP-43	3/13/2017	80	126.6	436	
TMP-43	3/13/2017	100	119.2	416	
TMP-43	3/20/2017	20	107.6	496	
TMP-43	3/20/2017	40	123.6	476	
TMP-43	3/20/2017	60	127.4	456	
TMP-43	3/20/2017	80	125.7	436	
TMP-43	3/20/2017	100	118.7	416	
TMP-43	3/28/2017	20	107.9	496	
TMP-43	3/28/2017	40	124.1	476	
TMP-43	3/28/2017	60	127.8	456	
TMP-43	3/28/2017	80	126.1	436	
TMP-43	3/28/2017	100	118.8	416	
TMP-43	4/4/2017	20	108.3	496	
TMP-43	4/4/2017	40	124.2	476	
TMP-43	4/4/2017	60	127.9	456	
TMP-43	4/4/2017	80	126.1	436	
TMP-43	4/4/2017	100	118.8	416	
TMP-43	4/10/2017	20	107.6	496	
TMP-43	4/10/2017	40	123.7	476	
TMP-43	4/10/2017	60	127.3	456	
TMP-43	4/10/2017	80	125.5	436	
TMP-43	4/10/2017	100	118.2	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	3/13/2017	20	102.8	491	
TMP-44	3/13/2017	40	133.3	471	
TMP-44	3/13/2017	60	146.8	451	
TMP-44	3/13/2017	80	153.0	431	
TMP-44	3/13/2017	100	155.6	411	
TMP-44	3/13/2017	120	155.4	391	
TMP-44	3/13/2017	140	155.2	371	
TMP-44	3/13/2017	160	144.9	351	
TMP-44	3/13/2017	180	127.7	331	
TMP-44	3/20/2017	20	102.2	491	
TMP-44	3/20/2017	40	132.5	471	
TMP-44	3/20/2017	60	146.1	451	
TMP-44	3/20/2017	80	152.0	431	
TMP-44	3/20/2017	100	154.6	411	
TMP-44	3/20/2017	120	154.3	391	
TMP-44	3/20/2017	140	154.1	371	
TMP-44	3/20/2017	160	143.3	351	
TMP-44	3/20/2017	180	126.0	331	
TMP-44	3/28/2017	20	102.1	491	
TMP-44	3/28/2017	40	132.5	471	
TMP-44	3/28/2017	60	146.1	451	
TMP-44	3/28/2017	80	152.2	431	
TMP-44	3/28/2017	100	154.8	411	
TMP-44	3/28/2017	120	154.6	391	
TMP-44	3/28/2017	140	154.5	371	
TMP-44	3/28/2017	160	144.0	351	
TMP-44	3/28/2017	180	126.8	331	
TMP-44	4/4/2017	20	102.2	491	
TMP-44	4/4/2017	40	132.5	471	
TMP-44	4/4/2017	60	146.2	451	
TMP-44	4/4/2017	80	152.1	431	
TMP-44	4/4/2017	100	154.8	411	
TMP-44	4/4/2017	120	154.5	391	
TMP-44	4/4/2017	140	154.3	371	
TMP-44	4/4/2017	160	143.7	351	
TMP-44	4/4/2017	180	126.5	331	
TMP-44	4/10/2017	20	101.6	491	
TMP-44	4/10/2017	40	132.0	471	
TMP-44	4/10/2017	60	145.7	451	
TMP-44	4/10/2017	80	151.7	431	
TMP-44	4/10/2017	100	154.4	411	
TMP-44	4/10/2017	120	154.2	391	
TMP-44	4/10/2017	140	154.0	371	
TMP-44	4/10/2017	160	143.5	351	
TMP-44	4/10/2017	180	126.4	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-45	3/13/2017	15	77.3	464	
TMP-45	3/13/2017	30	86.7	449	
TMP-45	3/13/2017	45	89.6	434	
TMP-45	3/20/2017	15	76.2	464	
TMP-45	3/20/2017	30	85.6	449	
TMP-45	3/20/2017	45	88.1	434	
TMP-45	3/28/2017	15	75.6	464	
TMP-45	3/28/2017	30	85.7	449	
TMP-45	3/28/2017	45	88.6	434	
TMP-45	4/4/2017	15	75.5	464	
TMP-45	4/4/2017	30	85.6	449	
TMP-45	4/4/2017	45	88.2	434	
TMP-45	4/10/2017	15	75.0	464	
TMP-45	4/10/2017	30	85.3	449	
TMP-45	4/10/2017	45	88.0	434	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-46	3/13/2017	20	74.6	457	
TMP-46	3/13/2017	40	85.0	437	
TMP-46	3/13/2017	60	93.0	417	
TMP-46	3/20/2017	20	73.6	457	
TMP-46	3/20/2017	40	84.2	437	
TMP-46	3/20/2017	60	92.3	417	
TMP-46	3/28/2017	20	73.8	457	
TMP-46	3/28/2017	40	84.3	437	
TMP-46	3/28/2017	60	92.4	417	
TMP-46	4/4/2017	20	73.0	457	
TMP-46	4/4/2017	40	84.0	437	
TMP-46	4/4/2017	60	92.0	417	
TMP-46	4/10/2017	20	72.8	457	
TMP-46	4/10/2017	40	83.6	437	
TMP-46	4/10/2017	60	91.6	417	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-47	3/13/2017	20	67.6	457	
TMP-47	3/13/2017	40	73.8	437	
TMP-47	3/13/2017	60	76.7	417	
TMP-47	3/20/2017	20	65.8	457	
TMP-47	3/20/2017	40	71.6	437	
TMP-47	3/20/2017	60	74.3	417	
TMP-47	3/28/2017	20	66.8	457	
TMP-47	3/28/2017	40	73.4	437	
TMP-47	3/28/2017	60	76.4	417	
TMP-47	4/4/2017	20	66.2	457	
TMP-47	4/4/2017	40	73.1	437	
TMP-47	4/4/2017	60	76.2	417	
TMP-47	4/10/2017	20	66.3	457	
TMP-47	4/10/2017	40	73.0	437	
TMP-47	4/10/2017	60	76.0	417	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-48	3/13/2017	20	65.9	455	
TMP-48	3/13/2017	40	67.3	435	
TMP-48	3/13/2017	60	74.2	415	
TMP-48	3/13/2017	72	72.6	403	
TMP-48	3/20/2017	20	64.9	455	
TMP-48	3/20/2017	40	65.9	435	
TMP-48	3/20/2017	60	72.7	415	
TMP-48	3/20/2017	72	71.0	403	
TMP-48	3/28/2017	20	66.2	455	
TMP-48	3/28/2017	40	67.7	435	
TMP-48	3/28/2017	60	74.9	415	
TMP-48	3/28/2017	72	73.3	403	
TMP-48	4/4/2017	20	65.3	455	
TMP-48	4/4/2017	40	67.2	435	
TMP-48	4/4/2017	60	74.4	415	
TMP-48	4/4/2017	72	72.9	403	
TMP-48	4/10/2017	20	65.2	455	
TMP-48	4/10/2017	40	66.5	435	
TMP-48	4/10/2017	60	74.2	415	
TMP-48	4/10/2017	72	72.5	403	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-49	3/13/2017	20	65.3	453	
TMP-49	3/13/2017	40	66.2	433	
TMP-49	3/13/2017	60	71.4	413	
TMP-49	3/20/2017	20	63.3	453	
TMP-49	3/20/2017	40	64.1	433	
TMP-49	3/20/2017	60	69.2	413	
TMP-49	3/28/2017	20	63.9	453	
TMP-49	3/28/2017	40	65.0	433	
TMP-49	3/28/2017	60	70.6	413	
TMP-49	4/4/2017	20	62.9	453	
TMP-49	4/4/2017	40	64.3	433	
TMP-49	4/4/2017	60	70.2	413	
TMP-49	4/10/2017	20	61.6	453	
TMP-49	4/10/2017	40	62.8	433	
TMP-49	4/10/2017	60	70.0	413	