

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	4/12/2016	18	116.2	451	
TMP-1	4/12/2016	38	143.9	431	
TMP-1	4/12/2016	58	148.5	411	
TMP-1	4/12/2016	78	144.5	391	
TMP-1	4/12/2016	98	135.9	371	
TMP-1	4/12/2016	118	125.2	351	
TMP-1	4/12/2016	138	116.7	331	
TMP-1	4/18/2016	18	116.9	451	
TMP-1	4/18/2016	38	144.4	431	
TMP-1	4/18/2016	58	148.9	411	
TMP-1	4/18/2016	78	144.7	391	
TMP-1	4/18/2016	98	136.0	371	
TMP-1	4/18/2016	118	125.2	351	
TMP-1	4/18/2016	138	116.7	331	
TMP-1	4/26/2016	18	115.3	451	
TMP-1	4/26/2016	38	143.4	431	
TMP-1	4/26/2016	58	148.0	411	
TMP-1	4/26/2016	78	143.8	391	
TMP-1	4/26/2016	98	135.3	371	
TMP-1	4/26/2016	118	124.5	351	
TMP-1	4/26/2016	138	116.2	331	
TMP-1	5/2/2016	18	114.3	451	
TMP-1	5/2/2016	38	142.9	431	
TMP-1	5/2/2016	58	147.6	411	
TMP-1	5/2/2016	78	143.4	391	
TMP-1	5/2/2016	98	135.3	371	
TMP-1	5/2/2016	118	124.7	351	
TMP-1	5/2/2016	138	116.3	331	
TMP-1	5/9/2016	18	114.8	451	
TMP-1	5/9/2016	38	143.4	431	
TMP-1	5/9/2016	58	147.9	411	
TMP-1	5/9/2016	78	143.8	391	
TMP-1	5/9/2016	98	135.1	371	
TMP-1	5/9/2016	118	124.4	351	
TMP-1	5/9/2016	138	116.0	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2	4/12/2016	0	73.9	488	
TMP-2	4/12/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	4/12/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	4/12/2016	60	169.4	428	
TMP-2	4/12/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	4/12/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	4/12/2016	120	162.4	368	
TMP-2	4/12/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	4/12/2016	200	103.7	288	
TMP-2	4/18/2016	0	71.4	488	
TMP-2	4/18/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	4/18/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	4/18/2016	60	167.2	428	
TMP-2	4/18/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	4/18/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	4/18/2016	120	160.3	368	
TMP-2	4/18/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	4/18/2016	200	101.9	288	
TMP-2	4/26/2016	0	73.9	488	
TMP-2	4/26/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	4/26/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	4/26/2016	60	167.4	428	
TMP-2	4/26/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	4/26/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	4/26/2016	120	160.0	368	
TMP-2	4/26/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	4/26/2016	200	101.7	288	
TMP-2	5/2/2016	0	75.5	488	
TMP-2	5/2/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	5/2/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	5/2/2016	60	168.1	428	
TMP-2	5/2/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	5/2/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	5/2/2016	120	160.9	368	
TMP-2	5/2/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	5/2/2016	200	102.4	288	
TMP-2	5/9/2016	0	76.2	488	
TMP-2	5/9/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	5/9/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	5/9/2016	60	167.3	428	
TMP-2	5/9/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	5/9/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	5/9/2016	120	160.0	368	
TMP-2	5/9/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	5/9/2016	200	101.6	288	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	4/12/2016	30	146.2	470	
TMP-3	4/12/2016	50	153.6	450	
TMP-3	4/12/2016	70	153.5	430	
TMP-3	4/12/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/12/2016	150	144.2	350	
TMP-3	4/12/2016	190	123.9	310	
TMP-3	4/12/2016	230	100.5	270	
TMP-3	4/18/2016	30	147.0	470	
TMP-3	4/18/2016	50	154.3	450	
TMP-3	4/18/2016	70	153.8	430	
TMP-3	4/18/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/18/2016	150	144.5	350	
TMP-3	4/18/2016	190	124.3	310	
TMP-3	4/18/2016	230	100.6	270	
TMP-3	4/26/2016	30	147.0	470	
TMP-3	4/26/2016	50	154.4	450	
TMP-3	4/26/2016	70	154.1	430	
TMP-3	4/26/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/26/2016	150	144.8	350	
TMP-3	4/26/2016	190	124.6	310	
TMP-3	4/26/2016	230	100.9	270	
TMP-3	5/2/2016	30	148.5	470	
TMP-3	5/2/2016	50	155.7	450	
TMP-3	5/2/2016	70	155.2	430	
TMP-3	5/2/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	5/2/2016	150	145.8	350	
TMP-3	5/2/2016	190	125.4	310	
TMP-3	5/2/2016	230	101.9	270	
TMP-3	5/9/2016	30	146.0	470	
TMP-3	5/9/2016	50	153.9	450	
TMP-3	5/9/2016	70	153.4	430	
TMP-3	5/9/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	5/9/2016	150	144.3	350	
TMP-3	5/9/2016	190	123.8	310	
TMP-3	5/9/2016	230	100.3	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	4/12/2016	20	139.1	479	
TMP-3R	4/12/2016	40	155.7	459	
TMP-3R	4/12/2016	60	158.5	439	
TMP-3R	4/12/2016	80	160.6	419	
TMP-3R	4/12/2016	100	159.6	399	
TMP-3R	4/12/2016	120	155.9	379	
TMP-3R	4/12/2016	140	155.0	359	
TMP-3R	4/12/2016	160	144.3	339	
TMP-3R	4/12/2016	180	135.1	319	
TMP-3R	4/12/2016	200	119.9	299	
TMP-3R	4/12/2016	218	107.1	281	
TMP-3R	4/18/2016	20	138.0	479	
TMP-3R	4/18/2016	40	154.2	459	
TMP-3R	4/18/2016	60	156.6	439	
TMP-3R	4/18/2016	80	158.5	419	
TMP-3R	4/18/2016	100	157.5	399	
TMP-3R	4/18/2016	120	153.5	379	
TMP-3R	4/18/2016	140	152.7	359	
TMP-3R	4/18/2016	160	141.8	339	
TMP-3R	4/18/2016	180	132.8	319	
TMP-3R	4/18/2016	200	117.4	299	
TMP-3R	4/18/2016	218	104.5	281	
TMP-3R	4/26/2016	20	138.3	479	
TMP-3R	4/26/2016	40	155.5	459	
TMP-3R	4/26/2016	60	158.3	439	
TMP-3R	4/26/2016	80	160.4	419	
TMP-3R	4/26/2016	100	159.4	399	
TMP-3R	4/26/2016	120	155.5	379	
TMP-3R	4/26/2016	140	154.8	359	
TMP-3R	4/26/2016	160	143.8	339	
TMP-3R	4/26/2016	180	134.8	319	
TMP-3R	4/26/2016	200	119.6	299	
TMP-3R	4/26/2016	218	106.7	281	
TMP-3R	5/2/2016	20	139.4	479	
TMP-3R	5/2/2016	40	156.0	459	
TMP-3R	5/2/2016	60	158.6	439	
TMP-3R	5/2/2016	80	160.6	419	
TMP-3R	5/2/2016	100	159.5	399	
TMP-3R	5/2/2016	120	155.6	379	
TMP-3R	5/2/2016	140	154.9	359	
TMP-3R	5/2/2016	160	143.9	339	
TMP-3R	5/2/2016	180	134.7	319	
TMP-3R	5/2/2016	200	119.5	299	
TMP-3R	5/2/2016	218	106.6	281	
TMP-3R	5/9/2016	20	137.6	479	
TMP-3R	5/9/2016	40	154.5	459	
TMP-3R	5/9/2016	60	157.0	439	
TMP-3R	5/9/2016	80	159.0	419	
TMP-3R	5/9/2016	100	158.0	399	
TMP-3R	5/9/2016	120	154.1	379	
TMP-3R	5/9/2016	140	153.5	359	
TMP-3R	5/9/2016	160	142.4	339	
TMP-3R	5/9/2016	180	133.3	319	
TMP-3R	5/9/2016	200	118.0	299	
TMP-3R	5/9/2016	218	105.1	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	4/12/2016	28	137.4	472	
TMP-4	4/18/2016	28	137.0	472	
TMP-4	4/26/2016	28	136.7	472	
TMP-4	5/2/2016	28	135.2	472	
TMP-4	5/9/2016	28	137.1	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	4/12/2016	10	104.3	489	
TMP-4R	4/12/2016	20	129.5	479	
TMP-4R	4/12/2016	29	136.1	470	
TMP-4R	4/18/2016	10	102.4	489	
TMP-4R	4/18/2016	20	127.7	479	
TMP-4R	4/18/2016	29	134.8	470	
TMP-4R	4/26/2016	10	100.8	489	
TMP-4R	4/26/2016	20	127.2	479	
TMP-4R	4/26/2016	29	134.9	470	
TMP-4R	5/2/2016	10	102.3	489	
TMP-4R	5/2/2016	20	127.2	479	
TMP-4R	5/2/2016	29	134.9	470	
TMP-4R	5/9/2016	10	100.6	489	
TMP-4R	5/9/2016	20	125.2	479	
TMP-4R	5/9/2016	29	133.0	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	4/12/2016	15	161.0	472	
TMP-6	4/12/2016	95	164.6	392	fluctuating resistance, possibly unreliable
TMP-6	4/12/2016	115	155.8	372	
TMP-6	4/12/2016	135	143.8	352	
TMP-6	4/18/2016	15	157.8	472	
TMP-6	4/18/2016	95	163.5	392	fluctuating resistance, possibly unreliable
TMP-6	4/18/2016	115	154.3	372	
TMP-6	4/18/2016	135	142.2	352	
TMP-6	4/26/2016	15	157.8	472	
TMP-6	4/26/2016	95	162.5	392	fluctuating resistance, possibly unreliable
TMP-6	4/26/2016	115	153.5	372	
TMP-6	4/26/2016	135	141.5	352	
TMP-6	5/2/2016	15	160.1	472	
TMP-6	5/2/2016	95	163.1	392	fluctuating resistance, possibly unreliable
TMP-6	5/2/2016	115	154.0	372	
TMP-6	5/2/2016	135	141.9	352	
TMP-6	5/9/2016	15	160.3	472	
TMP-6	5/9/2016	95	162.8	392	fluctuating resistance, possibly unreliable
TMP-6	5/9/2016	115	153.6	372	
TMP-6	5/9/2016	135	141.5	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	4/12/2016	40	217.1	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/18/2016	40	215.9	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/26/2016	40	215.3	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	5/2/2016	40	214.4	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	5/9/2016	40	215.0	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	4/12/2016	13	107.5	476	
TMP-10	4/12/2016	33	149.9	456	
TMP-10	4/12/2016	53	167.7	436	
TMP-10	4/12/2016	73	174.9	416	
TMP-10	4/12/2016	93	172.1	396	
TMP-10	4/12/2016	113	163.3	376	
TMP-10	4/12/2016	133	153.4	356	
TMP-10	4/18/2016	13	106.1	476	
TMP-10	4/18/2016	33	148.8	456	
TMP-10	4/18/2016	53	166.6	436	
TMP-10	4/18/2016	73	173.6	416	
TMP-10	4/18/2016	93	170.8	396	
TMP-10	4/18/2016	113	162.0	376	
TMP-10	4/18/2016	133	152.1	356	
TMP-10	4/26/2016	13	105.0	476	
TMP-10	4/26/2016	33	148.0	456	
TMP-10	4/26/2016	53	166.0	436	
TMP-10	4/26/2016	73	173.0	416	
TMP-10	4/26/2016	93	170.2	396	
TMP-10	4/26/2016	113	161.4	376	
TMP-10	4/26/2016	133	151.6	356	
TMP-10	5/2/2016	13	105.5	476	
TMP-10	5/2/2016	33	148.7	456	
TMP-10	5/2/2016	53	166.6	436	
TMP-10	5/2/2016	73	173.7	416	
TMP-10	5/2/2016	93	170.9	396	
TMP-10	5/2/2016	113	162.1	376	
TMP-10	5/2/2016	133	152.1	356	
TMP-10	5/9/2016	13	104.8	476	
TMP-10	5/9/2016	33	148.2	456	
TMP-10	5/9/2016	53	166.3	436	
TMP-10	5/9/2016	73	173.2	416	
TMP-10	5/9/2016	93	170.5	396	
TMP-10	5/9/2016	113	161.6	376	
TMP-10	5/9/2016	133	151.6	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11	4/12/2016	16	143.7	482	
TMP-11	4/12/2016	36	171.5	462	
TMP-11	4/12/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/12/2016	96	169.9	402	
TMP-11	4/12/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/12/2016	156	148.5	342	
TMP-11	4/12/2016	196	121.5	302	
TMP-11	4/12/2016	216	101.2	282	
TMP-11	4/18/2016	16	144.4	482	
TMP-11	4/18/2016	36	172.8	462	
TMP-11	4/18/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/18/2016	96	171.2	402	
TMP-11	4/18/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/18/2016	156	149.9	342	
TMP-11	4/18/2016	196	123.0	302	
TMP-11	4/18/2016	216	102.5	282	
TMP-11	4/26/2016	16	143.1	482	
TMP-11	4/26/2016	36	172.2	462	
TMP-11	4/26/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/26/2016	96	170.4	402	
TMP-11	4/26/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/26/2016	156	148.5	342	
TMP-11	4/26/2016	196	171.0	302	
TMP-11	4/26/2016	216	170.8	282	
TMP-11	5/2/2016	16	143.4	482	
TMP-11	5/2/2016	36	173.0	462	
TMP-11	5/2/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/2/2016	96	171.2	402	
TMP-11	5/2/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/2/2016	156	149.5	342	
TMP-11	5/2/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	5/2/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	5/9/2016	16	142.8	482	
TMP-11	5/9/2016	36	172.7	462	
TMP-11	5/9/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/9/2016	96	170.7	402	
TMP-11	5/9/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/9/2016	156	149.0	342	
TMP-11	5/9/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	5/9/2016	216		282	low resistivity values, unreliable temperatures

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14	4/12/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/12/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/12/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/12/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/12/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/12/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/18/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/18/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/18/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/18/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/18/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/18/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/26/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/26/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/26/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/26/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/26/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/26/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/2/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/2/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/2/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/2/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/2/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/2/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/9/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/9/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/9/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/9/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/9/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/9/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	4/12/2016	20	117.6	492	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	39	147.9	473	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	58	165.3	454	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	77	167.0	435	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	96	161.4	416	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	115	152.5	397	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	134	141.6	378	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	4/18/2016	20	116.6	492	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	39	146.1	473	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	58	163.3	454	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	77	165.0	435	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	96	159.7	416	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	115	150.9	397	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	134	139.8	378	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	4/26/2016	20	116.4	492	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	39	146.3	473	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	58	164.2	454	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	77	166.0	435	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	96	160.3	416	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	115	151.4	397	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	134	140.5	378	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	5/2/2016	20	117.1	492	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	39	145.7	473	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	58	163.1	454	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	77	165.0	435	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	96	159.7	416	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	115	151.0	397	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	134	140.3	378	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	5/9/2016	20	115.6	492	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	39	145.7	473	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	58	161.1	454	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	77	163.6	435	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	96	159.5	416	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	115	150.8	397	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	134	138.5	378	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	4/12/2016	20	109.5	496	
TMP-17	4/12/2016	40	142.2	476	
TMP-17	4/12/2016	60	158.4	456	
TMP-17	4/12/2016	80	161.2	436	
TMP-17	4/12/2016	100	158.5	416	
TMP-17	4/12/2016	120	154.1	396	
TMP-17	4/12/2016	140	145.2	376	
TMP-17	4/12/2016	160	130.8	356	
TMP-17	4/12/2016	180	123.5	336	
TMP-17	4/12/2016	200	117.4	316	
TMP-17	4/12/2016	220	110.9	296	
TMP-17	4/12/2016	237	103.0	279	
TMP-17	4/18/2016	20	109.7	496	
TMP-17	4/18/2016	40	142.0	476	
TMP-17	4/18/2016	60	158.3	456	
TMP-17	4/18/2016	80	161.0	436	
TMP-17	4/18/2016	100	158.2	416	
TMP-17	4/18/2016	120	153.6	396	
TMP-17	4/18/2016	140	144.6	376	
TMP-17	4/18/2016	160	130.2	356	
TMP-17	4/18/2016	180	122.8	336	
TMP-17	4/18/2016	200	116.6	316	
TMP-17	4/18/2016	220	110.1	296	
TMP-17	4/18/2016	237	102.1	279	
TMP-17	4/26/2016	20	109.6	496	
TMP-17	4/26/2016	40	142.4	476	
TMP-17	4/26/2016	60	158.5	456	
TMP-17	4/26/2016	80	160.3	436	
TMP-17	4/26/2016	100	157.3	416	
TMP-17	4/26/2016	120	153.0	396	
TMP-17	4/26/2016	140	144.2	376	
TMP-17	4/26/2016	160	130.2	356	
TMP-17	4/26/2016	180	122.9	336	
TMP-17	4/26/2016	200	116.6	316	
TMP-17	4/26/2016	220	110.1	296	
TMP-17	4/26/2016	237	102.5	279	
TMP-17	5/2/2016	20	110.3	496	
TMP-17	5/2/2016	40	142.6	476	
TMP-17	5/2/2016	60	158.6	456	
TMP-17	5/2/2016	80	161.1	436	
TMP-17	5/2/2016	100	158.1	416	
TMP-17	5/2/2016	120	153.3	396	
TMP-17	5/2/2016	140	143.6	376	
TMP-17	5/2/2016	160	129.6	356	
TMP-17	5/2/2016	180	122.3	336	
TMP-17	5/2/2016	200	115.9	316	
TMP-17	5/2/2016	220	109.4	296	
TMP-17	5/2/2016	237	101.4	279	
TMP-17	5/9/2016	20	109.5	496	
TMP-17	5/9/2016	40	141.6	476	
TMP-17	5/9/2016	60	157.9	456	
TMP-17	5/9/2016	80	160.4	436	
TMP-17	5/9/2016	100	157.4	416	
TMP-17	5/9/2016	120	152.7	396	
TMP-17	5/9/2016	140	142.9	376	
TMP-17	5/9/2016	160	129.0	356	
TMP-17	5/9/2016	180	121.6	336	
TMP-17	5/9/2016	200	115.2	316	
TMP-17	5/9/2016	220	108.8	296	
TMP-17	5/9/2016	237	100.7	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	4/12/2016	20	96.9	489	
TMP-18	4/12/2016	39	134.8	470	
TMP-18	4/12/2016	58	154.0	451	
TMP-18	4/12/2016	77	153.4	432	
TMP-18	4/12/2016	96	148.7	413	
TMP-18	4/12/2016	115	141.1	394	
TMP-18	4/12/2016	134	133.1	375	
TMP-18	4/12/2016	153	126.6	356	
TMP-18	4/12/2016	172	120.8	337	
TMP-18	4/12/2016	191	115.6	318	
TMP-18	4/12/2016	210	111.8	299	
TMP-18	4/12/2016	227	109.3	282	
TMP-18	4/18/2016	20	96.0	489	
TMP-18	4/18/2016	39	134.2	470	
TMP-18	4/18/2016	58	153.0	451	
TMP-18	4/18/2016	77	152.4	432	
TMP-18	4/18/2016	96	147.5	413	
TMP-18	4/18/2016	115	139.8	394	
TMP-18	4/18/2016	134	131.6	375	
TMP-18	4/18/2016	153	125.2	356	
TMP-18	4/18/2016	172	119.2	337	
TMP-18	4/18/2016	191	114.1	318	
TMP-18	4/18/2016	210	110.2	299	
TMP-18	4/18/2016	227	107.5	282	
TMP-18	4/26/2016	20	95.0	489	
TMP-18	4/26/2016	39	133.6	470	
TMP-18	4/26/2016	58	152.5	451	
TMP-18	4/26/2016	77	151.8	432	
TMP-18	4/26/2016	96	147.1	413	
TMP-18	4/26/2016	115	139.5	394	
TMP-18	4/26/2016	134	131.4	375	
TMP-18	4/26/2016	153	125.0	356	
TMP-18	4/26/2016	172	118.9	337	
TMP-18	4/26/2016	191	113.9	318	
TMP-18	4/26/2016	210	109.8	299	
TMP-18	4/26/2016	227	107.1	282	
TMP-18	5/2/2016	20	97.0	489	
TMP-18	5/2/2016	39	135.6	470	
TMP-18	5/2/2016	58	154.4	451	
TMP-18	5/2/2016	77	153.8	432	
TMP-18	5/2/2016	96	148.9	413	
TMP-18	5/2/2016	115	141.2	394	
TMP-18	5/2/2016	134	133.1	375	
TMP-18	5/2/2016	153	126.6	356	
TMP-18	5/2/2016	172	120.7	337	
TMP-18	5/2/2016	191	115.6	318	
TMP-18	5/2/2016	210	111.7	299	
TMP-18	5/2/2016	227	109.0	282	
TMP-18	5/9/2016	20	95.7	489	
TMP-18	5/9/2016	39	134.5	470	
TMP-18	5/9/2016	58	153.3	451	
TMP-18	5/9/2016	77	152.7	432	
TMP-18	5/9/2016	96	147.9	413	
TMP-18	5/9/2016	115	140.2	394	
TMP-18	5/9/2016	134	132.1	375	
TMP-18	5/9/2016	153	125.6	356	
TMP-18	5/9/2016	172	119.7	337	
TMP-18	5/9/2016	191	114.6	318	
TMP-18	5/9/2016	210	110.8	299	
TMP-18	5/9/2016	227	108.1	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	4/12/2016	13	90.5	461	
TMP-21	4/12/2016	26	97.1	448	
TMP-21	4/12/2016	41	91.7	433	
TMP-21	4/18/2016	13	89.4	461	
TMP-21	4/18/2016	26	95.5	448	
TMP-21	4/18/2016	41	90.0	433	
TMP-21	4/26/2016	13	88.6	461	
TMP-21	4/26/2016	26	95.7	448	
TMP-21	4/26/2016	41	90.5	433	
TMP-21	5/2/2016	13	89.1	461	
TMP-21	5/2/2016	26	95.5	448	
TMP-21	5/2/2016	41	90.1	433	
TMP-21	5/9/2016	13	88.2	461	
TMP-21	5/9/2016	26	94.8	448	
TMP-21	5/9/2016	41	89.4	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	4/12/2016	15	109.6	474	
TMP-22	4/12/2016	31	127.9	458	
TMP-22	4/12/2016	50	125.2	439	
TMP-22	4/12/2016	70	117.2	419	
TMP-22	4/18/2016	15	108.4	474	
TMP-22	4/18/2016	31	126.5	458	
TMP-22	4/18/2016	50	123.7	439	
TMP-22	4/18/2016	70	115.6	419	
TMP-22	4/26/2016	15	108.0	474	
TMP-22	4/26/2016	31	127.0	458	
TMP-22	4/26/2016	50	124.6	439	
TMP-22	4/26/2016	70	116.7	419	
TMP-22	5/2/2016	15	108.3	474	
TMP-22	5/2/2016	31	126.7	458	
TMP-22	5/2/2016	50	124.2	439	
TMP-22	5/2/2016	70	116.2	419	
TMP-22	5/9/2016	15	107.5	474	
TMP-22	5/9/2016	31	126.1	458	
TMP-22	5/9/2016	50	123.6	439	
TMP-22	5/9/2016	70	115.5	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	4/12/2016	20	120.0	477	
TMP-23	4/12/2016	38	141.6	459	
TMP-23	4/12/2016	56	144.1	441	
TMP-23	4/12/2016	74	136.5	423	
TMP-23	4/12/2016	92	127.5	405	
TMP-23	4/12/2016	106	118.9	391	
TMP-23	4/18/2016	20	118.1	477	
TMP-23	4/18/2016	38	139.7	459	
TMP-23	4/18/2016	56	142.0	441	
TMP-23	4/18/2016	74	134.4	423	
TMP-23	4/18/2016	92	125.4	405	
TMP-23	4/18/2016	106	116.8	391	
TMP-23	4/26/2016	20	117.7	477	
TMP-23	4/26/2016	38	139.9	459	
TMP-23	4/26/2016	56	142.6	441	
TMP-23	4/26/2016	74	135.2	423	
TMP-23	4/26/2016	92	126.4	405	
TMP-23	4/26/2016	106	118.0	391	
TMP-23	5/2/2016	20	117.9	477	
TMP-23	5/2/2016	38	139.7	459	
TMP-23	5/2/2016	56	142.1	441	
TMP-23	5/2/2016	74	134.5	423	
TMP-23	5/2/2016	92	125.7	405	
TMP-23	5/2/2016	106	117.2	391	
TMP-23	5/9/2016	20	117.1	477	
TMP-23	5/9/2016	38	138.9	459	
TMP-23	5/9/2016	56	141.2	441	
TMP-23	5/9/2016	74	133.7	423	
TMP-23	5/9/2016	92	124.7	405	
TMP-23	5/9/2016	106	116.3	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	4/12/2016	20	106.0	492	
TMP-24	4/12/2016	40	132.1	472	
TMP-24	4/12/2016	60	144.6	452	
TMP-24	4/12/2016	67	145.6	445	
TMP-24	4/18/2016	20	104.1	492	
TMP-24	4/18/2016	40	130.2	472	
TMP-24	4/18/2016	60	142.7	452	
TMP-24	4/18/2016	67	143.6	445	
TMP-24	4/26/2016	20	102.7	492	
TMP-24	4/26/2016	40	129.3	472	
TMP-24	4/26/2016	60	142.0	452	
TMP-24	4/26/2016	67	143.2	445	
TMP-24	5/2/2016	20	104.3	492	
TMP-24	5/2/2016	40	130.8	472	
TMP-24	5/2/2016	60	143.4	452	
TMP-24	5/2/2016	67	144.6	445	
TMP-24	5/9/2016	20	102.7	492	
TMP-24	5/9/2016	40	129.2	472	
TMP-24	5/9/2016	60	141.8	452	
TMP-24	5/9/2016	67	142.9	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	4/12/2016	20	123.5	495	
TMP-25	4/12/2016	40	148.3	475	
TMP-25	4/12/2016	60	160.9	455	
TMP-25	4/12/2016	80	162.4	435	
TMP-25	4/12/2016	100	157.3	415	
TMP-25	4/12/2016	120	146.7	395	
TMP-25	4/12/2016	140	135.2	375	
TMP-25	4/12/2016	160	122.2	355	
TMP-25	4/12/2016	180	114.7	335	
TMP-25	4/12/2016	200	108.8	315	
TMP-25	4/12/2016	220	97.8	295	
TMP-25	4/12/2016	235	94.4	280	
TMP-25	4/18/2016	20	122.3	495	
TMP-25	4/18/2016	40	147.0	475	
TMP-25	4/18/2016	60	159.6	455	
TMP-25	4/18/2016	80	161.1	435	
TMP-25	4/18/2016	100	156.1	415	
TMP-25	4/18/2016	120	145.4	395	
TMP-25	4/18/2016	140	133.8	375	
TMP-25	4/18/2016	160	120.8	355	
TMP-25	4/18/2016	180	113.2	335	
TMP-25	4/18/2016	200	107.4	315	
TMP-25	4/18/2016	220	96.5	295	
TMP-25	4/18/2016	235	93.1	280	
TMP-25	4/26/2016	20	121.8	495	
TMP-25	4/26/2016	40	146.9	475	
TMP-25	4/26/2016	60	159.5	455	
TMP-25	4/26/2016	80	161.1	435	
TMP-25	4/26/2016	100	156.0	415	
TMP-25	4/26/2016	120	145.3	395	
TMP-25	4/26/2016	140	133.9	375	
TMP-25	4/26/2016	160	120.9	355	
TMP-25	4/26/2016	180	113.3	335	
TMP-25	4/26/2016	200	107.4	315	
TMP-25	4/26/2016	220	96.6	295	
TMP-25	4/26/2016	235	93.2	280	
TMP-25	5/2/2016	20	122.7	495	
TMP-25	5/2/2016	40	147.2	475	
TMP-25	5/2/2016	60	159.6	455	
TMP-25	5/2/2016	80	161.1	435	
TMP-25	5/2/2016	100	155.9	415	
TMP-25	5/2/2016	120	145.4	395	
TMP-25	5/2/2016	140	133.9	375	
TMP-25	5/2/2016	160	120.9	355	
TMP-25	5/2/2016	180	113.4	335	
TMP-25	5/2/2016	200	107.7	315	
TMP-25	5/2/2016	220	96.9	295	
TMP-25	5/2/2016	235	93.5	280	
TMP-25	5/9/2016	20	121.8	495	
TMP-25	5/9/2016	40	146.3	475	
TMP-25	5/9/2016	60	158.8	455	
TMP-25	5/9/2016	80	160.3	435	
TMP-25	5/9/2016	100	155.0	415	
TMP-25	5/9/2016	120	144.5	395	
TMP-25	5/9/2016	140	133.1	375	
TMP-25	5/9/2016	160	120.0	355	
TMP-25	5/9/2016	180	112.5	335	
TMP-25	5/9/2016	200	106.8	315	
TMP-25	5/9/2016	220	96.1	295	
TMP-25	5/9/2016	235	92.7	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	4/12/2016	20	100.7	479	
TMP-26	4/12/2016	40	119.9	459	
TMP-26	4/12/2016	60	124.7	439	
TMP-26	4/12/2016	80	124.5	419	
TMP-26	4/12/2016	100	116.4	399	
TMP-26	4/12/2016	120	120.6	379	
TMP-26	4/12/2016	140	121.9	359	
TMP-26	4/12/2016	142	121.0	357	
TMP-26	4/18/2016	20	99.5	479	
TMP-26	4/18/2016	40	118.5	459	
TMP-26	4/18/2016	60	123.6	439	
TMP-26	4/18/2016	80	123.3	419	
TMP-26	4/18/2016	100	115.2	399	
TMP-26	4/18/2016	120	119.8	379	
TMP-26	4/18/2016	140	121.1	359	
TMP-26	4/18/2016	142	120.2	357	
TMP-26	4/26/2016	20	99.9	479	
TMP-26	4/26/2016	40	118.7	459	
TMP-26	4/26/2016	60	123.8	439	
TMP-26	4/26/2016	80	123.6	419	
TMP-26	4/26/2016	100	115.6	399	
TMP-26	4/26/2016	120	119.9	379	
TMP-26	4/26/2016	140	121.2	359	
TMP-26	4/26/2016	142	120.2	357	
TMP-26	5/2/2016	20	101.6	479	
TMP-26	5/2/2016	40	120.4	459	
TMP-26	5/2/2016	60	125.4	439	
TMP-26	5/2/2016	80	125.1	419	
TMP-26	5/2/2016	100	117.2	399	
TMP-26	5/2/2016	120	121.6	379	
TMP-26	5/2/2016	140	123.0	359	
TMP-26	5/2/2016	142	122.0	357	
TMP-26	5/9/2016	20	99.8	479	
TMP-26	5/9/2016	40	118.5	459	
TMP-26	5/9/2016	60	123.5	439	
TMP-26	5/9/2016	80	123.3	419	
TMP-26	5/9/2016	100	114.9	399	
TMP-26	5/9/2016	120	119.7	379	
TMP-26	5/9/2016	140	121.1	359	
TMP-26	5/9/2016	142	120.2	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	4/12/2016	20	102.9	493	
TMP-27	4/12/2016	40	144.1	473	
TMP-27	4/12/2016	60	157.0	453	
TMP-27	4/12/2016	80	160.4	433	
TMP-27	4/12/2016	100	157.4	413	
TMP-27	4/12/2016	120	151.9	393	
TMP-27	4/12/2016	140	146.0	373	
TMP-27	4/12/2016	160	139.3	353	
TMP-27	4/12/2016	180	132.9	333	
TMP-27	4/12/2016	200	128.7	313	
TMP-27	4/12/2016	220	123.1	293	
TMP-27	4/12/2016	233	117.5	280	
TMP-27	4/18/2016	20	100.8	493	
TMP-27	4/18/2016	40	141.8	473	
TMP-27	4/18/2016	60	154.0	453	
TMP-27	4/18/2016	80	157.2	433	
TMP-27	4/18/2016	100	154.1	413	
TMP-27	4/18/2016	120	149.0	393	
TMP-27	4/18/2016	140	143.3	373	
TMP-27	4/18/2016	160	136.6	353	
TMP-27	4/18/2016	180	130.1	333	
TMP-27	4/18/2016	200	126.0	313	
TMP-27	4/18/2016	220	120.9	293	
TMP-27	4/18/2016	233	115.9	280	
TMP-27	4/26/2016	20	100.5	493	
TMP-27	4/26/2016	40	141.6	473	
TMP-27	4/26/2016	60	154.1	453	
TMP-27	4/26/2016	80	157.4	433	
TMP-27	4/26/2016	100	154.5	413	
TMP-27	4/26/2016	120	149.4	393	
TMP-27	4/26/2016	140	143.7	373	
TMP-27	4/26/2016	160	136.9	353	
TMP-27	4/26/2016	180	130.4	333	
TMP-27	4/26/2016	200	126.0	313	
TMP-27	4/26/2016	220	120.7	293	
TMP-27	4/26/2016	233	115.5	280	
TMP-27	5/2/2016	20	102.1	493	
TMP-27	5/2/2016	40	143.1	473	
TMP-27	5/2/2016	60	155.2	453	
TMP-27	5/2/2016	80	158.2	433	
TMP-27	5/2/2016	100	154.9	413	
TMP-27	5/2/2016	120	149.6	393	
TMP-27	5/2/2016	140	143.8	373	
TMP-27	5/2/2016	160	137.0	353	
TMP-27	5/2/2016	180	130.6	333	
TMP-27	5/2/2016	200	126.3	313	
TMP-27	5/2/2016	220	121.3	293	
TMP-27	5/2/2016	233	116.2	280	
TMP-27	5/9/2016	20	100.4	493	
TMP-27	5/9/2016	40	141.7	473	
TMP-27	5/9/2016	60	153.9	453	
TMP-27	5/9/2016	80	156.7	433	
TMP-27	5/9/2016	100	153.4	413	
TMP-27	5/9/2016	120	148.1	393	
TMP-27	5/9/2016	140	142.4	373	
TMP-27	5/9/2016	160	135.6	353	
TMP-27	5/9/2016	180	129.2	333	
TMP-27	5/9/2016	200	125.0	313	
TMP-27	5/9/2016	220	120.2	293	
TMP-27	5/9/2016	233	115.5	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	4/12/2016	20	104.2	480	
TMP-28	4/12/2016	40	142.5	460	
TMP-28	4/12/2016	60	137.8	440	
TMP-28	4/12/2016	80	137.1	420	
TMP-28	4/12/2016	100	135.6	400	
TMP-28	4/12/2016	120	129.9	380	
TMP-28	4/12/2016	140	125.5	360	
TMP-28	4/12/2016	160	120.8	340	
TMP-28	4/12/2016	180	117.1	320	
TMP-28	4/12/2016	200	114.7	300	
TMP-28	4/12/2016	217		283	no longer working
TMP-28	4/18/2016	20	101.8	480	
TMP-28	4/18/2016	40	140.0	460	
TMP-28	4/18/2016	60	135.5	440	
TMP-28	4/18/2016	80	131.8	420	
TMP-28	4/18/2016	100	133.2	400	
TMP-28	4/18/2016	120	127.6	380	
TMP-28	4/18/2016	140	123.2	360	
TMP-28	4/18/2016	160	118.7	340	
TMP-28	4/18/2016	180	114.7	320	
TMP-28	4/18/2016	200	112.5	300	
TMP-28	4/18/2016	217		283	no longer working
TMP-28	4/26/2016	20	101.6	480	
TMP-28	4/26/2016	40	139.7	460	
TMP-28	4/26/2016	60	135.1	440	
TMP-28	4/26/2016	80	130.6	420	
TMP-28	4/26/2016	100	132.6	400	
TMP-28	4/26/2016	120	126.7	380	
TMP-28	4/26/2016	140	122.2	360	
TMP-28	4/26/2016	160	117.8	340	
TMP-28	4/26/2016	180	114.1	320	
TMP-28	4/26/2016	200	112.0	300	
TMP-28	4/26/2016	217		283	no longer working
TMP-28	5/2/2016	20	102.2	480	
TMP-28	5/2/2016	40	140.3	460	
TMP-28	5/2/2016	60	135.8	440	
TMP-28	5/2/2016	80	131.8	420	
TMP-28	5/2/2016	100	133.5	400	
TMP-28	5/2/2016	120	127.8	380	
TMP-28	5/2/2016	140	123.4	360	
TMP-28	5/2/2016	160	118.9	340	
TMP-28	5/2/2016	180	115.1	320	
TMP-28	5/2/2016	200	113.2	300	
TMP-28	5/2/2016	217		283	no longer working
TMP-28	5/9/2016	20	101.2	480	
TMP-28	5/9/2016	40	139.5	460	
TMP-28	5/9/2016	60	134.8	440	
TMP-28	5/9/2016	80	131.8	420	
TMP-28	5/9/2016	100	132.6	400	
TMP-28	5/9/2016	120	127.0	380	
TMP-28	5/9/2016	140	122.6	360	
TMP-28	5/9/2016	160	118.2	340	
TMP-28	5/9/2016	180	114.5	320	
TMP-28	5/9/2016	200	112.6	300	
TMP-28	5/9/2016	217		283	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	4/12/2016	8	62.7	488	
TMP-29	4/12/2016	16	79.7	480	
TMP-29	4/12/2016	25	89.1	471	
TMP-29	4/18/2016	8	61.1	488	
TMP-29	4/18/2016	16	77.6	480	
TMP-29	4/18/2016	25	87.2	471	
TMP-29	4/26/2016	8	60.9	488	
TMP-29	4/26/2016	16	77.0	480	
TMP-29	4/26/2016	25	86.7	471	
TMP-29	5/2/2016	8	63.2	488	
TMP-29	5/2/2016	16	78.2	480	
TMP-29	5/2/2016	25	87.9	471	
TMP-29	5/9/2016	8	63.1	488	
TMP-29	5/9/2016	16	77.6	480	
TMP-29	5/9/2016	25	87.6	471	