

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	3/28/2017	18	114.9	451	
TMP-1	3/28/2017	38	143.8	431	
TMP-1	3/28/2017	58	148.5	411	
TMP-1	3/28/2017	78	144.4	391	
TMP-1	3/28/2017	98	135.7	371	
TMP-1	3/28/2017	118	124.8	351	
TMP-1	3/28/2017	138	116.4	331	
TMP-1	4/4/2017	18	114.0	451	
TMP-1	4/4/2017	38	143.2	431	
TMP-1	4/4/2017	58	148.1	411	
TMP-1	4/4/2017	78	144.1	391	
TMP-1	4/4/2017	98	135.4	371	
TMP-1	4/4/2017	118	124.6	351	
TMP-1	4/4/2017	138	116.1	331	
TMP-1	4/10/2017	18	114.1	451	
TMP-1	4/10/2017	38	143.3	431	
TMP-1	4/10/2017	58	148.1	411	
TMP-1	4/10/2017	78	144.0	391	
TMP-1	4/10/2017	98	135.2	371	
TMP-1	4/10/2017	118	124.4	351	
TMP-1	4/10/2017	138	115.9	331	
TMP-1	4/17/2017	18	113.9	451	
TMP-1	4/17/2017	38	143.2	431	
TMP-1	4/17/2017	58	148.0	411	
TMP-1	4/17/2017	78	143.9	391	
TMP-1	4/17/2017	98	135.2	371	
TMP-1	4/17/2017	118	124.3	351	
TMP-1	4/17/2017	138	115.9	331	
TMP-1	4/24/2017	18	114.3	451	
TMP-1	4/24/2017	38	143.8	431	
TMP-1	4/24/2017	58	148.7	411	
TMP-1	4/24/2017	78	144.5	391	
TMP-1	4/24/2017	98	135.8	371	
TMP-1	4/24/2017	118	125.1	351	
TMP-1	4/24/2017	138	116.7	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	3/28/2017	20	122.1	440	
TMP-2R	3/28/2017	40	152.3	420	
TMP-2R	3/28/2017	60	164.0	400	
TMP-2R	3/28/2017	80	177.1	380	
TMP-2R	3/28/2017	100	173.0	360	
TMP-2R	3/28/2017	120	161.4	340	
TMP-2R	3/28/2017	140	155.9	320	
TMP-2R	3/28/2017	160	148.9	300	
TMP-2R	3/28/2017	180	135.0	280	
TMP-2R	4/4/2017	20	122.2	440	
TMP-2R	4/4/2017	40	152.3	420	
TMP-2R	4/4/2017	60	163.9	400	
TMP-2R	4/4/2017	80	176.9	380	
TMP-2R	4/4/2017	100	173.0	360	
TMP-2R	4/4/2017	120	161.6	340	
TMP-2R	4/4/2017	140	156.1	320	
TMP-2R	4/4/2017	160	149.2	300	
TMP-2R	4/4/2017	180	135.4	280	
TMP-2R	4/10/2017	20	121.3	440	
TMP-2R	4/10/2017	40	151.5	420	
TMP-2R	4/10/2017	60	163.2	400	
TMP-2R	4/10/2017	80	176.1	380	
TMP-2R	4/10/2017	100	172.1	360	
TMP-2R	4/10/2017	120	160.7	340	
TMP-2R	4/10/2017	140	155.0	320	
TMP-2R	4/10/2017	160	148.0	300	
TMP-2R	4/10/2017	180	134.0	280	
TMP-2R	4/17/2017	20	121.3	440	
TMP-2R	4/17/2017	40	151.4	420	
TMP-2R	4/17/2017	60	163.0	400	
TMP-2R	4/17/2017	80	175.9	380	
TMP-2R	4/17/2017	100	172.0	360	
TMP-2R	4/17/2017	120	160.6	340	
TMP-2R	4/17/2017	140	154.9	320	
TMP-2R	4/17/2017	160	147.9	300	
TMP-2R	4/17/2017	180	134.0	280	
TMP-2R	4/24/2017	20	122.3	440	
TMP-2R	4/24/2017	40	152.8	420	
TMP-2R	4/24/2017	60	164.5	400	
TMP-2R	4/24/2017	80	177.5	380	
TMP-2R	4/24/2017	100	173.6	360	
TMP-2R	4/24/2017	120	162.4	340	
TMP-2R	4/24/2017	140	156.9	320	
TMP-2R	4/24/2017	160	150.1	300	
TMP-2R	4/24/2017	180	136.4	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	3/28/2017	30	147.5	470	
TMP-3	3/28/2017	50	155.9	450	
TMP-3	3/28/2017	70	155.1	430	
TMP-3	3/28/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/28/2017	150	145.4	350	
TMP-3	3/28/2017	190	124.4	310	
TMP-3	3/28/2017	230	101.4	270	
TMP-3	4/4/2017	30	148.2	470	
TMP-3	4/4/2017	50	156.5	450	
TMP-3	4/4/2017	70	155.5	430	
TMP-3	4/4/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/4/2017	150	145.7	350	
TMP-3	4/4/2017	190	124.6	310	
TMP-3	4/4/2017	230	101.4	270	
TMP-3	4/10/2017	30	147	470	
TMP-3	4/10/2017	50	155.5	450	
TMP-3	4/10/2017	70	154.8	430	
TMP-3	4/10/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/10/2017	150	145	350	
TMP-3	4/10/2017	190	123.8	310	
TMP-3	4/10/2017	230	100.9	270	
TMP-3	4/17/2017	30	148.4	470	
TMP-3	4/17/2017	50	156.6	450	
TMP-3	4/17/2017	70	155.7	430	
TMP-3	4/17/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/17/2017	150	145.7	350	
TMP-3	4/17/2017	190	124.4	310	
TMP-3	4/17/2017	230	101.4	270	
TMP-3	4/24/2017	30	148.1	470	
TMP-3	4/24/2017	50	156.2	450	
TMP-3	4/24/2017	70	155.3	430	
TMP-3	4/24/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/24/2017	150	145	350	
TMP-3	4/24/2017	190	123.7	310	
TMP-3	4/24/2017	230	100.7	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	3/28/2017	20	138.5	479	
TMP-3R	3/28/2017	40	158.1	459	
TMP-3R	3/28/2017	60	159.7	439	
TMP-3R	3/28/2017	80	160.4	419	
TMP-3R	3/28/2017	100	159.2	399	
TMP-3R	3/28/2017	120	155.5	379	
TMP-3R	3/28/2017	140	153.8	359	
TMP-3R	3/28/2017	160	143.1	339	
TMP-3R	3/28/2017	180	133.6	319	
TMP-3R	3/28/2017	200	118.4	299	
TMP-3R	3/28/2017	218	105.8	281	
TMP-3R	4/4/2017	20	138.1	479	
TMP-3R	4/4/2017	40	157.6	459	
TMP-3R	4/4/2017	60	159.2	439	
TMP-3R	4/4/2017	80	159.9	419	
TMP-3R	4/4/2017	100	158.8	399	
TMP-3R	4/4/2017	120	155.1	379	
TMP-3R	4/4/2017	140	153.4	359	
TMP-3R	4/4/2017	160	142.7	339	
TMP-3R	4/4/2017	180	133.2	319	
TMP-3R	4/4/2017	200	118.0	299	
TMP-3R	4/4/2017	218	105.3	281	
TMP-3R	4/10/2017	20	138.0	479	
TMP-3R	4/10/2017	40	157.5	459	
TMP-3R	4/10/2017	60	159.2	439	
TMP-3R	4/10/2017	80	159.8	419	
TMP-3R	4/10/2017	100	158.7	399	
TMP-3R	4/10/2017	120	155.0	379	
TMP-3R	4/10/2017	140	153.3	359	
TMP-3R	4/10/2017	160	142.8	339	
TMP-3R	4/10/2017	180	133.3	319	
TMP-3R	4/10/2017	200	118.2	299	
TMP-3R	4/10/2017	218	105.5	281	
TMP-3R	4/17/2017	20	138.6	479	
TMP-3R	4/17/2017	40	158.1	459	
TMP-3R	4/17/2017	60	159.8	439	
TMP-3R	4/17/2017	80	160.4	419	
TMP-3R	4/17/2017	100	159.2	399	
TMP-3R	4/17/2017	120	155.5	379	
TMP-3R	4/17/2017	140	153.7	359	
TMP-3R	4/17/2017	160	143.1	339	
TMP-3R	4/17/2017	180	133.6	319	
TMP-3R	4/17/2017	200	118.4	299	
TMP-3R	4/17/2017	218	105.9	281	
TMP-3R	4/24/2017	20	138.1	479	
TMP-3R	4/24/2017	40	157.5	459	
TMP-3R	4/24/2017	60	159.1	439	
TMP-3R	4/24/2017	80	159.8	419	
TMP-3R	4/24/2017	100	158.5	399	
TMP-3R	4/24/2017	120	154.7	379	
TMP-3R	4/24/2017	140	152.8	359	
TMP-3R	4/24/2017	160	142.2	339	
TMP-3R	4/24/2017	180	132.6	319	
TMP-3R	4/24/2017	200	117.4	299	
TMP-3R	4/24/2017	218	104.7	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	3/28/2017	28	130.2	472	
TMP-4	4/4/2017	28	130.9	472	
TMP-4	4/10/2017	28	130.3	472	
TMP-4	4/17/2017	28	130.8	472	
TMP-4	4/24/2017	28	129.7	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	3/28/2017	10	95.8	489	
TMP-4R	3/28/2017	20	119.2	479	
TMP-4R	3/28/2017	29	130.8	470	
TMP-4R	4/4/2017	10	95.9	489	
TMP-4R	4/4/2017	20	119.5	479	
TMP-4R	4/4/2017	29	131.4	470	
TMP-4R	4/10/2017	10	95.5	489	
TMP-4R	4/10/2017	20	118.5	479	
TMP-4R	4/10/2017	29	130.4	470	
TMP-4R	4/17/2017	10	97.6	489	
TMP-4R	4/17/2017	20	119.7	479	
TMP-4R	4/17/2017	29	131.7	470	
TMP-4R	4/24/2017	10	96.7	489	
TMP-4R	4/24/2017	20	118.9	479	
TMP-4R	4/24/2017	29	131.2	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	3/28/2017	15	155.3	472	
TMP-6	3/28/2017	95	163.1	392	fluctuating resistance, possibly unreliable
TMP-6	3/28/2017	115	154.3	372	
TMP-6	3/28/2017	135	141.8	352	
TMP-6	4/4/2017	15	155.3	472	
TMP-6	4/4/2017	95	163.2	392	fluctuating resistance, possibly unreliable
TMP-6	4/4/2017	115	154.4	372	
TMP-6	4/4/2017	135	141.8	352	
TMP-6	4/10/2017	15	155.5	472	
TMP-6	4/10/2017	95	163.5	392	fluctuating resistance, possibly unreliable
TMP-6	4/10/2017	115	154.4	372	
TMP-6	4/10/2017	135	141.9	352	
TMP-6	4/17/2017	15	154.9	472	
TMP-6	4/17/2017	95	162.9	392	fluctuating resistance, possibly unreliable
TMP-6	4/17/2017	115	154.2	372	
TMP-6	4/17/2017	135	141.6	352	
TMP-6	4/24/2017	15	155.1	472	
TMP-6	4/24/2017	95	163.1	392	fluctuating resistance, possibly unreliable
TMP-6	4/24/2017	115	154.2	372	
TMP-6	4/24/2017	135	141.7	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	3/28/2017	40	201.8	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/4/2017	40	201.3	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/10/2017	40	202.0	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/17/2017	40	202.4	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/24/2017	40	202.9	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	3/28/2017	13	104.5	476	
TMP-10	3/28/2017	33	151.0	456	
TMP-10	3/28/2017	53	167.5	436	
TMP-10	3/28/2017	73	173.2	416	
TMP-10	3/28/2017	93	169.9	396	
TMP-10	3/28/2017	113		376	unreliable reading - resistance too low
TMP-10	3/28/2017	133	150.2	356	
TMP-10	4/4/2017	13	103.9	476	
TMP-10	4/4/2017	33	150.6	456	
TMP-10	4/4/2017	53	167.1	436	
TMP-10	4/4/2017	73	172.7	416	
TMP-10	4/4/2017	93	169.4	396	
TMP-10	4/4/2017	113		376	unreliable reading - resistance too low
TMP-10	4/4/2017	133	149.6	356	
TMP-10	4/10/2017	13	102.8	476	
TMP-10	4/10/2017	33	150	456	
TMP-10	4/10/2017	53	166.3	436	
TMP-10	4/10/2017	73	171.9	416	
TMP-10	4/10/2017	93	168.6	396	
TMP-10	4/10/2017	113		376	unreliable reading - resistance too low
TMP-10	4/10/2017	133	148.8	356	
TMP-10	4/17/2017	13	102.7	476	
TMP-10	4/17/2017	33	150.1	456	
TMP-10	4/17/2017	53	166.5	436	
TMP-10	4/17/2017	73	172	416	
TMP-10	4/17/2017	93	168.7	396	
TMP-10	4/17/2017	113		376	unreliable reading - resistance too low
TMP-10	4/17/2017	133	149	356	
TMP-10	4/24/2017	13	102.5	476	
TMP-10	4/24/2017	33	150	456	
TMP-10	4/24/2017	53	166.2	436	
TMP-10	4/24/2017	73	171.7	416	
TMP-10	4/24/2017	93	168.4	396	
TMP-10	4/24/2017	113		376	unreliable reading - resistance too low
TMP-10	4/24/2017	133	149	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	3/28/2017	20	120.6	448	
TMP-11R	3/28/2017	40	130.3	428	
TMP-11R	3/28/2017	60	125.3	408	
TMP-11R	3/28/2017	80	122.5	388	
TMP-11R	3/28/2017	100	113.5	368	
TMP-11R	3/28/2017	120	107.0	348	
TMP-11R	4/4/2017	20	121.3	448	
TMP-11R	4/4/2017	40	130.8	428	
TMP-11R	4/4/2017	60	126.0	408	
TMP-11R	4/4/2017	80	123.2	388	
TMP-11R	4/4/2017	100	114.3	368	
TMP-11R	4/4/2017	120	108.0	348	
TMP-11R	4/10/2017	20	119.3	448	
TMP-11R	4/10/2017	40	129.0	428	
TMP-11R	4/10/2017	60	123.9	408	
TMP-11R	4/10/2017	80	121.0	388	
TMP-11R	4/10/2017	100	112.0	368	
TMP-11R	4/10/2017	120	105.5	348	
TMP-11R	4/17/2017	20	119.1	448	
TMP-11R	4/17/2017	40	128.7	428	
TMP-11R	4/17/2017	60	123.6	408	
TMP-11R	4/17/2017	80	120.9	388	
TMP-11R	4/17/2017	100	112.0	368	
TMP-11R	4/17/2017	120	105.5	348	
TMP-11R	4/24/2017	20	120.5	448	
TMP-11R	4/24/2017	40	130.5	428	
TMP-11R	4/24/2017	60	125.7	408	
TMP-11R	4/24/2017	80	123.0	388	
TMP-11R	4/24/2017	100	114.1	368	
TMP-11R	4/24/2017	120	107.7	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	3/28/2017	20	159.0	479	
TMP-14R	3/28/2017	40	190.7	459	
TMP-14R	3/28/2017	60	196.7	439	
TMP-14R	3/28/2017	80	196.6	419	
TMP-14R	3/28/2017	100	185.4	399	
TMP-14R	3/28/2017	120	183.8	379	
TMP-14R	3/28/2017	140	180.1	359	
TMP-14R	4/4/2017	20	158.7	479	
TMP-14R	4/4/2017	40	190.6	459	
TMP-14R	4/4/2017	60	196.6	439	
TMP-14R	4/4/2017	80	196.6	419	
TMP-14R	4/4/2017	100	185.6	399	
TMP-14R	4/4/2017	120	184.1	379	
TMP-14R	4/4/2017	140	180.4	359	
TMP-14R	4/10/2017	20	158.0	479	
TMP-14R	4/10/2017	40	189.8	459	
TMP-14R	4/10/2017	60	195.9	439	
TMP-14R	4/10/2017	80	195.9	419	
TMP-14R	4/10/2017	100	185.0	399	
TMP-14R	4/10/2017	120	183.6	379	
TMP-14R	4/10/2017	140	179.9	359	
TMP-14R	4/17/2017	20	157.9	479	
TMP-14R	4/17/2017	40	189.9	459	
TMP-14R	4/17/2017	60	196.1	439	
TMP-14R	4/17/2017	80	196.2	419	
TMP-14R	4/17/2017	100	185.7	399	
TMP-14R	4/17/2017	120	184.4	379	
TMP-14R	4/17/2017	140	180.6	359	
TMP-14R	4/24/2017	20	156.7	479	
TMP-14R	4/24/2017	40	189.5	459	
TMP-14R	4/24/2017	60	195.7	439	
TMP-14R	4/24/2017	80	196.2	419	
TMP-14R	4/24/2017	100	185.6	399	
TMP-14R	4/24/2017	120	184.4	379	
TMP-14R	4/24/2017	140	180.8	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	3/28/2017	20	113.1	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/28/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	3/28/2017	58	162.8	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/28/2017	77	165	435	wires repaired 6/15/16
TMP-16	3/28/2017	96	159.1	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/28/2017	115	149.9	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/28/2017	134	138.0	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	3/28/2017	153	121.0	359	wires repaired 6/15/16
TMP-16	4/4/2017	20	112.6	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/4/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	4/4/2017	58	163.2	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/4/2017	77	164.3	435	wires repaired 6/15/16
TMP-16	4/4/2017	96	158.3	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/4/2017	115	149.1	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/4/2017	134	137.4	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/4/2017	153	120.7	359	wires repaired 6/15/16
TMP-16	4/10/2017	20	113.4	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/10/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	4/10/2017	58	161.8	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/10/2017	77	164.7	435	wires repaired 6/15/16
TMP-16	4/10/2017	96	158.7	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/10/2017	115	149.4	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/10/2017	134	137.7	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/10/2017	153	120.5	359	wires repaired 6/15/16
TMP-16	4/17/2017	20	113.3	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/17/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	4/17/2017	58	162.1	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/17/2017	77	164.9	435	wires repaired 6/15/16
TMP-16	4/17/2017	96	158.7	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/17/2017	115	149.4	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/17/2017	134	137.7	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/17/2017	153	120.7	359	wires repaired 6/15/16
TMP-16	4/24/2017	20	116	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/24/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	4/24/2017	58	163.3	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/24/2017	77	163.6	435	wires repaired 6/15/16
TMP-16	4/24/2017	96	158.2	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/24/2017	115	149.2	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/24/2017	134	136.4	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	4/24/2017	153	120.9	359	wires repaired 6/15/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	3/28/2017	20	110.3	496	
TMP-17	3/28/2017	40	139.9	476	
TMP-17	3/28/2017	60	159.1	456	
TMP-17	3/28/2017	80	161.2	436	
TMP-17	3/28/2017	100	157.9	416	
TMP-17	3/28/2017	120	152.5	396	
TMP-17	3/28/2017	140	143.4	376	
TMP-17	3/28/2017	160	130.3	356	
TMP-17	3/28/2017	180	123.2	336	
TMP-17	3/28/2017	200	116.8	316	
TMP-17	3/28/2017	220	109.1	296	
TMP-17	3/28/2017	237	101.3	279	
TMP-17	4/4/2017	20	111.3	496	
TMP-17	4/4/2017	40	141.3	476	
TMP-17	4/4/2017	60	160.1	456	
TMP-17	4/4/2017	80	162.2	436	
TMP-17	4/4/2017	100	158.9	416	
TMP-17	4/4/2017	120	153.7	396	
TMP-17	4/4/2017	140	144.5	376	
TMP-17	4/4/2017	160	131.5	356	
TMP-17	4/4/2017	180	124.6	336	
TMP-17	4/4/2017	200	118.2	316	
TMP-17	4/4/2017	220	110.4	296	
TMP-17	4/4/2017	237	102.6	279	
TMP-17	4/10/2017	20	109.5	496	
TMP-17	4/10/2017	40	139.8	476	
TMP-17	4/10/2017	60	158.4	456	
TMP-17	4/10/2017	80	160.5	436	
TMP-17	4/10/2017	100	157.0	416	
TMP-17	4/10/2017	120	151.6	396	
TMP-17	4/10/2017	140	142.5	376	
TMP-17	4/10/2017	160	129.5	356	
TMP-17	4/10/2017	180	122.5	336	
TMP-17	4/10/2017	200	116.0	316	
TMP-17	4/10/2017	220	108.5	296	
TMP-17	4/10/2017	237	100.7	279	
TMP-17	4/17/2017	20	110.3	496	
TMP-17	4/17/2017	40	141.2	476	
TMP-17	4/17/2017	60	159.3	456	
TMP-17	4/17/2017	80	161.3	436	
TMP-17	4/17/2017	100	158.2	416	
TMP-17	4/17/2017	120	152.9	396	
TMP-17	4/17/2017	140	143.8	376	
TMP-17	4/17/2017	160	130.8	356	
TMP-17	4/17/2017	180	123.6	336	
TMP-17	4/17/2017	200	117.1	316	
TMP-17	4/17/2017	220	109.4	296	
TMP-17	4/17/2017	237	101.6	279	
TMP-17	4/24/2017	20	109.4	496	
TMP-17	4/24/2017	40	140.8	476	
TMP-17	4/24/2017	60	158.5	456	
TMP-17	4/24/2017	80	160.8	436	
TMP-17	4/24/2017	100	157.6	416	
TMP-17	4/24/2017	120	152.4	396	
TMP-17	4/24/2017	140	143.4	376	
TMP-17	4/24/2017	160	130.5	356	
TMP-17	4/24/2017	180	123.4	336	
TMP-17	4/24/2017	200	116.9	316	
TMP-17	4/24/2017	220	109.4	296	
TMP-17	4/24/2017	237	101.4	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	3/28/2017	20	97.2	489	
TMP-18	3/28/2017	39	137.0	470	
TMP-18	3/28/2017	58	153.3	451	
TMP-18	3/28/2017	77	152.7	432	
TMP-18	3/28/2017	96	147.6	413	
TMP-18	3/28/2017	115	140.4	394	
TMP-18	3/28/2017	134	132.5	375	
TMP-18	3/28/2017	153	126.0	356	
TMP-18	3/28/2017	172	120.3	337	
TMP-18	3/28/2017	191	115.4	318	
TMP-18	3/28/2017	210	111.2	299	
TMP-18	3/28/2017	227	108.3	282	
TMP-18	4/4/2017	20	97.6	489	
TMP-18	4/4/2017	39	137.9	470	
TMP-18	4/4/2017	58	154.2	451	
TMP-18	4/4/2017	77	153.6	432	
TMP-18	4/4/2017	96	148.5	413	
TMP-18	4/4/2017	115	141.0	394	
TMP-18	4/4/2017	134	133.0	375	
TMP-18	4/4/2017	153	126.4	356	
TMP-18	4/4/2017	172	120.6	337	
TMP-18	4/4/2017	191	115.7	318	
TMP-18	4/4/2017	210	111.6	299	
TMP-18	4/4/2017	227	108.9	282	
TMP-18	4/10/2017	20	97.0	489	
TMP-18	4/10/2017	39	137.0	470	
TMP-18	4/10/2017	58	153.2	451	
TMP-18	4/10/2017	77	152.5	432	
TMP-18	4/10/2017	96	147.4	413	
TMP-18	4/10/2017	115	139.9	394	
TMP-18	4/10/2017	134	132.0	375	
TMP-18	4/10/2017	153	125.5	356	
TMP-18	4/10/2017	172	119.6	337	
TMP-18	4/10/2017	191	114.7	318	
TMP-18	4/10/2017	210	110.6	299	
TMP-18	4/10/2017	227	107.9	282	
TMP-18	4/17/2017	20	97.4	489	
TMP-18	4/17/2017	39	137.6	470	
TMP-18	4/17/2017	58	153.9	451	
TMP-18	4/17/2017	77	153.2	432	
TMP-18	4/17/2017	96	148.1	413	
TMP-18	4/17/2017	115	140.6	394	
TMP-18	4/17/2017	134	132.6	375	
TMP-18	4/17/2017	153	126.1	356	
TMP-18	4/17/2017	172	120.2	337	
TMP-18	4/17/2017	191	115.2	318	
TMP-18	4/17/2017	210	111.0	299	
TMP-18	4/17/2017	227	108.2	282	
TMP-18	4/24/2017	20	96.5	489	
TMP-18	4/24/2017	39	137.0	470	
TMP-18	4/24/2017	58	153.5	451	
TMP-18	4/24/2017	77	152.8	432	
TMP-18	4/24/2017	96	147.9	413	
TMP-18	4/24/2017	115	140.8	394	
TMP-18	4/24/2017	134	133.1	375	
TMP-18	4/24/2017	153	126.7	356	
TMP-18	4/24/2017	172	120.8	337	
TMP-18	4/24/2017	191	116.0	318	
TMP-18	4/24/2017	210	111.9	299	
TMP-18	4/24/2017	227	109.4	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	3/20/2017	13	87.6	461	
TMP-21	3/20/2017	26	95.0	448	
TMP-21	3/20/2017	41	91.9	433	
TMP-21	3/28/2017	13	87.6	461	
TMP-21	3/28/2017	26	95.0	448	
TMP-21	3/28/2017	41	91.8	433	
TMP-21	4/4/2017	13	87.5	461	
TMP-21	4/4/2017	26	95.6	448	
TMP-21	4/4/2017	41	92.5	433	
TMP-21	4/10/2017	13	86.3	461	
TMP-21	4/10/2017	26	94.1	448	
TMP-21	4/10/2017	41	91.0	433	
TMP-21	4/17/2017	13	86.9	461	
TMP-21	4/17/2017	26	94.9	448	
TMP-21	4/17/2017	41	91.9	433	
TMP-21	4/24/2017	13	88.1	461	
TMP-21	4/24/2017	26	96.8	448	
TMP-21	4/24/2017	41	93.9	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	3/28/2017	15	104.5	474	
TMP-22	3/28/2017	31	124.7	458	
TMP-22	3/28/2017	50	124.7	439	
TMP-22	3/28/2017	70	117.1	419	
TMP-22	4/4/2017	15	105.1	474	
TMP-22	4/4/2017	31	125.4	458	
TMP-22	4/4/2017	50	125.3	439	
TMP-22	4/4/2017	70	117.9	419	
TMP-22	4/10/2017	15	103.0	474	
TMP-22	4/10/2017	31	123.5	458	
TMP-22	4/10/2017	50	123.4	439	
TMP-22	4/10/2017	70	115.4	419	
TMP-22	4/17/2017	15	103.8	474	
TMP-22	4/17/2017	31	124.1	458	
TMP-22	4/17/2017	50	124.1	439	
TMP-22	4/17/2017	70	116.6	419	
TMP-22	4/24/2017	15	103.6	474	
TMP-22	4/24/2017	31	124.1	458	
TMP-22	4/24/2017	50	124.1	439	
TMP-22	4/24/2017	70	116.7	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	3/28/2017	20	114.8	477	
TMP-23	3/28/2017	38	137.9	459	
TMP-23	3/28/2017	56	141.3	441	
TMP-23	3/28/2017	74	133.9	423	
TMP-23	3/28/2017	92	125.1	405	
TMP-23	3/28/2017	106	116.8	391	
TMP-23	4/4/2017	20	115.2	477	
TMP-23	4/4/2017	38	138.8	459	
TMP-23	4/4/2017	56	142.3	441	
TMP-23	4/4/2017	74	135.0	423	
TMP-23	4/4/2017	92	126.3	405	
TMP-23	4/4/2017	106	118.0	391	
TMP-23	4/10/2017	20	113.3	477	
TMP-23	4/10/2017	38	136.7	459	
TMP-23	4/10/2017	56	140.1	441	
TMP-23	4/10/2017	74	132.7	423	
TMP-23	4/10/2017	92	124.0	405	
TMP-23	4/10/2017	106	115.6	391	
TMP-23	4/17/2017	20	114.0	477	
TMP-23	4/17/2017	38	137.4	459	
TMP-23	4/17/2017	56	140.8	441	
TMP-23	4/17/2017	74	133.5	423	
TMP-23	4/17/2017	92	124.7	405	
TMP-23	4/17/2017	106	116.3	391	
TMP-23	4/24/2017	20	115.7	477	
TMP-23	4/24/2017	38	139.3	459	
TMP-23	4/24/2017	56	143.0	441	
TMP-23	4/24/2017	74	135.7	423	
TMP-23	4/24/2017	92	127.0	405	
TMP-23	4/24/2017	106	118.5	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	3/28/2017	20	102.4	492	
TMP-24	3/28/2017	40	128.4	472	
TMP-24	3/28/2017	60	141.7	452	
TMP-24	3/28/2017	67	142.9	445	
TMP-24	4/4/2017	20	102.9	492	
TMP-24	4/4/2017	40	128.9	472	
TMP-24	4/4/2017	60	142.0	452	
TMP-24	4/4/2017	67	143.1	445	
TMP-24	4/10/2017	20	102.1	492	
TMP-24	4/10/2017	40	128.1	472	
TMP-24	4/10/2017	60	141.4	452	
TMP-24	4/10/2017	67	142.5	445	
TMP-24	4/17/2017	20	102.5	492	
TMP-24	4/17/2017	40	128.7	472	
TMP-24	4/17/2017	60	142.0	452	
TMP-24	4/17/2017	67	143.3	445	
TMP-24	4/24/2017	20	102.6	492	
TMP-24	4/24/2017	40	128.6	472	
TMP-24	4/24/2017	60	141.7	452	
TMP-24	4/24/2017	67	142.5	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	3/28/2017	20	122.7	495	
TMP-25	3/28/2017	40	147.8	475	
TMP-25	3/28/2017	60	160.9	455	
TMP-25	3/28/2017	80	161.2	435	
TMP-25	3/28/2017	100	155.6	415	
TMP-25	3/28/2017	120	144.5	395	
TMP-25	3/28/2017	140	133.4	375	
TMP-25	3/28/2017	160	120.6	355	
TMP-25	3/28/2017	180	112.7	335	
TMP-25	3/28/2017	200	111.6	315	
TMP-25	3/28/2017	220	95.8	295	
TMP-25	3/28/2017	235	92.6	280	
TMP-25	4/4/2017	20	123.3	495	
TMP-25	4/4/2017	40	148.8	475	
TMP-25	4/4/2017	60	161.6	455	
TMP-25	4/4/2017	80	162.1	435	
TMP-25	4/4/2017	100	156.3	415	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/4/2017	120	145.1	395	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/4/2017	140	133.9	375	
TMP-25	4/4/2017	160	121.2	355	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/4/2017	180	113.5	335	
TMP-25	4/4/2017	200		315	resistance reading >4000 ohms [no longer working - connectivity test 04/07/2017]
TMP-25	4/4/2017	220	96.8	295	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/4/2017	235	93.6	280	
TMP-25	4/10/2017	20	122.0	495	
TMP-25	4/10/2017	40	147.6	475	
TMP-25	4/10/2017	60	160.4	455	
TMP-25	4/10/2017	80	160.8	435	
TMP-25	4/10/2017	100	155.1	415	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/10/2017	120	144.0	395	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/10/2017	140	132.8	375	
TMP-25	4/10/2017	160	120.1	355	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/10/2017	180	112.3	335	
TMP-25	4/10/2017	200		315	resistance reading >4000 ohms [no longer working - connectivity test 04/07/2017]
TMP-25	4/10/2017	220	95.6	295	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/10/2017	235	92.1	280	
TMP-25	4/17/2017	20	122.7	495	
TMP-25	4/17/2017	40	148.4	475	
TMP-25	4/17/2017	60	160.9	455	
TMP-25	4/17/2017	80	161.4	435	
TMP-25	4/17/2017	100	155.6	415	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/17/2017	120	144.4	395	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/17/2017	140	133.1	375	
TMP-25	4/17/2017	160	120.5	355	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/17/2017	180	112.6	335	
TMP-25	4/17/2017	220	96.0	295	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/17/2017	235	92.5	280	
TMP-25	4/24/2017	20	123.0	495	
TMP-25	4/24/2017	40	148.9	475	
TMP-25	4/24/2017	60	161.6	455	
TMP-25	4/24/2017	80	162.1	435	
TMP-25	4/24/2017	100	156.3	415	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/24/2017	120	145.0	395	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/24/2017	140	133.8	375	
TMP-25	4/24/2017	160	121.1	355	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/24/2017	180	113.2	335	
TMP-25	4/24/2017	220	96.4	295	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	4/24/2017	235	92.7	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	3/28/2017	20	109.1	479	
TMP-26	3/28/2017	40	120.2	459	
TMP-26	3/28/2017	60	123.2	439	
TMP-26	3/28/2017	80	122.8	419	
TMP-26	3/28/2017	100	112.9	399	
TMP-26	3/28/2017	120	119.3	379	
TMP-26	3/28/2017	140	120.7	359	
TMP-26	3/28/2017	142	119.9	357	
TMP-26	4/4/2017	20	108.9	479	
TMP-26	4/4/2017	40	119.8	459	
TMP-26	4/4/2017	60	122.7	439	
TMP-26	4/4/2017	80	122.2	419	
TMP-26	4/4/2017	100	112.8	399	
TMP-26	4/4/2017	120	118.7	379	
TMP-26	4/4/2017	140	120.1	359	
TMP-26	4/4/2017	142	119.6	357	
TMP-26	4/10/2017	20	108.4	479	
TMP-26	4/10/2017	40	119.4	459	
TMP-26	4/10/2017	60	122.6	439	
TMP-26	4/10/2017	80	122.0	419	
TMP-26	4/10/2017	100	112.7	399	
TMP-26	4/10/2017	120	118.5	379	
TMP-26	4/10/2017	140	120.0	359	
TMP-26	4/10/2017	142	119.5	357	
TMP-26	4/17/2017	20	108.7	479	
TMP-26	4/17/2017	40	120.0	459	
TMP-26	4/17/2017	60	123.0	439	
TMP-26	4/17/2017	80	122.5	419	
TMP-26	4/17/2017	100	113.5	399	
TMP-26	4/17/2017	120	119.0	379	
TMP-26	4/17/2017	140	120.6	359	
TMP-26	4/17/2017	142	119.8	357	
TMP-26	4/24/2017	20	107.5	479	
TMP-26	4/24/2017	40	118.6	459	
TMP-26	4/24/2017	60	121.8	439	
TMP-26	4/24/2017	80	121.3	419	
TMP-26	4/24/2017	100	112.5	399	
TMP-26	4/24/2017	120	117.7	379	
TMP-26	4/24/2017	140	119.2	359	
TMP-26	4/24/2017	142	118.5	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	3/28/2017	20	102.1	493	
TMP-27	3/28/2017	40	143.8	473	
TMP-27	3/28/2017	60	154.8	453	
TMP-27	3/28/2017	80	157.4	433	
TMP-27	3/28/2017	100	153.9	413	
TMP-27	3/28/2017	120	148.5	393	
TMP-27	3/28/2017	140	142.7	373	
TMP-27	3/28/2017	160	136.0	353	
TMP-27	3/28/2017	180	129.8	333	
TMP-27	3/28/2017	200	125.5	313	
TMP-27	3/28/2017	220	120.6	293	
TMP-27	3/28/2017	233	115.9	280	
TMP-27	4/4/2017	20	104.3	493	
TMP-27	4/4/2017	40	144.7	473	
TMP-27	4/4/2017	60	155.7	453	
TMP-27	4/4/2017	80	158.2	433	
TMP-27	4/4/2017	100	154.7	413	
TMP-27	4/4/2017	120	149.2	393	
TMP-27	4/4/2017	140	143.2	373	
TMP-27	4/4/2017	160	136.4	353	
TMP-27	4/4/2017	180	130.0	333	
TMP-27	4/4/2017	200	125.5	313	
TMP-27	4/4/2017	220	120.5	293	
TMP-27	4/4/2017	233	115.6	280	
TMP-27	4/10/2017	20	106.1	493	
TMP-27	4/10/2017	40	143.8	473	
TMP-27	4/10/2017	60	154.7	453	
TMP-27	4/10/2017	80	157.2	433	
TMP-27	4/10/2017	100	153.6	413	
TMP-27	4/10/2017	120	148.3	393	
TMP-27	4/10/2017	140	142.4	373	
TMP-27	4/10/2017	160	135.4	353	
TMP-27	4/10/2017	180	129.1	333	
TMP-27	4/10/2017	200	124.7	313	
TMP-27	4/10/2017	220	119.7	293	
TMP-27	4/10/2017	233	114.9	280	
TMP-27	4/17/2017	20	109.0	493	
TMP-27	4/17/2017	40	143.7	473	
TMP-27	4/17/2017	60	154.7	453	
TMP-27	4/17/2017	80	157.2	433	
TMP-27	4/17/2017	100	153.8	413	
TMP-27	4/17/2017	120	148.2	393	
TMP-27	4/17/2017	140	142.3	373	
TMP-27	4/17/2017	160	135.4	353	
TMP-27	4/17/2017	180	129.0	333	
TMP-27	4/17/2017	200	124.5	313	
TMP-27	4/17/2017	220	119.3	293	
TMP-27	4/17/2017	233	114.5	280	
TMP-27	4/24/2017	20	110.2	493	
TMP-27	4/24/2017	40	144.2	473	
TMP-27	4/24/2017	60	155.3	453	
TMP-27	4/24/2017	80	157.9	433	
TMP-27	4/24/2017	100	154.4	413	
TMP-27	4/24/2017	120	148.9	393	
TMP-27	4/24/2017	140	143.3	373	
TMP-27	4/24/2017	160	136.6	353	
TMP-27	4/24/2017	180	130.4	333	
TMP-27	4/24/2017	200	125.9	313	
TMP-27	4/24/2017	220	120.8	293	
TMP-27	4/24/2017	233	115.8	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	3/28/2017	20	101.1	480	
TMP-28	3/28/2017	40	136.1	460	
TMP-28	3/28/2017	60	133.1	440	
TMP-28	3/28/2017	100	131.7	400	
TMP-28	3/28/2017	120	126.8	380	
TMP-28	3/28/2017	140	122.5	360	
TMP-28	3/28/2017	160	117.9	340	
TMP-28	3/28/2017	180	114.2	320	resistivity higher than acceptable limit, possibly unreliable temperature
TMP-28	3/28/2017	200	111.8	300	
TMP-28	3/13/2017	217		283	no longer working
TMP-28	4/4/2017	20	101.5	480	
TMP-28	4/4/2017	40	136.4	460	
TMP-28	4/4/2017	60	133.5	440	
TMP-28	4/4/2017	100	132.2	400	
TMP-28	4/4/2017	120	127.4	380	
TMP-28	4/4/2017	140	123.1	360	
TMP-28	4/4/2017	160	118.7	340	
TMP-28	4/4/2017	180		320	resistivity higher than acceptable limit since 3/28/2017, unreliable temperature
TMP-28	4/4/2017	200	112.6	300	
TMP-28	4/4/2017	217		283	no longer working
TMP-28	4/10/2017	20	101.7	480	
TMP-28	4/10/2017	40	136.4	460	
TMP-28	4/10/2017	60	133.3	440	
TMP-28	4/10/2017	100	131.9	400	
TMP-28	4/10/2017	120	126.9	380	
TMP-28	4/10/2017	140	122.7	360	
TMP-28	4/10/2017	160	118.3	340	
TMP-28	4/10/2017	180		320	resistivity higher than acceptable limit since 3/28/2017, unreliable temperature
TMP-28	4/10/2017	200	112.2	300	
TMP-28	4/10/2017	217		283	no longer working
TMP-28	4/17/2017	20	101.4	480	
TMP-28	4/17/2017	40	135.9	460	
TMP-28	4/17/2017	60	133	440	
TMP-28	4/17/2017	100	131.6	400	
TMP-28	4/17/2017	120	126.8	380	
TMP-28	4/17/2017	140	122.5	360	
TMP-28	4/17/2017	160	118	340	
TMP-28	4/17/2017	180		320	resistivity higher than acceptable limit since 3/28/2017, unreliable temperature
TMP-28	4/17/2017	200	111.7	300	
TMP-28	4/17/2017	217		283	no longer working
TMP-28	4/24/2017	20	101.8	480	
TMP-28	4/24/2017	40	137.0	460	
TMP-28	4/24/2017	60	134.2	440	
TMP-28	4/24/2017	100	132.6	400	
TMP-28	4/24/2017	120	127.8	380	
TMP-28	4/24/2017	140	123.5	360	
TMP-28	4/24/2017	160	118.7	340	
TMP-28	4/24/2017	180		320	resistivity higher than acceptable limit since 3/28/2017, unreliable temperature
TMP-28	4/24/2017	200	112.5	300	
TMP-28	4/24/2017	217		283	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	3/28/2017	8	65.2	488	
TMP-29	3/28/2017	16	80.0	480	
TMP-29	3/28/2017	25	87.8	471	
TMP-29	4/4/2017	8	66.0	488	
TMP-29	4/4/2017	16	80.9	480	
TMP-29	4/4/2017	25	88.8	471	
TMP-29	4/10/2017	8	65.2	488	
TMP-29	4/10/2017	16	79.7	480	
TMP-29	4/10/2017	25	87.5	471	
TMP-29	4/17/2017	8	65.2	488	
TMP-29	4/17/2017	16	79.6	480	
TMP-29	4/17/2017	25	87.3	471	
TMP-29	4/24/2017	8	65.4	488	
TMP-29	4/24/2017	16	79.8	480	
TMP-29	4/24/2017	25	87.8	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	3/28/2017	20	96.3	484	
TMP-33	3/28/2017	40	103.7	464	
TMP-33	3/28/2017	53	102.8	451	
TMP-33	4/4/2017	20	96.1	484	
TMP-33	4/4/2017	40	103.3	464	
TMP-33	4/4/2017	53	102.4	451	
TMP-33	4/10/2017	20	95.5	484	
TMP-33	4/10/2017	40	103.0	464	
TMP-33	4/10/2017	53	102.2	451	
TMP-33	4/17/2017	20	96.0	484	
TMP-33	4/17/2017	40	103.4	464	
TMP-33	4/17/2017	53	102.6	451	
TMP-33	4/24/2017	20	95.5	484	
TMP-33	4/24/2017	40	102.8	464	
TMP-33	4/24/2017	53	101.7	451	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	3/28/2017	20	99.8	495	
TMP-34	3/28/2017	40	111.0	475	
TMP-34	3/28/2017	50	111.5	465	
TMP-34	3/28/2017	63	109.4	452	
TMP-34	4/4/2017	20	100.2	495	
TMP-34	4/4/2017	40	111.5	475	
TMP-34	4/4/2017	50	112.1	465	
TMP-34	4/4/2017	63	110.0	452	
TMP-34	4/10/2017	20	99.2	495	
TMP-34	4/10/2017	40	110.3	475	
TMP-34	4/10/2017	50	110.9	465	
TMP-34	4/10/2017	63	108.8	452	
TMP-34	4/17/2017	20	98.8	495	
TMP-34	4/17/2017	40	109.9	475	
TMP-34	4/17/2017	50	110.4	465	
TMP-34	4/17/2017	63	108.2	452	
TMP-34	4/24/2017	20	100.0	495	
TMP-34	4/24/2017	40	111.3	475	
TMP-34	4/24/2017	50	112.0	465	
TMP-34	4/24/2017	63	109.9	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	3/28/2017	20	94.5	500	
TMP-35	3/28/2017	40	108.0	480	
TMP-35	3/28/2017	60	107.5	460	
TMP-35	3/28/2017	70	104.7	450	
TMP-35	4/4/2017	20	95.0	500	
TMP-35	4/4/2017	40	108.4	480	
TMP-35	4/4/2017	60	108.0	460	
TMP-35	4/4/2017	70	105.0	450	
TMP-35	4/10/2017	20	94.0	500	
TMP-35	4/10/2017	40	107.4	480	
TMP-35	4/10/2017	60	106.8	460	
TMP-35	4/10/2017	70	103.8	450	
TMP-35	4/17/2017	20	94.3	500	
TMP-35	4/17/2017	40	107.6	480	
TMP-35	4/17/2017	60	107.1	460	
TMP-35	4/17/2017	70	104.1	450	
TMP-35	4/24/2017	20	94.6	500	
TMP-35	4/24/2017	40	107.9	480	
TMP-35	4/24/2017	60	107.4	460	
TMP-35	4/24/2017	70	104.3	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-36	3/28/2017	15	81.0	471	
TMP-36	3/28/2017	20	82.0	466	
TMP-36	3/28/2017	30	82.6	456	
TMP-36	4/4/2017	15	80.5	471	
TMP-36	4/4/2017	20	81.5	466	
TMP-36	4/4/2017	30	81.8	456	
TMP-36	4/10/2017	15	80.0	471	
TMP-36	4/10/2017	20	81.5	466	
TMP-36	4/10/2017	30	82.0	456	
TMP-36	4/17/2017	15	80.4	471	
TMP-36	4/17/2017	20	81.8	466	
TMP-36	4/17/2017	30	82.4	456	
TMP-36	4/24/2017	15	79.8	471	
TMP-36	4/24/2017	20	81.4	466	
TMP-36	4/24/2017	30	81.8	456	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	3/28/2017	20	91.0	480	
TMP-37	3/28/2017	40	97.8	460	
TMP-37	3/28/2017	50	96.2	450	
TMP-37	4/4/2017	20	90.8	480	
TMP-37	4/4/2017	40	97.4	460	
TMP-37	4/4/2017	50	95.7	450	
TMP-37	4/10/2017	20	90.4	480	
TMP-37	4/10/2017	40	97.4	460	
TMP-37	4/10/2017	50	95.7	450	
TMP-37	4/17/2017	20	90.8	480	
TMP-37	4/17/2017	40	97.8	460	
TMP-37	4/17/2017	50	96.2	450	
TMP-37	4/24/2017	20	90.3	480	
TMP-37	4/24/2017	40	97.1	460	
TMP-37	4/24/2017	50	95.2	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	3/28/2017	20	102.0	495	
TMP-38	3/28/2017	40	114.6	475	
TMP-38	3/28/2017	60	110.2	455	
TMP-38	3/28/2017	70	107.5	445	
TMP-38	4/4/2017	20	101.9	495	
TMP-38	4/4/2017	40	114.5	475	
TMP-38	4/4/2017	60	110.0	455	
TMP-38	4/4/2017	70	107.2	445	
TMP-38	4/10/2017	20	101.5	495	
TMP-38	4/10/2017	40	114.3	475	
TMP-38	4/10/2017	60	109.9	455	
TMP-38	4/10/2017	70	107.1	445	
TMP-38	4/17/2017	20	102.2	495	
TMP-38	4/17/2017	40	114.8	475	
TMP-38	4/17/2017	60	110.4	455	
TMP-38	4/17/2017	70	107.7	445	
TMP-38	4/24/2017	20	101.6	495	
TMP-38	4/24/2017	40	113.7	475	
TMP-38	4/24/2017	60	109.0	455	
TMP-38	4/24/2017	70	105.9	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	3/28/2017	20	101.6	501	
TMP-39	3/28/2017	40	124.8	481	
TMP-39	3/28/2017	60	124.9	461	
TMP-39	3/28/2017	80	118.4	441	
TMP-39	4/4/2017	20	102.5	501	
TMP-39	4/4/2017	40	125.5	481	
TMP-39	4/4/2017	60	125.6	461	
TMP-39	4/4/2017	80	119.2	441	
TMP-39	4/10/2017	20	100.9	501	
TMP-39	4/10/2017	40	124.1	481	
TMP-39	4/10/2017	60	124.1	461	
TMP-39	4/10/2017	80	117.6	441	
TMP-39	4/17/2017	20	101.0	501	
TMP-39	4/17/2017	40	124.1	481	
TMP-39	4/17/2017	60	124.0	461	
TMP-39	4/17/2017	80	117.3	441	
TMP-39	4/24/2017	20	102.6	501	
TMP-39	4/24/2017	40	125.9	481	
TMP-39	4/24/2017	60	125.9	461	
TMP-39	4/24/2017	80	119.5	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	3/28/2017	20	96.8	505	
TMP-40	3/28/2017	40	126.4	485	
TMP-40	3/28/2017	60	130.7	465	
TMP-40	3/28/2017	80	126.4	445	
TMP-40	4/4/2017	20	97.1	505	
TMP-40	4/4/2017	40	126.7	485	
TMP-40	4/4/2017	60	131.0	465	
TMP-40	4/4/2017	80	126.7	445	
TMP-40	4/10/2017	20	95.8	505	
TMP-40	4/10/2017	40	125.6	485	
TMP-40	4/10/2017	60	130.0	465	
TMP-40	4/10/2017	80	125.6	445	
TMP-40	4/17/2017	20	96.1	505	
TMP-40	4/17/2017	40	125.7	485	
TMP-40	4/17/2017	60	129.9	465	
TMP-40	4/17/2017	80	125.5	445	
TMP-40	4/17/2017	20	96.1	505	
TMP-40	4/17/2017	40	125.7	485	
TMP-40	4/17/2017	60	129.9	465	
TMP-40	4/17/2017	80	125.5	445	
TMP-40	4/24/2017	20	96.8	505	
TMP-40	4/24/2017	40	126.6	485	
TMP-40	4/24/2017	60	131.0	465	
TMP-40	4/24/2017	80	126.6	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	3/28/2017	20	108.9	504	
TMP-41	3/28/2017	40	126.0	484	
TMP-41	3/28/2017	60	127.3	464	
TMP-41	3/28/2017	80	121.5	444	
TMP-41	3/28/2017	98	113.8	426	
TMP-41	4/4/2017	20	109.6	504	
TMP-41	4/4/2017	40	126.5	484	
TMP-41	4/4/2017	60	127.9	464	
TMP-41	4/4/2017	80	122.1	444	
TMP-41	4/4/2017	98	114.5	426	
TMP-41	4/10/2017	20	108.3	504	
TMP-41	4/10/2017	40	125.5	484	
TMP-41	4/10/2017	60	126.9	464	
TMP-41	4/10/2017	80	121.0	444	
TMP-41	4/10/2017	98	113.3	426	
TMP-41	4/17/2017	20	107.9	504	
TMP-41	4/17/2017	40	125.4	484	
TMP-41	4/17/2017	60	126.7	464	
TMP-41	4/17/2017	80	120.8	444	
TMP-41	4/17/2017	98	113.0	426	
TMP-41	4/24/2017	20	108.8	504	
TMP-41	4/24/2017	40	127.0	484	
TMP-41	4/24/2017	60	128.5	464	
TMP-41	4/24/2017	80	122.7	444	
TMP-41	4/24/2017	98	115.1	426	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	3/28/2017	20	116.6	498	
TMP-42	3/28/2017	40	123.1	478	
TMP-42	3/28/2017	60	120.1	458	
TMP-42	3/28/2017	78	114.7	440	
TMP-42	4/4/2017	20	116.8	498	
TMP-42	4/4/2017	40	123.2	478	
TMP-42	4/4/2017	60	120.2	458	
TMP-42	4/4/2017	78	114.9	440	
TMP-42	4/10/2017	20	116.4	498	
TMP-42	4/10/2017	40	123.0	478	
TMP-42	4/10/2017	60	120.0	458	
TMP-42	4/10/2017	78	114.6	440	
TMP-42	4/17/2017	20	115.9	498	
TMP-42	4/17/2017	40	122.4	478	
TMP-42	4/17/2017	60	119.3	458	
TMP-42	4/17/2017	78	113.7	440	
TMP-42	4/24/2017	20	116.0	498	
TMP-42	4/24/2017	40	122.4	478	
TMP-42	4/24/2017	60	119.2	458	
TMP-42	4/24/2017	78	113.4	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	3/28/2017	20	107.9	496	
TMP-43	3/28/2017	40	124.1	476	
TMP-43	3/28/2017	60	127.8	456	
TMP-43	3/28/2017	80	126.1	436	
TMP-43	3/28/2017	100	118.8	416	
TMP-43	4/4/2017	20	108.3	496	
TMP-43	4/4/2017	40	124.2	476	
TMP-43	4/4/2017	60	127.9	456	
TMP-43	4/4/2017	80	126.1	436	
TMP-43	4/4/2017	100	118.8	416	
TMP-43	4/10/2017	20	107.6	496	
TMP-43	4/10/2017	40	123.7	476	
TMP-43	4/10/2017	60	127.3	456	
TMP-43	4/10/2017	80	125.5	436	
TMP-43	4/10/2017	100	118.2	416	
TMP-43	4/17/2017	20	107.3	496	
TMP-43	4/17/2017	40	123.5	476	
TMP-43	4/17/2017	60	127.0	456	
TMP-43	4/17/2017	80	125.3	436	
TMP-43	4/17/2017	100	117.9	416	
TMP-43	4/24/2017	20	107.0	496	
TMP-43	4/24/2017	40	122.7	476	
TMP-43	4/24/2017	60	126.3	456	
TMP-43	4/24/2017	80	124.4	436	
TMP-43	4/24/2017	100	117.2	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	3/20/2017	20	102.2	491	
TMP-44	3/20/2017	40	132.5	471	
TMP-44	3/20/2017	60	146.1	451	
TMP-44	3/20/2017	80	152.0	431	
TMP-44	3/20/2017	100	154.6	411	
TMP-44	3/20/2017	120	154.3	391	
TMP-44	3/20/2017	140	154.1	371	
TMP-44	3/20/2017	160	143.3	351	
TMP-44	3/20/2017	180	126.0	331	
TMP-44	3/28/2017	20	102.1	491	
TMP-44	3/28/2017	40	132.5	471	
TMP-44	3/28/2017	60	146.1	451	
TMP-44	3/28/2017	80	152.2	431	
TMP-44	3/28/2017	100	154.8	411	
TMP-44	3/28/2017	120	154.6	391	
TMP-44	3/28/2017	140	154.5	371	
TMP-44	3/28/2017	160	144.0	351	
TMP-44	3/28/2017	180	126.8	331	
TMP-44	4/4/2017	20	102.2	491	
TMP-44	4/4/2017	40	132.5	471	
TMP-44	4/4/2017	60	146.2	451	
TMP-44	4/4/2017	80	152.1	431	
TMP-44	4/4/2017	100	154.8	411	
TMP-44	4/4/2017	120	154.5	391	
TMP-44	4/4/2017	140	154.3	371	
TMP-44	4/4/2017	160	143.7	351	
TMP-44	4/4/2017	180	126.5	331	
TMP-44	4/10/2017	20	101.6	491	
TMP-44	4/10/2017	40	132.0	471	
TMP-44	4/10/2017	60	145.7	451	
TMP-44	4/10/2017	80	151.7	431	
TMP-44	4/10/2017	100	154.4	411	
TMP-44	4/10/2017	120	154.2	391	
TMP-44	4/10/2017	140	154.0	371	
TMP-44	4/10/2017	160	143.5	351	
TMP-44	4/10/2017	180	126.4	331	
TMP-44	4/17/2017	20	101.9	491	
TMP-44	4/17/2017	40	132.3	471	
TMP-44	4/17/2017	60	145.9	451	
TMP-44	4/17/2017	80	152.0	431	
TMP-44	4/17/2017	100	154.7	411	
TMP-44	4/17/2017	120	154.5	391	
TMP-44	4/17/2017	140	154.4	371	
TMP-44	4/17/2017	160	143.9	351	
TMP-44	4/17/2017	180	126.9	331	
TMP-44	4/24/2017	20	101.6	491	
TMP-44	4/24/2017	40	132.1	471	
TMP-44	4/24/2017	60	145.8	451	
TMP-44	4/24/2017	80	151.7	431	
TMP-44	4/24/2017	100	154.4	411	
TMP-44	4/24/2017	120	154.1	391	
TMP-44	4/24/2017	140	154.0	371	
TMP-44	4/24/2017	160	143.2	351	
TMP-44	4/24/2017	180	125.9	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-45	3/28/2017	15	75.6	464	
TMP-45	3/28/2017	30	85.7	449	
TMP-45	3/28/2017	45	88.6	434	
TMP-45	4/4/2017	15	75.5	464	
TMP-45	4/4/2017	30	85.6	449	
TMP-45	4/4/2017	45	88.2	434	
TMP-45	4/10/2017	15	75.0	464	
TMP-45	4/10/2017	30	85.3	449	
TMP-45	4/10/2017	45	88.0	434	
TMP-45	4/17/2017	15	75.1	464	
TMP-45	4/17/2017	30	85.7	449	
TMP-45	4/17/2017	45	88.5	434	
TMP-45	4/24/2017	15	74.3	464	
TMP-45	4/24/2017	30	85.0	449	
TMP-45	4/24/2017	45	87.4	434	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-46	3/28/2017	20	73.8	457	
TMP-46	3/28/2017	40	84.3	437	
TMP-46	3/28/2017	60	92.4	417	
TMP-46	4/4/2017	20	73.0	457	
TMP-46	4/4/2017	40	84.0	437	
TMP-46	4/4/2017	60	92.0	417	
TMP-46	4/10/2017	20	72.8	457	
TMP-46	4/10/2017	40	83.6	437	
TMP-46	4/10/2017	60	91.6	417	
TMP-46	4/17/2017	20	73.5	457	
TMP-46	4/17/2017	40	84.4	437	
TMP-46	4/17/2017	60	92.4	417	
TMP-46	4/24/2017	20	71.7	457	
TMP-46	4/24/2017	40	83.5	437	
TMP-46	4/24/2017	60	91.7	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-47	3/28/2017	20	66.8	457	
TMP-47	3/28/2017	40	73.4	437	
TMP-47	3/28/2017	60	76.4	417	
TMP-47	4/4/2017	20	66.2	457	
TMP-47	4/4/2017	40	73.1	437	
TMP-47	4/4/2017	60	76.2	417	
TMP-47	4/10/2017	20	66.3	457	
TMP-47	4/10/2017	40	73.0	437	
TMP-47	4/10/2017	60	76.0	417	
TMP-47	4/17/2017	20	67.0	457	
TMP-47	4/17/2017	40	73.7	437	
TMP-47	4/17/2017	60	76.6	417	
TMP-47	4/24/2017	20	65.9	457	
TMP-47	4/24/2017	40	73.2	437	
TMP-47	4/24/2017	60	75.9	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	3/28/2017	20	66.2	455	
TMP-48	3/28/2017	40	67.7	435	
TMP-48	3/28/2017	60	74.9	415	
TMP-48	3/28/2017	72	73.3	403	
TMP-48	4/4/2017	20	65.3	455	
TMP-48	4/4/2017	40	67.2	435	
TMP-48	4/4/2017	60	74.4	415	
TMP-48	4/4/2017	72	72.9	403	
TMP-48	4/10/2017	20	65.2	455	
TMP-48	4/10/2017	40	66.5	435	
TMP-48	4/10/2017	60	74.2	415	
TMP-48	4/10/2017	72	72.5	403	
TMP-48	4/17/2017	20	65.7	455	
TMP-48	4/17/2017	40	67.2	435	
TMP-48	4/17/2017	60	75.1	415	
TMP-48	4/17/2017	72	73.5	403	
TMP-48	4/24/2017	20	64.5	455	
TMP-48	4/24/2017	40	66.1	435	
TMP-48	4/24/2017	60	73.6	415	
TMP-48	4/24/2017	72	71.8	403	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-49	3/28/2017	20	63.9	453	
TMP-49	3/28/2017	40	65.0	433	
TMP-49	3/28/2017	60	70.6	413	
TMP-49	4/4/2017	20	62.9	453	
TMP-49	4/4/2017	40	64.3	433	
TMP-49	4/4/2017	60	70.2	413	
TMP-49	4/10/2017	20	61.6	453	
TMP-49	4/10/2017	40	62.8	433	
TMP-49	4/10/2017	60	70.0	413	
TMP-49	4/17/2017	20	62.6	453	
TMP-49	4/17/2017	40	63.4	433	
TMP-49	4/17/2017	60	70.8	413	
TMP-49	4/24/2017	20	61.9	453	
TMP-49	4/24/2017	40	63.1	433	
TMP-49	4/24/2017	60	70.4	413	