

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	3/28/2016	18	117.0	451	
TMP-1	3/28/2016	38	144.2	431	
TMP-1	3/28/2016	58	148.8	411	
TMP-1	3/28/2016	78	144.4	391	
TMP-1	3/28/2016	98	135.9	371	
TMP-1	3/28/2016	118	125.1	351	
TMP-1	3/28/2016	138	116.7	331	
TMP-1	4/4/2016	18	115.5	451	
TMP-1	4/4/2016	38	143.0	431	
TMP-1	4/4/2016	58	147.7	411	
TMP-1	4/4/2016	78	143.6	391	
TMP-1	4/4/2016	98	135.1	371	
TMP-1	4/4/2016	118	124.4	351	
TMP-1	4/4/2016	138	116.0	331	
TMP-1	4/12/2016	18	116.2	451	
TMP-1	4/12/2016	38	143.9	431	
TMP-1	4/12/2016	58	148.5	411	
TMP-1	4/12/2016	78	144.5	391	
TMP-1	4/12/2016	98	135.9	371	
TMP-1	4/12/2016	118	125.2	351	
TMP-1	4/12/2016	138	116.7	331	
TMP-1	4/18/2016	18	116.9	451	
TMP-1	4/18/2016	38	144.4	431	
TMP-1	4/18/2016	58	148.9	411	
TMP-1	4/18/2016	78	144.7	391	
TMP-1	4/18/2016	98	136.0	371	
TMP-1	4/18/2016	118	125.2	351	
TMP-1	4/18/2016	138	116.7	331	
TMP-1	4/26/2016	18	115.3	451	
TMP-1	4/26/2016	38	143.4	431	
TMP-1	4/26/2016	58	148.0	411	
TMP-1	4/26/2016	78	143.8	391	
TMP-1	4/26/2016	98	135.3	371	
TMP-1	4/26/2016	118	124.5	351	
TMP-1	4/26/2016	138	116.2	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2	3/28/2016	0	69.9	488	
TMP-2	3/28/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	3/28/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	3/28/2016	60	167.9	428	
TMP-2	3/28/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	3/28/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	3/28/2016	120	160.7	368	
TMP-2	3/28/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	3/28/2016	200	102.6	288	
TMP-2	4/4/2016	0	72.5	488	
TMP-2	4/4/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	4/4/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	4/4/2016	60	168.7	428	
TMP-2	4/4/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	4/4/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	4/4/2016	120	161.6	368	
TMP-2	4/4/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	4/4/2016	200	103.5	288	
TMP-2	4/12/2016	0	73.9	488	
TMP-2	4/12/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	4/12/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	4/12/2016	60	169.4	428	
TMP-2	4/12/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	4/12/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	4/12/2016	120	162.4	368	
TMP-2	4/12/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	4/12/2016	200	103.7	288	
TMP-2	4/18/2016	0	71.4	488	
TMP-2	4/18/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	4/18/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	4/18/2016	60	167.2	428	
TMP-2	4/18/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	4/18/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	4/18/2016	120	160.3	368	
TMP-2	4/18/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	4/18/2016	200	101.9	288	
TMP-2	4/26/2016	0	73.9	488	
TMP-2	4/26/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	4/26/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	4/26/2016	60	167.4	428	
TMP-2	4/26/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	4/26/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	4/26/2016	120	160.0	368	
TMP-2	4/26/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	4/26/2016	200	101.7	288	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	3/28/2016	30	147.9	470	
TMP-3	3/28/2016	50	154.9	450	
TMP-3	3/28/2016	70	154.4	430	
TMP-3	3/28/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	3/28/2016	150	144.9	350	
TMP-3	3/28/2016	190	124.6	310	
TMP-3	3/28/2016	230	101.0	270	
TMP-3	4/4/2016	30	146.3	470	
TMP-3	4/4/2016	50	154.0	450	
TMP-3	4/4/2016	70	153.7	430	
TMP-3	4/4/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/4/2016	150	144.5	350	
TMP-3	4/4/2016	190	124.3	310	
TMP-3	4/4/2016	230	100.8	270	
TMP-3	4/12/2016	30	146.2	470	
TMP-3	4/12/2016	50	153.6	450	
TMP-3	4/12/2016	70	153.5	430	
TMP-3	4/12/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/12/2016	150	144.2	350	
TMP-3	4/12/2016	190	123.9	310	
TMP-3	4/12/2016	230	100.5	270	
TMP-3	4/18/2016	30	147.0	470	
TMP-3	4/18/2016	50	154.3	450	
TMP-3	4/18/2016	70	153.8	430	
TMP-3	4/18/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/18/2016	150	144.5	350	
TMP-3	4/18/2016	190	124.3	310	
TMP-3	4/18/2016	230	100.6	270	
TMP-3	4/26/2016	30	147.0	470	
TMP-3	4/26/2016	50	154.4	450	
TMP-3	4/26/2016	70	154.1	430	
TMP-3	4/26/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	4/26/2016	150	144.8	350	
TMP-3	4/26/2016	190	124.6	310	
TMP-3	4/26/2016	230	100.9	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	3/28/2016	20	139.3	479	
TMP-3R	3/28/2016	40	155.8	459	
TMP-3R	3/28/2016	60	158.6	439	
TMP-3R	3/28/2016	80	160.7	419	
TMP-3R	3/28/2016	100	159.8	399	
TMP-3R	3/28/2016	120	156.0	379	
TMP-3R	3/28/2016	140	155.1	359	
TMP-3R	3/28/2016	160	144.6	339	
TMP-3R	3/28/2016	180	135.6	319	
TMP-3R	3/28/2016	200	120.4	299	
TMP-3R	3/28/2016	218	107.5	281	
TMP-3R	4/4/2016	20	138.8	479	
TMP-3R	4/4/2016	40	155.3	459	
TMP-3R	4/4/2016	60	158.1	439	
TMP-3R	4/4/2016	80	160.2	419	
TMP-3R	4/4/2016	100	159.2	399	
TMP-3R	4/4/2016	120	155.3	379	
TMP-3R	4/4/2016	140	154.3	359	
TMP-3R	4/4/2016	160	143.7	339	
TMP-3R	4/4/2016	180	134.5	319	
TMP-3R	4/4/2016	200	119.2	299	
TMP-3R	4/4/2016	218	106.3	281	
TMP-3R	4/12/2016	20	139.1	479	
TMP-3R	4/12/2016	40	155.7	459	
TMP-3R	4/12/2016	60	158.5	439	
TMP-3R	4/12/2016	80	160.6	419	
TMP-3R	4/12/2016	100	159.6	399	
TMP-3R	4/12/2016	120	155.9	379	
TMP-3R	4/12/2016	140	155.0	359	
TMP-3R	4/12/2016	160	144.3	339	
TMP-3R	4/12/2016	180	135.1	319	
TMP-3R	4/12/2016	200	119.9	299	
TMP-3R	4/12/2016	218	107.1	281	
TMP-3R	4/18/2016	20	138.0	479	
TMP-3R	4/18/2016	40	154.2	459	
TMP-3R	4/18/2016	60	156.6	439	
TMP-3R	4/18/2016	80	158.5	419	
TMP-3R	4/18/2016	100	157.5	399	
TMP-3R	4/18/2016	120	153.5	379	
TMP-3R	4/18/2016	140	152.7	359	
TMP-3R	4/18/2016	160	141.8	339	
TMP-3R	4/18/2016	180	132.8	319	
TMP-3R	4/18/2016	200	117.4	299	
TMP-3R	4/18/2016	218	104.5	281	
TMP-3R	4/26/2016	20	138.3	479	
TMP-3R	4/26/2016	40	155.5	459	
TMP-3R	4/26/2016	60	158.3	439	
TMP-3R	4/26/2016	80	160.4	419	
TMP-3R	4/26/2016	100	159.4	399	
TMP-3R	4/26/2016	120	155.5	379	
TMP-3R	4/26/2016	140	154.8	359	
TMP-3R	4/26/2016	160	143.8	339	
TMP-3R	4/26/2016	180	134.8	319	
TMP-3R	4/26/2016	200	119.6	299	
TMP-3R	4/26/2016	218	106.7	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	3/28/2016	28	135.8	472	
TMP-4	4/4/2016	28	136.9	472	
TMP-4	4/12/2016	28	137.4	472	
TMP-4	4/18/2016	28	137.0	472	
TMP-4	4/26/2016	28	136.7	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	3/28/2016	10	102.2	489	
TMP-4R	3/28/2016	20	128.4	479	
TMP-4R	3/28/2016	29	134.1	470	
TMP-4R	4/4/2016	10	103.7	489	
TMP-4R	4/4/2016	20	129.2	479	
TMP-4R	4/4/2016	29	135.3	470	
TMP-4R	4/12/2016	10	104.3	489	
TMP-4R	4/12/2016	20	129.5	479	
TMP-4R	4/12/2016	29	136.1	470	
TMP-4R	4/18/2016	10	102.4	489	
TMP-4R	4/18/2016	20	127.7	479	
TMP-4R	4/18/2016	29	134.8	470	
TMP-4R	4/26/2016	10	100.8	489	
TMP-4R	4/26/2016	20	127.2	479	
TMP-4R	4/26/2016	29	134.9	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	3/28/2016	15	158.8	472	
TMP-6	3/28/2016	95	162.9	392	fluctuating resistance, possibly unreliable
TMP-6	3/28/2016	115	154.2	372	
TMP-6	3/28/2016	135	142.3	352	
TMP-6	4/4/2016	15	160.2	472	
TMP-6	4/4/2016	95	164.0	392	fluctuating resistance, possibly unreliable
TMP-6	4/4/2016	115	155.1	372	
TMP-6	4/4/2016	135	143.1	352	
TMP-6	4/12/2016	15	161.0	472	
TMP-6	4/12/2016	95	164.6	392	fluctuating resistance, possibly unreliable
TMP-6	4/12/2016	115	155.8	372	
TMP-6	4/12/2016	135	143.8	352	
TMP-6	4/18/2016	15	157.8	472	
TMP-6	4/18/2016	95	163.5	392	fluctuating resistance, possibly unreliable
TMP-6	4/18/2016	115	154.3	372	
TMP-6	4/18/2016	135	142.2	352	
TMP-6	4/26/2016	15	157.8	472	
TMP-6	4/26/2016	95	162.5	392	fluctuating resistance, possibly unreliable
TMP-6	4/26/2016	115	153.5	372	
TMP-6	4/26/2016	135	141.5	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	3/28/2016	40	215.3	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/4/2016	40	215.6	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/12/2016	40	217.1	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/18/2016	40	215.9	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	4/26/2016	40	215.3	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	3/28/2016	13	106.7	476	
TMP-10	3/28/2016	33	148.6	456	
TMP-10	3/28/2016	53	166.3	436	
TMP-10	3/28/2016	73	173.6	416	
TMP-10	3/28/2016	93	170.8	396	
TMP-10	3/28/2016	113	162.0	376	
TMP-10	3/28/2016	133	152.1	356	
TMP-10	4/4/2016	13	107.1	476	
TMP-10	4/4/2016	33	149.3	456	
TMP-10	4/4/2016	53	167.1	436	
TMP-10	4/4/2016	73	174.3	416	
TMP-10	4/4/2016	93	171.5	396	
TMP-10	4/4/2016	113	162.7	376	
TMP-10	4/4/2016	133	152.9	356	
TMP-10	4/12/2016	13	107.5	476	
TMP-10	4/12/2016	33	149.9	456	
TMP-10	4/12/2016	53	167.7	436	
TMP-10	4/12/2016	73	174.9	416	
TMP-10	4/12/2016	93	172.1	396	
TMP-10	4/12/2016	113	163.3	376	
TMP-10	4/12/2016	133	153.4	356	
TMP-10	4/18/2016	13	106.1	476	
TMP-10	4/18/2016	33	148.8	456	
TMP-10	4/18/2016	53	166.6	436	
TMP-10	4/18/2016	73	173.6	416	
TMP-10	4/18/2016	93	170.8	396	
TMP-10	4/18/2016	113	162.0	376	
TMP-10	4/18/2016	133	152.1	356	
TMP-10	4/26/2016	13	105.0	476	
TMP-10	4/26/2016	33	148.0	456	
TMP-10	4/26/2016	53	166.0	436	
TMP-10	4/26/2016	73	173.0	416	
TMP-10	4/26/2016	93	170.2	396	
TMP-10	4/26/2016	113	161.4	376	
TMP-10	4/26/2016	133	151.6	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11	3/28/2016	16	145.0	482	
TMP-11	3/28/2016	36	171.5	462	
TMP-11	3/28/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	3/28/2016	96	169.9	402	
TMP-11	3/28/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	3/28/2016	156	149.2	342	
TMP-11	3/28/2016	196	122.3	302	
TMP-11	3/28/2016	216	101.2	282	
TMP-11	4/4/2016	16	144.4	482	
TMP-11	4/4/2016	36	172.6	462	
TMP-11	4/4/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/4/2016	96	170.8	402	
TMP-11	4/4/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/4/2016	156	149.4	342	
TMP-11	4/4/2016	196	122.9	302	
TMP-11	4/4/2016	216	101.9	282	
TMP-11	4/12/2016	16	143.7	482	
TMP-11	4/12/2016	36	171.5	462	
TMP-11	4/12/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/12/2016	96	169.9	402	
TMP-11	4/12/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/12/2016	156	148.5	342	
TMP-11	4/12/2016	196	121.5	302	
TMP-11	4/12/2016	216	101.2	282	
TMP-11	4/18/2016	16	144.4	482	
TMP-11	4/18/2016	36	172.8	462	
TMP-11	4/18/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/18/2016	96	171.2	402	
TMP-11	4/18/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/18/2016	156	149.9	342	
TMP-11	4/18/2016	196	123.0	302	
TMP-11	4/18/2016	216	102.5	282	
TMP-11	4/26/2016	16	143.1	482	
TMP-11	4/26/2016	36	172.2	462	
TMP-11	4/26/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/26/2016	96	170.4	402	
TMP-11	4/26/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	4/26/2016	156	148.5	342	
TMP-11	4/26/2016	196	171.0	302	
TMP-11	4/26/2016	216	170.8	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14	3/28/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	3/28/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	3/28/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	3/28/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	3/28/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	3/28/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/4/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/4/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/4/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/4/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/4/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/4/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/12/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/12/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/12/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/12/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/12/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/12/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/18/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/18/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/18/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/18/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/18/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/18/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/26/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/26/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/26/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/26/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/26/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	4/26/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	3/28/2016	20	115.4	492	[possibly not reliable per connectivity test 10/15]
TMP-16	3/28/2016	39	146.5	473	[possibly not reliable per connectivity test 10/15]
TMP-16	3/28/2016	58	163.7	454	[possibly not reliable per connectivity test 10/15]
TMP-16	3/28/2016	77	165.9	435	[possibly not reliable per connectivity test 10/15]
TMP-16	3/28/2016	96	160.0	416	[possibly not reliable per connectivity test 10/15]
TMP-16	3/28/2016	115	151.6	397	[possibly not reliable per connectivity test 10/15]
TMP-16	3/28/2016	134	141.0	378	[possibly not reliable per connectivity test 10/15]
TMP-16	3/28/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	4/4/2016	20	116.6	492	[possibly not reliable per connectivity test 10/15]
TMP-16	4/4/2016	39	148.7	473	[possibly not reliable per connectivity test 10/15]
TMP-16	4/4/2016	58	165.5	454	[possibly not reliable per connectivity test 10/15]
TMP-16	4/4/2016	77	167.3	435	[possibly not reliable per connectivity test 10/15]
TMP-16	4/4/2016	96	161.6	416	[possibly not reliable per connectivity test 10/15]
TMP-16	4/4/2016	115	152.5	397	[possibly not reliable per connectivity test 10/15]
TMP-16	4/4/2016	134	141.4	378	[possibly not reliable per connectivity test 10/15]
TMP-16	4/4/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	4/12/2016	20	117.6	492	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	39	147.9	473	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	58	165.3	454	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	77	167.0	435	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	96	161.4	416	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	115	152.5	397	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	134	141.6	378	[possibly not reliable per connectivity test 10/15]
TMP-16	4/12/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	4/18/2016	20	116.6	492	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	39	146.1	473	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	58	163.3	454	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	77	165.0	435	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	96	159.7	416	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	115	150.9	397	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	134	139.8	378	[possibly not reliable per connectivity test 10/15]
TMP-16	4/18/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	4/26/2016	20	116.4	492	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	39	146.3	473	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	58	164.2	454	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	77	166.0	435	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	96	160.3	416	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	115	151.4	397	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	134	140.5	378	[possibly not reliable per connectivity test 10/15]
TMP-16	4/26/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	3/28/2016	20	110.2	496	
TMP-17	3/28/2016	40	142.4	476	
TMP-17	3/28/2016	60	158.6	456	
TMP-17	3/28/2016	80	161.3	436	
TMP-17	3/28/2016	100	158.6	416	
TMP-17	3/28/2016	120	154.0	396	
TMP-17	3/28/2016	140	145.1	376	
TMP-17	3/28/2016	160	130.7	356	
TMP-17	3/28/2016	180	123.4	336	
TMP-17	3/28/2016	200	117.2	316	
TMP-17	3/28/2016	220	110.7	296	
TMP-17	3/28/2016	237	102.7	279	
TMP-17	4/4/2016	20	110.4	496	
TMP-17	4/4/2016	40	142.8	476	
TMP-17	4/4/2016	60	158.8	456	
TMP-17	4/4/2016	80	161.6	436	
TMP-17	4/4/2016	100	158.7	416	
TMP-17	4/4/2016	120	154.4	396	
TMP-17	4/4/2016	140	145.1	376	
TMP-17	4/4/2016	160	130.8	356	
TMP-17	4/4/2016	180	123.4	336	
TMP-17	4/4/2016	200	117.1	316	
TMP-17	4/4/2016	220	110.6	296	
TMP-17	4/4/2016	237	102.6	279	
TMP-17	4/12/2016	20	109.5	496	
TMP-17	4/12/2016	40	142.2	476	
TMP-17	4/12/2016	60	158.4	456	
TMP-17	4/12/2016	80	161.2	436	
TMP-17	4/12/2016	100	158.5	416	
TMP-17	4/12/2016	120	154.1	396	
TMP-17	4/12/2016	140	145.2	376	
TMP-17	4/12/2016	160	130.8	356	
TMP-17	4/12/2016	180	123.5	336	
TMP-17	4/12/2016	200	117.4	316	
TMP-17	4/12/2016	220	110.9	296	
TMP-17	4/12/2016	237	103.0	279	
TMP-17	4/18/2016	20	109.7	496	
TMP-17	4/18/2016	40	142.0	476	
TMP-17	4/18/2016	60	158.3	456	
TMP-17	4/18/2016	80	161.0	436	
TMP-17	4/18/2016	100	158.2	416	
TMP-17	4/18/2016	120	153.6	396	
TMP-17	4/18/2016	140	144.6	376	
TMP-17	4/18/2016	160	130.2	356	
TMP-17	4/18/2016	180	122.8	336	
TMP-17	4/18/2016	200	116.6	316	
TMP-17	4/18/2016	220	110.1	296	
TMP-17	4/18/2016	237	102.1	279	
TMP-17	4/26/2016	20	109.6	496	
TMP-17	4/26/2016	40	142.4	476	
TMP-17	4/26/2016	60	158.5	456	
TMP-17	4/26/2016	80	160.3	436	
TMP-17	4/26/2016	100	157.3	416	
TMP-17	4/26/2016	120	153.0	396	
TMP-17	4/26/2016	140	144.2	376	
TMP-17	4/26/2016	160	130.2	356	
TMP-17	4/26/2016	180	122.9	336	
TMP-17	4/26/2016	200	116.6	316	
TMP-17	4/26/2016	220	110.1	296	
TMP-17	4/26/2016	237	102.5	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	3/28/2016	20	96.8	489	
TMP-18	3/28/2016	39	134.6	470	
TMP-18	3/28/2016	58	153.7	451	
TMP-18	3/28/2016	77	153.2	432	
TMP-18	3/28/2016	96	148.4	413	
TMP-18	3/28/2016	115	140.7	394	
TMP-18	3/28/2016	134	132.5	375	
TMP-18	3/28/2016	153	126.0	356	
TMP-18	3/28/2016	172	120.2	337	
TMP-18	3/28/2016	191	115.0	318	
TMP-18	3/28/2016	210	111.2	299	
TMP-18	3/28/2016	227	108.6	282	
TMP-18	4/4/2016	20	96.9	489	
TMP-18	4/4/2016	39	135.0	470	
TMP-18	4/4/2016	58	154.1	451	
TMP-18	4/4/2016	77	153.4	432	
TMP-18	4/4/2016	96	148.4	413	
TMP-18	4/4/2016	115	140.8	394	
TMP-18	4/4/2016	134	132.7	375	
TMP-18	4/4/2016	153	126.3	356	
TMP-18	4/4/2016	172	120.5	337	
TMP-18	4/4/2016	191	115.5	318	
TMP-18	4/4/2016	210	111.7	299	
TMP-18	4/4/2016	227	109.3	282	
TMP-18	4/12/2016	20	96.9	489	
TMP-18	4/12/2016	39	134.8	470	
TMP-18	4/12/2016	58	154.0	451	
TMP-18	4/12/2016	77	153.4	432	
TMP-18	4/12/2016	96	148.7	413	
TMP-18	4/12/2016	115	141.1	394	
TMP-18	4/12/2016	134	133.1	375	
TMP-18	4/12/2016	153	126.6	356	
TMP-18	4/12/2016	172	120.8	337	
TMP-18	4/12/2016	191	115.6	318	
TMP-18	4/12/2016	210	111.8	299	
TMP-18	4/12/2016	227	109.3	282	
TMP-18	4/18/2016	20	96.0	489	
TMP-18	4/18/2016	39	134.2	470	
TMP-18	4/18/2016	58	153.0	451	
TMP-18	4/18/2016	77	152.4	432	
TMP-18	4/18/2016	96	147.5	413	
TMP-18	4/18/2016	115	139.8	394	
TMP-18	4/18/2016	134	131.6	375	
TMP-18	4/18/2016	153	125.2	356	
TMP-18	4/18/2016	172	119.2	337	
TMP-18	4/18/2016	191	114.1	318	
TMP-18	4/18/2016	210	110.2	299	
TMP-18	4/18/2016	227	107.5	282	
TMP-18	4/26/2016	20	95.0	489	
TMP-18	4/26/2016	39	133.6	470	
TMP-18	4/26/2016	58	152.5	451	
TMP-18	4/26/2016	77	151.8	432	
TMP-18	4/26/2016	96	147.1	413	
TMP-18	4/26/2016	115	139.5	394	
TMP-18	4/26/2016	134	131.4	375	
TMP-18	4/26/2016	153	125.0	356	
TMP-18	4/26/2016	172	118.9	337	
TMP-18	4/26/2016	191	113.9	318	
TMP-18	4/26/2016	210	109.8	299	
TMP-18	4/26/2016	227	107.1	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	3/28/2016	13	90.4	461	
TMP-21	3/28/2016	26	96.4	448	
TMP-21	3/28/2016	41	90.9	433	
TMP-21	4/4/2016	13	90.7	461	
TMP-21	4/4/2016	26	96.6	448	
TMP-21	4/4/2016	41	91.1	433	
TMP-21	4/12/2016	13	90.5	461	
TMP-21	4/12/2016	26	97.1	448	
TMP-21	4/12/2016	41	91.7	433	
TMP-21	4/18/2016	13	89.4	461	
TMP-21	4/18/2016	26	95.5	448	
TMP-21	4/18/2016	41	90.0	433	
TMP-21	4/26/2016	13	88.6	461	
TMP-21	4/26/2016	26	95.7	448	
TMP-21	4/26/2016	41	90.5	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	3/28/2016	15	110.0	474	
TMP-22	3/28/2016	31	127.8	458	
TMP-22	3/28/2016	50	124.9	439	
TMP-22	3/28/2016	70	116.8	419	
TMP-22	4/4/2016	15	110.1	474	
TMP-22	4/4/2016	31	128.2	458	
TMP-22	4/4/2016	50	125.5	439	
TMP-22	4/4/2016	70	117.5	419	
TMP-22	4/12/2016	15	109.6	474	
TMP-22	4/12/2016	31	127.9	458	
TMP-22	4/12/2016	50	125.2	439	
TMP-22	4/12/2016	70	117.2	419	
TMP-22	4/18/2016	15	108.4	474	
TMP-22	4/18/2016	31	126.5	458	
TMP-22	4/18/2016	50	123.7	439	
TMP-22	4/18/2016	70	115.6	419	
TMP-22	4/26/2016	15	108.0	474	
TMP-22	4/26/2016	31	127.0	458	
TMP-22	4/26/2016	50	124.6	439	
TMP-22	4/26/2016	70	116.7	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	3/28/2016	20	119.3	477	
TMP-23	3/28/2016	38	140.7	459	
TMP-23	3/28/2016	56	143.1	441	
TMP-23	3/28/2016	74	135.4	423	
TMP-23	3/28/2016	92	126.3	405	
TMP-23	3/28/2016	106	117.7	391	
TMP-23	4/4/2016	20	120.0	477	
TMP-23	4/4/2016	38	141.4	459	
TMP-23	4/4/2016	56	143.7	441	
TMP-23	4/4/2016	74	136.1	423	
TMP-23	4/4/2016	92	127.1	405	
TMP-23	4/4/2016	106	118.5	391	
TMP-23	4/12/2016	20	120.0	477	
TMP-23	4/12/2016	38	141.6	459	
TMP-23	4/12/2016	56	144.1	441	
TMP-23	4/12/2016	74	136.5	423	
TMP-23	4/12/2016	92	127.5	405	
TMP-23	4/12/2016	106	118.9	391	
TMP-23	4/18/2016	20	118.1	477	
TMP-23	4/18/2016	38	139.7	459	
TMP-23	4/18/2016	56	142.0	441	
TMP-23	4/18/2016	74	134.4	423	
TMP-23	4/18/2016	92	125.4	405	
TMP-23	4/18/2016	106	116.8	391	
TMP-23	4/26/2016	20	117.7	477	
TMP-23	4/26/2016	38	139.9	459	
TMP-23	4/26/2016	56	142.6	441	
TMP-23	4/26/2016	74	135.2	423	
TMP-23	4/26/2016	92	126.4	405	
TMP-23	4/26/2016	106	118.0	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	3/28/2016	20	104.6	492	
TMP-24	3/28/2016	40	130.6	472	
TMP-24	3/28/2016	60	143.0	452	
TMP-24	3/28/2016	67	144.2	445	
TMP-24	4/4/2016	20	107.0	492	
TMP-24	4/4/2016	40	132.4	472	
TMP-24	4/4/2016	60	144.8	452	
TMP-24	4/4/2016	67	145.8	445	
TMP-24	4/12/2016	20	106.0	492	
TMP-24	4/12/2016	40	132.1	472	
TMP-24	4/12/2016	60	144.6	452	
TMP-24	4/12/2016	67	145.6	445	
TMP-24	4/18/2016	20	104.1	492	
TMP-24	4/18/2016	40	130.2	472	
TMP-24	4/18/2016	60	142.7	452	
TMP-24	4/18/2016	67	143.6	445	
TMP-24	4/26/2016	20	102.7	492	
TMP-24	4/26/2016	40	129.3	472	
TMP-24	4/26/2016	60	142.0	452	
TMP-24	4/26/2016	67	143.2	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	3/28/2016	20	123.5	495	
TMP-25	3/28/2016	40	148.3	475	
TMP-25	3/28/2016	60	160.8	455	
TMP-25	3/28/2016	80	162.3	435	
TMP-25	3/28/2016	100	157.2	415	
TMP-25	3/28/2016	120	146.5	395	
TMP-25	3/28/2016	140	135.1	375	
TMP-25	3/28/2016	160	122.0	355	
TMP-25	3/28/2016	180	114.3	335	
TMP-25	3/28/2016	200	108.4	315	
TMP-25	3/28/2016	220	97.3	295	
TMP-25	3/28/2016	235	93.7	280	
TMP-25	4/4/2016	20	123.0	495	
TMP-25	4/4/2016	40	147.9	475	
TMP-25	4/4/2016	60	160.5	455	
TMP-25	4/4/2016	80	161.9	435	
TMP-25	4/4/2016	100	156.8	415	
TMP-25	4/4/2016	120	146.2	395	
TMP-25	4/4/2016	140	134.7	375	
TMP-25	4/4/2016	160	121.7	355	
TMP-25	4/4/2016	180	114.1	335	
TMP-25	4/4/2016	200	108.2	315	
TMP-25	4/4/2016	220	97.2	295	
TMP-25	4/4/2016	235	93.8	280	
TMP-25	4/12/2016	20	123.5	495	
TMP-25	4/12/2016	40	148.3	475	
TMP-25	4/12/2016	60	160.9	455	
TMP-25	4/12/2016	80	162.4	435	
TMP-25	4/12/2016	100	157.3	415	
TMP-25	4/12/2016	120	146.7	395	
TMP-25	4/12/2016	140	135.2	375	
TMP-25	4/12/2016	160	122.2	355	
TMP-25	4/12/2016	180	114.7	335	
TMP-25	4/12/2016	200	108.8	315	
TMP-25	4/12/2016	220	97.8	295	
TMP-25	4/12/2016	235	94.4	280	
TMP-25	4/18/2016	20	122.3	495	
TMP-25	4/18/2016	40	147.0	475	
TMP-25	4/18/2016	60	159.6	455	
TMP-25	4/18/2016	80	161.1	435	
TMP-25	4/18/2016	100	156.1	415	
TMP-25	4/18/2016	120	145.4	395	
TMP-25	4/18/2016	140	133.8	375	
TMP-25	4/18/2016	160	120.8	355	
TMP-25	4/18/2016	180	113.2	335	
TMP-25	4/18/2016	200	107.4	315	
TMP-25	4/18/2016	220	96.5	295	
TMP-25	4/18/2016	235	93.1	280	
TMP-25	4/26/2016	20	121.8	495	
TMP-25	4/26/2016	40	146.9	475	
TMP-25	4/26/2016	60	159.5	455	
TMP-25	4/26/2016	80	161.1	435	
TMP-25	4/26/2016	100	156.0	415	
TMP-25	4/26/2016	120	145.3	395	
TMP-25	4/26/2016	140	133.9	375	
TMP-25	4/26/2016	160	120.9	355	
TMP-25	4/26/2016	180	113.3	335	
TMP-25	4/26/2016	200	107.4	315	
TMP-25	4/26/2016	220	96.6	295	
TMP-25	4/26/2016	235	93.2	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	3/28/2016	20	99.9	479	
TMP-26	3/28/2016	40	119.1	459	
TMP-26	3/28/2016	60	124.2	439	
TMP-26	3/28/2016	80	124.1	419	
TMP-26	3/28/2016	100	116.0	399	
TMP-26	3/28/2016	120	120.5	379	
TMP-26	3/28/2016	140	122.0	359	
TMP-26	3/28/2016	142	121.1	357	
TMP-26	4/4/2016	20	101.4	479	
TMP-26	4/4/2016	40	121.1	459	
TMP-26	4/4/2016	60	125.8	439	
TMP-26	4/4/2016	80	125.7	419	
TMP-26	4/4/2016	100	117.7	399	
TMP-26	4/4/2016	120	122.0	379	
TMP-26	4/4/2016	140	123.3	359	
TMP-26	4/4/2016	142	122.3	357	
TMP-26	4/12/2016	20	100.7	479	
TMP-26	4/12/2016	40	119.9	459	
TMP-26	4/12/2016	60	124.7	439	
TMP-26	4/12/2016	80	124.5	419	
TMP-26	4/12/2016	100	116.4	399	
TMP-26	4/12/2016	120	120.6	379	
TMP-26	4/12/2016	140	121.9	359	
TMP-26	4/12/2016	142	121.0	357	
TMP-26	4/18/2016	20	99.5	479	
TMP-26	4/18/2016	40	118.5	459	
TMP-26	4/18/2016	60	123.6	439	
TMP-26	4/18/2016	80	123.3	419	
TMP-26	4/18/2016	100	115.2	399	
TMP-26	4/18/2016	120	119.8	379	
TMP-26	4/18/2016	140	121.1	359	
TMP-26	4/18/2016	142	120.2	357	
TMP-26	4/26/2016	20	99.9	479	
TMP-26	4/26/2016	40	118.7	459	
TMP-26	4/26/2016	60	123.8	439	
TMP-26	4/26/2016	80	123.6	419	
TMP-26	4/26/2016	100	115.6	399	
TMP-26	4/26/2016	120	119.9	379	
TMP-26	4/26/2016	140	121.2	359	
TMP-26	4/26/2016	142	120.2	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	3/28/2016	20	100.9	493	
TMP-27	3/28/2016	40	141.8	473	
TMP-27	3/28/2016	60	154.5	453	
TMP-27	3/28/2016	80	157.7	433	
TMP-27	3/28/2016	100	154.7	413	
TMP-27	3/28/2016	120	149.4	393	
TMP-27	3/28/2016	140	143.7	373	
TMP-27	3/28/2016	160	137.1	353	
TMP-27	3/28/2016	180	130.5	333	
TMP-27	3/28/2016	200	126.1	313	
TMP-27	3/28/2016	220	120.9	293	
TMP-27	3/28/2016	233	115.6	280	
TMP-27	4/4/2016	20	102.1	493	
TMP-27	4/4/2016	40	143.0	473	
TMP-27	4/4/2016	60	155.4	453	
TMP-27	4/4/2016	80	158.6	433	
TMP-27	4/4/2016	100	155.4	413	
TMP-27	4/4/2016	120	150.2	393	
TMP-27	4/4/2016	140	144.4	373	
TMP-27	4/4/2016	160	137.8	353	
TMP-27	4/4/2016	180	131.2	333	
TMP-27	4/4/2016	200	126.9	313	
TMP-27	4/4/2016	220	121.8	293	
TMP-27	4/4/2016	233	116.5	280	
TMP-27	4/12/2016	20	102.9	493	
TMP-27	4/12/2016	40	144.1	473	
TMP-27	4/12/2016	60	157.0	453	
TMP-27	4/12/2016	80	160.4	433	
TMP-27	4/12/2016	100	157.4	413	
TMP-27	4/12/2016	120	151.9	393	
TMP-27	4/12/2016	140	146.0	373	
TMP-27	4/12/2016	160	139.3	353	
TMP-27	4/12/2016	180	132.9	333	
TMP-27	4/12/2016	200	128.7	313	
TMP-27	4/12/2016	220	123.1	293	
TMP-27	4/12/2016	233	117.5	280	
TMP-27	4/18/2016	20	100.8	493	
TMP-27	4/18/2016	40	141.8	473	
TMP-27	4/18/2016	60	154.0	453	
TMP-27	4/18/2016	80	157.2	433	
TMP-27	4/18/2016	100	154.1	413	
TMP-27	4/18/2016	120	149.0	393	
TMP-27	4/18/2016	140	143.3	373	
TMP-27	4/18/2016	160	136.6	353	
TMP-27	4/18/2016	180	130.1	333	
TMP-27	4/18/2016	200	126.0	313	
TMP-27	4/18/2016	220	120.9	293	
TMP-27	4/18/2016	233	115.9	280	
TMP-27	4/26/2016	20	100.5	493	
TMP-27	4/26/2016	40	141.6	473	
TMP-27	4/26/2016	60	154.1	453	
TMP-27	4/26/2016	80	157.4	433	
TMP-27	4/26/2016	100	154.5	413	
TMP-27	4/26/2016	120	149.4	393	
TMP-27	4/26/2016	140	143.7	373	
TMP-27	4/26/2016	160	136.9	353	
TMP-27	4/26/2016	180	130.4	333	
TMP-27	4/26/2016	200	126.0	313	
TMP-27	4/26/2016	220	120.7	293	
TMP-27	4/26/2016	233	115.5	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	3/28/2016	20	102.6	480	
TMP-28	3/28/2016	40	141.1	460	
TMP-28	3/28/2016	60	137.0	440	
TMP-28	3/28/2016	80	136.5	420	
TMP-28	3/28/2016	100	134.7	400	
TMP-28	3/28/2016	120	128.8	380	
TMP-28	3/28/2016	140	124.4	360	
TMP-28	3/28/2016	160	119.6	340	
TMP-28	3/28/2016	180	115.7	320	
TMP-28	3/28/2016	200	113.5	300	
TMP-28	3/28/2016	217		283	no longer working
TMP-28	4/4/2016	20	103.3	480	
TMP-28	4/4/2016	40	141.2	460	
TMP-28	4/4/2016	60	136.9	440	
TMP-28	4/4/2016	80	136.4	420	
TMP-28	4/4/2016	100	134.7	400	
TMP-28	4/4/2016	120	129	380	
TMP-28	4/4/2016	140	124.5	360	
TMP-28	4/4/2016	160	119.9	340	
TMP-28	4/4/2016	180	116.2	320	
TMP-28	4/4/2016	200	114.0	300	
TMP-28	4/4/2016	217		283	no longer working
TMP-28	4/12/2016	20	104.2	480	
TMP-28	4/12/2016	40	142.5	460	
TMP-28	4/12/2016	60	137.8	440	
TMP-28	4/12/2016	80	137.1	420	
TMP-28	4/12/2016	100	135.6	400	
TMP-28	4/12/2016	120	129.9	380	
TMP-28	4/12/2016	140	125.5	360	
TMP-28	4/12/2016	160	120.8	340	
TMP-28	4/12/2016	180	117.1	320	
TMP-28	4/12/2016	200	114.7	300	
TMP-28	4/12/2016	217		283	no longer working
TMP-28	4/18/2016	20	101.8	480	
TMP-28	4/18/2016	40	140.0	460	
TMP-28	4/18/2016	60	135.5	440	
TMP-28	4/18/2016	80	131.8	420	
TMP-28	4/18/2016	100	133.2	400	
TMP-28	4/18/2016	120	127.6	380	
TMP-28	4/18/2016	140	123.2	360	
TMP-28	4/18/2016	160	118.7	340	
TMP-28	4/18/2016	180	114.7	320	
TMP-28	4/18/2016	200	112.5	300	
TMP-28	4/18/2016	217		283	no longer working
TMP-28	4/26/2016	20	101.6	480	
TMP-28	4/26/2016	40	139.7	460	
TMP-28	4/26/2016	60	135.1	440	
TMP-28	4/26/2016	80	130.6	420	
TMP-28	4/26/2016	100	132.6	400	
TMP-28	4/26/2016	120	126.7	380	
TMP-28	4/26/2016	140	122.2	360	
TMP-28	4/26/2016	160	117.8	340	
TMP-28	4/26/2016	180	114.1	320	
TMP-28	4/26/2016	200	112.0	300	
TMP-28	4/26/2016	217		283	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	3/28/2016	8	63.2	488	
TMP-29	3/28/2016	16	80.5	480	
TMP-29	3/28/2016	25	89.5	471	
TMP-29	4/4/2016	8	63.2	488	
TMP-29	4/4/2016	16	79.9	480	
TMP-29	4/4/2016	25	89.1	471	
TMP-29	4/12/2016	8	62.7	488	
TMP-29	4/12/2016	16	79.7	480	
TMP-29	4/12/2016	25	89.1	471	
TMP-29	4/18/2016	8	61.1	488	
TMP-29	4/18/2016	16	77.6	480	
TMP-29	4/18/2016	25	87.2	471	
TMP-29	4/26/2016	8	60.9	488	
TMP-29	4/26/2016	16	77.0	480	
TMP-29	4/26/2016	25	86.7	471	