

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	5/2/2016	18	114.3	451	
TMP-1	5/2/2016	38	142.9	431	
TMP-1	5/2/2016	58	147.6	411	
TMP-1	5/2/2016	78	143.4	391	
TMP-1	5/2/2016	98	135.3	371	
TMP-1	5/2/2016	118	124.7	351	
TMP-1	5/2/2016	138	116.3	331	
TMP-1	5/9/2016	18	114.8	451	
TMP-1	5/9/2016	38	143.4	431	
TMP-1	5/9/2016	58	147.9	411	
TMP-1	5/9/2016	78	143.8	391	
TMP-1	5/9/2016	98	135.1	371	
TMP-1	5/9/2016	118	124.4	351	
TMP-1	5/9/2016	138	116.0	331	
TMP-1	5/18/2016	18	115.8	451	
TMP-1	5/18/2016	38	144.3	431	
TMP-1	5/18/2016	58	148.8	411	
TMP-1	5/18/2016	78	144.5	391	
TMP-1	5/18/2016	98	135.9	371	
TMP-1	5/18/2016	118	125.2	351	
TMP-1	5/18/2016	138	116.6	331	
TMP-1	5/23/2016	18	116.1	451	
TMP-1	5/23/2016	38	144.6	431	
TMP-1	5/23/2016	58	149.2	411	
TMP-1	5/23/2016	78	145.1	391	
TMP-1	5/23/2016	98	136.3	371	
TMP-1	5/23/2016	118	125.4	351	
TMP-1	5/23/2016	138	116.9	331	
TMP-1	6/1/2016	18	116.0	451	
TMP-1	6/1/2016	38	144.7	431	
TMP-1	6/1/2016	58	149.3	411	
TMP-1	6/1/2016	78	145.0	391	
TMP-1	6/1/2016	98	136.5	371	
TMP-1	6/1/2016	118	125.6	351	
TMP-1	6/1/2016	138	117.2	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2	5/2/2016	0	75.5	488	
TMP-2	5/2/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	5/2/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	5/2/2016	60	168.1	428	
TMP-2	5/2/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	5/2/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	5/2/2016	120	160.9	368	
TMP-2	5/2/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	5/2/2016	200	102.4	288	
TMP-2	5/9/2016	0	76.2	488	
TMP-2	5/9/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	5/9/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	5/9/2016	60	167.3	428	
TMP-2	5/9/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	5/9/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	5/9/2016	120	160.0	368	
TMP-2	5/9/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	5/9/2016	200	101.6	288	
TMP-2	5/18/2016	0	76.5	488	
TMP-2	5/18/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	5/18/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	5/18/2016	60	167.6	428	
TMP-2	5/18/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	5/18/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	5/18/2016	120	160.4	368	
TMP-2	5/18/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	5/18/2016	200	101.9	288	
TMP-2	5/23/2016	0	78.6	488	
TMP-2	5/23/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	5/23/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	5/23/2016	60	168.1	428	
TMP-2	5/23/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	5/23/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	5/23/2016	120	160.9	368	
TMP-2	5/23/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	5/23/2016	200	102.5	288	
TMP-2	6/1/2016	0	78.5	488	
TMP-2	6/1/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	6/1/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	6/1/2016	60	167.3	428	
TMP-2	6/1/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	6/1/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	6/1/2016	120	160.2	368	
TMP-2	6/1/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	6/1/2016	200	101.8	288	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	5/2/2016	30	148.5	470	
TMP-3	5/2/2016	50	155.7	450	
TMP-3	5/2/2016	70	155.2	430	
TMP-3	5/2/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	5/2/2016	150	145.8	350	
TMP-3	5/2/2016	190	125.4	310	
TMP-3	5/2/2016	230	101.9	270	
TMP-3	5/9/2016	30	146.0	470	
TMP-3	5/9/2016	50	153.9	450	
TMP-3	5/9/2016	70	153.4	430	
TMP-3	5/9/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	5/9/2016	150	144.3	350	
TMP-3	5/9/2016	190	123.8	310	
TMP-3	5/9/2016	230	100.3	270	
TMP-3	5/18/2016	30	147.6	470	
TMP-3	5/18/2016	50	155.1	450	
TMP-3	5/18/2016	70	154.7	430	
TMP-3	5/18/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	5/18/2016	150	145.7	350	
TMP-3	5/18/2016	190	125.2	310	
TMP-3	5/18/2016	230	101.8	270	
TMP-3	5/23/2016	30	147.2	470	
TMP-3	5/23/2016	50	154.5	450	
TMP-3	5/23/2016	70	154.0	430	
TMP-3	5/23/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	5/23/2016	150	144.8	350	
TMP-3	5/23/2016	190	124.0	310	
TMP-3	5/23/2016	230	100.4	270	
TMP-3	6/1/2016	30	147.2	470	
TMP-3	6/1/2016	50	154.7	450	
TMP-3	6/1/2016	70	154.3	430	
TMP-3	6/1/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/1/2016	150	145.1	350	
TMP-3	6/1/2016	190	124.2	310	
TMP-3	6/1/2016	230	100.8	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	5/2/2016	20	139.4	479	
TMP-3R	5/2/2016	40	156.0	459	
TMP-3R	5/2/2016	60	158.6	439	
TMP-3R	5/2/2016	80	160.6	419	
TMP-3R	5/2/2016	100	159.5	399	
TMP-3R	5/2/2016	120	155.6	379	
TMP-3R	5/2/2016	140	154.9	359	
TMP-3R	5/2/2016	160	143.9	339	
TMP-3R	5/2/2016	180	134.7	319	
TMP-3R	5/2/2016	200	119.5	299	
TMP-3R	5/2/2016	218	106.6	281	
TMP-3R	5/9/2016	20	137.6	479	
TMP-3R	5/9/2016	40	154.5	459	
TMP-3R	5/9/2016	60	157.0	439	
TMP-3R	5/9/2016	80	159.0	419	
TMP-3R	5/9/2016	100	158.0	399	
TMP-3R	5/9/2016	120	154.1	379	
TMP-3R	5/9/2016	140	153.5	359	
TMP-3R	5/9/2016	160	142.4	339	
TMP-3R	5/9/2016	180	133.3	319	
TMP-3R	5/9/2016	200	118.0	299	
TMP-3R	5/9/2016	218	105.1	281	
TMP-3R	5/18/2016	20	139.2	479	
TMP-3R	5/18/2016	40	156.1	459	
TMP-3R	5/18/2016	60	158.6	439	
TMP-3R	5/18/2016	80	160.5	419	
TMP-3R	5/18/2016	100	159.4	399	
TMP-3R	5/18/2016	120	155.6	379	
TMP-3R	5/18/2016	140	155.0	359	
TMP-3R	5/18/2016	160	143.8	339	
TMP-3R	5/18/2016	180	134.7	319	
TMP-3R	5/18/2016	200	119.3	299	
TMP-3R	5/18/2016	218	106.5	281	
TMP-3R	5/23/2016	20	138.5	479	
TMP-3R	5/23/2016	40	155.5	459	
TMP-3R	5/23/2016	60	158.0	439	
TMP-3R	5/23/2016	80	159.9	419	
TMP-3R	5/23/2016	100	158.7	399	
TMP-3R	5/23/2016	120	154.8	379	
TMP-3R	5/23/2016	140	154.2	359	
TMP-3R	5/23/2016	160	142.9	339	
TMP-3R	5/23/2016	180	133.7	319	
TMP-3R	5/23/2016	200	118.4	299	
TMP-3R	5/23/2016	218	105.5	281	
TMP-3R	6/1/2016	20	138.3	479	
TMP-3R	6/1/2016	40	155.6	459	
TMP-3R	6/1/2016	60	158.1	439	
TMP-3R	6/1/2016	80	160.0	419	
TMP-3R	6/1/2016	100	158.9	399	
TMP-3R	6/1/2016	120	155.0	379	
TMP-3R	6/1/2016	140	154.7	359	
TMP-3R	6/1/2016	160	143.3	339	
TMP-3R	6/1/2016	180	134.1	319	
TMP-3R	6/1/2016	200	118.8	299	
TMP-3R	6/1/2016	218	106.0	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	5/2/2016	28	135.2	472	
TMP-4	5/9/2016	28	137.1	472	
TMP-4	5/18/2016	28	138.1	472	
TMP-4	5/23/2016	28	138.4	472	
TMP-4	6/1/2016	28	136.6	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	5/2/2016	10	102.3	489	
TMP-4R	5/2/2016	20	127.2	479	
TMP-4R	5/2/2016	29	134.9	470	
TMP-4R	5/9/2016	10	100.6	489	
TMP-4R	5/9/2016	20	125.2	479	
TMP-4R	5/9/2016	29	133.0	470	
TMP-4R	5/18/2016	10	103.2	489	
TMP-4R	5/18/2016	20	126.4	479	
TMP-4R	5/18/2016	29	134.4	470	
TMP-4R	5/23/2016	10	102.2	489	
TMP-4R	5/23/2016	20	125.6	479	
TMP-4R	5/23/2016	29	134.1	470	
TMP-4R	6/1/2016	10	102.8	489	
TMP-4R	6/1/2016	20	124.6	479	
TMP-4R	6/1/2016	29	133.2	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	5/2/2016	15	160.1	472	
TMP-6	5/2/2016	95	163.1	392	fluctuating resistance, possibly unreliable
TMP-6	5/2/2016	115	154.0	372	
TMP-6	5/2/2016	135	141.9	352	
TMP-6	5/9/2016	15	160.3	472	
TMP-6	5/9/2016	95	162.8	392	fluctuating resistance, possibly unreliable
TMP-6	5/9/2016	115	153.6	372	
TMP-6	5/9/2016	135	141.5	352	
TMP-6	5/18/2016	15	161.8	472	
TMP-6	5/18/2016	95	163.3	392	fluctuating resistance, possibly unreliable
TMP-6	5/18/2016	115	154.3	372	
TMP-6	5/18/2016	135	142.2	352	
TMP-6	5/23/2016	15	161.4	472	
TMP-6	5/23/2016	95	163.2	392	fluctuating resistance, possibly unreliable
TMP-6	5/23/2016	115	154.0	372	
TMP-6	5/23/2016	135	141.9	352	
TMP-6	6/1/2016	15	160.3	472	
TMP-6	6/1/2016	95	163.2	392	fluctuating resistance, possibly unreliable
TMP-6	6/1/2016	115	153.9	372	
TMP-6	6/1/2016	135	141.7	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	5/2/2016	40	214.4	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	5/9/2016	40	215.0	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	5/18/2016	40	215.5	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	5/23/2016	40	217.8	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	6/1/2016	40	216.5	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	5/2/2016	13	105.5	476	
TMP-10	5/2/2016	33	148.7	456	
TMP-10	5/2/2016	53	166.6	436	
TMP-10	5/2/2016	73	173.7	416	
TMP-10	5/2/2016	93	170.9	396	
TMP-10	5/2/2016	113	162.1	376	
TMP-10	5/2/2016	133	152.1	356	
TMP-10	5/9/2016	13	104.8	476	
TMP-10	5/9/2016	33	148.2	456	
TMP-10	5/9/2016	53	166.3	436	
TMP-10	5/9/2016	73	173.2	416	
TMP-10	5/9/2016	93	170.5	396	
TMP-10	5/9/2016	113	161.6	376	
TMP-10	5/9/2016	133	151.6	356	
TMP-10	5/18/2016	13	105.2	476	
TMP-10	5/18/2016	33	149.4	456	
TMP-10	5/18/2016	53	166.8	436	
TMP-10	5/18/2016	73	173.9	416	
TMP-10	5/18/2016	93	171.1	396	
TMP-10	5/18/2016	113	162.2	376	
TMP-10	5/18/2016	133	152.1	356	
TMP-10	5/23/2016	13	106.3	476	
TMP-10	5/23/2016	33	150.4	456	
TMP-10	5/23/2016	53	167.8	436	
TMP-10	5/23/2016	73	174.9	416	
TMP-10	5/23/2016	93	172.0	396	
TMP-10	5/23/2016	113	163.1	376	
TMP-10	5/23/2016	133	153.0	356	
TMP-10	6/1/2016	13	104.6	476	
TMP-10	6/1/2016	33	148.7	456	
TMP-10	6/1/2016	53	166.3	436	
TMP-10	6/1/2016	73	173.4	416	
TMP-10	6/1/2016	93	170.6	396	
TMP-10	6/1/2016	113	161.7	376	
TMP-10	6/1/2016	133	151.7	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11	5/2/2016	16	143.4	482	
TMP-11	5/2/2016	36	173.0	462	
TMP-11	5/2/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/2/2016	96	171.2	402	
TMP-11	5/2/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/2/2016	156	149.5	342	
TMP-11	5/2/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	5/2/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	5/9/2016	16	142.8	482	
TMP-11	5/9/2016	36	172.7	462	
TMP-11	5/9/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/9/2016	96	170.7	402	
TMP-11	5/9/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/9/2016	156	149.0	342	
TMP-11	5/9/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	5/9/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	5/18/2016	16	141.9	482	
TMP-11	5/18/2016	36	172.4	462	
TMP-11	5/18/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/18/2016	96	170.4	402	
TMP-11	5/18/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/18/2016	156	149.1	342	
TMP-11	5/18/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	5/18/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	5/23/2016	16	143.6	482	
TMP-11	5/23/2016	36	173.8	462	
TMP-11	5/23/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/23/2016	96	171.5	402	
TMP-11	5/23/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/23/2016	156	150.3	342	
TMP-11	5/23/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	5/23/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	6/1/2016	16	142.6	482	
TMP-11	6/1/2016	36	173.3	462	
TMP-11	6/1/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/1/2016	96	170.9	402	
TMP-11	6/1/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/1/2016	156		342	low resistivity value, unreliable temperature
TMP-11	6/1/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	6/1/2016	216		282	low resistivity values, unreliable temperatures

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14	5/2/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/2/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/2/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/2/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/2/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/2/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/9/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/9/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/9/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/9/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/9/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/9/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/18/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/18/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/18/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/18/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/18/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/18/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/23/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/23/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/23/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/23/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/23/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/23/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/1/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/1/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/1/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/1/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/1/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/1/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	5/2/2016	20	117.1	492	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	39	145.7	473	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	58	163.1	454	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	77	165.0	435	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	96	159.7	416	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	115	151.0	397	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	134	140.3	378	[possibly not reliable per connectivity test 10/15]
TMP-16	5/2/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	5/9/2016	20	115.6	492	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	39	145.7	473	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	58	161.1	454	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	77	163.6	435	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	96	159.5	416	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	115	150.8	397	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	134	138.5	378	[possibly not reliable per connectivity test 10/15]
TMP-16	5/9/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	5/18/2016	20	115.3	492	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	39	146.1	473	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	58	162.3	454	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	77	163.5	435	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	96	159.4	416	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	115	150.5	397	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	134	137.9	378	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	5/23/2016	20	117.0	492	[possibly not reliable per connectivity test 10/15]
TMP-16	5/23/2016	39	146.9	473	[possibly not reliable per connectivity test 10/15]
TMP-16	5/23/2016	58		454	[possibly not reliable per connectivity test 10/15] - no reading taken
TMP-16	5/23/2016	77	165.1	435	[possibly not reliable per connectivity test 10/15]
TMP-16	5/23/2016	96	160.2	416	[possibly not reliable per connectivity test 10/15]
TMP-16	5/23/2016	115	151.1	397	[possibly not reliable per connectivity test 10/15]
TMP-16	5/23/2016	134	139.0	378	[possibly not reliable per connectivity test 10/15]
TMP-16	5/23/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	6/1/2016	20	119.6	492	[possibly not reliable per connectivity test 10/15]
TMP-16	6/1/2016	39	146.4	473	[possibly not reliable per connectivity test 10/15]
TMP-16	6/1/2016	58		454	[possibly not reliable per connectivity test 10/15] - no reading taken
TMP-16	6/1/2016	77	165.6	435	[possibly not reliable per connectivity test 10/15]
TMP-16	6/1/2016	96		416	[possibly not reliable per connectivity test 10/15]
TMP-16	6/1/2016	115	151.8	397	[possibly not reliable per connectivity test 10/15]
TMP-16	6/1/2016	134	140.8	378	[possibly not reliable per connectivity test 10/15]
TMP-16	6/1/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	5/2/2016	20	110.3	496	
TMP-17	5/2/2016	40	142.6	476	
TMP-17	5/2/2016	60	158.6	456	
TMP-17	5/2/2016	80	161.1	436	
TMP-17	5/2/2016	100	158.1	416	
TMP-17	5/2/2016	120	153.3	396	
TMP-17	5/2/2016	140	143.6	376	
TMP-17	5/2/2016	160	129.6	356	
TMP-17	5/2/2016	180	122.3	336	
TMP-17	5/2/2016	200	115.9	316	
TMP-17	5/2/2016	220	109.4	296	
TMP-17	5/2/2016	237	101.4	279	
TMP-17	5/9/2016	20	109.5	496	
TMP-17	5/9/2016	40	141.6	476	
TMP-17	5/9/2016	60	157.9	456	
TMP-17	5/9/2016	80	160.4	436	
TMP-17	5/9/2016	100	157.4	416	
TMP-17	5/9/2016	120	152.7	396	
TMP-17	5/9/2016	140	142.9	376	
TMP-17	5/9/2016	160	129.0	356	
TMP-17	5/9/2016	180	121.6	336	
TMP-17	5/9/2016	200	115.2	316	
TMP-17	5/9/2016	220	108.8	296	
TMP-17	5/9/2016	237	100.7	279	
TMP-17	5/18/2016	20	110.0	496	
TMP-17	5/18/2016	40	142.2	476	
TMP-17	5/18/2016	60	158.6	456	
TMP-17	5/18/2016	80	161.1	436	
TMP-17	5/18/2016	100	158.1	416	
TMP-17	5/18/2016	120	153.5	396	
TMP-17	5/18/2016	140	143.5	376	
TMP-17	5/18/2016	160	129.8	356	
TMP-17	5/18/2016	180	122.4	336	
TMP-17	5/18/2016	200	116.2	316	
TMP-17	5/18/2016	220	109.9	296	
TMP-17	5/18/2016	237	101.7	279	
TMP-17	5/23/2016	20	109.4	496	
TMP-17	5/23/2016	40	141.9	476	
TMP-17	5/23/2016	60	158.0	456	
TMP-17	5/23/2016	80	160.6	436	
TMP-17	5/23/2016	100	157.6	416	
TMP-17	5/23/2016	120	152.9	396	
TMP-17	5/23/2016	140	143.5	376	
TMP-17	5/23/2016	160	128.8	356	
TMP-17	5/23/2016	180	121.3	336	
TMP-17	5/23/2016	200	115.0	316	
TMP-17	5/23/2016	220	108.8	296	
TMP-17	5/23/2016	237	100.5	279	
TMP-17	6/1/2016	20	110.1	496	
TMP-17	6/1/2016	40	142.2	476	
TMP-17	6/1/2016	60	158.6	456	
TMP-17	6/1/2016	80	161.1	436	
TMP-17	6/1/2016	100	158.2	416	
TMP-17	6/1/2016	120	153.5	396	
TMP-17	6/1/2016	140	143.4	376	
TMP-17	6/1/2016	160	129.5	356	
TMP-17	6/1/2016	180	122.0	336	
TMP-17	6/1/2016	200	115.8	316	
TMP-17	6/1/2016	220	109.6	296	
TMP-17	6/1/2016	237	101.4	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	5/2/2016	20	97.0	489	
TMP-18	5/2/2016	39	135.6	470	
TMP-18	5/2/2016	58	154.4	451	
TMP-18	5/2/2016	77	153.8	432	
TMP-18	5/2/2016	96	148.9	413	
TMP-18	5/2/2016	115	141.2	394	
TMP-18	5/2/2016	134	133.1	375	
TMP-18	5/2/2016	153	126.6	356	
TMP-18	5/2/2016	172	120.7	337	
TMP-18	5/2/2016	191	115.6	318	
TMP-18	5/2/2016	210	111.7	299	
TMP-18	5/2/2016	227	109.0	282	
TMP-18	5/9/2016	20	95.7	489	
TMP-18	5/9/2016	39	134.5	470	
TMP-18	5/9/2016	58	153.3	451	
TMP-18	5/9/2016	77	152.7	432	
TMP-18	5/9/2016	96	147.9	413	
TMP-18	5/9/2016	115	140.2	394	
TMP-18	5/9/2016	134	132.1	375	
TMP-18	5/9/2016	153	125.6	356	
TMP-18	5/9/2016	172	119.7	337	
TMP-18	5/9/2016	191	114.6	318	
TMP-18	5/9/2016	210	110.8	299	
TMP-18	5/9/2016	227	108.1	282	
TMP-18	5/18/2016	20	96.6	489	
TMP-18	5/18/2016	39	135.5	470	
TMP-18	5/18/2016	58	154.3	451	
TMP-18	5/18/2016	77	153.7	432	
TMP-18	5/18/2016	96	148.8	413	
TMP-18	5/18/2016	115	141.1	394	
TMP-18	5/18/2016	134	133.0	375	
TMP-18	5/18/2016	153	126.6	356	
TMP-18	5/18/2016	172	120.7	337	
TMP-18	5/18/2016	191	115.5	318	
TMP-18	5/18/2016	210	111.7	299	
TMP-18	5/18/2016	227	109.0	282	
TMP-18	5/23/2016	20	95.4	489	
TMP-18	5/23/2016	39	134.2	470	
TMP-18	5/23/2016	58	153.2	451	
TMP-18	5/23/2016	77	152.5	432	
TMP-18	5/23/2016	96	147.5	413	
TMP-18	5/23/2016	115	139.8	394	
TMP-18	5/23/2016	134	131.7	375	
TMP-18	5/23/2016	153	125.3	356	
TMP-18	5/23/2016	172	119.3	337	
TMP-18	5/23/2016	191	114.3	318	
TMP-18	5/23/2016	210	110.4	299	
TMP-18	5/23/2016	227	107.9	282	
TMP-18	6/1/2016	20	95.7	489	
TMP-18	6/1/2016	39	134.6	470	
TMP-18	6/1/2016	58	153.5	451	
TMP-18	6/1/2016	77	152.8	432	
TMP-18	6/1/2016	96	148.0	413	
TMP-18	6/1/2016	115	140.3	394	
TMP-18	6/1/2016	134	132.2	375	
TMP-18	6/1/2016	153	125.7	356	
TMP-18	6/1/2016	172	119.7	337	
TMP-18	6/1/2016	191	114.6	318	
TMP-18	6/1/2016	210	110.6	299	
TMP-18	6/1/2016	227	107.9	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	5/2/2016	13	89.1	461	
TMP-21	5/2/2016	26	95.5	448	
TMP-21	5/2/2016	41	90.1	433	
TMP-21	5/9/2016	13	88.2	461	
TMP-21	5/9/2016	26	94.8	448	
TMP-21	5/9/2016	41	89.4	433	
TMP-21	5/18/2016	13	88.9	461	
TMP-21	5/18/2016	26	95.8	448	
TMP-21	5/18/2016	41	90.5	433	
TMP-21	5/23/2016	13	87.8	461	
TMP-21	5/23/2016	26	95.2	448	
TMP-21	5/23/2016	41	90.1	433	
TMP-21	6/1/2016	13	88.2	461	
TMP-21	6/1/2016	26	95.4	448	
TMP-21	6/1/2016	41	90.1	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	5/2/2016	15	108.3	474	
TMP-22	5/2/2016	31	126.7	458	
TMP-22	5/2/2016	50	124.2	439	
TMP-22	5/2/2016	70	116.2	419	
TMP-22	5/9/2016	15	107.5	474	
TMP-22	5/9/2016	31	126.1	458	
TMP-22	5/9/2016	50	123.6	439	
TMP-22	5/9/2016	70	115.5	419	
TMP-22	5/18/2016	15	108.0	474	
TMP-22	5/18/2016	31	126.7	458	
TMP-22	5/18/2016	50	124.4	439	
TMP-22	5/18/2016	70	116.3	419	
TMP-22	5/23/2016	15	108.1	474	
TMP-22	5/23/2016	31	126.7	458	
TMP-22	5/23/2016	50	123.9	439	
TMP-22	5/23/2016	70	116.4	419	
TMP-22	6/1/2016	15	107.5	474	
TMP-22	6/1/2016	31	126.4	458	
TMP-22	6/1/2016	50	124.3	439	
TMP-22	6/1/2016	70	116.2	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	5/2/2016	20	117.9	477	
TMP-23	5/2/2016	38	139.7	459	
TMP-23	5/2/2016	56	142.1	441	
TMP-23	5/2/2016	74	134.5	423	
TMP-23	5/2/2016	92	125.7	405	
TMP-23	5/2/2016	106	117.2	391	
TMP-23	5/9/2016	20	117.1	477	
TMP-23	5/9/2016	38	138.9	459	
TMP-23	5/9/2016	56	141.2	441	
TMP-23	5/9/2016	74	133.7	423	
TMP-23	5/9/2016	92	124.7	405	
TMP-23	5/9/2016	106	116.3	391	
TMP-23	5/18/2016	20	117.9	477	
TMP-23	5/18/2016	38	139.7	459	
TMP-23	5/18/2016	56	142.2	441	
TMP-23	5/18/2016	74	134.7	423	
TMP-23	5/18/2016	92	125.7	405	
TMP-23	5/18/2016	106	117.2	391	
TMP-23	5/23/2016	20	117.1	477	
TMP-23	5/23/2016	38	139.5	459	
TMP-23	5/23/2016	56	141.9	441	
TMP-23	5/23/2016	74	134.6	423	
TMP-23	5/23/2016	92	125.6	405	
TMP-23	5/23/2016	106	117.0	391	
TMP-23	6/1/2016	20	117.4	477	
TMP-23	6/1/2016	38	139.5	459	
TMP-23	6/1/2016	56	141.9	441	
TMP-23	6/1/2016	74	134.5	423	
TMP-23	6/1/2016	92	125.5	405	
TMP-23	6/1/2016	106	117.0	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	5/2/2016	20	104.3	492	
TMP-24	5/2/2016	40	130.8	472	
TMP-24	5/2/2016	60	143.4	452	
TMP-24	5/2/2016	67	144.6	445	
TMP-24	5/9/2016	20	102.7	492	
TMP-24	5/9/2016	40	129.2	472	
TMP-24	5/9/2016	60	141.8	452	
TMP-24	5/9/2016	67	142.9	445	
TMP-24	5/18/2016	20	103.3	492	
TMP-24	5/18/2016	40	130.0	472	
TMP-24	5/18/2016	60	142.7	452	
TMP-24	5/18/2016	67	143.8	445	
TMP-24	5/23/2016	20	104.6	492	
TMP-24	5/23/2016	40	131.4	472	
TMP-24	5/23/2016	60	144.0	452	
TMP-24	5/23/2016	67	145.1	445	
TMP-24	6/1/2016	20	102.8	492	
TMP-24	6/1/2016	40	129.4	472	
TMP-24	6/1/2016	60	142.0	452	
TMP-24	6/1/2016	67	143.1	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	5/2/2016	20	122.7	495	
TMP-25	5/2/2016	40	147.2	475	
TMP-25	5/2/2016	60	159.6	455	
TMP-25	5/2/2016	80	161.1	435	
TMP-25	5/2/2016	100	155.9	415	
TMP-25	5/2/2016	120	145.4	395	
TMP-25	5/2/2016	140	133.9	375	
TMP-25	5/2/2016	160	120.9	355	
TMP-25	5/2/2016	180	113.4	335	
TMP-25	5/2/2016	200	107.7	315	
TMP-25	5/2/2016	220	96.9	295	
TMP-25	5/2/2016	235	93.5	280	
TMP-25	5/9/2016	20	121.8	495	
TMP-25	5/9/2016	40	146.3	475	
TMP-25	5/9/2016	60	158.8	455	
TMP-25	5/9/2016	80	160.3	435	
TMP-25	5/9/2016	100	155.0	415	
TMP-25	5/9/2016	120	144.5	395	
TMP-25	5/9/2016	140	133.1	375	
TMP-25	5/9/2016	160	120.0	355	
TMP-25	5/9/2016	180	112.5	335	
TMP-25	5/9/2016	200	106.8	315	
TMP-25	5/9/2016	220	96.1	295	
TMP-25	5/9/2016	235	92.7	280	
TMP-25	5/18/2016	20	122.4	495	
TMP-25	5/18/2016	40	147.0	475	
TMP-25	5/18/2016	60	159.4	455	
TMP-25	5/18/2016	80	160.9	435	
TMP-25	5/18/2016	100	155.7	415	
TMP-25	5/18/2016	120	145.1	395	
TMP-25	5/18/2016	140	133.6	375	
TMP-25	5/18/2016	160	120.7	355	
TMP-25	5/18/2016	180	113.2	335	
TMP-25	5/18/2016	200	107.6	315	
TMP-25	5/18/2016	220	96.9	295	
TMP-25	5/18/2016	235	93.5	280	
TMP-25	5/23/2016	20	122.6	495	
TMP-25	5/23/2016	40	147.4	475	
TMP-25	5/23/2016	60	160.1	455	
TMP-25	5/23/2016	80	161.6	435	
TMP-25	5/23/2016	100	156.5	415	
TMP-25	5/23/2016	120	145.9	395	
TMP-25	5/23/2016	140	134.4	375	
TMP-25	5/23/2016	160	121.4	355	
TMP-25	5/23/2016	180	113.9	335	
TMP-25	5/23/2016	200	108.0	315	
TMP-25	5/23/2016	220	97.3	295	
TMP-25	5/23/2016	235	93.6	280	
TMP-25	6/1/2016	20	122.8	495	
TMP-25	6/1/2016	40	147.6	475	
TMP-25	6/1/2016	60	160.2	455	
TMP-25	6/1/2016	80	161.6	435	
TMP-25	6/1/2016	100	156.4	415	
TMP-25	6/1/2016	120	145.8	395	
TMP-25	6/1/2016	140	134.2	375	
TMP-25	6/1/2016	160	121.3	355	
TMP-25	6/1/2016	180	113.7	335	
TMP-25	6/1/2016	200	108.0	315	
TMP-25	6/1/2016	220	97.3	295	
TMP-25	6/1/2016	235	93.7	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	5/2/2016	20	101.6	479	
TMP-26	5/2/2016	40	120.4	459	
TMP-26	5/2/2016	60	125.4	439	
TMP-26	5/2/2016	80	125.1	419	
TMP-26	5/2/2016	100	117.2	399	
TMP-26	5/2/2016	120	121.6	379	
TMP-26	5/2/2016	140	123.0	359	
TMP-26	5/2/2016	142	122.0	357	
TMP-26	5/9/2016	20	99.8	479	
TMP-26	5/9/2016	40	118.5	459	
TMP-26	5/9/2016	60	123.5	439	
TMP-26	5/9/2016	80	123.3	419	
TMP-26	5/9/2016	100	114.9	399	
TMP-26	5/9/2016	120	119.7	379	
TMP-26	5/9/2016	140	121.1	359	
TMP-26	5/9/2016	142	120.2	357	
TMP-26	5/18/2016	20	101.5	479	
TMP-26	5/18/2016	40	120.3	459	
TMP-26	5/18/2016	60	125.2	439	
TMP-26	5/18/2016	80	125.0	419	
TMP-26	5/18/2016	100	116.6	399	
TMP-26	5/18/2016	120	121.5	379	
TMP-26	5/18/2016	140	122.8	359	
TMP-26	5/18/2016	142	121.9	357	
TMP-26	5/23/2016	20	100.9	479	
TMP-26	5/23/2016	40	119.4	459	
TMP-26	5/23/2016	60	124.1	439	
TMP-26	5/23/2016	80	123.7	419	
TMP-26	5/23/2016	100	115.5	399	
TMP-26	5/23/2016	120	120.1	379	
TMP-26	5/23/2016	140	121.3	359	
TMP-26	5/23/2016	142	120.3	357	
TMP-26	6/1/2016	20	100.8	479	
TMP-26	6/1/2016	40	119.1	459	
TMP-26	6/1/2016	60	123.7	439	
TMP-26	6/1/2016	80	123.3	419	
TMP-26	6/1/2016	100	115.3	399	
TMP-26	6/1/2016	120	119.8	379	
TMP-26	6/1/2016	140	121.1	359	
TMP-26	6/1/2016	142	120.1	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	5/2/2016	20	102.1	493	
TMP-27	5/2/2016	40	143.1	473	
TMP-27	5/2/2016	60	155.2	453	
TMP-27	5/2/2016	80	158.2	433	
TMP-27	5/2/2016	100	154.9	413	
TMP-27	5/2/2016	120	149.6	393	
TMP-27	5/2/2016	140	143.8	373	
TMP-27	5/2/2016	160	137.0	353	
TMP-27	5/2/2016	180	130.6	333	
TMP-27	5/2/2016	200	126.3	313	
TMP-27	5/2/2016	220	121.3	293	
TMP-27	5/2/2016	233	116.2	280	
TMP-27	5/9/2016	20	100.4	493	
TMP-27	5/9/2016	40	141.7	473	
TMP-27	5/9/2016	60	153.9	453	
TMP-27	5/9/2016	80	156.7	433	
TMP-27	5/9/2016	100	153.4	413	
TMP-27	5/9/2016	120	148.1	393	
TMP-27	5/9/2016	140	142.4	373	
TMP-27	5/9/2016	160	135.6	353	
TMP-27	5/9/2016	180	129.2	333	
TMP-27	5/9/2016	200	125.0	313	
TMP-27	5/9/2016	220	120.2	293	
TMP-27	5/9/2016	233	115.5	280	
TMP-27	5/18/2016	20	101.0	493	
TMP-27	5/18/2016	40	142.2	473	
TMP-27	5/18/2016	60	154.3	453	
TMP-27	5/18/2016	80	157.3	433	
TMP-27	5/18/2016	100	154.1	413	
TMP-27	5/18/2016	120	148.8	393	
TMP-27	5/18/2016	140	143.2	373	
TMP-27	5/18/2016	160	136.6	353	
TMP-27	5/18/2016	180	130.3	333	
TMP-27	5/18/2016	200	126.2	313	
TMP-27	5/18/2016	220	121.4	293	
TMP-27	5/18/2016	233	116.5	280	
TMP-27	5/23/2016	20	101.1	493	
TMP-27	5/23/2016	40	143.7	473	
TMP-27	5/23/2016	60	156.5	453	
TMP-27	5/23/2016	80	159.9	433	
TMP-27	5/23/2016	100	156.7	413	
TMP-27	5/23/2016	120	151.4	393	
TMP-27	5/23/2016	140	145.0	373	
TMP-27	5/23/2016	160	137.6	353	
TMP-27	5/23/2016	180	131.5	333	
TMP-27	5/23/2016	200	127.7	313	
TMP-27	5/23/2016	220	122.8	293	
TMP-27	5/23/2016	233	117.1	280	
TMP-27	6/1/2016	20	99.7	493	
TMP-27	6/1/2016	40	141.6	473	
TMP-27	6/1/2016	60	153.9	453	
TMP-27	6/1/2016	80	156.9	433	
TMP-27	6/1/2016	100	153.9	413	
TMP-27	6/1/2016	120	148.8	393	
TMP-27	6/1/2016	140	142.8	373	
TMP-27	6/1/2016	160	135.9	353	
TMP-27	6/1/2016	180	129.6	333	
TMP-27	6/1/2016	200	125.5	313	
TMP-27	6/1/2016	220	120.5	293	
TMP-27	6/1/2016	233	115.5	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	5/2/2016	20	102.2	480	
TMP-28	5/2/2016	40	140.3	460	
TMP-28	5/2/2016	60	135.8	440	
TMP-28	5/2/2016	80	131.8	420	
TMP-28	5/2/2016	100	133.5	400	
TMP-28	5/2/2016	120	127.8	380	
TMP-28	5/2/2016	140	123.4	360	
TMP-28	5/2/2016	160	118.9	340	
TMP-28	5/2/2016	180	115.1	320	
TMP-28	5/2/2016	200	113.2	300	
TMP-28	5/2/2016	217		283	no longer working
TMP-28	5/9/2016	20	101.2	480	
TMP-28	5/9/2016	40	139.5	460	
TMP-28	5/9/2016	60	134.8	440	
TMP-28	5/9/2016	80	131.8	420	
TMP-28	5/9/2016	100	132.6	400	
TMP-28	5/9/2016	120	127.0	380	
TMP-28	5/9/2016	140	122.6	360	
TMP-28	5/9/2016	160	118.2	340	
TMP-28	5/9/2016	180	114.5	320	
TMP-28	5/9/2016	200	112.6	300	
TMP-28	5/9/2016	217		283	no longer working
TMP-28	5/18/2016	20	102.0	480	
TMP-28	5/18/2016	40	140.4	460	
TMP-28	5/18/2016	60	135.9	440	
TMP-28	5/18/2016	80	131.9	420	
TMP-28	5/18/2016	100	133.8	400	
TMP-28	5/18/2016	120	128.3	380	
TMP-28	5/18/2016	140	123.9	360	
TMP-28	5/18/2016	160	119.5	340	
TMP-28	5/18/2016	180	115.7	320	
TMP-28	5/18/2016	200	113.7	300	
TMP-28	5/18/2016	217		283	no longer working
TMP-28	5/23/2016	20	101.9	480	
TMP-28	5/23/2016	40	140.6	460	
TMP-28	5/23/2016	60	136.2	440	
TMP-28	5/23/2016	80	130.7	420	
TMP-28	5/23/2016	100	134.0	400	
TMP-28	5/23/2016	120	128.5	380	
TMP-28	5/23/2016	140	124.2	360	
TMP-28	5/23/2016	160	119.8	340	
TMP-28	5/23/2016	180	115.9	320	
TMP-28	5/23/2016	200	113.9	300	
TMP-28	5/23/2016	217		283	no longer working
TMP-28	6/1/2016	20	102.5	480	
TMP-28	6/1/2016	40	141.1	460	
TMP-28	6/1/2016	60	136.4	440	
TMP-28	6/1/2016	80		420	unreasonable drop in temperature, dropping resistance, unreliable temperature
TMP-28	6/1/2016	100	133.9	400	
TMP-28	6/1/2016	120	128.2	380	
TMP-28	6/1/2016	140	123.8	360	
TMP-28	6/1/2016	160	119.5	340	
TMP-28	6/1/2016	180	115.9	320	
TMP-28	6/1/2016	200	113.8	300	
TMP-28	6/1/2016	217		283	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	5/2/2016	8	63.2	488	
TMP-29	5/2/2016	16	78.2	480	
TMP-29	5/2/2016	25	87.9	471	
TMP-29	5/9/2016	8	63.1	488	
TMP-29	5/9/2016	16	77.6	480	
TMP-29	5/9/2016	25	87.6	471	
TMP-29	5/18/2016	8	65.9	488	
TMP-29	5/18/2016	16	79.0	480	
TMP-29	5/18/2016	25	88.8	471	
TMP-29	5/23/2016	8	64.0	488	
TMP-29	5/23/2016	16	77.0	480	
TMP-29	5/23/2016	25	86.8	471	
TMP-29	6/1/2016	8	65.2	488	
TMP-29	6/1/2016	16	77.0	480	
TMP-29	6/1/2016	25	86.6	471	