

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	5/18/2016	18	115.8	451	
TMP-1	5/18/2016	38	144.3	431	
TMP-1	5/18/2016	58	148.8	411	
TMP-1	5/18/2016	78	144.5	391	
TMP-1	5/18/2016	98	135.9	371	
TMP-1	5/18/2016	118	125.2	351	
TMP-1	5/18/2016	138	116.6	331	
TMP-1	5/23/2016	18	116.1	451	
TMP-1	5/23/2016	38	144.6	431	
TMP-1	5/23/2016	58	149.2	411	
TMP-1	5/23/2016	78	145.1	391	
TMP-1	5/23/2016	98	136.3	371	
TMP-1	5/23/2016	118	125.4	351	
TMP-1	5/23/2016	138	116.9	331	
TMP-1	6/1/2016	18	116.0	451	
TMP-1	6/1/2016	38	144.7	431	
TMP-1	6/1/2016	58	149.3	411	
TMP-1	6/1/2016	78	145.0	391	
TMP-1	6/1/2016	98	136.5	371	
TMP-1	6/1/2016	118	125.6	351	
TMP-1	6/1/2016	138	117.2	331	
TMP-1	6/6/2016	18	117.0	451	
TMP-1	6/6/2016	38	145.8	431	
TMP-1	6/6/2016	58	150.2	411	
TMP-1	6/6/2016	78	145.9	391	
TMP-1	6/6/2016	98	137.2	371	
TMP-1	6/6/2016	118	126.3	351	
TMP-1	6/6/2016	138	117.8	331	
TMP-1	6/13/2016	18	115.6	451	
TMP-1	6/13/2016	38	144.5	431	
TMP-1	6/13/2016	58	148.9	411	
TMP-1	6/13/2016	78	144.6	391	
TMP-1	6/13/2016	98	135.9	371	
TMP-1	6/13/2016	118	124.9	351	
TMP-1	6/13/2016	138	116.4	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2	5/18/2016	0	76.5	488	
TMP-2	5/18/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	5/18/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	5/18/2016	60	167.6	428	
TMP-2	5/18/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	5/18/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	5/18/2016	120	160.4	368	
TMP-2	5/18/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	5/18/2016	200	101.9	288	
TMP-2	5/23/2016	0	78.6	488	
TMP-2	5/23/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	5/23/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	5/23/2016	60	168.1	428	
TMP-2	5/23/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	5/23/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	5/23/2016	120	160.9	368	
TMP-2	5/23/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	5/23/2016	200	102.5	288	
TMP-2	6/1/2016	0	78.5	488	
TMP-2	6/1/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	6/1/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	6/1/2016	60	167.3	428	
TMP-2	6/1/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	6/1/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	6/1/2016	120	160.2	368	
TMP-2	6/1/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	6/1/2016	200	101.8	288	
TMP-2	6/6/2016	0	80.4	488	
TMP-2	6/6/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	6/6/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	6/6/2016	60	167.4	428	
TMP-2	6/6/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	6/6/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	6/6/2016	120	160.4	368	
TMP-2	6/6/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	6/6/2016	200	102.3	288	
TMP-2	6/13/2016	0	81.5	488	
TMP-2	6/13/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	6/13/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	6/13/2016	60	166.6	428	
TMP-2	6/13/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	6/13/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	6/13/2016	120	159.6	368	
TMP-2	6/13/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	6/13/2016	200	101.4	288	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	5/18/2016	30	147.6	470	
TMP-3	5/18/2016	50	155.1	450	
TMP-3	5/18/2016	70	154.7	430	
TMP-3	5/18/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	5/18/2016	150	145.7	350	
TMP-3	5/18/2016	190	125.2	310	
TMP-3	5/18/2016	230	101.8	270	
TMP-3	5/23/2016	30	147.2	470	
TMP-3	5/23/2016	50	154.5	450	
TMP-3	5/23/2016	70	154.0	430	
TMP-3	5/23/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	5/23/2016	150	144.8	350	
TMP-3	5/23/2016	190	124.0	310	
TMP-3	5/23/2016	230	100.4	270	
TMP-3	6/1/2016	30	147.2	470	
TMP-3	6/1/2016	50	154.7	450	
TMP-3	6/1/2016	70	154.3	430	
TMP-3	6/1/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/1/2016	150	145.1	350	
TMP-3	6/1/2016	190	124.2	310	
TMP-3	6/1/2016	230	100.8	270	
TMP-3	6/6/2016	30	147.6	470	
TMP-3	6/6/2016	50	154.8	450	
TMP-3	6/6/2016	70	154.1	430	
TMP-3	6/6/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/6/2016	150	144.8	350	
TMP-3	6/6/2016	190	123.9	310	
TMP-3	6/6/2016	230	100.4	270	
TMP-3	6/13/2016	30	147.7	470	
TMP-3	6/13/2016	50	155.0	450	
TMP-3	6/13/2016	70	154.5	430	
TMP-3	6/13/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/13/2016	150	145.0	350	
TMP-3	6/13/2016	190	124.1	310	
TMP-3	6/13/2016	230	100.7	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	5/18/2016	20	139.2	479	
TMP-3R	5/18/2016	40	156.1	459	
TMP-3R	5/18/2016	60	158.6	439	
TMP-3R	5/18/2016	80	160.5	419	
TMP-3R	5/18/2016	100	159.4	399	
TMP-3R	5/18/2016	120	155.6	379	
TMP-3R	5/18/2016	140	155.0	359	
TMP-3R	5/18/2016	160	143.8	339	
TMP-3R	5/18/2016	180	134.7	319	
TMP-3R	5/18/2016	200	119.3	299	
TMP-3R	5/18/2016	218	106.5	281	
TMP-3R	5/23/2016	20	138.5	479	
TMP-3R	5/23/2016	40	155.5	459	
TMP-3R	5/23/2016	60	158.0	439	
TMP-3R	5/23/2016	80	159.9	419	
TMP-3R	5/23/2016	100	158.7	399	
TMP-3R	5/23/2016	120	154.8	379	
TMP-3R	5/23/2016	140	154.2	359	
TMP-3R	5/23/2016	160	142.9	339	
TMP-3R	5/23/2016	180	133.7	319	
TMP-3R	5/23/2016	200	118.4	299	
TMP-3R	5/23/2016	218	105.5	281	
TMP-3R	6/1/2016	20	138.3	479	
TMP-3R	6/1/2016	40	155.6	459	
TMP-3R	6/1/2016	60	158.1	439	
TMP-3R	6/1/2016	80	160.0	419	
TMP-3R	6/1/2016	100	158.9	399	
TMP-3R	6/1/2016	120	155.0	379	
TMP-3R	6/1/2016	140	154.7	359	
TMP-3R	6/1/2016	160	143.3	339	
TMP-3R	6/1/2016	180	134.1	319	
TMP-3R	6/1/2016	200	118.8	299	
TMP-3R	6/1/2016	218	106.0	281	
TMP-3R	6/6/2016	20	136.3	479	
TMP-3R	6/6/2016	40	153.8	459	
TMP-3R	6/6/2016	60	156.3	439	
TMP-3R	6/6/2016	80	158.0	419	
TMP-3R	6/6/2016	100	157.0	399	
TMP-3R	6/6/2016	120	153.2	379	
TMP-3R	6/6/2016	140	153.0	359	
TMP-3R	6/6/2016	160	141.5	339	
TMP-3R	6/6/2016	180	132.4	319	
TMP-3R	6/6/2016	200	117.3	299	
TMP-3R	6/6/2016	218	104.4	281	
TMP-3R	6/13/2016	20	136.9	479	
TMP-3R	6/13/2016	40	154.1	459	
TMP-3R	6/13/2016	60	156.5	439	
TMP-3R	6/13/2016	80	158.2	419	
TMP-3R	6/13/2016	100	157.1	399	
TMP-3R	6/13/2016	120	153.3	379	
TMP-3R	6/13/2016	140	153.0	359	
TMP-3R	6/13/2016	160	141.4	339	
TMP-3R	6/13/2016	180	132.2	319	
TMP-3R	6/13/2016	200	116.8	299	
TMP-3R	6/13/2016	218	103.9	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	5/18/2016	28	138.1	472	
TMP-4	5/23/2016	28	138.4	472	
TMP-4	6/1/2016	28	136.6	472	
TMP-4	6/6/2016	28	137.1	472	
TMP-4	6/13/2016	28	137.5	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	5/18/2016	10	103.2	489	
TMP-4R	5/18/2016	20	126.4	479	
TMP-4R	5/18/2016	29	134.4	470	
TMP-4R	5/23/2016	10	102.2	489	
TMP-4R	5/23/2016	20	125.6	479	
TMP-4R	5/23/2016	29	134.1	470	
TMP-4R	6/1/2016	10	102.8	489	
TMP-4R	6/1/2016	20	124.6	479	
TMP-4R	6/1/2016	29	133.2	470	
TMP-4R	6/6/2016	10	101.9	489	
TMP-4R	6/6/2016	20	124.2	479	
TMP-4R	6/6/2016	29	132.8	470	
TMP-4R	6/13/2016	10	103.1	489	
TMP-4R	6/13/2016	20	124.6	479	
TMP-4R	6/13/2016	29	133.5	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	5/18/2016	15	161.8	472	
TMP-6	5/18/2016	95	163.3	392	fluctuating resistance, possibly unreliable
TMP-6	5/18/2016	115	154.3	372	
TMP-6	5/18/2016	135	142.2	352	
TMP-6	5/23/2016	15	161.4	472	
TMP-6	5/23/2016	95	163.2	392	fluctuating resistance, possibly unreliable
TMP-6	5/23/2016	115	154.0	372	
TMP-6	5/23/2016	135	141.9	352	
TMP-6	6/1/2016	15	160.3	472	
TMP-6	6/1/2016	95	163.2	392	fluctuating resistance, possibly unreliable
TMP-6	6/1/2016	115	153.9	372	
TMP-6	6/1/2016	135	141.7	352	
TMP-6	6/6/2016	15	160.5	472	
TMP-6	6/6/2016	95	163.7	392	fluctuating resistance, possibly unreliable
TMP-6	6/6/2016	115	154.4	372	
TMP-6	6/6/2016	135	142.3	352	
TMP-6	6/13/2016	15	158.8	472	
TMP-6	6/13/2016	95	162.3	392	fluctuating resistance, possibly unreliable
TMP-6	6/13/2016	115	153.1	372	
TMP-6	6/13/2016	135	141.0	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	5/18/2016	40	215.5	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	5/23/2016	40	217.8	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	6/1/2016	40	216.5	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	6/6/2016	40	217.1	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	6/13/2016	40	217.6	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	5/18/2016	13	105.2	476	
TMP-10	5/18/2016	33	149.4	456	
TMP-10	5/18/2016	53	166.8	436	
TMP-10	5/18/2016	73	173.9	416	
TMP-10	5/18/2016	93	171.1	396	
TMP-10	5/18/2016	113	162.2	376	
TMP-10	5/18/2016	133	152.1	356	
TMP-10	5/23/2016	13	106.3	476	
TMP-10	5/23/2016	33	150.4	456	
TMP-10	5/23/2016	53	167.8	436	
TMP-10	5/23/2016	73	174.9	416	
TMP-10	5/23/2016	93	172.0	396	
TMP-10	5/23/2016	113	163.1	376	
TMP-10	5/23/2016	133	153.0	356	
TMP-10	6/1/2016	13	104.6	476	
TMP-10	6/1/2016	33	148.7	456	
TMP-10	6/1/2016	53	166.3	436	
TMP-10	6/1/2016	73	173.4	416	
TMP-10	6/1/2016	93	170.6	396	
TMP-10	6/1/2016	113	161.7	376	
TMP-10	6/1/2016	133	151.7	356	
TMP-10	6/6/2016	13	105.2	476	
TMP-10	6/6/2016	33	149.2	456	
TMP-10	6/6/2016	53	166.7	436	
TMP-10	6/6/2016	73	173.8	416	
TMP-10	6/6/2016	93	170.8	396	
TMP-10	6/6/2016	113	161.9	376	
TMP-10	6/6/2016	133	151.8	356	
TMP-10	6/13/2016	13	103.7	476	
TMP-10	6/13/2016	33	148.2	456	
TMP-10	6/13/2016	53	165.5	436	
TMP-10	6/13/2016	73	172.6	416	
TMP-10	6/13/2016	93	169.6	396	
TMP-10	6/13/2016	113	160.7	376	
TMP-10	6/13/2016	133	150.8	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11	5/18/2016	16	141.9	482	
TMP-11	5/18/2016	36	172.4	462	
TMP-11	5/18/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/18/2016	96	170.4	402	
TMP-11	5/18/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/18/2016	156	149.1	342	
TMP-11	5/18/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	5/18/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	5/23/2016	16	143.6	482	
TMP-11	5/23/2016	36	173.8	462	
TMP-11	5/23/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/23/2016	96	171.5	402	
TMP-11	5/23/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	5/23/2016	156	150.3	342	
TMP-11	5/23/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	5/23/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	6/1/2016	16	142.6	482	
TMP-11	6/1/2016	36	173.3	462	
TMP-11	6/1/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/1/2016	96	170.9	402	
TMP-11	6/1/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/1/2016	156		342	low resistivity value, unreliable temperature
TMP-11	6/1/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	6/1/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	6/6/2016	16	143.8	482	
TMP-11	6/6/2016	36	173.9	462	
TMP-11	6/6/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/6/2016	96	171.0	402	
TMP-11	6/6/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/6/2016	156		342	low resistivity value, unreliable temperature
TMP-11	6/6/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	6/6/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	6/13/2016	16	141.8	482	
TMP-11	6/13/2016	36	174.3	462	
TMP-11	6/13/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/13/2016	96	171.4	402	
TMP-11	6/13/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	6/13/2016	156		342	low resistivity value, unreliable temperature
TMP-11	6/13/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	6/13/2016	216		282	low resistivity values, unreliable temperatures

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14	5/18/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/18/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/18/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/18/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/18/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/18/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/23/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/23/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/23/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/23/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/23/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	5/23/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/1/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/1/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/1/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/1/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/1/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/1/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/6/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/6/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/6/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/6/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/6/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/6/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/13/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/13/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/13/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/13/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/13/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	6/13/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	5/18/2016	20	115.3	492	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	39	146.1	473	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	58	162.3	454	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	77	163.5	435	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	96	159.4	416	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	115	150.5	397	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	134	137.9	378	[possibly not reliable per connectivity test 10/15]
TMP-16	5/18/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	5/23/2016	20	117.0	492	[possibly not reliable per connectivity test 10/15]
TMP-16	5/23/2016	39	146.9	473	[possibly not reliable per connectivity test 10/15]
TMP-16	5/23/2016	58		454	[possibly not reliable per connectivity test 10/15] - no reading taken
TMP-16	5/23/2016	77	165.1	435	[possibly not reliable per connectivity test 10/15]
TMP-16	5/23/2016	96	160.2	416	[possibly not reliable per connectivity test 10/15]
TMP-16	5/23/2016	115	151.1	397	[possibly not reliable per connectivity test 10/15]
TMP-16	5/23/2016	134	139.0	378	[possibly not reliable per connectivity test 10/15]
TMP-16	5/23/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	6/1/2016	20	119.6	492	[possibly not reliable per connectivity test 10/15]
TMP-16	6/1/2016	39	146.4	473	[possibly not reliable per connectivity test 10/15]
TMP-16	6/1/2016	58		454	[possibly not reliable per connectivity test 10/15] - no reading taken
TMP-16	6/1/2016	77	165.6	435	[possibly not reliable per connectivity test 10/15]
TMP-16	6/1/2016	96		416	[possibly not reliable per connectivity test 10/15]
TMP-16	6/1/2016	115	151.8	397	[possibly not reliable per connectivity test 10/15]
TMP-16	6/1/2016	134	140.8	378	[possibly not reliable per connectivity test 10/15]
TMP-16	6/1/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	6/6/2016	20	119.3	492	[possibly not reliable per connectivity test 10/15]
TMP-16	6/6/2016	39	146.8	473	[possibly not reliable per connectivity test 10/15]
TMP-16	6/6/2016	58		454	[possibly not reliable per connectivity test 10/15] - no reading taken
TMP-16	6/6/2016	77		435	[possibly not reliable per connectivity test 10/15] - unreasonable drop in temperature, not reliable
TMP-16	6/6/2016	96		416	[possibly not reliable per connectivity test 10/15]
TMP-16	6/6/2016	115	151.2	397	[possibly not reliable per connectivity test 10/15]
TMP-16	6/6/2016	134	137.7	378	[possibly not reliable per connectivity test 10/15]
TMP-16	6/6/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	6/13/2016	20	118.8	492	[possibly not reliable per connectivity test 10/15]
TMP-16	6/13/2016	39	146.3	473	[possibly not reliable per connectivity test 10/15]
TMP-16	6/13/2016	58		454	[possibly not reliable per connectivity test 10/15] - no reading taken
TMP-16	6/13/2016	77		435	[possibly not reliable per connectivity test 10/15] - unreasonable drop in temperature, not reliable
TMP-16	6/13/2016	96		416	[possibly not reliable per connectivity test 10/15] - no reading taken
TMP-16	6/13/2016	115	150.5	397	[possibly not reliable per connectivity test 10/15]
TMP-16	6/13/2016	134	139.1	378	[possibly not reliable per connectivity test 10/15]

TMP-16	6/13/2016	153		359	[possibly not reliable per connectivity test 10/15] - fluctuating resistivity week to week
TMP-16	6/15/2016	20	115.1	492	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	39	144.7	473	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	58	161.5	454	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	77	163.9	435	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	96	158.1	416	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	115	149.1	397	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	134	137.8	378	repaired wires, verified with results from leads inside vent box on 6/15/16
TMP-16	6/15/2016	153	107.3	359	repaired wires, verified with results from leads inside vent box on 6/15/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	5/18/2016	20	110.0	496	
TMP-17	5/18/2016	40	142.2	476	
TMP-17	5/18/2016	60	158.6	456	
TMP-17	5/18/2016	80	161.1	436	
TMP-17	5/18/2016	100	158.1	416	
TMP-17	5/18/2016	120	153.5	396	
TMP-17	5/18/2016	140	143.5	376	
TMP-17	5/18/2016	160	129.8	356	
TMP-17	5/18/2016	180	122.4	336	
TMP-17	5/18/2016	200	116.2	316	
TMP-17	5/18/2016	220	109.9	296	
TMP-17	5/18/2016	237	101.7	279	
TMP-17	5/23/2016	20	109.4	496	
TMP-17	5/23/2016	40	141.9	476	
TMP-17	5/23/2016	60	158.0	456	
TMP-17	5/23/2016	80	160.6	436	
TMP-17	5/23/2016	100	157.6	416	
TMP-17	5/23/2016	120	152.9	396	
TMP-17	5/23/2016	140	143.5	376	
TMP-17	5/23/2016	160	128.8	356	
TMP-17	5/23/2016	180	121.3	336	
TMP-17	5/23/2016	200	115.0	316	
TMP-17	5/23/2016	220	108.8	296	
TMP-17	5/23/2016	237	100.5	279	
TMP-17	6/1/2016	20	110.1	496	
TMP-17	6/1/2016	40	142.2	476	
TMP-17	6/1/2016	60	158.6	456	
TMP-17	6/1/2016	80	161.1	436	
TMP-17	6/1/2016	100	158.2	416	
TMP-17	6/1/2016	120	153.5	396	
TMP-17	6/1/2016	140	143.4	376	
TMP-17	6/1/2016	160	129.5	356	
TMP-17	6/1/2016	180	122.0	336	
TMP-17	6/1/2016	200	115.8	316	
TMP-17	6/1/2016	220	109.6	296	
TMP-17	6/1/2016	237	101.4	279	
TMP-17	6/6/2016	20	110.1	496	
TMP-17	6/6/2016	40	142.5	476	
TMP-17	6/6/2016	60	158.7	456	
TMP-17	6/6/2016	80	161.2	436	
TMP-17	6/6/2016	100	158.3	416	
TMP-17	6/6/2016	120	153.6	396	
TMP-17	6/6/2016	140	143.8	376	
TMP-17	6/6/2016	160	129.7	356	
TMP-17	6/6/2016	180	122.3	336	
TMP-17	6/6/2016	200	116.2	316	
TMP-17	6/6/2016	220	109.9	296	
TMP-17	6/6/2016	237	101.9	279	
TMP-17	6/13/2016	20	108.3	496	
TMP-17	6/13/2016	40	140.5	476	
TMP-17	6/13/2016	60	156.9	456	
TMP-17	6/13/2016	80	159.4	436	
TMP-17	6/13/2016	100	156.4	416	
TMP-17	6/13/2016	120	151.7	396	
TMP-17	6/13/2016	140	141.9	376	
TMP-17	6/13/2016	160	127.8	356	
TMP-17	6/13/2016	180	120.2	336	
TMP-17	6/13/2016	200	113.8	316	
TMP-17	6/13/2016	220	107.5	296	
TMP-17	6/13/2016	237	99.4	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	5/18/2016	20	96.6	489	
TMP-18	5/18/2016	39	135.5	470	
TMP-18	5/18/2016	58	154.3	451	
TMP-18	5/18/2016	77	153.7	432	
TMP-18	5/18/2016	96	148.8	413	
TMP-18	5/18/2016	115	141.1	394	
TMP-18	5/18/2016	134	133.0	375	
TMP-18	5/18/2016	153	126.6	356	
TMP-18	5/18/2016	172	120.7	337	
TMP-18	5/18/2016	191	115.5	318	
TMP-18	5/18/2016	210	111.7	299	
TMP-18	5/18/2016	227	109.0	282	
TMP-18	5/23/2016	20	95.4	489	
TMP-18	5/23/2016	39	134.2	470	
TMP-18	5/23/2016	58	153.2	451	
TMP-18	5/23/2016	77	152.5	432	
TMP-18	5/23/2016	96	147.5	413	
TMP-18	5/23/2016	115	139.8	394	
TMP-18	5/23/2016	134	131.7	375	
TMP-18	5/23/2016	153	125.3	356	
TMP-18	5/23/2016	172	119.3	337	
TMP-18	5/23/2016	191	114.3	318	
TMP-18	5/23/2016	210	110.4	299	
TMP-18	5/23/2016	227	107.9	282	
TMP-18	6/1/2016	20	95.7	489	
TMP-18	6/1/2016	39	134.6	470	
TMP-18	6/1/2016	58	153.5	451	
TMP-18	6/1/2016	77	152.8	432	
TMP-18	6/1/2016	96	148.0	413	
TMP-18	6/1/2016	115	140.3	394	
TMP-18	6/1/2016	134	132.2	375	
TMP-18	6/1/2016	153	125.7	356	
TMP-18	6/1/2016	172	119.7	337	
TMP-18	6/1/2016	191	114.6	318	
TMP-18	6/1/2016	210	110.6	299	
TMP-18	6/1/2016	227	107.9	282	
TMP-18	6/6/2016	20	94.5	489	
TMP-18	6/6/2016	39	133.9	470	
TMP-18	6/6/2016	58	152.7	451	
TMP-18	6/6/2016	77	152.0	432	
TMP-18	6/6/2016	96	147.0	413	
TMP-18	6/6/2016	115	139.2	394	
TMP-18	6/6/2016	134	131.1	375	
TMP-18	6/6/2016	153	124.6	356	
TMP-18	6/6/2016	172	118.6	337	
TMP-18	6/6/2016	191	113.7	318	
TMP-18	6/6/2016	210	109.8	299	
TMP-18	6/6/2016	227	107.1	282	
TMP-18	6/13/2016	20	94.3	489	
TMP-18	6/13/2016	39	133.7	470	
TMP-18	6/13/2016	58	152.3	451	
TMP-18	6/13/2016	77	151.5	432	
TMP-18	6/13/2016	96	146.5	413	
TMP-18	6/13/2016	115	138.8	394	
TMP-18	6/13/2016	134	130.6	375	
TMP-18	6/13/2016	153	124.2	356	
TMP-18	6/13/2016	172	118.1	337	
TMP-18	6/13/2016	191	113.2	318	
TMP-18	6/13/2016	210	109.2	299	
TMP-18	6/13/2016	227	106.7	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	5/18/2016	13	88.9	461	
TMP-21	5/18/2016	26	95.8	448	
TMP-21	5/18/2016	41	90.5	433	
TMP-21	5/23/2016	13	87.8	461	
TMP-21	5/23/2016	26	95.2	448	
TMP-21	5/23/2016	41	90.1	433	
TMP-21	6/1/2016	13	88.2	461	
TMP-21	6/1/2016	26	95.4	448	
TMP-21	6/1/2016	41	90.1	433	
TMP-21	6/6/2016	13	87.2	461	
TMP-21	6/6/2016	26	94.8	448	
TMP-21	6/6/2016	41	89.6	433	
TMP-21	6/13/2016	13	87.8	461	
TMP-21	6/13/2016	26	95.3	448	
TMP-21	6/13/2016	41	90.3	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	5/18/2016	15	108.0	474	
TMP-22	5/18/2016	31	126.7	458	
TMP-22	5/18/2016	50	124.4	439	
TMP-22	5/18/2016	70	116.3	419	
TMP-22	5/23/2016	15	108.1	474	
TMP-22	5/23/2016	31	126.7	458	
TMP-22	5/23/2016	50	123.9	439	
TMP-22	5/23/2016	70	116.4	419	
TMP-22	6/1/2016	15	107.5	474	
TMP-22	6/1/2016	31	126.4	458	
TMP-22	6/1/2016	50	124.3	439	
TMP-22	6/1/2016	70	116.2	419	
TMP-22	6/6/2016	15	107.3	474	
TMP-22	6/6/2016	31	126.4	458	
TMP-22	6/6/2016	50	124.2	439	
TMP-22	6/6/2016	70	116.2	419	
TMP-22	6/13/2016	15	107.1	474	
TMP-22	6/13/2016	31	126.3	458	
TMP-22	6/13/2016	50	124.1	439	
TMP-22	6/13/2016	70	116.0	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	5/18/2016	20	117.9	477	
TMP-23	5/18/2016	38	139.7	459	
TMP-23	5/18/2016	56	142.2	441	
TMP-23	5/18/2016	74	134.7	423	
TMP-23	5/18/2016	92	125.7	405	
TMP-23	5/18/2016	106	117.2	391	
TMP-23	5/23/2016	20	117.1	477	
TMP-23	5/23/2016	38	139.5	459	
TMP-23	5/23/2016	56	141.9	441	
TMP-23	5/23/2016	74	134.6	423	
TMP-23	5/23/2016	92	125.6	405	
TMP-23	5/23/2016	106	117.0	391	
TMP-23	6/1/2016	20	117.4	477	
TMP-23	6/1/2016	38	139.5	459	
TMP-23	6/1/2016	56	141.9	441	
TMP-23	6/1/2016	74	134.5	423	
TMP-23	6/1/2016	92	125.5	405	
TMP-23	6/1/2016	106	117.0	391	
TMP-23	6/6/2016	20	117.5	477	
TMP-23	6/6/2016	38	139.7	459	
TMP-23	6/6/2016	56	142.2	441	
TMP-23	6/6/2016	74	134.7	423	
TMP-23	6/6/2016	92	125.8	405	
TMP-23	6/6/2016	106	117.2	391	
TMP-23	6/13/2016	20	117.5	477	
TMP-23	6/13/2016	38	140.1	459	
TMP-23	6/13/2016	56	142.6	441	
TMP-23	6/13/2016	74	135.2	423	
TMP-23	6/13/2016	92	126.3	405	
TMP-23	6/13/2016	106	117.7	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	5/18/2016	20	103.3	492	
TMP-24	5/18/2016	40	130.0	472	
TMP-24	5/18/2016	60	142.7	452	
TMP-24	5/18/2016	67	143.8	445	
TMP-24	5/23/2016	20	104.6	492	
TMP-24	5/23/2016	40	131.4	472	
TMP-24	5/23/2016	60	144.0	452	
TMP-24	5/23/2016	67	145.1	445	
TMP-24	6/1/2016	20	102.8	492	
TMP-24	6/1/2016	40	129.4	472	
TMP-24	6/1/2016	60	142.0	452	
TMP-24	6/1/2016	67	143.1	445	
TMP-24	6/6/2016	20	102.4	492	
TMP-24	6/6/2016	40	129.2	472	
TMP-24	6/6/2016	60	141.9	452	
TMP-24	6/6/2016	67	143.1	445	
TMP-24	6/13/2016	20	101.9	492	
TMP-24	6/13/2016	40	129.2	472	
TMP-24	6/13/2016	60	141.8	452	
TMP-24	6/13/2016	67	142.8	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	5/18/2016	20	122.4	495	
TMP-25	5/18/2016	40	147.0	475	
TMP-25	5/18/2016	60	159.4	455	
TMP-25	5/18/2016	80	160.9	435	
TMP-25	5/18/2016	100	155.7	415	
TMP-25	5/18/2016	120	145.1	395	
TMP-25	5/18/2016	140	133.6	375	
TMP-25	5/18/2016	160	120.7	355	
TMP-25	5/18/2016	180	113.2	335	
TMP-25	5/18/2016	200	107.6	315	
TMP-25	5/18/2016	220	96.9	295	
TMP-25	5/18/2016	235	93.5	280	
TMP-25	5/23/2016	20	122.6	495	
TMP-25	5/23/2016	40	147.4	475	
TMP-25	5/23/2016	60	160.1	455	
TMP-25	5/23/2016	80	161.6	435	
TMP-25	5/23/2016	100	156.5	415	
TMP-25	5/23/2016	120	145.9	395	
TMP-25	5/23/2016	140	134.4	375	
TMP-25	5/23/2016	160	121.4	355	
TMP-25	5/23/2016	180	113.9	335	
TMP-25	5/23/2016	200	108.0	315	
TMP-25	5/23/2016	220	97.3	295	
TMP-25	5/23/2016	235	93.6	280	
TMP-25	6/1/2016	20	122.8	495	
TMP-25	6/1/2016	40	147.6	475	
TMP-25	6/1/2016	60	160.2	455	
TMP-25	6/1/2016	80	161.6	435	
TMP-25	6/1/2016	100	156.4	415	
TMP-25	6/1/2016	120	145.8	395	
TMP-25	6/1/2016	140	134.2	375	
TMP-25	6/1/2016	160	121.3	355	
TMP-25	6/1/2016	180	113.7	335	
TMP-25	6/1/2016	200	108.0	315	
TMP-25	6/1/2016	220	97.3	295	
TMP-25	6/1/2016	235	93.7	280	
TMP-25	6/6/2016	20	122.3	495	
TMP-25	6/6/2016	40	147.1	475	
TMP-25	6/6/2016	60	159.8	455	
TMP-25	6/6/2016	80	161.2	435	
TMP-25	6/6/2016	100	156.0	415	
TMP-25	6/6/2016	120	145.3	395	
TMP-25	6/6/2016	140	133.7	375	
TMP-25	6/6/2016	160	120.7	355	
TMP-25	6/6/2016	180	113.1	335	
TMP-25	6/6/2016	200	107.3	315	
TMP-25	6/6/2016	220	96.5	295	
TMP-25	6/6/2016	235	92.9	280	
TMP-25	6/13/2016	20	121.7	495	
TMP-25	6/13/2016	40	146.5	475	
TMP-25	6/13/2016	60	159.2	455	
TMP-25	6/13/2016	80	160.7	435	
TMP-25	6/13/2016	100	155.7	415	
TMP-25	6/13/2016	120	145.1	395	
TMP-25	6/13/2016	140	133.6	375	
TMP-25	6/13/2016	160	120.7	355	
TMP-25	6/13/2016	180	113.2	335	
TMP-25	6/13/2016	200	107.4	315	
TMP-25	6/13/2016	220	96.6	295	
TMP-25	6/13/2016	235	92.9	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	5/18/2016	20	101.5	479	
TMP-26	5/18/2016	40	120.3	459	
TMP-26	5/18/2016	60	125.2	439	
TMP-26	5/18/2016	80	125.0	419	
TMP-26	5/18/2016	100	116.6	399	
TMP-26	5/18/2016	120	121.5	379	
TMP-26	5/18/2016	140	122.8	359	
TMP-26	5/18/2016	142	121.9	357	
TMP-26	5/23/2016	20	100.9	479	
TMP-26	5/23/2016	40	119.4	459	
TMP-26	5/23/2016	60	124.1	439	
TMP-26	5/23/2016	80	123.7	419	
TMP-26	5/23/2016	100	115.5	399	
TMP-26	5/23/2016	120	120.1	379	
TMP-26	5/23/2016	140	121.3	359	
TMP-26	5/23/2016	142	120.3	357	
TMP-26	6/1/2016	20	100.8	479	
TMP-26	6/1/2016	40	119.1	459	
TMP-26	6/1/2016	60	123.7	439	
TMP-26	6/1/2016	80	123.3	419	
TMP-26	6/1/2016	100	115.3	399	
TMP-26	6/1/2016	120	119.8	379	
TMP-26	6/1/2016	140	121.1	359	
TMP-26	6/1/2016	142	120.1	357	
TMP-26	6/6/2016	20	100.4	479	
TMP-26	6/6/2016	40	118.9	459	
TMP-26	6/6/2016	60	123.6	439	
TMP-26	6/6/2016	80	123.2	419	
TMP-26	6/6/2016	100	115.0	399	
TMP-26	6/6/2016	120	119.5	379	
TMP-26	6/6/2016	140	120.8	359	
TMP-26	6/6/2016	142	119.7	357	
TMP-26	6/13/2016	20	100.9	479	
TMP-26	6/13/2016	40	119.1	459	
TMP-26	6/13/2016	60	123.7	439	
TMP-26	6/13/2016	80	123.3	419	
TMP-26	6/13/2016	100	115.0	399	
TMP-26	6/13/2016	120	119.6	379	
TMP-26	6/13/2016	140	120.8	359	
TMP-26	6/13/2016	142	119.7	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	5/18/2016	20	101.0	493	
TMP-27	5/18/2016	40	142.2	473	
TMP-27	5/18/2016	60	154.3	453	
TMP-27	5/18/2016	80	157.3	433	
TMP-27	5/18/2016	100	154.1	413	
TMP-27	5/18/2016	120	148.8	393	
TMP-27	5/18/2016	140	143.2	373	
TMP-27	5/18/2016	160	136.6	353	
TMP-27	5/18/2016	180	130.3	333	
TMP-27	5/18/2016	200	126.2	313	
TMP-27	5/18/2016	220	121.4	293	
TMP-27	5/18/2016	233	116.5	280	
TMP-27	5/23/2016	20	101.1	493	
TMP-27	5/23/2016	40	143.7	473	
TMP-27	5/23/2016	60	156.5	453	
TMP-27	5/23/2016	80	159.9	433	
TMP-27	5/23/2016	100	156.7	413	
TMP-27	5/23/2016	120	151.4	393	
TMP-27	5/23/2016	140	145.0	373	
TMP-27	5/23/2016	160	137.6	353	
TMP-27	5/23/2016	180	131.5	333	
TMP-27	5/23/2016	200	127.7	313	
TMP-27	5/23/2016	220	122.8	293	
TMP-27	5/23/2016	233	117.1	280	
TMP-27	6/1/2016	20	99.7	493	
TMP-27	6/1/2016	40	141.6	473	
TMP-27	6/1/2016	60	153.9	453	
TMP-27	6/1/2016	80	156.9	433	
TMP-27	6/1/2016	100	153.9	413	
TMP-27	6/1/2016	120	148.8	393	
TMP-27	6/1/2016	140	142.8	373	
TMP-27	6/1/2016	160	135.9	353	
TMP-27	6/1/2016	180	129.6	333	
TMP-27	6/1/2016	200	125.5	313	
TMP-27	6/1/2016	220	120.5	293	
TMP-27	6/1/2016	233	115.5	280	
TMP-27	6/6/2016	20	100.5	493	
TMP-27	6/6/2016	40	142.3	473	
TMP-27	6/6/2016	60	154.6	453	
TMP-27	6/6/2016	80	157.8	433	
TMP-27	6/6/2016	100	154.6	413	
TMP-27	6/6/2016	120	149.4	393	
TMP-27	6/6/2016	140	143.7	373	
TMP-27	6/6/2016	160	136.9	353	
TMP-27	6/6/2016	180	130.4	333	
TMP-27	6/6/2016	200	126.1	313	
TMP-27	6/6/2016	220	121.0	293	
TMP-27	6/6/2016	233	115.9	280	
TMP-27	6/13/2016	20	100.4	493	
TMP-27	6/13/2016	40	142.1	473	
TMP-27	6/13/2016	60	154.4	453	
TMP-27	6/13/2016	80	157.6	433	
TMP-27	6/13/2016	100	154.4	413	
TMP-27	6/13/2016	120	149.3	393	
TMP-27	6/13/2016	140	143.6	373	
TMP-27	6/13/2016	160	136.8	353	
TMP-27	6/13/2016	180	130.3	333	
TMP-27	6/13/2016	200	125.8	313	
TMP-27	6/13/2016	220	120.7	293	
TMP-27	6/13/2016	233	115.6	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	5/18/2016	20	102.0	480	
TMP-28	5/18/2016	40	140.4	460	
TMP-28	5/18/2016	60	135.9	440	
TMP-28	5/18/2016	80	131.9	420	
TMP-28	5/18/2016	100	133.8	400	
TMP-28	5/18/2016	120	128.3	380	
TMP-28	5/18/2016	140	123.9	360	
TMP-28	5/18/2016	160	119.5	340	
TMP-28	5/18/2016	180	115.7	320	
TMP-28	5/18/2016	200	113.7	300	
TMP-28	5/18/2016	217		283	no longer working
TMP-28	5/23/2016	20	101.9	480	
TMP-28	5/23/2016	40	140.6	460	
TMP-28	5/23/2016	60	136.2	440	
TMP-28	5/23/2016	80	130.7	420	
TMP-28	5/23/2016	100	134.0	400	
TMP-28	5/23/2016	120	128.5	380	
TMP-28	5/23/2016	140	124.2	360	
TMP-28	5/23/2016	160	119.8	340	
TMP-28	5/23/2016	180	115.9	320	
TMP-28	5/23/2016	200	113.9	300	
TMP-28	5/23/2016	217		283	no longer working
TMP-28	6/1/2016	20	102.5	480	
TMP-28	6/1/2016	40	141.1	460	
TMP-28	6/1/2016	60	136.4	440	
TMP-28	6/1/2016	80		420	unreasonable drop in temperature, dropping resistance, unreliable temperature
TMP-28	6/1/2016	100	133.9	400	
TMP-28	6/1/2016	120	128.2	380	
TMP-28	6/1/2016	140	123.8	360	
TMP-28	6/1/2016	160	119.5	340	
TMP-28	6/1/2016	180	115.9	320	
TMP-28	6/1/2016	200	113.8	300	
TMP-28	6/1/2016	217		283	no longer working
TMP-28	6/6/2016	20	101.2	480	
TMP-28	6/6/2016	40	140.2	460	
TMP-28	6/6/2016	60	135.7	440	
TMP-28	6/6/2016	80		420	unreasonable drop in temperature, dropping resistance, unreliable temperature
TMP-28	6/6/2016	100	133.7	400	
TMP-28	6/6/2016	120	128.2	380	
TMP-28	6/6/2016	140	123.9	360	
TMP-28	6/6/2016	160	119.7	340	
TMP-28	6/6/2016	180	115.9	320	
TMP-28	6/6/2016	200	113.6	300	
TMP-28	6/6/2016	217		283	no longer working
TMP-28	6/13/2016	20	99.9	480	
TMP-28	6/13/2016	40	139.2	460	
TMP-28	6/13/2016	60	135.0	440	
TMP-28	6/13/2016	80		420	unreasonable drop in temperature, dropping resistance, unreliable temperature
TMP-28	6/13/2016	100	132.9	400	
TMP-28	6/13/2016	120	127.4	380	
TMP-28	6/13/2016	140	122.9	360	
TMP-28	6/13/2016	160	118.5	340	
TMP-28	6/13/2016	180	114.7	320	
TMP-28	6/13/2016	200	112.4	300	
TMP-28	6/13/2016	217		283	no longer working

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	5/18/2016	8	65.9	488	
TMP-29	5/18/2016	16	79.0	480	
TMP-29	5/18/2016	25	88.8	471	
TMP-29	5/23/2016	8	64.0	488	
TMP-29	5/23/2016	16	77.0	480	
TMP-29	5/23/2016	25	86.8	471	
TMP-29	6/1/2016	8	65.2	488	
TMP-29	6/1/2016	16	77.0	480	
TMP-29	6/1/2016	25	86.6	471	
TMP-29	6/6/2016	8	65.4	488	
TMP-29	6/6/2016	16	76.8	480	
TMP-29	6/6/2016	25	86.4	471	
TMP-29	6/13/2016	8	65.5	488	
TMP-29	6/13/2016	16	75.8	480	
TMP-29	6/13/2016	25	85.2	471	