

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	5/30/2017	18	112.4	451	
TMP-1	5/30/2017	38	142.6	431	
TMP-1	5/30/2017	58	147.7	411	
TMP-1	5/30/2017	78	143.7	391	
TMP-1	5/30/2017	98	135.1	371	
TMP-1	5/30/2017	118	124.3	351	
TMP-1	5/30/2017	138	115.9	331	
TMP-1	6/5/2017	18	112.7	451	
TMP-1	6/5/2017	38	143.1	431	
TMP-1	6/5/2017	58	148.0	411	
TMP-1	6/5/2017	78	143.9	391	
TMP-1	6/5/2017	98	135.2	371	
TMP-1	6/5/2017	118	124.4	351	
TMP-1	6/5/2017	138	116.1	331	
TMP-1	6/12/2017	18	112.6	451	
TMP-1	6/12/2017	38	143.1	431	
TMP-1	6/12/2017	58	147.9	411	
TMP-1	6/12/2017	78	143.7	391	
TMP-1	6/12/2017	98	135.1	371	
TMP-1	6/12/2017	118	124.1	351	
TMP-1	6/12/2017	138	115.8	331	
TMP-1	6/19/2017	18	112.7	451	
TMP-1	6/19/2017	38	143.3	431	
TMP-1	6/19/2017	58	148.0	411	
TMP-1	6/19/2017	78	143.9	391	
TMP-1	6/19/2017	98	135.1	371	
TMP-1	6/19/2017	118	124.2	351	
TMP-1	6/19/2017	138	115.8	331	
TMP-1	6/26/2017	18	113.2	451	
TMP-1	6/26/2017	38	143.7	431	
TMP-1	6/26/2017	58	148.6	411	
TMP-1	6/26/2017	78	144.5	391	
TMP-1	6/26/2017	98	135.8	371	
TMP-1	6/26/2017	118	124.9	351	
TMP-1	6/26/2017	138	116.6	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2R	5/30/2017	20	122.3	440	
TMP-2R	5/30/2017	40	153.5	420	
TMP-2R	5/30/2017	60	165.4	400	
TMP-2R	5/30/2017	80	178.0	380	
TMP-2R	5/30/2017	100	174.2	360	
TMP-2R	5/30/2017	120	163.1	340	
TMP-2R	5/30/2017	140	157.3	320	
TMP-2R	5/30/2017	160	150.7	300	
TMP-2R	5/30/2017	180	137.1	280	
TMP-2R	6/5/2017	20	121.3	440	
TMP-2R	6/5/2017	40	152.3	420	
TMP-2R	6/5/2017	60	164.0	400	
TMP-2R	6/5/2017	80	176.5	380	
TMP-2R	6/5/2017	100	172.8	360	
TMP-2R	6/5/2017	120	161.8	340	
TMP-2R	6/5/2017	140	156.0	320	
TMP-2R	6/5/2017	160	149.3	300	
TMP-2R	6/5/2017	180	135.6	280	
TMP-2R	6/12/2017	20	121.3	440	
TMP-2R	6/12/2017	40	152.6	420	
TMP-2R	6/12/2017	60	164.3	400	
TMP-2R	6/12/2017	80	176.8	380	
TMP-2R	6/12/2017	100	173.1	360	
TMP-2R	6/12/2017	120	162.0	340	
TMP-2R	6/12/2017	140	156.1	320	
TMP-2R	6/12/2017	160	149.4	300	
TMP-2R	6/12/2017	180	135.6	280	
TMP-2R	6/19/2017	20	121.7	440	
TMP-2R	6/19/2017	40	153.2	420	
TMP-2R	6/19/2017	60	165.1	400	
TMP-2R	6/19/2017	80	177.6	380	
TMP-2R	6/19/2017	100	173.9	360	
TMP-2R	6/19/2017	120	162.9	340	
TMP-2R	6/19/2017	140	157.2	320	
TMP-2R	6/19/2017	160	150.4	300	
TMP-2R	6/19/2017	180	136.7	280	
TMP-2R	6/26/2017	20	121.1	440	
TMP-2R	6/26/2017	40	152.4	420	
TMP-2R	6/26/2017	60	164.4	400	
TMP-2R	6/26/2017	80	176.8	380	
TMP-2R	6/26/2017	100	173.2	360	
TMP-2R	6/26/2017	120	162.2	340	
TMP-2R	6/26/2017	140	156.4	320	
TMP-2R	6/26/2017	160	149.6	300	
TMP-2R	6/26/2017	180	135.9	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	5/30/2017	30	148.4	470	
TMP-3	5/30/2017	50	156.3	450	
TMP-3	5/30/2017	70	155.5	430	
TMP-3	5/30/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	5/30/2017	150	145.3	350	
TMP-3	5/30/2017	190	123.5	310	
TMP-3	5/30/2017	230	101.0	270	
TMP-3	6/5/2017	30	147.9	470	
TMP-3	6/5/2017	50	155.5	450	
TMP-3	6/5/2017	70	154.8	430	
TMP-3	6/5/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/5/2017	150	144.8	350	
TMP-3	6/5/2017	190	123.1	310	
TMP-3	6/5/2017	230	100.5	270	
TMP-3	6/12/2017	30	147.8	470	
TMP-3	6/12/2017	50	155.6	450	
TMP-3	6/12/2017	70	154.8	430	
TMP-3	6/12/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/12/2017	150	144.6	350	
TMP-3	6/12/2017	190	122.7	310	
TMP-3	6/12/2017	230	99.8	270	
TMP-3	6/19/2017	30	146.5	470	
TMP-3	6/19/2017	50	155.8	450	
TMP-3	6/19/2017	70	155.1	430	
TMP-3	6/19/2017	110	152.0	390	[not reliable - connectivity test 10/14]
TMP-3	6/19/2017	150	144.9	350	
TMP-3	6/19/2017	190	123.3	310	
TMP-3	6/19/2017	230	100.6	270	
TMP-3	6/26/2017	30	147.7	470	
TMP-3	6/26/2017	50	156.0	450	
TMP-3	6/26/2017	70	155.5	430	
TMP-3	6/26/2017	110		390	[not reliable - connectivity test 10/14]
TMP-3	6/26/2017	150	145.3	350	
TMP-3	6/26/2017	190	123.6	310	
TMP-3	6/26/2017	230	101.0	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	5/30/2017	20	138.3	479	
TMP-3R	5/30/2017	40	157.9	459	
TMP-3R	5/30/2017	60	159.6	439	
TMP-3R	5/30/2017	80	160.1	419	
TMP-3R	5/30/2017	100	158.8	399	
TMP-3R	5/30/2017	120	155.0	379	
TMP-3R	5/30/2017	140	153.4	359	
TMP-3R	5/30/2017	160	142.6	339	
TMP-3R	5/30/2017	180	133.0	319	
TMP-3R	5/30/2017	200	117.9	299	
TMP-3R	5/30/2017	218	105.3	281	
TMP-3R	6/5/2017	20	137.4	479	
TMP-3R	6/5/2017	40	157.0	459	
TMP-3R	6/5/2017	60	158.6	439	
TMP-3R	6/5/2017	80	159.1	419	
TMP-3R	6/5/2017	100	157.8	399	
TMP-3R	6/5/2017	120	154.1	379	
TMP-3R	6/5/2017	140	152.4	359	
TMP-3R	6/5/2017	160	141.6	339	
TMP-3R	6/5/2017	180	131.9	319	
TMP-3R	6/5/2017	200	116.9	299	
TMP-3R	6/5/2017	218	104.2	281	
TMP-3R	6/12/2017	20	137.8	479	
TMP-3R	6/12/2017	40	157.5	459	
TMP-3R	6/12/2017	60	159.2	439	
TMP-3R	6/12/2017	80	159.8	419	
TMP-3R	6/12/2017	100	158.5	399	
TMP-3R	6/12/2017	120	154.7	379	
TMP-3R	6/12/2017	140	153.0	359	
TMP-3R	6/12/2017	160	142.1	339	
TMP-3R	6/12/2017	180	132.6	319	
TMP-3R	6/12/2017	200	117.5	299	
TMP-3R	6/12/2017	218	104.8	281	
TMP-3R	6/19/2017	20	139.0	479	
TMP-3R	6/19/2017	40	158.8	459	
TMP-3R	6/19/2017	60	160.5	439	
TMP-3R	6/19/2017	80	160.9	419	
TMP-3R	6/19/2017	100	159.6	399	
TMP-3R	6/19/2017	120	155.4	379	
TMP-3R	6/19/2017	140	153.6	359	
TMP-3R	6/19/2017	160	142.7	339	
TMP-3R	6/19/2017	180	133.0	319	
TMP-3R	6/19/2017	200	118.0	299	
TMP-3R	6/19/2017	218	105.3	281	
TMP-3R	6/26/2017	20	137.8	479	
TMP-3R	6/26/2017	40	157.4	459	
TMP-3R	6/26/2017	60	159.0	439	
TMP-3R	6/26/2017	80	159.5	419	
TMP-3R	6/26/2017	100	158.3	399	
TMP-3R	6/26/2017	120	154.5	379	
TMP-3R	6/26/2017	140	152.9	359	
TMP-3R	6/26/2017	160	142.1	339	
TMP-3R	6/26/2017	180	132.5	319	
TMP-3R	6/26/2017	200	117.6	299	
TMP-3R	6/26/2017	218	105.0	281	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4	5/30/2017	28	127.3	472	
TMP-4	6/5/2017	28	127.6	472	
TMP-4	6/12/2017	28	127.9	472	
TMP-4	6/19/2017	28	128.0	472	
TMP-4	6/26/2017	28	126.2	472	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-4R	5/30/2017	10	95.5	489	
TMP-4R	5/30/2017	20	117.0	479	
TMP-4R	5/30/2017	29	129.7	470	
TMP-4R	6/5/2017	10	97.3	489	
TMP-4R	6/5/2017	20	117.1	479	
TMP-4R	6/5/2017	29	129.4	470	
TMP-4R	6/12/2017	10	97.1	489	
TMP-4R	6/12/2017	20	116.6	479	
TMP-4R	6/12/2017	29	129.0	470	
TMP-4R	6/19/2017	10	98.5	489	
TMP-4R	6/19/2017	20	117.5	479	
TMP-4R	6/19/2017	29	130.0	470	
TMP-4R	6/26/2017	10	97.1	489	
TMP-4R	6/26/2017	20	115.7	479	
TMP-4R	6/26/2017	29	128.4	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	5/30/2017	15	154.7	472	
TMP-6	5/30/2017	95	163.3	392	fluctuating resistance, possibly unreliable
TMP-6	5/30/2017	115	154.6	372	
TMP-6	5/30/2017	135	142.1	352	
TMP-6	6/5/2017	15	155.0	472	
TMP-6	6/5/2017	95	163.5	392	fluctuating resistance, possibly unreliable
TMP-6	6/5/2017	115	154.8	372	
TMP-6	6/5/2017	135	142.2	352	
TMP-6	6/12/2017	15	153.1	472	
TMP-6	6/12/2017	95	162.9	392	fluctuating resistance, possibly unreliable
TMP-6	6/12/2017	115	154.1	372	
TMP-6	6/12/2017	135	141.4	352	
TMP-6	6/12/2017	15	153.1	472	
TMP-6	6/12/2017	95	162.9	392	fluctuating resistance, possibly unreliable
TMP-6	6/12/2017	115	154.1	372	
TMP-6	6/12/2017	135	141.4	352	
TMP-6	6/19/2017	15	154.3	472	
TMP-6	6/19/2017	95	163.8	392	
TMP-6	6/19/2017	115	155.2	372	
TMP-6	6/19/2017	135	142.6	352	
TMP-6	6/26/2017	15	153.4	472	
TMP-6	6/26/2017	95	163.0	392	
TMP-6	6/26/2017	115	154.5	372	
TMP-6	6/26/2017	135	142.0	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	5/30/2017	40	203.3	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	6/5/2017	40	202.7	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	6/12/2017	40	202.7	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	6/19/2017	40	202.5	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	6/26/2017	40	201.5	446	Previous report of moisture in line sheeting & end corrosion.

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	5/30/2017	13		476	[not reliable - connectivity test 06/01/17]
TMP-10	5/30/2017	33		456	[not reliable - connectivity test 06/01/17]
TMP-10	5/30/2017	53		436	[not reliable - connectivity test 06/01/17]
TMP-10	5/30/2017	73		416	[not reliable - connectivity test 06/01/17]
TMP-10	5/30/2017	93		396	[not reliable - connectivity test 06/01/17]
TMP-10	5/30/2017	113		376	[not reliable - connectivity test 06/01/17]
TMP-10	5/30/2017	133		356	[not reliable - connectivity test 06/01/17]
TMP-10	6/5/2017	13		476	[not reliable - connectivity test 06/01/17]
TMP-10	6/5/2017	33		456	[not reliable - connectivity test 06/01/17]
TMP-10	6/5/2017	53		436	[not reliable - connectivity test 06/01/17]
TMP-10	6/5/2017	73		416	[not reliable - connectivity test 06/01/17]
TMP-10	6/5/2017	93		396	[not reliable - connectivity test 06/01/17]
TMP-10	6/5/2017	113		376	[not reliable - connectivity test 06/01/17]
TMP-10	6/5/2017	133		356	[not reliable - connectivity test 06/01/17]
TMP-10	6/12/2017	13		476	[not reliable - connectivity test 06/01/17]
TMP-10	6/12/2017	33		456	[not reliable - connectivity test 06/01/17]
TMP-10	6/12/2017	53		436	[not reliable - connectivity test 06/01/17]
TMP-10	6/12/2017	73		416	[not reliable - connectivity test 06/01/17]
TMP-10	6/12/2017	93		396	[not reliable - connectivity test 06/01/17]
TMP-10	6/12/2017	113		376	[not reliable - connectivity test 06/01/17]
TMP-10	6/12/2017	133		356	[not reliable - connectivity test 06/01/17]
TMP-10	6/19/2017	13		476	[not reliable - connectivity test 06/01/17]
TMP-10	6/19/2017	33		456	[not reliable - connectivity test 06/01/17]
TMP-10	6/19/2017	53		436	[not reliable - connectivity test 06/01/17]
TMP-10	6/19/2017	73		416	[not reliable - connectivity test 06/01/17]
TMP-10	6/19/2017	93		396	[not reliable - connectivity test 06/01/17]
TMP-10	6/19/2017	113		376	[not reliable - connectivity test 06/01/17], Resistance below acceptable
TMP-10	6/19/2017	133		356	[not reliable - connectivity test 06/01/17]
TMP-10	6/26/2017	13		476	[not reliable - connectivity test 06/01/17]
TMP-10	6/26/2017	33		456	[not reliable - connectivity test 06/01/17]
TMP-10	6/26/2017	53		436	[not reliable - connectivity test 06/01/17]
TMP-10	6/26/2017	73		416	[not reliable - connectivity test 06/01/17]
TMP-10	6/26/2017	93		396	[not reliable - connectivity test 06/01/17]
TMP-10	6/26/2017	113		376	[not reliable - connectivity test 06/01/17], Resistance below acceptable
TMP-10	6/26/2017	133		356	[not reliable - connectivity test 06/01/17]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11R	5/30/2017	20	119.1	448	
TMP-11R	5/30/2017	40	129.8	428	
TMP-11R	5/30/2017	60	125.1	408	
TMP-11R	5/30/2017	80	122.5	388	
TMP-11R	5/30/2017	100	113.7	368	
TMP-11R	5/30/2017	120	107.4	348	
TMP-11R	6/5/2017	20	119.0	448	
TMP-11R	6/5/2017	40	129.5	428	
TMP-11R	6/5/2017	60	124.9	408	
TMP-11R	6/5/2017	80	122.2	388	
TMP-11R	6/5/2017	100	113.4	368	
TMP-11R	6/5/2017	120	107.1	348	
TMP-11R	6/12/2017	20	118.3	448	
TMP-11R	6/12/2017	40	129.2	428	
TMP-11R	6/12/2017	60	124.6	408	
TMP-11R	6/12/2017	80	121.9	388	
TMP-11R	6/12/2017	100	113.1	368	
TMP-11R	6/12/2017	120	106.8	348	
TMP-11R	6/19/2017	20	118.7	448	
TMP-11R	6/19/2017	40	129.7	428	
TMP-11R	6/19/2017	60	125.1	408	
TMP-11R	6/19/2017	80	122.5	388	
TMP-11R	6/19/2017	100	113.8	368	
TMP-11R	6/19/2017	120	107.4	348	
TMP-11R	6/26/2017	20	119.3	448	
TMP-11R	6/26/2017	40	130.5	428	
TMP-11R	6/26/2017	60	126.0	408	
TMP-11R	6/26/2017	80	123.4	388	
TMP-11R	6/26/2017	100	114.7	368	
TMP-11R	6/26/2017	120	108.4	348	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14R	5/30/2017	20	156.0	479	
TMP-14R	5/30/2017	40	189.7	459	
TMP-14R	5/30/2017	60	195.9	439	
TMP-14R	5/30/2017	80	196.5	419	
TMP-14R	5/30/2017	100	186.1	399	
TMP-14R	5/30/2017	120	185.1	379	
TMP-14R	5/30/2017	140	181.2	359	
TMP-14R	6/5/2017	20	155.3	479	
TMP-14R	6/5/2017	40	188.9	459	
TMP-14R	6/5/2017	60	195.3	439	
TMP-14R	6/5/2017	80	196.2	419	
TMP-14R	6/5/2017	100	186.1	399	
TMP-14R	6/5/2017	120	185.1	379	
TMP-14R	6/5/2017	140	181.3	359	
TMP-14R	6/12/2017	20	155.1	479	
TMP-14R	6/12/2017	40	189.4	459	
TMP-14R	6/12/2017	60	195.8	439	
TMP-14R	6/12/2017	80	196.8	419	
TMP-14R	6/12/2017	100	186.6	399	
TMP-14R	6/12/2017	120	185.7	379	
TMP-14R	6/12/2017	140	181.7	359	
TMP-14R	6/19/2017	20	155.4	479	
TMP-14R	6/19/2017	40	189.6	459	
TMP-14R	6/19/2017	60	196.3	439	
TMP-14R	6/19/2017	80	197.3	419	
TMP-14R	6/19/2017	100	187.4	399	
TMP-14R	6/19/2017	120	186.6	379	
TMP-14R	6/19/2017	140	182.8	359	
TMP-14R	6/26/2017	20	155.6	479	
TMP-14R	6/26/2017	40	190.4	459	
TMP-14R	6/26/2017	60	197.0	439	
TMP-14R	6/26/2017	80	198.1	419	
TMP-14R	6/26/2017	100	188.2	399	
TMP-14R	6/26/2017	120	187.3	379	
TMP-14R	6/26/2017	140	183.1	359	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	5/30/2017	20	113.7	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	5/30/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	5/30/2017	58	161.8	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	5/30/2017	77	162.8	435	wires repaired 6/15/16
TMP-16	5/30/2017	96	158.7	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	5/30/2017	115	149.5	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	5/30/2017	134	137.5	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	5/30/2017	153	121.1	359	wires repaired 6/15/16
TMP-16	6/5/2017	20	114.0	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/5/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	6/5/2017	58	162.1	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/5/2017	77	164.3	435	wires repaired 6/15/16
TMP-16	6/5/2017	96	158.6	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/5/2017	115	149.3	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/5/2017	134	135.2	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/5/2017	153	120.8	359	wires repaired 6/15/16
TMP-16	6/12/2017	20	116.5	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/12/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	6/12/2017	58	162.5	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/12/2017	77	163.9	435	wires repaired 6/15/16
TMP-16	6/12/2017	96	158.5	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/12/2017	115	149.3	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/12/2017	134	137.3	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/12/2017	153	120.8	359	wires repaired 6/15/16
TMP-16	6/19/2017	20	117.1	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/19/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	6/19/2017	58	163.2	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/19/2017	77	165.4	435	wires repaired 6/15/16
TMP-16	6/19/2017	96	158.3	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/19/2017	115	149.1	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/19/2017	134	136.9	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/19/2017	153	120.9	359	wires repaired 6/15/16
TMP-16	6/26/2017	20	117.2	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/26/2017	39		473	resistivity higher than acceptable limit, unreliable temperature
TMP-16	6/26/2017	58	163.4	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/26/2017	77	165.2	435	wires repaired 6/15/16
TMP-16	6/26/2017	96	159.1	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/26/2017	115	149.8	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/26/2017	134	137.7	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	6/26/2017	153	121.6	359	wires repaired 6/15/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	5/30/2017	20	109.2	496	
TMP-17	5/30/2017	40	141.6	476	
TMP-17	5/30/2017	60	158.7	456	
TMP-17	5/30/2017	80	160.8	436	
TMP-17	5/30/2017	100	157.3	416	
TMP-17	5/30/2017	120	152.2	396	
TMP-17	5/30/2017	140	142.8	376	
TMP-17	5/30/2017	160	130.5	356	
TMP-17	5/30/2017	180	123.3	336	
TMP-17	5/30/2017	200	116.7	316	
TMP-17	5/30/2017	220	109.2	296	
TMP-17	5/30/2017	237	101.6	279	
TMP-17	6/5/2017	20	110.0	496	
TMP-17	6/5/2017	40	142.6	476	
TMP-17	6/5/2017	60	159.8	456	
TMP-17	6/5/2017	80	162.0	436	
TMP-17	6/5/2017	100	158.6	416	
TMP-17	6/5/2017	120	153.4	396	
TMP-17	6/5/2017	140	144.0	376	
TMP-17	6/5/2017	160	131.6	356	
TMP-17	6/5/2017	180	124.2	336	
TMP-17	6/5/2017	200	117.6	316	
TMP-17	6/5/2017	220	109.7	296	
TMP-17	6/5/2017	237	102.0	279	
TMP-17	6/12/2017	20	110.7	496	
TMP-17	6/12/2017	40	143.6	476	
TMP-17	6/12/2017	60	159.9	456	
TMP-17	6/12/2017	80	162.1	436	
TMP-17	6/12/2017	100	158.7	416	
TMP-17	6/12/2017	120	153.4	396	
TMP-17	6/12/2017	140	143.8	376	
TMP-17	6/12/2017	160	131.5	356	
TMP-17	6/12/2017	180	124.2	336	
TMP-17	6/12/2017	200	117.4	316	
TMP-17	6/12/2017	220	109.7	296	
TMP-17	6/12/2017	237	101.9	279	
TMP-17	6/19/2017	20	111.4	496	
TMP-17	6/19/2017	40	144.0	476	
TMP-17	6/19/2017	60	160.8	456	
TMP-17	6/19/2017	80	163.0	436	
TMP-17	6/19/2017	100	159.5	416	
TMP-17	6/19/2017	120	154.3	396	
TMP-17	6/19/2017	140	144.9	376	
TMP-17	6/19/2017	160	132.4	356	
TMP-17	6/19/2017	180	125.1	336	
TMP-17	6/19/2017	200	118.3	316	
TMP-17	6/19/2017	220	110.5	296	
TMP-17	6/19/2017	237	102.7	279	
TMP-17	6/26/2017	20	110.3	496	
TMP-17	6/26/2017	40	143.1	476	
TMP-17	6/26/2017	60	159.8	456	
TMP-17	6/26/2017	80	162.0	436	
TMP-17	6/26/2017	100	158.7	416	
TMP-17	6/26/2017	120	153.4	396	
TMP-17	6/26/2017	140	144.3	376	
TMP-17	6/26/2017	160	132.1	356	
TMP-17	6/26/2017	180	124.9	336	
TMP-17	6/26/2017	200	118.2	316	
TMP-17	6/26/2017	220	110.9	296	
TMP-17	6/26/2017	237	103.4	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	5/30/2017	20	96.3	489	
TMP-18	5/30/2017	39	137.3	470	
TMP-18	5/30/2017	58	153.7	451	
TMP-18	5/30/2017	77	153.1	432	
TMP-18	5/30/2017	96	147.9	413	
TMP-18	5/30/2017	115	140.7	394	
TMP-18	5/30/2017	134	132.9	375	
TMP-18	5/30/2017	153	126.5	356	
TMP-18	5/30/2017	172	120.5	337	
TMP-18	5/30/2017	191	115.8	318	
TMP-18	5/30/2017	210	109.6	299	
TMP-18	5/30/2017	227	108.8	282	
TMP-18	6/5/2017	20	95.3	489	
TMP-18	6/5/2017	39	136.5	470	
TMP-18	6/5/2017	58	152.7	451	
TMP-18	6/5/2017	77	151.9	432	
TMP-18	6/5/2017	96	146.8	413	
TMP-18	6/5/2017	115	139.5	394	
TMP-18	6/5/2017	134	131.6	375	
TMP-18	6/5/2017	153	125.3	356	
TMP-18	6/5/2017	172	119.3	337	
TMP-18	6/5/2017	191	114.5	318	
TMP-18	6/5/2017	210	108.4	299	
TMP-18	6/5/2017	227	107.6	282	
TMP-18	6/12/2017	20	95.2	489	
TMP-18	6/12/2017	39	136.4	470	
TMP-18	6/12/2017	58	152.6	451	
TMP-18	6/12/2017	77	151.8	432	
TMP-18	6/12/2017	96	147.0	413	
TMP-18	6/12/2017	115	139.6	394	
TMP-18	6/12/2017	134	131.8	375	
TMP-18	6/12/2017	153	125.7	356	
TMP-18	6/12/2017	172	119.9	337	
TMP-18	6/12/2017	191	115.3	318	
TMP-18	6/12/2017	210	107.7	299	
TMP-18	6/12/2017	227	108.5	282	
TMP-18	6/19/2017	20	95.9	489	
TMP-18	6/19/2017	39	137.3	470	
TMP-18	6/19/2017	58	153.5	451	
TMP-18	6/19/2017	77	152.6	432	
TMP-18	6/19/2017	96	147.9	413	
TMP-18	6/19/2017	115	140.1	394	
TMP-18	6/19/2017	134	132.4	375	
TMP-18	6/19/2017	153	126.2	356	
TMP-18	6/19/2017	172	120.2	337	
TMP-18	6/19/2017	191	115.4	318	
TMP-18	6/19/2017	210	109.4	299	
TMP-18	6/19/2017	227	108.5	282	
TMP-18	6/26/2017	20	96.1	489	
TMP-18	6/26/2017	39	137.7	470	
TMP-18	6/26/2017	58	153.8	451	
TMP-18	6/26/2017	77	152.9	432	
TMP-18	6/26/2017	96	147.7	413	
TMP-18	6/26/2017	115	140.5	394	
TMP-18	6/26/2017	134	133.0	375	
TMP-18	6/26/2017	153	126.3	356	
TMP-18	6/26/2017	172	120.4	337	
TMP-18	6/26/2017	191	115.4	318	
TMP-18	6/26/2017	210	111.3	299	
TMP-18	6/26/2017	227	108.7	282	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-21	5/30/2017	13	85.9	461	
TMP-21	5/30/2017	26	95.1	448	
TMP-21	5/30/2017	41	92.6	433	
TMP-21	6/5/2017	13	85.9	461	
TMP-21	6/5/2017	26	95.5	448	
TMP-21	6/5/2017	41	93.1	433	
TMP-21	6/12/2017	13	85.4	461	
TMP-21	6/12/2017	26	95.1	448	
TMP-21	6/12/2017	41	92.6	433	
TMP-21	6/19/2017	13	86.0	461	
TMP-21	6/19/2017	26	95.5	448	
TMP-21	6/19/2017	41	93.2	433	
TMP-21	6/26/2017	13	85.9	461	
TMP-21	6/26/2017	26	96.0	448	
TMP-21	6/26/2017	41	93.9	433	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-22	5/30/2017	15	103.1	474	
TMP-22	5/30/2017	31	124.1	458	
TMP-22	5/30/2017	50	124.2	439	
TMP-22	5/30/2017	70	116.9	419	
TMP-22	6/5/2017	15	103.0	474	
TMP-22	6/5/2017	31	124.1	458	
TMP-22	6/5/2017	50	124.3	439	
TMP-22	6/5/2017	70	117.0	419	
TMP-22	6/12/2017	15	102.3	474	
TMP-22	6/12/2017	31	123.6	458	
TMP-22	6/12/2017	50	123.7	439	
TMP-22	6/12/2017	70	116.6	419	
TMP-22	6/19/2017	15	103.4	474	
TMP-22	6/19/2017	31	124.9	458	
TMP-22	6/19/2017	50	125.1	439	
TMP-22	6/19/2017	70	117.9	419	
TMP-22	6/26/2017	15	103.7	474	
TMP-22	6/26/2017	31	125.7	458	
TMP-22	6/26/2017	50	126.2	439	
TMP-22	6/26/2017	70	119.3	419	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-23	5/30/2017	20	113.6	477	
TMP-23	5/30/2017	38	137.4	459	
TMP-23	5/30/2017	56	141.0	441	
TMP-23	5/30/2017	74	133.8	423	
TMP-23	5/30/2017	92	125.1	405	
TMP-23	5/30/2017	106	116.8	391	
TMP-23	6/5/2017	20	113.6	477	
TMP-23	6/5/2017	38	137.4	459	
TMP-23	6/5/2017	56	141.0	441	
TMP-23	6/5/2017	74	133.7	423	
TMP-23	6/5/2017	92	125.1	405	
TMP-23	6/5/2017	106	116.7	391	
TMP-23	6/12/2017	20	113.3	477	
TMP-23	6/12/2017	38	137.4	459	
TMP-23	6/12/2017	56	141.0	441	
TMP-23	6/12/2017	74	133.7	423	
TMP-23	6/12/2017	92	125.0	405	
TMP-23	6/12/2017	106	116.5	391	
TMP-23	6/19/2017	20	114.0	477	
TMP-23	6/19/2017	38	138.0	459	
TMP-23	6/19/2017	56	141.7	441	
TMP-23	6/19/2017	74	134.4	423	
TMP-23	6/19/2017	92	125.7	405	
TMP-23	6/19/2017	106	117.1	391	
TMP-23	6/26/2017	20	114.0	477	
TMP-23	6/26/2017	38	138.5	459	
TMP-23	6/26/2017	56	142.4	441	
TMP-23	6/26/2017	74	135.2	423	
TMP-23	6/26/2017	92	126.7	405	
TMP-23	6/26/2017	106	118.3	391	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-24	5/30/2017	20	101.9	492	
TMP-24	5/30/2017	40	128.5	472	
TMP-24	5/30/2017	60	141.5	452	
TMP-24	5/30/2017	67	142.8	445	
TMP-24	6/5/2017	20	101.0	492	
TMP-24	6/5/2017	40	127.9	472	
TMP-24	6/5/2017	60	141.4	452	
TMP-24	6/5/2017	67	142.3	445	
TMP-24	6/12/2017	20	101.9	492	
TMP-24	6/12/2017	40	128.8	472	
TMP-24	6/12/2017	60	142.3	452	
TMP-24	6/12/2017	67	143.4	445	
TMP-24	6/19/2017	20	101.4	492	
TMP-24	6/19/2017	40	128.3	472	
TMP-24	6/19/2017	60	141.6	452	
TMP-24	6/19/2017	67	142.6	445	
TMP-24	6/26/2017	20	102.5	492	
TMP-24	6/26/2017	40	129.6	472	
TMP-24	6/26/2017	60	143.3	452	
TMP-24	6/26/2017	67	144.7	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	5/30/2017	20	122.9	495	
TMP-25	5/30/2017	40	149.3	475	
TMP-25	5/30/2017	60	161.3	455	
TMP-25	5/30/2017	80	161.9	435	
TMP-25	5/30/2017	100	156.2	415	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	5/30/2017	120	144.3	395	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	5/30/2017	140	133.8	375	
TMP-25	5/30/2017	160	121.4	355	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	5/30/2017	180	113.6	335	
TMP-25	5/30/2017	220	97.3	295	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	5/30/2017	235	93.6	280	
TMP-25	6/5/2017	20	122.4	495	
TMP-25	6/5/2017	40	148.7	475	
TMP-25	6/5/2017	60	160.6	455	
TMP-25	6/5/2017	80	161.2	435	
TMP-25	6/5/2017	100	155.2	415	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/5/2017	120	143.8	395	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/5/2017	140	132.6	375	
TMP-25	6/5/2017	160	119.9	355	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/5/2017	180	112.2	335	
TMP-25	6/5/2017	220	95.7	295	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/5/2017	235	92.4	280	
TMP-25	6/12/2017	20	123.1	495	
TMP-25	6/12/2017	40	149.5	475	
TMP-25	6/12/2017	60	161.2	455	
TMP-25	6/12/2017	80	161.7	435	
TMP-25	6/12/2017	100	155.9	415	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/12/2017	120	144.6	395	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/12/2017	140	133.6	375	
TMP-25	6/12/2017	160	117.0	355	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/12/2017	180	112.7	335	
TMP-25	6/12/2017	220	98.2	295	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/12/2017	235	92.5	280	
TMP-25	6/19/2017	20	122.3	495	
TMP-25	6/19/2017	40	148	475	
TMP-25	6/19/2017	60	159.7	455	
TMP-25	6/19/2017	80	160.9	435	
TMP-25	6/19/2017	100	155	415	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/19/2017	120	143.7	395	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/19/2017	140	133	375	
TMP-25	6/19/2017	160	120.4	355	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/19/2017	180	112.2	335	
TMP-25	6/19/2017	220		295	no reading could be obtained 6/12/2017
TMP-25	6/19/2017	235	91.6	280	
TMP-25	6/26/2017	20	123.3	495	
TMP-25	6/26/2017	40	149.5	475	
TMP-25	6/26/2017	60	161.2	455	
TMP-25	6/26/2017	80	161.8	435	
TMP-25	6/26/2017	100	156.1	415	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/26/2017	120	144.8	395	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/26/2017	140	133.8	375	
TMP-25	6/26/2017	160	121.4	355	[possibly not reliable per connectivity test 04/07/2017]
TMP-25	6/26/2017	180	113.3	335	
TMP-25	6/26/2017	220		295	no reading could be obtained 6/12/2017
TMP-25	6/26/2017	235	93.1	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	5/30/2017	20	108.5	479	
TMP-26	5/30/2017	40	120.2	459	
TMP-26	5/30/2017	60	123.0	439	
TMP-26	5/30/2017	80	122.3	419	
TMP-26	5/30/2017	100	114.5	399	
TMP-26	5/30/2017	120	118.9	379	
TMP-26	5/30/2017	140	120.6	359	
TMP-26	5/30/2017	142	120.7	357	
TMP-26	6/5/2017	20	108.4	479	
TMP-26	6/5/2017	40	119.8	459	
TMP-26	6/5/2017	60	122.7	439	
TMP-26	6/5/2017	80	122.3	419	
TMP-26	6/5/2017	100	114.7	399	
TMP-26	6/5/2017	120	119.1	379	
TMP-26	6/5/2017	140	120.9	359	
TMP-26	6/5/2017	142	121.0	357	
TMP-26	6/12/2017	20	106.9	479	
TMP-26	6/12/2017	40	118.1	459	
TMP-26	6/12/2017	60	121.5	439	
TMP-26	6/12/2017	80	120.1	419	
TMP-26	6/12/2017	100	112.1	399	
TMP-26	6/12/2017	120	116.6	379	
TMP-26	6/12/2017	140	118.4	359	
TMP-26	6/12/2017	142	118.8	357	
TMP-26	6/19/2017	20	107.5	479	
TMP-26	6/19/2017	40	119.0	459	
TMP-26	6/19/2017	60	121.9	439	
TMP-26	6/19/2017	80	121.0	419	
TMP-26	6/19/2017	100	113.1	399	
TMP-26	6/19/2017	120	117.8	379	
TMP-26	6/19/2017	140	119.4	359	
TMP-26	6/19/2017	142	119.4	357	
TMP-26	6/26/2017	20	108.4	479	
TMP-26	6/26/2017	40	119.8	459	
TMP-26	6/26/2017	60	122.7	439	
TMP-26	6/26/2017	80	121.9	419	
TMP-26	6/26/2017	100	113.9	399	
TMP-26	6/26/2017	120	118.4	379	
TMP-26	6/26/2017	140	120.5	359	
TMP-26	6/26/2017	142	120.6	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	5/30/2017	20	112.4	493	
TMP-27	5/30/2017	40	145.4	473	
TMP-27	5/30/2017	60	156.4	453	
TMP-27	5/30/2017	80	158.7	433	
TMP-27	5/30/2017	100	155.1	413	
TMP-27	5/30/2017	120	149.8	393	
TMP-27	5/30/2017	140	144.0	373	
TMP-27	5/30/2017	160	137.1	353	
TMP-27	5/30/2017	180	130.9	333	
TMP-27	5/30/2017	200	126.2	313	
TMP-27	5/30/2017	220	120.9	293	
TMP-27	5/30/2017	233	116.1	280	
TMP-27	6/5/2017	20	113.8	493	
TMP-27	6/5/2017	40	145.5	473	
TMP-27	6/5/2017	60	156.5	453	
TMP-27	6/5/2017	80	158.9	433	
TMP-27	6/5/2017	100	155.4	413	
TMP-27	6/5/2017	120	150.0	393	
TMP-27	6/5/2017	140	144.2	373	
TMP-27	6/5/2017	160	137.3	353	
TMP-27	6/5/2017	180	131.1	333	
TMP-27	6/5/2017	200	126.5	313	
TMP-27	6/5/2017	220	121.2	293	
TMP-27	6/5/2017	233	116.2	280	
TMP-27	6/12/2017	20	114.4	493	
TMP-27	6/12/2017	40	145.2	473	
TMP-27	6/12/2017	60	156.2	453	
TMP-27	6/12/2017	80	158.5	433	
TMP-27	6/12/2017	100	155.0	413	
TMP-27	6/12/2017	120	149.4	393	
TMP-27	6/12/2017	140	143.5	373	
TMP-27	6/12/2017	160	136.6	353	
TMP-27	6/12/2017	180	130.3	333	
TMP-27	6/12/2017	200	125.8	313	
TMP-27	6/12/2017	220	120.5	293	
TMP-27	6/12/2017	233	115.9	280	
TMP-27	6/19/2017	20	111.4	493	
TMP-27	6/19/2017	40	145.5	473	
TMP-27	6/19/2017	60	156.4	453	
TMP-27	6/19/2017	80	158.7	433	
TMP-27	6/19/2017	100	155.1	413	
TMP-27	6/19/2017	120	149.8	393	
TMP-27	6/19/2017	140	143.9	373	
TMP-27	6/19/2017	160	137.1	353	
TMP-27	6/19/2017	180	130.8	333	
TMP-27	6/19/2017	200	126.4	313	
TMP-27	6/19/2017	220	121.0	293	
TMP-27	6/19/2017	233	116.3	280	
TMP-27	6/26/2017	20	113.6	493	
TMP-27	6/26/2017	40	145.0	473	
TMP-27	6/26/2017	60	156.0	453	
TMP-27	6/26/2017	80	158.3	433	
TMP-27	6/26/2017	100	154.8	413	
TMP-27	6/26/2017	120	149.5	393	
TMP-27	6/26/2017	140	143.8	373	
TMP-27	6/26/2017	160	137.1	353	
TMP-27	6/26/2017	180	131.0	333	
TMP-27	6/26/2017	200	126.5	313	
TMP-27	6/26/2017	220	121.2	293	
TMP-27	6/26/2017	233	116.6	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	5/30/2017	20	99.3	480	
TMP-28	5/30/2017	40	134	460	
TMP-28	5/30/2017	60	131.2	440	
TMP-28	5/30/2017	100	130	400	
TMP-28	5/30/2017	120	125.5	380	
TMP-28	5/30/2017	140	121.2	360	
TMP-28	5/30/2017	160	116.9	340	
TMP-28	5/30/2017	180		320	resistivity higher than acceptable limit since 3/28/2017, unreliable temperature
TMP-28	5/30/2017	200	110.5	300	
TMP-28	5/30/2017	217		283	no longer working
TMP-28	6/5/2017	20	100.2	480	
TMP-28	6/5/2017	40	135.1	460	
TMP-28	6/5/2017	60	132.3	440	
TMP-28	6/5/2017	100	131.0	400	
TMP-28	6/5/2017	120	126.7	380	
TMP-28	6/5/2017	140	122.9	360	
TMP-28	6/5/2017	160	118.3	340	
TMP-28	6/5/2017	180		320	resistivity higher than acceptable limit since 3/28/2017, unreliable temperature
TMP-28	6/5/2017	200	111.9	300	
TMP-28	6/12/2017	20	100.3	480	
TMP-28	6/12/2017	40	134.8	460	
TMP-28	6/12/2017	60	132.2	440	
TMP-28	6/12/2017	100	130.8	400	
TMP-28	6/12/2017	120	126.0	380	
TMP-28	6/12/2017	140	121.6	360	
TMP-28	6/12/2017	160	117.4	340	
TMP-28	6/12/2017	180		320	resistivity higher than acceptable limit since 3/28/2017, unreliable temperature
TMP-28	6/12/2017	200	111.2	300	
TMP-28	6/19/2017	20	100.8	480	
TMP-28	6/19/2017	40	135.4	460	
TMP-28	6/19/2017	60	132.7	440	
TMP-28	6/19/2017	100	131.7	400	
TMP-28	6/19/2017	120	126.6	380	
TMP-28	6/19/2017	140	122.4	360	
TMP-28	6/19/2017	160	118.0	340	
TMP-28	6/19/2017	180		320	resistivity higher than acceptable limit since 3/28/2017, unreliable temperature
TMP-28	6/19/2017	200	112.7	300	
TMP-28	6/26/2017	20	101.6	480	
TMP-28	6/26/2017	40	136.6	460	
TMP-28	6/26/2017	60	134.6	440	
TMP-28	6/26/2017	100	133.5	400	
TMP-28	6/26/2017	120	128.6	380	
TMP-28	6/26/2017	140	124.4	360	
TMP-28	6/26/2017	160	119.8	340	
TMP-28	6/26/2017	180		320	resistivity higher than acceptable limit since 3/28/2017, unreliable temperature
TMP-28	6/26/2017	200	114.1	300	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-29	5/30/2017	8	65.8	488	
TMP-29	5/30/2017	16	76.5	480	
TMP-29	5/30/2017	25	83.8	471	
TMP-29	6/5/2017	8	67.0	488	
TMP-29	6/5/2017	16	77.3	480	
TMP-29	6/5/2017	25	84.9	471	
TMP-29	6/12/2017	8	67.3	488	
TMP-29	6/12/2017	16	77.1	480	
TMP-29	6/12/2017	25	85.0	471	
TMP-29	6/19/2017	8	69.9	488	
TMP-29	6/19/2017	16	78.7	480	
TMP-29	6/19/2017	25	86.3	471	
TMP-29	6/26/2017	8	70.0	488	
TMP-29	6/26/2017	16	78.8	480	
TMP-29	6/26/2017	25	86.9	471	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-33	5/30/2017	20	95.4	484	
TMP-33	5/30/2017	40	103.4	464	
TMP-33	5/30/2017	53	102.8	451	
TMP-33	6/5/2017	20	95.4	484	
TMP-33	6/5/2017	40	103.5	464	
TMP-33	6/5/2017	53	102.8	451	
TMP-33	6/12/2017	20	95.2	484	
TMP-33	6/12/2017	40	103.2	464	
TMP-33	6/12/2017	53	102.4	451	
TMP-33	6/19/2017	20	94.8	484	
TMP-33	6/19/2017	40	103.1	464	
TMP-33	6/19/2017	53	102.5	451	
TMP-33	6/26/2017	20	95.8	484	
TMP-33	6/26/2017	40	104.1	464	
TMP-33	6/26/2017	53	103.3	451	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-34	5/30/2017	20	99.8	495	
TMP-34	5/30/2017	40	111.3	475	
TMP-34	5/30/2017	50	112.0	465	
TMP-34	5/30/2017	63	109.9	452	
TMP-34	6/5/2017	20	100.6	495	
TMP-34	6/5/2017	40	112.4	475	
TMP-34	6/5/2017	50	113.3	465	
TMP-34	6/5/2017	63	111.2	452	
TMP-34	6/12/2017	20	99.7	495	
TMP-34	6/12/2017	40	111.2	475	
TMP-34	6/12/2017	50	111.9	465	
TMP-34	6/12/2017	63	109.9	452	
TMP-34	6/19/2017	20	100.0	495	
TMP-34	6/19/2017	40	111.7	475	
TMP-34	6/19/2017	50	112.4	465	
TMP-34	6/19/2017	63	110.3	452	
TMP-34	6/26/2017	20	101.0	495	
TMP-34	6/26/2017	40	112.7	475	
TMP-34	6/26/2017	50	113.5	465	
TMP-34	6/26/2017	63	111.4	452	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-35	5/30/2017	20	94.5	500	
TMP-35	5/30/2017	40	107.9	480	
TMP-35	5/30/2017	60	107.7	460	
TMP-35	5/30/2017	70	104.6	450	
TMP-35	6/5/2017	20	95.4	500	
TMP-35	6/5/2017	40	109.3	480	
TMP-35	6/5/2017	60	109.2	460	
TMP-35	6/5/2017	70	106.3	450	
TMP-35	6/12/2017	20	94.1	500	
TMP-35	6/12/2017	40	107.9	480	
TMP-35	6/12/2017	60	107.8	460	
TMP-35	6/12/2017	70	104.8	450	
TMP-35	6/19/2017	20	94.6	500	
TMP-35	6/19/2017	40	108.4	480	
TMP-35	6/19/2017	60	108.3	460	
TMP-35	6/19/2017	70	105.1	450	
TMP-35	6/26/2017	20	95.3	500	
TMP-35	6/26/2017	40	109.2	480	
TMP-35	6/26/2017	60	109.1	460	
TMP-35	6/26/2017	70	106.1	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-36	5/30/2017	15	79.4	471	
TMP-36	5/30/2017	20	81.4	466	
TMP-36	5/30/2017	30	82.3	456	
TMP-36	6/5/2017	15	79.9	471	
TMP-36	6/5/2017	20	81.8	466	
TMP-36	6/5/2017	30	82.7	456	
TMP-36	6/12/2017	15	79.2	471	
TMP-36	6/12/2017	20	81.1	466	
TMP-36	6/12/2017	30	81.8	456	
TMP-36	6/19/2017	15	79.2	471	
TMP-36	6/19/2017	20	81.3	466	
TMP-36	6/19/2017	30	82.5	456	
TMP-36	6/26/2017	15	80.4	471	
TMP-36	6/26/2017	20	82.4	466	
TMP-36	6/26/2017	30	83.3	456	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-37	5/30/2017	20	90.0	480	
TMP-37	5/30/2017	40	97.6	460	
TMP-37	5/30/2017	50	95.9	450	
TMP-37	6/5/2017	20	90.4	480	
TMP-37	6/5/2017	40	97.9	460	
TMP-37	6/5/2017	50	96.2	450	
TMP-37	6/12/2017	20	90.3	480	
TMP-37	6/12/2017	40	97.6	460	
TMP-37	6/12/2017	50	95.9	450	
TMP-37	6/19/2017	20	89.8	480	
TMP-37	6/19/2017	40	97.4	460	
TMP-37	6/19/2017	50	95.9	450	
TMP-37	6/26/2017	20	90.6	480	
TMP-37	6/26/2017	40	98.3	460	
TMP-37	6/26/2017	50	96.7	450	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-38	5/30/2017	20	101.8	495	
TMP-38	5/30/2017	40	114.7	475	
TMP-38	5/30/2017	60	110.3	455	
TMP-38	5/30/2017	70	107.5	445	
TMP-38	6/5/2017	20	101.9	495	
TMP-38	6/5/2017	40	114.6	475	
TMP-38	6/5/2017	60	110.3	455	
TMP-38	6/5/2017	70	107.3	445	
TMP-38	6/12/2017	20	101.8	495	
TMP-38	6/12/2017	40	114.4	475	
TMP-38	6/12/2017	60	109.9	455	
TMP-38	6/12/2017	70	106.9	445	
TMP-38	6/19/2017	20	101.7	495	
TMP-38	6/19/2017	40	114.6	475	
TMP-38	6/19/2017	60	110.3	455	
TMP-38	6/19/2017	70	107.6	445	
TMP-38	6/26/2017	20	102.7	495	
TMP-38	6/26/2017	40	115.1	475	
TMP-38	6/26/2017	60	110.6	455	
TMP-38	6/26/2017	70	107.6	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-39	5/30/2017	20	101.4	501	
TMP-39	5/30/2017	40	125.1	481	
TMP-39	5/30/2017	60	125.2	461	
TMP-39	5/30/2017	80	118.9	441	
TMP-39	6/5/2017	20	101.2	501	
TMP-39	6/5/2017	40	125.2	481	
TMP-39	6/5/2017	60	125.3	461	
TMP-39	6/5/2017	80	119.1	441	
TMP-39	6/12/2017	20	101.4	501	
TMP-39	6/12/2017	40	125.2	481	
TMP-39	6/12/2017	60	125.3	461	
TMP-39	6/12/2017	80	118.8	441	
TMP-39	6/19/2017	20	101.4	501	
TMP-39	6/19/2017	40	125.3	481	
TMP-39	6/19/2017	60	125.3	461	
TMP-39	6/19/2017	80	119.1	441	
TMP-39	6/26/2017	20	102.7	501	
TMP-39	6/26/2017	40	126.7	481	
TMP-39	6/26/2017	60	126.8	461	
TMP-39	6/26/2017	80	120.3	441	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-40	5/30/2017	20	95.9	505	
TMP-40	5/30/2017	40	126.3	485	
TMP-40	5/30/2017	60	130.8	465	
TMP-40	5/30/2017	80	126.7	445	
TMP-40	6/5/2017	20	95.7	505	
TMP-40	6/5/2017	40	126.4	485	
TMP-40	6/5/2017	60	130.8	465	
TMP-40	6/5/2017	80	126.6	445	
TMP-40	6/12/2017	20	95.6	505	
TMP-40	6/12/2017	40	126.0	485	
TMP-40	6/12/2017	60	130.3	465	
TMP-40	6/12/2017	80	126.0	445	
TMP-40	6/19/2017	20	96.3	505	
TMP-40	6/19/2017	40	126.8	485	
TMP-40	6/19/2017	60	131.4	465	
TMP-40	6/19/2017	80	127.3	445	
TMP-40	6/26/2017	20	96.2	505	
TMP-40	6/26/2017	40	126.9	485	
TMP-40	6/26/2017	60	131.3	465	
TMP-40	6/26/2017	80	127.0	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-41	5/30/2017	20	106.0	504	
TMP-41	5/30/2017	40	125.8	484	
TMP-41	5/30/2017	60	127.4	464	
TMP-41	5/30/2017	80	121.8	444	
TMP-41	5/30/2017	98	114.3	426	
TMP-41	6/5/2017	20	105.9	504	
TMP-41	6/5/2017	40	126.0	484	
TMP-41	6/5/2017	60	128.9	464	
TMP-41	6/5/2017	80	123.4	444	
TMP-41	6/5/2017	98	115.9	426	
TMP-41	6/12/2017	20	105.1	504	
TMP-41	6/12/2017	40	125.0	484	
TMP-41	6/12/2017	60	126.4	464	
TMP-41	6/12/2017	80	120.6	444	
TMP-41	6/12/2017	98	113.1	426	
TMP-41	6/19/2017	20	107.5	504	
TMP-41	6/19/2017	40	126.5	484	
TMP-41	6/19/2017	60	128.0	464	
TMP-41	6/19/2017	80	122.3	444	
TMP-41	6/19/2017	98	114.8	426	
TMP-41	6/26/2017	20	106.7	504	
TMP-41	6/26/2017	40	125.9	484	
TMP-41	6/26/2017	60	127.4	464	
TMP-41	6/26/2017	80	121.6	444	
TMP-41	6/26/2017	98	113.9	426	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-42	5/30/2017	20	116.1	498	
TMP-42	5/30/2017	40	123.7	478	
TMP-42	5/30/2017	60	121.1	458	
TMP-42	5/30/2017	78	115.8	440	
TMP-42	6/5/2017	20	116.2	498	
TMP-42	6/5/2017	40	123.8	478	
TMP-42	6/5/2017	60	121.2	458	
TMP-42	6/5/2017	78	115.8	440	
TMP-42	6/12/2017	20	116.2	498	
TMP-42	6/12/2017	40	123.5	478	
TMP-42	6/12/2017	60	120.9	458	
TMP-42	6/12/2017	78	115.5	440	
TMP-42	6/19/2017	20	116.3	498	
TMP-42	6/19/2017	40	123.8	478	
TMP-42	6/19/2017	60	121.0	458	
TMP-42	6/19/2017	78	115.5	440	
TMP-42	6/26/2017	20	116.3	498	
TMP-42	6/26/2017	40	124.0	478	
TMP-42	6/26/2017	60	121.5	458	
TMP-42	6/26/2017	78	116.2	440	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-43	5/30/2017	20	107.9	496	
TMP-43	5/30/2017	40	124.5	476	
TMP-43	5/30/2017	60	128.8	456	
TMP-43	5/30/2017	80	126.8	436	
TMP-43	5/30/2017	100	119.3	416	
TMP-43	6/5/2017	20	107.4	496	
TMP-43	6/5/2017	40	124.3	476	
TMP-43	6/5/2017	60	128.5	456	
TMP-43	6/5/2017	80	126.7	436	
TMP-43	6/5/2017	100	119.6	416	
TMP-43	6/12/2017	20	107.5	496	
TMP-43	6/12/2017	40	123.7	476	
TMP-43	6/12/2017	60	127.9	456	
TMP-43	6/12/2017	80	126.0	436	
TMP-43	6/12/2017	100	118.9	416	
TMP-43	6/19/2017	20	108.0	496	
TMP-43	6/19/2017	40	124.5	476	
TMP-43	6/19/2017	60	128.7	456	
TMP-43	6/19/2017	80	126.8	436	
TMP-43	6/19/2017	100	119.6	416	
TMP-43	6/26/2017	20	108.8	496	
TMP-43	6/26/2017	40	125.1	476	
TMP-43	6/26/2017	60	129.4	456	
TMP-43	6/26/2017	80	127.7	436	
TMP-43	6/26/2017	100	120.6	416	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-44	5/30/2017	20	102.0	491	
TMP-44	5/30/2017	40	132.6	471	
TMP-44	5/30/2017	60	146.4	451	
TMP-44	5/30/2017	80	152.3	431	
TMP-44	5/30/2017	100	155.1	411	
TMP-44	5/30/2017	120	155.0	391	
TMP-44	5/30/2017	140	154.8	371	
TMP-44	5/30/2017	160	144.1	351	
TMP-44	5/30/2017	180	127.0	331	
TMP-44	6/5/2017	20	101.6	491	
TMP-44	6/5/2017	40	132.2	471	
TMP-44	6/5/2017	60	146.1	451	
TMP-44	6/5/2017	80	151.9	431	
TMP-44	6/5/2017	100	154.6	411	
TMP-44	6/5/2017	120	154.3	391	
TMP-44	6/5/2017	140	154.2	371	
TMP-44	6/5/2017	160	143.5	351	
TMP-44	6/5/2017	180	126.3	331	
TMP-44	6/12/2017	20	101.3	491	
TMP-44	6/12/2017	40	131.7	471	
TMP-44	6/12/2017	60	145.6	451	
TMP-44	6/12/2017	80	151.5	431	
TMP-44	6/12/2017	100	154.3	411	
TMP-44	6/12/2017	120	154.0	391	
TMP-44	6/12/2017	140	153.9	371	
TMP-44	6/12/2017	160	143.3	351	
TMP-44	6/12/2017	180	126.1	331	
TMP-44	6/19/2017	20	101.4	491	
TMP-44	6/19/2017	40	132.0	471	
TMP-44	6/19/2017	60	146.0	451	
TMP-44	6/19/2017	80	152.0	431	
TMP-44	6/19/2017	100	155.1	411	
TMP-44	6/19/2017	120	155.1	391	
TMP-44	6/19/2017	140	155.0	371	
TMP-44	6/19/2017	160	144.5	351	
TMP-44	6/19/2017	180	127.6	331	
TMP-44	6/26/2017	20	102.1	491	
TMP-44	6/26/2017	40	132.6	471	
TMP-44	6/26/2017	60	146.5	451	
TMP-44	6/26/2017	80	152.3	431	
TMP-44	6/26/2017	100	155.2	411	
TMP-44	6/26/2017	120	155.1	391	
TMP-44	6/26/2017	140	154.7	371	
TMP-44	6/26/2017	160	143.9	351	
TMP-44	6/26/2017	180	126.6	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-45	5/30/2017	15	73.8	464	
TMP-45	5/30/2017	30	85.5	449	
TMP-45	5/30/2017	45	88.3	434	
TMP-45	6/5/2017	15	74.1	464	
TMP-45	6/5/2017	30	85.8	449	
TMP-45	6/5/2017	45	88.5	434	
TMP-45	6/12/2017	15	74.2	464	
TMP-45	6/12/2017	30	85.7	449	
TMP-45	6/12/2017	45	88.1	434	
TMP-45	6/19/2017	15	73.4	464	
TMP-45	6/19/2017	30	85.4	449	
TMP-45	6/19/2017	45	88.3	434	
TMP-45	6/26/2017	15	75.5	464	
TMP-45	6/26/2017	30	86.8	449	
TMP-45	6/26/2017	45	89.4	434	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-46	5/30/2017	20	72.4	457	
TMP-46	5/30/2017	40	84.7	437	
TMP-46	5/30/2017	60	93.1	417	
TMP-46	6/5/2017	20	72.6	457	
TMP-46	6/5/2017	40	85.0	437	
TMP-46	6/5/2017	60	93.3	417	
TMP-46	6/12/2017	20	71.4	457	
TMP-46	6/12/2017	40	83.9	437	
TMP-46	6/12/2017	60	92.2	417	
TMP-46	6/19/2017	20	71.9	457	
TMP-46	6/19/2017	40	84.7	437	
TMP-46	6/19/2017	60	92.9	417	
TMP-46	6/26/2017	20	72.5	457	
TMP-46	6/26/2017	40	84.9	437	
TMP-46	6/26/2017	60	93.1	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-47	5/30/2017	20	65.6	457	
TMP-47	5/30/2017	40	73.6	437	
TMP-47	5/30/2017	60	76.6	417	
TMP-47	6/5/2017	20	65.7	457	
TMP-47	6/5/2017	40	73.5	437	
TMP-47	6/5/2017	60	76.3	417	
TMP-47	6/12/2017	20	64.1	457	
TMP-47	6/12/2017	40	72.0	437	
TMP-47	6/12/2017	60	74.7	417	
TMP-47	6/19/2017	20	64.2	457	
TMP-47	6/19/2017	40	72.4	437	
TMP-47	6/19/2017	60	75.3	417	
TMP-47	6/26/2017	20	64.7	457	
TMP-47	6/26/2017	40	73.8	437	
TMP-47	6/26/2017	60	76.8	417	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-48	5/30/2017	20	64.1	455	
TMP-48	5/30/2017	40	66.9	435	
TMP-48	5/30/2017	60	74.8	415	
TMP-48	5/30/2017	72	73.5	403	
TMP-48	6/5/2017	20	65.7	455	
TMP-48	6/5/2017	40	69.5	435	
TMP-48	6/5/2017	60	77.1	415	
TMP-48	6/5/2017	72	75.3	403	
TMP-48	6/12/2017	20	63.2	455	
TMP-48	6/12/2017	40	65.8	435	
TMP-48	6/12/2017	60	73.5	415	
TMP-48	6/12/2017	72	71.8	403	
TMP-48	6/19/2017	20	65.3	455	
TMP-48	6/19/2017	40	67.4	435	
TMP-48	6/19/2017	60	75.6	415	
TMP-48	6/19/2017	72	74.0	403	
TMP-48	6/26/2017	20	63.4	455	
TMP-48	6/26/2017	40	65.8	435	
TMP-48	6/26/2017	60	74.1	415	
TMP-48	6/26/2017	72	72.5	403	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-49	5/30/2017	20	61.5	453	
TMP-49	5/30/2017	40	62.1	433	
TMP-49	5/30/2017	60	70.9	413	
TMP-49	6/5/2017	20	61.3	453	
TMP-49	6/5/2017	40	62.0	433	
TMP-49	6/5/2017	60	70.6	413	
TMP-49	6/12/2017	20	61.3	453	
TMP-49	6/12/2017	40	61.8	433	
TMP-49	6/12/2017	60	70.0	413	
TMP-49	6/19/2017	20	61.2	453	
TMP-49	6/19/2017	40	61.8	433	
TMP-49	6/19/2017	60	69.7	413	
TMP-49	6/26/2017	20	63.8	453	
TMP-49	6/26/2017	40	64.0	433	
TMP-49	6/26/2017	60	71.8	413	