

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-1	8/16/2016	18	115.6	451	
TMP-1	8/16/2016	38	144.3	431	
TMP-1	8/16/2016	58	148.9	411	
TMP-1	8/16/2016	78	144.8	391	
TMP-1	8/16/2016	98	136.0	371	
TMP-1	8/16/2016	118	125.2	351	
TMP-1	8/16/2016	138	116.8	331	
TMP-1	8/23/2016	18	115.3	451	
TMP-1	8/23/2016	38	143.9	431	
TMP-1	8/23/2016	58	148.5	411	
TMP-1	8/23/2016	78	144.4	391	
TMP-1	8/23/2016	98	135.8	371	
TMP-1	8/23/2016	118	124.9	351	
TMP-1	8/23/2016	138	116.5	331	
TMP-1	8/29/2016	18	116.8	451	
TMP-1	8/29/2016	38	145.2	431	
TMP-1	8/29/2016	58	149.8	411	
TMP-1	8/29/2016	78	145.4	391	
TMP-1	8/29/2016	98	136.7	371	
TMP-1	8/29/2016	118	125.8	351	
TMP-1	8/29/2016	138	117.4	331	
TMP-1	9/7/2016	18	113.9	451	
TMP-1	9/7/2016	38	145.2	431	
TMP-1	9/7/2016	58	147.2	411	
TMP-1	9/7/2016	78	143.2	391	
TMP-1	9/7/2016	98	134.5	371	
TMP-1	9/7/2016	118	123.8	351	
TMP-1	9/7/2016	138	115.5	331	
TMP-1	9/12/2016	18	116.2	451	
TMP-1	9/12/2016	38	144.2	431	
TMP-1	9/12/2016	58	148.8	411	
TMP-1	9/12/2016	78	144.6	391	
TMP-1	9/12/2016	98	135.9	371	
TMP-1	9/12/2016	118	125.1	351	
TMP-1	9/12/2016	138	116.8	331	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-2	8/16/2016	0	94.5	488	
TMP-2	8/16/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	8/16/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	8/16/2016	60	167.2	428	
TMP-2	8/16/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	8/16/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	8/16/2016	120	160.3	368	
TMP-2	8/16/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	8/16/2016	200	102.0	288	
TMP-2	8/23/2016	0	94.6	488	
TMP-2	8/23/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	8/23/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	8/23/2016	60	166.9	428	
TMP-2	8/23/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	8/23/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	8/23/2016	120	160.1	368	
TMP-2	8/23/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	8/23/2016	200	101.5	288	
TMP-2	8/29/2016	0	94.2	488	
TMP-2	8/29/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	8/29/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	8/29/2016	60	166.4	428	
TMP-2	8/29/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	8/29/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	8/29/2016	120	159.7	368	
TMP-2	8/29/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	8/29/2016	200	101.5	288	
TMP-2	9/7/2016	0	95.0	488	
TMP-2	9/7/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	9/7/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	9/7/2016	60	167.2	428	
TMP-2	9/7/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	9/7/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	9/7/2016	120	160.3	368	
TMP-2	9/7/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	9/7/2016	200	102.2	288	
TMP-2	9/12/2016	0	94.4	488	
TMP-2	9/12/2016	20		468	[not reliable - connectivity test 03/15]
TMP-2	9/12/2016	40		448	[not reliable - connectivity test 03/15]
TMP-2	9/12/2016	60	166.9	428	
TMP-2	9/12/2016	80		408	[not reliable - connectivity test 03/15]
TMP-2	9/12/2016	100		388	[not reliable - connectivity test 03/15]
TMP-2	9/12/2016	120	160.1	368	
TMP-2	9/12/2016	140		348	[not reliable - connectivity test 03/15]
TMP-2	9/12/2016	200	101.5	288	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3	8/16/2016	30	148.4	470	
TMP-3	8/16/2016	50	155.3	450	
TMP-3	8/16/2016	70	154.7	430	
TMP-3	8/16/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	8/16/2016	150	145.9	350	
TMP-3	8/16/2016	190	124.9	310	
TMP-3	8/16/2016	230	101.7	270	
TMP-3	8/23/2016	30	148.2	470	
TMP-3	8/23/2016	50	155.0	450	
TMP-3	8/23/2016	70	154.4	430	
TMP-3	8/23/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	8/23/2016	150	145.5	350	
TMP-3	8/23/2016	190	124.4	310	
TMP-3	8/23/2016	230	101.4	270	
TMP-3	8/29/2016	30	148.7	470	
TMP-3	8/29/2016	50	155.3	450	
TMP-3	8/29/2016	70	154.4	430	
TMP-3	8/29/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	8/29/2016	150	145.3	350	
TMP-3	8/29/2016	190	124.3	310	
TMP-3	8/29/2016	230	101.2	270	
TMP-3	9/7/2016	30	147.7	470	
TMP-3	9/7/2016	50	154.5	450	
TMP-3	9/7/2016	70	154.2	430	
TMP-3	9/7/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	9/7/2016	150	145.5	350	
TMP-3	9/7/2016	190	124.3	310	
TMP-3	9/7/2016	230	101.7	270	
TMP-3	9/12/2016	30	148.4	470	
TMP-3	9/12/2016	50	155.2	450	
TMP-3	9/12/2016	70	154.4	430	
TMP-3	9/12/2016	110		390	[not reliable - connectivity test 10/14]
TMP-3	9/12/2016	150	145.2	350	
TMP-3	9/12/2016	190	124.1	310	
TMP-3	9/12/2016	230	101.3	270	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-3R	8/16/2016	20	137.6	479	
TMP-3R	8/16/2016	40	155.8	459	
TMP-3R	8/16/2016	60	157.9	439	
TMP-3R	8/16/2016	80	159.6	419	
TMP-3R	8/16/2016	100	158.5	399	
TMP-3R	8/16/2016	120	154.8	379	
TMP-3R	8/16/2016	140	154.9	359	
TMP-3R	8/16/2016	160	142.9	339	
TMP-3R	8/16/2016	180	133.7	319	
TMP-3R	8/16/2016	200	118.5	299	
TMP-3R	8/16/2016	218	105.6	281	
TMP-3R	8/23/2016	20	137.2	479	
TMP-3R	8/23/2016	40	155.6	459	
TMP-3R	8/23/2016	60	157.8	439	
TMP-3R	8/23/2016	80	159.3	419	
TMP-3R	8/23/2016	100	158.2	399	
TMP-3R	8/23/2016	120	154.4	379	
TMP-3R	8/23/2016	140	154.4	359	
TMP-3R	8/23/2016	160	142.5	339	
TMP-3R	8/23/2016	180	133.4	319	
TMP-3R	8/23/2016	200	118.0	299	
TMP-3R	8/23/2016	218	105.2	281	
TMP-3R	8/29/2016	20	136.3	479	
TMP-3R	8/29/2016	40	154.9	459	
TMP-3R	8/29/2016	60	157.2	439	
TMP-3R	8/29/2016	80	158.9	419	
TMP-3R	8/29/2016	100	158.0	399	
TMP-3R	8/29/2016	120	154.3	379	
TMP-3R	8/29/2016	140	154.4	359	
TMP-3R	8/29/2016	160	142.5	339	
TMP-3R	8/29/2016	180	133.3	319	
TMP-3R	8/29/2016	200	118.0	299	
TMP-3R	8/29/2016	218	105.1	281	
TMP-3R	9/7/2016	20	136.7	479	
TMP-3R	9/7/2016	40	154.6	459	
TMP-3R	9/7/2016	60	156.5	439	
TMP-3R	9/7/2016	80	157.8	419	
TMP-3R	9/7/2016	100	156.7	399	
TMP-3R	9/7/2016	120	152.9	379	
TMP-3R	9/7/2016	140	152.8	359	
TMP-3R	9/7/2016	160	140.8	339	
TMP-3R	9/7/2016	180	131.6	319	
TMP-3R	9/7/2016	200	116.3	299	
TMP-3R	9/7/2016	218	103.4	281	
TMP-3R	9/12/2016	20	137.1	479	
TMP-3R	9/12/2016	40	155.4	459	
TMP-3R	9/12/2016	60	157.6	439	
TMP-3R	9/12/2016	80	159.0	419	
TMP-3R	9/12/2016	100	158.0	399	
TMP-3R	9/12/2016	120	154.2	379	
TMP-3R	9/12/2016	140	154.2	359	
TMP-3R	9/12/2016	160	142.2	339	
TMP-3R	9/12/2016	180	133.1	319	
TMP-3R	9/12/2016	200	117.8	299	
TMP-3R	9/12/2016	218	105.0	281	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-4	8/16/2016	28	134.0	472	
TMP-4	8/23/2016	28	135.6	472	
TMP-4	8/29/2016	28	135.7	472	
TMP-4	9/7/2016	28	135.0	472	
TMP-4	9/12/2016	28	134.1	472	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-4R	8/16/2016	10	108.1	489	
TMP-4R	8/16/2016	20	120.7	479	
TMP-4R	8/16/2016	29	131.9	470	
TMP-4R	8/23/2016	10	107.9	489	
TMP-4R	8/23/2016	20	120.7	479	
TMP-4R	8/23/2016	29	132.0	470	
TMP-4R	8/29/2016	10	108.6	489	
TMP-4R	8/29/2016	20	121.2	479	
TMP-4R	8/29/2016	29	132.7	470	
TMP-4R	9/7/2016	10	109.0	489	
TMP-4R	9/7/2016	20	120.5	479	
TMP-4R	9/7/2016	29	131.9	470	
TMP-4R	9/12/2016	10	110.0	489	
TMP-4R	9/12/2016	20	121.4	479	
TMP-4R	9/12/2016	29	132.9	470	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-6	8/16/2016	15	157.8	472	
TMP-6	8/16/2016	95	162.7	392	fluctuating resistance, possibly unreliable
TMP-6	8/16/2016	115	153.8	372	
TMP-6	8/16/2016	135	141.5	352	
TMP-6	8/23/2016	15	158.0	472	
TMP-6	8/23/2016	95	162.1	392	fluctuating resistance, possibly unreliable
TMP-6	8/23/2016	115	154.0	372	
TMP-6	8/23/2016	135	141.8	352	
TMP-6	8/29/2016	15	158.7	472	
TMP-6	8/29/2016	95	163.1	392	fluctuating resistance, possibly unreliable
TMP-6	8/29/2016	115	154.5	372	
TMP-6	8/29/2016	135	142.3	352	
TMP-6	9/7/2016	15	158.2	472	
TMP-6	9/7/2016	95	163.2	392	fluctuating resistance, possibly unreliable
TMP-6	9/7/2016	115	154.1	372	
TMP-6	9/7/2016	135	141.7	352	
TMP-6	9/12/2016	15	158.6	472	
TMP-6	9/12/2016	95	163.1	392	fluctuating resistance, possibly unreliable
TMP-6	9/12/2016	115	154.0	372	
TMP-6	9/12/2016	135	141.7	352	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-9	8/16/2016	40	211.7	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	8/23/2016	40	211.1	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	8/29/2016	40	211.1	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	9/7/2016	40	208.6	446	Previous report of moisture in line sheeting & end corrosion.
TMP-9	9/12/2016	40	209.3	446	Previous report of moisture in line sheeting & end corrosion.



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10	8/16/2016	13	107.4	476	
TMP-10	8/16/2016	33	149.3	456	
TMP-10	8/16/2016	53	167.3	436	
TMP-10	8/16/2016	73	174.0	416	
TMP-10	8/16/2016	93	170.9	396	
TMP-10	8/16/2016	113	161.9	376	
TMP-10	8/16/2016	133	152.0	356	
TMP-10	8/23/2016	13	107.6	476	
TMP-10	8/23/2016	33	149.1	456	
TMP-10	8/23/2016	53	167.0	436	
TMP-10	8/23/2016	73	173.7	416	
TMP-10	8/23/2016	93	170.7	396	
TMP-10	8/23/2016	113	161.8	376	
TMP-10	8/23/2016	133	151.7	356	
TMP-10	8/29/2016	13	107.3	476	
TMP-10	8/29/2016	33	148.6	456	
TMP-10	8/29/2016	53	166.6	436	
TMP-10	8/29/2016	73	173.4	416	
TMP-10	8/29/2016	93	170.2	396	
TMP-10	8/29/2016	113	161.1	376	
TMP-10	8/29/2016	133	151.4	356	
TMP-10	9/7/2016	13	108.7	476	
TMP-10	9/7/2016	33	149.6	456	
TMP-10	9/7/2016	53	167.6	436	
TMP-10	9/7/2016	73	174.2	416	
TMP-10	9/7/2016	93	171.2	396	
TMP-10	9/7/2016	113	162.1	376	
TMP-10	9/7/2016	133	152.1	356	
TMP-10	9/12/2016	13	108.4	476	
TMP-10	9/12/2016	33	149.0	456	
TMP-10	9/12/2016	53	166.9	436	
TMP-10	9/12/2016	73	173.6	416	
TMP-10	9/12/2016	93	170.5	396	
TMP-10	9/12/2016	113	161.3	376	
TMP-10	9/12/2016	133	151.3	356	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-11	8/16/2016	16	138.3	482	
TMP-11	8/16/2016	36	172.8	462	
TMP-11	8/16/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	8/16/2016	96	170.2	402	
TMP-11	8/16/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	8/16/2016	156		342	low resistivity value, unreliable temperature
TMP-11	8/16/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	8/16/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	8/23/2016	16	138.9	482	
TMP-11	8/23/2016	36	172.3	462	
TMP-11	8/23/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	8/23/2016	96	168.9	402	
TMP-11	8/23/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	8/23/2016	156		342	low resistivity value, unreliable temperature
TMP-11	8/23/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	8/23/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	8/29/2016	16	139.3	482	
TMP-11	8/29/2016	36	172.9	462	
TMP-11	8/29/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	8/29/2016	96		402	no reading was obtained despite multiple attempts
TMP-11	8/29/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	8/29/2016	156		342	low resistivity value, unreliable temperature
TMP-11	8/29/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	8/29/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	9/7/2016	16	138.4	482	
TMP-11	9/7/2016	36	171.2	462	
TMP-11	9/7/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/7/2016	96		402	no reading was obtained despite multiple attempts
TMP-11	9/7/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/7/2016	156		342	low resistivity value, unreliable temperature
TMP-11	9/7/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	9/7/2016	216		282	low resistivity values, unreliable temperatures
TMP-11	9/12/2016	16	138.2	482	
TMP-11	9/12/2016	36	170.9	462	
TMP-11	9/12/2016	76		422	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/12/2016	96		402	no reading was obtained despite multiple attempts
TMP-11	9/12/2016	136		362	[conductivity tests 10/14 show cleaning/drying may be necessary]
TMP-11	9/12/2016	156		342	low resistivity value, unreliable temperature
TMP-11	9/12/2016	196		302	low resistivity values, unreliable temperatures
TMP-11	9/12/2016	216		282	low resistivity values, unreliable temperatures

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-14	8/16/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/16/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/16/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/16/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/16/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/16/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/23/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/23/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/23/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/23/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/23/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/23/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/29/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/29/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/29/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/29/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/29/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	8/29/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/7/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/7/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/7/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/7/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/7/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/7/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/12/2016	41		457	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/12/2016	61		437	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/12/2016	81		417	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/12/2016	101		397	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/12/2016	161		337	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained
TMP-14	9/12/2016	201		297	[not reliable - connectivity test 03/9/16] no resistivity or temperature obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-16	8/16/2016	20	113.6	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/16/2016	39	145.2	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/16/2016	58	162.1	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/16/2016	77	163.6	435	wires repaired 6/15/16
TMP-16	8/16/2016	96	158.0	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/16/2016	115	149.3	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/16/2016	134	138.1	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/16/2016	153	110.4	359	wires repaired 6/15/16
TMP-16	8/23/2016	20	114.5	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/23/2016	39	145.8	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/23/2016	58	162.1	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/23/2016	77	164.1	435	wires repaired 6/15/16
TMP-16	8/23/2016	96	158.6	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/23/2016	115	149.7	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/23/2016	134	138.3	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/23/2016	153	111.2	359	wires repaired 6/15/16
TMP-16	8/29/2016	20	114.9	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/29/2016	39	146.5	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/29/2016	58	163.6	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/29/2016	77	164.3	435	wires repaired 6/15/16
TMP-16	8/29/2016	96	159.0	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/29/2016	115	149.9	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/29/2016	134	138.4	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	8/29/2016	153	112.0	359	wires repaired 6/15/16
TMP-16	9/7/2016	20	114.9	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/7/2016	39	146.3	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/7/2016	58	163.1	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/7/2016	77	164.0	435	wires repaired 6/15/16
TMP-16	9/7/2016	96	157.2	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/7/2016	115	150.1	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/7/2016	134	138.6	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/7/2016	153	112.9	359	wires repaired 6/15/16
TMP-16	9/12/2016	20	114.5	492	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/12/2016	39	146.0	473	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/12/2016	58	162.1	454	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/12/2016	77	162.3	435	wires repaired 6/15/16
TMP-16	9/12/2016	96	158.4	416	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/12/2016	115	149.9	397	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/12/2016	134	138.6	378	[possibly not reliable per connectivity test 7/22/16], wires repaired 6/15/16
TMP-16	9/12/2016	153	113.3	359	wires repaired 6/15/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-17	8/16/2016	20	109.8	496	
TMP-17	8/16/2016	40	143.0	476	
TMP-17	8/16/2016	60	159.3	456	
TMP-17	8/16/2016	80	161.7	436	
TMP-17	8/16/2016	100	158.9	416	
TMP-17	8/16/2016	120	153.5	396	
TMP-17	8/16/2016	140	144.9	376	
TMP-17	8/16/2016	160	130.0	356	
TMP-17	8/16/2016	180	122.6	336	
TMP-17	8/16/2016	200	116.4	316	
TMP-17	8/16/2016	220	109.8	296	
TMP-17	8/16/2016	237	102.0	279	
TMP-17	8/23/2016	20	109.0	496	
TMP-17	8/23/2016	40	141.5	476	
TMP-17	8/23/2016	60	158.1	456	
TMP-17	8/23/2016	80	160.4	436	
TMP-17	8/23/2016	100	157.1	416	
TMP-17	8/23/2016	120	151.3	396	
TMP-17	8/23/2016	140	143.4	376	
TMP-17	8/23/2016	160	128.7	356	
TMP-17	8/23/2016	180	121.2	336	
TMP-17	8/23/2016	200	114.9	316	
TMP-17	8/23/2016	220	108.3	296	
TMP-17	8/23/2016	237	100.5	279	
TMP-17	8/29/2016	20	106.4	496	
TMP-17	8/29/2016	40	138.7	476	
TMP-17	8/29/2016	60	155.9	456	
TMP-17	8/29/2016	80	158.5	436	
TMP-17	8/29/2016	100	155.9	416	
TMP-17	8/29/2016	120	150.4	396	
TMP-17	8/29/2016	140	142.6	376	
TMP-17	8/29/2016	160	127.8	356	
TMP-17	8/29/2016	180	120.4	336	
TMP-17	8/29/2016	200	114.2	316	
TMP-17	8/29/2016	220	107.7	296	
TMP-17	8/29/2016	237	99.8	279	
TMP-17	9/7/2016	20	106.9	496	
TMP-17	9/7/2016	40	139.5	476	
TMP-17	9/7/2016	60	156.7	456	
TMP-17	9/7/2016	80	159.2	436	
TMP-17	9/7/2016	100	156.4	416	
TMP-17	9/7/2016	120	150.5	396	
TMP-17	9/7/2016	140	142.9	376	
TMP-17	9/7/2016	160	128.1	356	
TMP-17	9/7/2016	180	120.7	336	
TMP-17	9/7/2016	200	114.6	316	
TMP-17	9/7/2016	220	108.1	296	
TMP-17	9/7/2016	237	100.4	279	
TMP-17	9/12/2016	20	108.2	496	
TMP-17	9/12/2016	40	140.5	476	
TMP-17	9/12/2016	60	157.9	456	
TMP-17	9/12/2016	80	160.4	436	
TMP-17	9/12/2016	100	157.7	416	
TMP-17	9/12/2016	120	151.4	396	
TMP-17	9/12/2016	140	144.1	376	
TMP-17	9/12/2016	160	129.4	356	
TMP-17	9/12/2016	180	122.2	336	
TMP-17	9/12/2016	200	116.0	316	
TMP-17	9/12/2016	220	109.4	296	
TMP-17	9/12/2016	237	101.8	279	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-18	8/16/2016	20	94.7	489	
TMP-18	8/16/2016	39	135.3	470	
TMP-18	8/16/2016	58	153.7	451	
TMP-18	8/16/2016	77	153.0	432	
TMP-18	8/16/2016	96	148.1	413	
TMP-18	8/16/2016	115	140.4	394	
TMP-18	8/16/2016	134	132.4	375	
TMP-18	8/16/2016	153	125.9	356	
TMP-18	8/16/2016	172	120.0	337	
TMP-18	8/16/2016	191	115.1	318	
TMP-18	8/16/2016	210	111.2	299	
TMP-18	8/16/2016	227	108.7	282	
TMP-18	8/23/2016	20	94.8	489	
TMP-18	8/23/2016	39	135.4	470	
TMP-18	8/23/2016	58	153.5	451	
TMP-18	8/23/2016	77	152.9	432	
TMP-18	8/23/2016	96	147.9	413	
TMP-18	8/23/2016	115	140.3	394	
TMP-18	8/23/2016	134	132.2	375	
TMP-18	8/23/2016	153	125.8	356	
TMP-18	8/23/2016	172	119.8	337	
TMP-18	8/23/2016	191	114.9	318	
TMP-18	8/23/2016	210	111.0	299	
TMP-18	8/23/2016	227	108.5	282	
TMP-18	8/29/2016	20	93.9	489	
TMP-18	8/29/2016	39	134.7	470	
TMP-18	8/29/2016	58	152.7	451	
TMP-18	8/29/2016	77	152.2	432	
TMP-18	8/29/2016	96	147.3	413	
TMP-18	8/29/2016	115	139.7	394	
TMP-18	8/29/2016	134	131.7	375	
TMP-18	8/29/2016	153	125.3	356	
TMP-18	8/29/2016	172	119.2	337	
TMP-18	8/29/2016	191	114.4	318	
TMP-18	8/29/2016	210	110.4	299	
TMP-18	8/29/2016	227	107.8	282	
TMP-18	9/7/2016	20	93.2	489	
TMP-18	9/7/2016	39	134.5	470	
TMP-18	9/7/2016	58	152.6	451	
TMP-18	9/7/2016	77	152.1	432	
TMP-18	9/7/2016	96	147.4	413	
TMP-18	9/7/2016	115	139.9	394	
TMP-18	9/7/2016	134	131.9	375	
TMP-18	9/7/2016	153	125.6	356	
TMP-18	9/7/2016	172	119.7	337	
TMP-18	9/7/2016	191	115.1	318	
TMP-18	9/7/2016	210	111.3	299	
TMP-18	9/7/2016	227	109.2	282	
TMP-18	9/12/2016	20	94.6	489	
TMP-18	9/12/2016	39	135.2	470	
TMP-18	9/12/2016	58	152.8	451	
TMP-18	9/12/2016	77	152.3	432	
TMP-18	9/12/2016	96	147.3	413	
TMP-18	9/12/2016	115	139.6	394	
TMP-18	9/12/2016	134	131.5	375	
TMP-18	9/12/2016	153	125.0	356	
TMP-18	9/12/2016	172	118.9	337	
TMP-18	9/12/2016	191	114.0	318	
TMP-18	9/12/2016	210	110.0	299	
TMP-18	9/12/2016	227	107.3	282	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-21	8/16/2016	13	87.1	461	
TMP-21	8/16/2016	26	94.8	448	
TMP-21	8/16/2016	41	90.3	433	
TMP-21	8/23/2016	13	87.2	461	
TMP-21	8/23/2016	26	94.8	448	
TMP-21	8/23/2016	41	90.1	433	
TMP-21	8/29/2016	13	87.4	461	
TMP-21	8/29/2016	26	95.2	448	
TMP-21	8/29/2016	41	90.6	433	
TMP-21	9/7/2016	13	86.3	461	
TMP-21	9/7/2016	26	93.6	448	
TMP-21	9/7/2016	41	88.7	433	
TMP-21	9/12/2016	13	88.0	461	
TMP-21	9/12/2016	26	95.5	448	
TMP-21	9/12/2016	41	91.0	433	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-22	8/16/2016	15	105.7	474	
TMP-22	8/16/2016	31	125.7	458	
TMP-22	8/16/2016	50	124.0	439	
TMP-22	8/16/2016	70	116.0	419	
TMP-22	8/23/2016	15	105.4	474	
TMP-22	8/23/2016	31	125.4	458	
TMP-22	8/23/2016	50	123.7	439	
TMP-22	8/23/2016	70	115.8	419	
TMP-22	8/29/2016	15	105.8	474	
TMP-22	8/29/2016	31	125.6	458	
TMP-22	8/29/2016	50	123.9	439	
TMP-22	8/29/2016	70	115.9	419	
TMP-22	9/7/2016	15	104.0	474	
TMP-22	9/7/2016	31	124.0	458	
TMP-22	9/7/2016	50	122.5	439	
TMP-22	9/7/2016	70	114.7	419	
TMP-22	9/12/2016	15	105.7	474	
TMP-22	9/12/2016	31	125.8	458	
TMP-22	9/12/2016	50	124.1	439	
TMP-22	9/12/2016	70	115.9	419	



<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-23	8/16/2016	20	116.1	477	
TMP-23	8/16/2016	38	138.8	459	
TMP-23	8/16/2016	56	141.4	441	
TMP-23	8/16/2016	74	133.9	423	
TMP-23	8/16/2016	92	125.1	405	
TMP-23	8/16/2016	106	116.6	391	
TMP-23	8/23/2016	20	115.9	477	
TMP-23	8/23/2016	38	138.7	459	
TMP-23	8/23/2016	56	141.2	441	
TMP-23	8/23/2016	74	133.8	423	
TMP-23	8/23/2016	92	125.0	405	
TMP-23	8/23/2016	106	116.4	391	
TMP-23	8/29/2016	20	116.4	477	
TMP-23	8/29/2016	38	139.6	459	
TMP-23	8/29/2016	56	142.4	441	
TMP-23	8/29/2016	74	135.0	423	
TMP-23	8/29/2016	92	126.1	405	
TMP-23	8/29/2016	106	117.3	391	
TMP-23	9/7/2016	20	114.7	477	
TMP-23	9/7/2016	38	137.5	459	
TMP-23	9/7/2016	56	140.1	441	
TMP-23	9/7/2016	74	132.5	423	
TMP-23	9/7/2016	92	123.5	405	
TMP-23	9/7/2016	106	115.2	391	
TMP-23	9/12/2016	20	116.6	477	
TMP-23	9/12/2016	38	139.3	459	
TMP-23	9/12/2016	56	142.0	441	
TMP-23	9/12/2016	74	134.4	423	
TMP-23	9/12/2016	92	125.4	405	
TMP-23	9/12/2016	106	117.0	391	

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-24	8/16/2016	20	102.0	492	
TMP-24	8/16/2016	40	129.5	472	
TMP-24	8/16/2016	60	142.5	452	
TMP-24	8/16/2016	67	143.7	445	
TMP-24	8/23/2016	20	101.6	492	
TMP-24	8/23/2016	40	129.1	472	
TMP-24	8/23/2016	60	142.0	452	
TMP-24	8/23/2016	67	143.2	445	
TMP-24	8/29/2016	20	99.8	492	
TMP-24	8/29/2016	40	127.1	472	
TMP-24	8/29/2016	60	139.8	452	
TMP-24	8/29/2016	67	140.7	445	
TMP-24	9/7/2016	20	101.0	492	
TMP-24	9/7/2016	40	128.3	472	
TMP-24	9/7/2016	60	141.2	452	
TMP-24	9/7/2016	67	142.3	445	
TMP-24	9/12/2016	20	102.7	492	
TMP-24	9/12/2016	40	129.9	472	
TMP-24	9/12/2016	60	142.5	452	
TMP-24	9/12/2016	67	143.4	445	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-25	8/16/2016	20	122.2	495	
TMP-25	8/16/2016	40	147.1	475	
TMP-25	8/16/2016	60	159.9	455	
TMP-25	8/16/2016	80	161.1	435	
TMP-25	8/16/2016	100	155.7	415	
TMP-25	8/16/2016	120	145.0	395	
TMP-25	8/16/2016	140	133.4	375	
TMP-25	8/16/2016	160	120.5	355	
TMP-25	8/16/2016	180	113.1	335	
TMP-25	8/16/2016	200	107.6	315	
TMP-25	8/16/2016	220	96.9	295	
TMP-25	8/16/2016	235	93.2	280	
TMP-25	8/23/2016	20	121.6	495	
TMP-25	8/23/2016	40	146.4	475	
TMP-25	8/23/2016	60	159.0	455	
TMP-25	8/23/2016	80	160.4	435	
TMP-25	8/23/2016	100	154.9	415	
TMP-25	8/23/2016	120	144.2	395	
TMP-25	8/23/2016	140	132.7	375	
TMP-25	8/23/2016	160	119.7	355	
TMP-25	8/23/2016	180	112.3	335	
TMP-25	8/23/2016	200	106.6	315	
TMP-25	8/23/2016	220	95.8	295	
TMP-25	8/23/2016	235	91.8	280	
TMP-25	8/29/2016	20	121.2	495	
TMP-25	8/29/2016	40	146.2	475	
TMP-25	8/29/2016	60	159.1	455	
TMP-25	8/29/2016	80	160.4	435	
TMP-25	8/29/2016	100	155.0	415	
TMP-25	8/29/2016	120	144.1	395	
TMP-25	8/29/2016	140	132.5	375	
TMP-25	8/29/2016	160	119.5	355	
TMP-25	8/29/2016	180	111.9	335	
TMP-25	8/29/2016	200	106.2	315	
TMP-25	8/29/2016	220	95.1	295	
TMP-25	8/29/2016	235	90.9	280	
TMP-25	9/7/2016	20	121.1	495	
TMP-25	9/7/2016	40	145.8	475	
TMP-25	9/7/2016	60	158.5	455	
TMP-25	9/7/2016	80	159.8	435	
TMP-25	9/7/2016	100	154.5	415	
TMP-25	9/7/2016	120	143.6	395	
TMP-25	9/7/2016	140	131.9	375	
TMP-25	9/7/2016	160	118.9	355	
TMP-25	9/7/2016	180	111.5	335	
TMP-25	9/7/2016	200	105.9	315	
TMP-25	9/7/2016	220	95.1	295	
TMP-25	9/7/2016	235	91.0	280	
TMP-25	9/12/2016	20	123.1	495	
TMP-25	9/12/2016	40	148.0	475	
TMP-25	9/12/2016	60	160.6	455	
TMP-25	9/12/2016	80	162.0	435	
TMP-25	9/12/2016	100	156.4	415	
TMP-25	9/12/2016	120	145.5	395	
TMP-25	9/12/2016	140	133.8	375	
TMP-25	9/12/2016	160	120.9	355	
TMP-25	9/12/2016	180	113.3	335	
TMP-25	9/12/2016	200	107.6	315	
TMP-25	9/12/2016	220	96.6	295	
TMP-25	9/12/2016	235	92.4	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-26	8/16/2016	20	102.3	479	
TMP-26	8/16/2016	40	119.4	459	
TMP-26	8/16/2016	60	123.6	439	
TMP-26	8/16/2016	80	123.5	419	
TMP-26	8/16/2016	100	114.5	399	
TMP-26	8/16/2016	120	120.0	379	
TMP-26	8/16/2016	140	121.3	359	
TMP-26	8/16/2016	142	120.4	357	
TMP-26	8/23/2016	20	102.7	479	
TMP-26	8/23/2016	40	119.5	459	
TMP-26	8/23/2016	60	123.5	439	
TMP-26	8/23/2016	80	123.3	419	
TMP-26	8/23/2016	100	114.6	399	
TMP-26	8/23/2016	120	119.9	379	
TMP-26	8/23/2016	140	121.3	359	
TMP-26	8/23/2016	142	120.5	357	
TMP-26	8/29/2016	20	100.1	479	
TMP-26	8/29/2016	40	116.5	459	
TMP-26	8/29/2016	60	120.6	439	
TMP-26	8/29/2016	80	120.5	419	
TMP-26	8/29/2016	100	111.8	399	
TMP-26	8/29/2016	120	117.1	379	
TMP-26	8/29/2016	140	118.4	359	
TMP-26	8/29/2016	142	117.6	357	
TMP-26	9/7/2016	20	100.9	479	
TMP-26	9/7/2016	40	117.4	459	
TMP-26	9/7/2016	60	121.5	439	
TMP-26	9/7/2016	80	121.4	419	
TMP-26	9/7/2016	100	113.1	399	
TMP-26	9/7/2016	120	118.2	379	
TMP-26	9/7/2016	140	119.7	359	
TMP-26	9/7/2016	142	119.0	357	
TMP-26	9/12/2016	20	102.7	479	
TMP-26	9/12/2016	40	118.3	459	
TMP-26	9/12/2016	60	122.3	439	
TMP-26	9/12/2016	80	122.0	419	
TMP-26	9/12/2016	100	113.7	399	
TMP-26	9/12/2016	120	118.7	379	
TMP-26	9/12/2016	140	119.9	359	
TMP-26	9/12/2016	142	119.0	357	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-27	8/16/2016	20	99.4	493	
TMP-27	8/16/2016	40	141.9	473	
TMP-27	8/16/2016	60	153.3	453	
TMP-27	8/16/2016	80	156.3	433	
TMP-27	8/16/2016	100	152.9	413	
TMP-27	8/16/2016	120	147.6	393	
TMP-27	8/16/2016	140	141.8	373	
TMP-27	8/16/2016	160	135.0	353	
TMP-27	8/16/2016	180	128.7	333	
TMP-27	8/16/2016	200	124.6	313	
TMP-27	8/16/2016	220	119.9	293	
TMP-27	8/16/2016	233	115.2	280	
TMP-27	8/23/2016	20	99.8	493	
TMP-27	8/23/2016	40	142.8	473	
TMP-27	8/23/2016	60	154.3	453	
TMP-27	8/23/2016	80	157.2	433	
TMP-27	8/23/2016	100	153.9	413	
TMP-27	8/23/2016	120	148.6	393	
TMP-27	8/23/2016	140	142.8	373	
TMP-27	8/23/2016	160	136.1	353	
TMP-27	8/23/2016	180	129.8	333	
TMP-27	8/23/2016	200	125.7	313	
TMP-27	8/23/2016	220	121.1	293	
TMP-27	8/23/2016	233	116.2	280	
TMP-27	8/29/2016	20	99.0	493	
TMP-27	8/29/2016	40	142.1	473	
TMP-27	8/29/2016	60	153.7	453	
TMP-27	8/29/2016	80	156.8	433	
TMP-27	8/29/2016	100	153.5	413	
TMP-27	8/29/2016	120	148.3	393	
TMP-27	8/29/2016	140	142.4	373	
TMP-27	8/29/2016	160	135.3	353	
TMP-27	8/29/2016	180	128.8	333	
TMP-27	8/29/2016	200	124.4	313	
TMP-27	8/29/2016	220	119.3	293	
TMP-27	8/29/2016	233	114.1	280	
TMP-27	9/7/2016	20	98.3	493	
TMP-27	9/7/2016	40	141.1	473	
TMP-27	9/7/2016	60	152.4	453	
TMP-27	9/7/2016	80	155.3	433	
TMP-27	9/7/2016	100	152.1	413	
TMP-27	9/7/2016	120	146.9	393	
TMP-27	9/7/2016	140	141.2	373	
TMP-27	9/7/2016	160	134.7	353	
TMP-27	9/7/2016	180	128.5	333	
TMP-27	9/7/2016	200	124.4	313	
TMP-27	9/7/2016	220	119.8	293	
TMP-27	9/7/2016	233	115.0	280	
TMP-27	9/12/2016	20	98.5	493	
TMP-27	9/12/2016	40	141.3	473	
TMP-27	9/12/2016	60	152.7	453	
TMP-27	9/12/2016	80	155.7	433	
TMP-27	9/12/2016	100	152.5	413	
TMP-27	9/12/2016	120	147.4	393	
TMP-27	9/12/2016	140	141.8	373	
TMP-27	9/12/2016	160	135.3	353	
TMP-27	9/12/2016	180	129.0	333	
TMP-27	9/12/2016	200	124.8	313	
TMP-27	9/12/2016	220	120.0	293	
TMP-27	9/12/2016	233	115.1	280	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-28	8/16/2016	20	99.4	480	
TMP-28	8/16/2016	40	138.5	460	
TMP-28	8/16/2016	60	134.5	440	
TMP-28	8/16/2016	80		420	unreasonable drop in temperature, dropping resistance, unreliable temperature
TMP-28	8/16/2016	100	132.6	400	
TMP-28	8/16/2016	120	127.2	380	
TMP-28	8/16/2016	140	123.0	360	
TMP-28	8/16/2016	160	118.8	340	
TMP-28	8/16/2016	180	115.2	320	
TMP-28	8/16/2016	200	113.6	300	
TMP-28	8/16/2016	217		283	no longer working
TMP-28	8/23/2016	20	100.1	480	
TMP-28	8/23/2016	40	139.1	460	
TMP-28	8/23/2016	60	134.9	440	
TMP-28	8/23/2016	80		420	unreasonable drop in temperature, dropping resistance, unreliable temperature
TMP-28	8/23/2016	100	133.0	400	
TMP-28	8/23/2016	120	127.5	380	
TMP-28	8/23/2016	140	123.1	360	
TMP-28	8/23/2016	160	118.8	340	
TMP-28	8/23/2016	180	115.1	320	
TMP-28	8/23/2016	200	113.0	300	
TMP-28	8/23/2016	217		283	no longer working
TMP-28	8/29/2016	20	98.5	480	
TMP-28	8/29/2016	40	137.7	460	
TMP-28	8/29/2016	60	133.6	440	
TMP-28	8/29/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	8/29/2016	100	131.8	400	
TMP-28	8/29/2016	120	126.3	380	
TMP-28	8/29/2016	140	121.8	360	
TMP-28	8/29/2016	160	117.2	340	
TMP-28	8/29/2016	180	113.4	320	
TMP-28	8/29/2016	200	111.0	300	
TMP-28	8/29/2016	217		283	no longer working
TMP-28	9/7/2016	20	96.3	480	
TMP-28	9/7/2016	40	135.4	460	
TMP-28	9/7/2016	60	131.2	440	
TMP-28	9/7/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	9/7/2016	100	129.5	400	
TMP-28	9/7/2016	120	124.0	380	
TMP-28	9/7/2016	140	119.8	360	
TMP-28	9/7/2016	160	115.9	340	
TMP-28	9/7/2016	180	112.7	320	
TMP-28	9/7/2016	200	111.1	300	
TMP-28	9/7/2016	217		283	no longer working
TMP-28	9/12/2016	20	97.0	480	
TMP-28	9/12/2016	40	136.3	460	
TMP-28	9/12/2016	60	132.1	440	
TMP-28	9/12/2016	80		420	fluctuations in temperature, dropping resistance, unreliable temperature
TMP-28	9/12/2016	100	130.6	400	
TMP-28	9/12/2016	120	125.3	380	
TMP-28	9/12/2016	140	121.1	360	
TMP-28	9/12/2016	160	117.0	340	
TMP-28	9/12/2016	180	113.5	320	
TMP-28	9/12/2016	200	111.5	300	
TMP-28	9/12/2016	217		283	no longer working

<b>TMP_ID</b>	<b>READ_DATE</b>	<b>DEPTH</b>	<b>READING</b>	<b>ELEVATION</b>	<b>Comments</b>
TMP-29	8/16/2016	8	76.4	488	
TMP-29	8/16/2016	16	78.0	480	
TMP-29	8/16/2016	25	86.9	471	
TMP-29	8/23/2016	8	77.0	488	
TMP-29	8/23/2016	16	78.2	480	
TMP-29	8/23/2016	25	86.6	471	
TMP-29	8/29/2016	8	74.9	488	
TMP-29	8/29/2016	16	76.2	480	
TMP-29	8/29/2016	25	84.5	471	
TMP-29	9/7/2016	8	76.8	488	
TMP-29	9/7/2016	16	77.8	480	
TMP-29	9/7/2016	25	85.8	471	
TMP-29	9/12/2016	8	77.6	488	
TMP-29	9/12/2016	16	78.4	480	
TMP-29	9/12/2016	25	86.1	471	