



CHAIN-OF-CUSTODY RECORD

Sample Transportation Notice
 Relinquishing signature on this document indicates that sample is being shipped in compliance with all applicable local, State, Federal, national, and international laws, regulations and ordinances of any kind. Air Toxics Limited assumes no liability with respect to the collection, handling or shipping of these samples. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Air Toxics Limited against any claim, demand, or action, of any kind, related to the collection, handling, or shipping of samples. D.O.T. Hotline (800) 467-4922

180 BLUE RAVINE ROAD, SUITE B
 FOLSOM, CA 95630-4719
 (916) 985-1000 FAX (916) 985-1020

Page 1 of 1

Project Manager: Michael Parris
 Collected by: (Print and Sign) Kirk Whittall
 Company: MODWR
 Address: PO Box 176 City: Research City State: WA Zip: 98101
 Phone: 573-526-3918 Fax: _____

Project Info:
 P.O. # 985 PARRIS007
 Project # _____
 Project Name: Bridgeton Landfill
 Turn Around Time: Normal Rush
 Lab Use Only: Pressurized by: _____ Date: _____
 Pressurization Gas: _____ N₂ He

| Lab I.D. | Field Sample I.D. (Location) | Can # | Date of Collection | Time of Collection | Analyses Requested | Canister Pressure/Vacuum | | | |
|--|------------------------------|-------|--------------------|--------------------|--------------------|--------------------------|-------|---------|-------------|
| | | | | | | Initial | Final | Receipt | Final (psi) |
| 01D | DI (152932) | 34183 | 6-18-15 | 0923-1528 | 70-15 | -30 | -4 | | |
| 02A | DR (152933) | 4589 | 6-18-15 | 0953-1045 | 70-15 | -30 | -6.5 | | |
| 03A | II2 (152934) | 12005 | 6-18-15 | 1004-500 | 70-15 | -30 | -6 | | |
| 04D | II2 (152935) | 11884 | 6-18-15 | 1030-1510 | 70-15 | -29.5 | -6 | | |
| Relinquished by: (signature) <u>[Signature]</u> Date/Time <u>6-22-15 0900 hrs</u> Received by: (signature) <u>[Signature]</u> Date/Time <u>6-22-15 0900</u> Relinquished by: (signature) <u>[Signature]</u> Date/Time <u>6/23/15 0830</u> Received by: (signature) <u>[Signature]</u> Date/Time <u>6/29/15 1500</u> Relinquished by: (signature) _____ Date/Time _____ Received by: (signature) _____ Date/Time _____ | | | | | | | | | |

Notes: Shipped via UPS
Tracking# 1Z069278803245108047

Shipper Name: [Signature] Air Bill # _____ Temp (°C) [Signature] Condition Good
 Custody Seals Intact? Yes No None Work Order # 15N6525

7/13/2015

Mr. Dennis Schroeder
Missouri Dept. of Natural Resources
2710 West Main

Jefferson City MO 65109

Project Name: Bridgeton Landfill

Project #:

Workorder #: 1506525

Dear Mr. Dennis Schroeder

The following report includes the data for the above referenced project for sample(s) received on 6/29/2015 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Air Toxics Ltd. for your air analysis needs. Air Toxics Ltd. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Brian Whittaker at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Brian Whittaker
Project Manager

WORK ORDER #: 1506525

Work Order Summary

| | | | |
|------------------------|---|------------------|--|
| CLIENT: | Mr. Dennis Schroeder Missouri Dept. of Natural Resources 2710 West Main Jefferson City, MO 65109 | BILL TO: | Accounts Payable Missouri Dept. of Natural Resources P.O Box 176 Jefferson City, MO 65102 |
| PHONE: | 573-526-4428 | P.O. # | 3ESP4000007 |
| FAX: | 573-526-3350 | PROJECT # | Bridgeton Landfill |
| DATE RECEIVED: | 06/29/2015 | CONTACT: | Brian Whittaker |
| DATE COMPLETED: | 07/13/2015 | | |

| <u>FRACTION #</u> | <u>NAME</u> | <u>TEST</u> | <u>RECEIPT VAC./PRES.</u> | <u>FINAL PRESSURE</u> |
|-------------------|-------------|----------------|-------------------------------|---------------------------|
| 01A | D1 (152932) | Modified TO-15 | 4.0 "Hg | 5 psi |
| 02A | D2 (152933) | Modified TO-15 | 5.0 "Hg | 5 psi |
| 03A | U1 (152934) | Modified TO-15 | 5.5 "Hg | 5 psi |
| 04A | U2 (152935) | Modified TO-15 | 5.0 "Hg | 5 psi |
| 05A | Lab Blank | Modified TO-15 | NA | NA |
| 06A | CCV | Modified TO-15 | NA | NA |
| 07A | LCS | Modified TO-15 | NA | NA |
| 07AA | LCSD | Modified TO-15 | NA | NA |

CERTIFIED BY: 

 Technical Director

DATE: 07/13/15

Certification numbers: AZ Licensure AZ0775, NJ NELAP - CA016, NY NELAP - 11291,
 TX NELAP - T104704343-14-7, UT NELAP CA009332014-5, VA NELAP - 460197, WA NELAP - C935
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)
 Accreditation number: CA300005, Effective date: 10/18/2014, Expiration date: 10/17/2015.

Eurofins Air Toxics Inc. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, Inc.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 9563
 (916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

LABORATORY NARRATIVE
Modified TO-15
Missouri Dept. of Natural Resources
Workorder# 1506525

Four 6 Liter Summa Canister (100% Certified) samples were received on June 29, 2015. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

| <i>Requirement</i> | <i>TO-15</i> | <i>ATL Modifications</i> |
|---------------------|--|--|
| Initial Calibration | </=30% RSD with 2 compounds allowed out to < 40% RSD | </=30% RSD with 4 compounds allowed out to < 40% RSD |
| Blank and standards | Zero Air | UHP Nitrogen provides a higher purity gas matrix than zero air |

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

All Quality Control Limit exceedances and affected sample results are noted by flags. Each flag is defined at the bottom of this Case Narrative and on each Sample Result Summary page.

Definition of Data Qualifying Flags

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

- B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).
- J - Estimated value.
- E - Exceeds instrument calibration range.
- S - Saturated peak.
- Q - Exceeds quality control limits.
- U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.
- UJ- Non-detected compound associated with low bias in the CCV
- N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

- a-File was requantified
- b-File was quantified by a second column and detector
- r1-File was requantified for the purpose of reissue

Summary of Detected Compounds

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: D1 (152932)

Lab ID#: 1506525-01A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|----------------------------------|----------------------|------------------|-----------------------|-------------------|
| Freon 12 | 0.16 | 0.50 | 0.77 | 2.5 |
| Freon 11 | 0.16 | 0.24 | 0.87 | 1.4 |
| Ethanol | 0.78 | 3.4 | 1.5 | 6.4 |
| Acetone | 0.78 | 4.5 | 1.8 | 11 |
| Hexane | 0.16 | 0.23 | 0.55 | 0.81 |
| 2-Butanone (Methyl Ethyl Ketone) | 0.78 | 0.86 | 2.3 | 2.5 |
| Heptane | 0.16 | 0.19 | 0.64 | 0.77 |
| Toluene | 0.16 | 0.18 | 0.58 | 0.68 |

Client Sample ID: D2 (152933)

Lab ID#: 1506525-02A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|------------|----------------------|------------------|-----------------------|-------------------|
| Freon 12 | 0.16 | 0.44 | 0.80 | 2.2 |
| Freon 11 | 0.16 | 0.21 | 0.90 | 1.2 |
| Ethanol | 0.80 | 3.2 | 1.5 | 6.1 |
| Acetone | 0.80 | 3.4 | 1.9 | 8.0 |
| Toluene | 0.16 | 0.28 | 0.61 | 1.0 |
| m,p-Xylene | 0.16 | 0.20 | 0.70 | 0.85 |

Client Sample ID: U1 (152934)

Lab ID#: 1506525-03A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|------------|----------------------|------------------|-----------------------|-------------------|
| Freon 12 | 0.16 | 0.46 | 0.81 | 2.2 |
| Freon 11 | 0.16 | 0.26 | 0.92 | 1.4 |
| Ethanol | 0.82 | 6.6 | 1.5 | 12 |
| Acetone | 0.82 | 4.8 | 1.9 | 11 |
| 2-Propanol | 0.82 | 0.90 | 2.0 | 2.2 |
| Hexane | 0.16 | 0.16 | 0.58 | 0.58 |
| Toluene | 0.16 | 0.27 | 0.62 | 1.0 |

Summary of Detected Compounds
MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: U2 (152935)

Lab ID#: 1506525-04A

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|-----------------|--------------------------|----------------------|---------------------------|-----------------------|
| Freon 12 | 0.16 | 0.44 | 0.80 | 2.2 |
| Freon 11 | 0.16 | 0.23 | 0.90 | 1.3 |
| Ethanol | 0.80 | 5.2 | 1.5 | 9.8 |
| Acetone | 0.80 | 4.1 | 1.9 | 9.7 |
| 2-Propanol | 0.80 | 1.4 | 2.0 | 3.4 |
| Heptane | 0.16 | 0.17 | 0.66 | 0.70 |
| Toluene | 0.16 | 0.21 | 0.61 | 0.80 |



Air Toxics

Client Sample ID: D1 (152932)

Lab ID#: 1506525-01A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|--------------------|
| File Name: | e062910 | Date of Collection: | 6/18/15 3:28:00 PM |
| Dil. Factor: | 1.55 | Date of Analysis: | 6/29/15 05:33 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|----------------------------------|-------------------|---------------|--------------------|----------------|
| Freon 12 | 0.16 | 0.50 | 0.77 | 2.5 |
| Freon 114 | 0.16 | Not Detected | 1.1 | Not Detected |
| Chloromethane | 0.78 | Not Detected | 1.6 | Not Detected |
| Vinyl Chloride | 0.16 | Not Detected | 0.40 | Not Detected |
| 1,3-Butadiene | 0.16 | Not Detected | 0.34 | Not Detected |
| Bromomethane | 0.78 | Not Detected | 3.0 | Not Detected |
| Chloroethane | 0.78 | Not Detected | 2.0 | Not Detected |
| Freon 11 | 0.16 | 0.24 | 0.87 | 1.4 |
| Ethanol | 0.78 | 3.4 | 1.5 | 6.4 |
| Freon 113 | 0.16 | Not Detected | 1.2 | Not Detected |
| 1,1-Dichloroethene | 0.16 | Not Detected | 0.61 | Not Detected |
| Acetone | 0.78 | 4.5 | 1.8 | 11 |
| 2-Propanol | 0.78 | Not Detected | 1.9 | Not Detected |
| Carbon Disulfide | 0.78 | Not Detected | 2.4 | Not Detected |
| 3-Chloropropene | 0.78 | Not Detected | 2.4 | Not Detected |
| Methylene Chloride | 0.31 | Not Detected | 1.1 | Not Detected |
| Methyl tert-butyl ether | 0.16 | Not Detected | 0.56 | Not Detected |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.61 | Not Detected |
| Hexane | 0.16 | 0.23 | 0.55 | 0.81 |
| 1,1-Dichloroethane | 0.16 | Not Detected | 0.63 | Not Detected |
| 2-Butanone (Methyl Ethyl Ketone) | 0.78 | 0.86 | 2.3 | 2.5 |
| cis-1,2-Dichloroethene | 0.16 | Not Detected | 0.61 | Not Detected |
| Tetrahydrofuran | 0.78 | Not Detected | 2.3 | Not Detected |
| Chloroform | 0.16 | Not Detected | 0.76 | Not Detected |
| 1,1,1-Trichloroethane | 0.16 | Not Detected | 0.84 | Not Detected |
| Cyclohexane | 0.16 | Not Detected | 0.53 | Not Detected |
| Carbon Tetrachloride | 0.16 | Not Detected | 0.98 | Not Detected |
| 2,2,4-Trimethylpentane | 0.78 | Not Detected | 3.6 | Not Detected |
| Benzene | 0.16 | Not Detected | 0.50 | Not Detected |
| 1,2-Dichloroethane | 0.16 | Not Detected | 0.63 | Not Detected |
| Heptane | 0.16 | 0.19 | 0.64 | 0.77 |
| Trichloroethene | 0.16 | Not Detected | 0.83 | Not Detected |
| 1,2-Dichloropropane | 0.16 | Not Detected | 0.72 | Not Detected |
| 1,4-Dioxane | 0.16 | Not Detected | 0.56 | Not Detected |
| Bromodichloromethane | 0.16 | Not Detected | 1.0 | Not Detected |
| cis-1,3-Dichloropropene | 0.16 | Not Detected | 0.70 | Not Detected |
| 4-Methyl-2-pentanone | 0.16 | Not Detected | 0.63 | Not Detected |
| Toluene | 0.16 | 0.18 | 0.58 | 0.68 |
| trans-1,3-Dichloropropene | 0.16 | Not Detected | 0.70 | Not Detected |
| 1,1,2-Trichloroethane | 0.16 | Not Detected | 0.84 | Not Detected |
| Tetrachloroethene | 0.16 | Not Detected | 1.0 | Not Detected |
| 2-Hexanone | 0.78 | Not Detected | 3.2 | Not Detected |



Client Sample ID: D1 (152932)

Lab ID#: 1506525-01A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | e062910 | Date of Collection: 6/18/15 3:28:00 PM |
| Dil. Factor: | 1.55 | Date of Analysis: 6/29/15 05:33 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|---------------------------|-------------------|---------------|--------------------|----------------|
| Dibromochloromethane | 0.16 | Not Detected | 1.3 | Not Detected |
| 1,2-Dibromoethane (EDB) | 0.16 | Not Detected | 1.2 | Not Detected |
| Chlorobenzene | 0.16 | Not Detected | 0.71 | Not Detected |
| Ethyl Benzene | 0.16 | Not Detected | 0.67 | Not Detected |
| m,p-Xylene | 0.16 | Not Detected | 0.67 | Not Detected |
| o-Xylene | 0.16 | Not Detected | 0.67 | Not Detected |
| Styrene | 0.16 | Not Detected | 0.66 | Not Detected |
| Bromoform | 0.16 | Not Detected | 1.6 | Not Detected |
| Cumene | 0.16 | Not Detected | 0.76 | Not Detected |
| 1,1,2,2-Tetrachloroethane | 0.16 | Not Detected | 1.1 | Not Detected |
| Propylbenzene | 0.16 | Not Detected | 0.76 | Not Detected |
| 4-Ethyltoluene | 0.16 | Not Detected | 0.76 | Not Detected |
| 1,3,5-Trimethylbenzene | 0.16 | Not Detected | 0.76 | Not Detected |
| 1,2,4-Trimethylbenzene | 0.16 | Not Detected | 0.76 | Not Detected |
| 1,3-Dichlorobenzene | 0.16 | Not Detected | 0.93 | Not Detected |
| 1,4-Dichlorobenzene | 0.16 | Not Detected | 0.93 | Not Detected |
| alpha-Chlorotoluene | 0.16 | Not Detected | 0.80 | Not Detected |
| 1,2-Dichlorobenzene | 0.16 | Not Detected | 0.93 | Not Detected |
| 1,2,4-Trichlorobenzene | 0.78 | Not Detected | 5.8 | Not Detected |
| Hexachlorobutadiene | 0.78 | Not Detected | 8.3 | Not Detected |

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 1,2-Dichloroethane-d4 | 106 | 70-130 |
| Toluene-d8 | 100 | 70-130 |
| 4-Bromofluorobenzene | 98 | 70-130 |



Air Toxics

Client Sample ID: D2 (152933)

Lab ID#: 1506525-02A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|--------------------|
| File Name: | e062911 | Date of Collection: | 6/18/15 2:50:00 PM |
| Dil. Factor: | 1.61 | Date of Analysis: | 6/29/15 06:15 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|----------------------------------|-------------------|---------------|--------------------|----------------|
| Freon 12 | 0.16 | 0.44 | 0.80 | 2.2 |
| Freon 114 | 0.16 | Not Detected | 1.1 | Not Detected |
| Chloromethane | 0.80 | Not Detected | 1.7 | Not Detected |
| Vinyl Chloride | 0.16 | Not Detected | 0.41 | Not Detected |
| 1,3-Butadiene | 0.16 | Not Detected | 0.36 | Not Detected |
| Bromomethane | 0.80 | Not Detected | 3.1 | Not Detected |
| Chloroethane | 0.80 | Not Detected | 2.1 | Not Detected |
| Freon 11 | 0.16 | 0.21 | 0.90 | 1.2 |
| Ethanol | 0.80 | 3.2 | 1.5 | 6.1 |
| Freon 113 | 0.16 | Not Detected | 1.2 | Not Detected |
| 1,1-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |
| Acetone | 0.80 | 3.4 | 1.9 | 8.0 |
| 2-Propanol | 0.80 | Not Detected | 2.0 | Not Detected |
| Carbon Disulfide | 0.80 | Not Detected | 2.5 | Not Detected |
| 3-Chloropropene | 0.80 | Not Detected | 2.5 | Not Detected |
| Methylene Chloride | 0.32 | Not Detected | 1.1 | Not Detected |
| Methyl tert-butyl ether | 0.16 | Not Detected | 0.58 | Not Detected |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |
| Hexane | 0.16 | Not Detected | 0.57 | Not Detected |
| 1,1-Dichloroethane | 0.16 | Not Detected | 0.65 | Not Detected |
| 2-Butanone (Methyl Ethyl Ketone) | 0.80 | Not Detected | 2.4 | Not Detected |
| cis-1,2-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |
| Tetrahydrofuran | 0.80 | Not Detected | 2.4 | Not Detected |
| Chloroform | 0.16 | Not Detected | 0.79 | Not Detected |
| 1,1,1-Trichloroethane | 0.16 | Not Detected | 0.88 | Not Detected |
| Cyclohexane | 0.16 | Not Detected | 0.55 | Not Detected |
| Carbon Tetrachloride | 0.16 | Not Detected | 1.0 | Not Detected |
| 2,2,4-Trimethylpentane | 0.80 | Not Detected | 3.8 | Not Detected |
| Benzene | 0.16 | Not Detected | 0.51 | Not Detected |
| 1,2-Dichloroethane | 0.16 | Not Detected | 0.65 | Not Detected |
| Heptane | 0.16 | Not Detected | 0.66 | Not Detected |
| Trichloroethene | 0.16 | Not Detected | 0.86 | Not Detected |
| 1,2-Dichloropropane | 0.16 | Not Detected | 0.74 | Not Detected |
| 1,4-Dioxane | 0.16 | Not Detected | 0.58 | Not Detected |
| Bromodichloromethane | 0.16 | Not Detected | 1.1 | Not Detected |
| cis-1,3-Dichloropropene | 0.16 | Not Detected | 0.73 | Not Detected |
| 4-Methyl-2-pentanone | 0.16 | Not Detected | 0.66 | Not Detected |
| Toluene | 0.16 | 0.28 | 0.61 | 1.0 |
| trans-1,3-Dichloropropene | 0.16 | Not Detected | 0.73 | Not Detected |
| 1,1,2-Trichloroethane | 0.16 | Not Detected | 0.88 | Not Detected |
| Tetrachloroethene | 0.16 | Not Detected | 1.1 | Not Detected |
| 2-Hexanone | 0.80 | Not Detected | 3.3 | Not Detected |



Client Sample ID: D2 (152933)

Lab ID#: 1506525-02A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|--------------------|
| File Name: | e062911 | Date of Collection: | 6/18/15 2:50:00 PM |
| Dil. Factor: | 1.61 | Date of Analysis: | 6/29/15 06:15 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|---------------------------|-------------------|---------------|--------------------|----------------|
| Dibromochloromethane | 0.16 | Not Detected | 1.4 | Not Detected |
| 1,2-Dibromoethane (EDB) | 0.16 | Not Detected | 1.2 | Not Detected |
| Chlorobenzene | 0.16 | Not Detected | 0.74 | Not Detected |
| Ethyl Benzene | 0.16 | Not Detected | 0.70 | Not Detected |
| m,p-Xylene | 0.16 | 0.20 | 0.70 | 0.85 |
| o-Xylene | 0.16 | Not Detected | 0.70 | Not Detected |
| Styrene | 0.16 | Not Detected | 0.68 | Not Detected |
| Bromoform | 0.16 | Not Detected | 1.7 | Not Detected |
| Cumene | 0.16 | Not Detected | 0.79 | Not Detected |
| 1,1,2,2-Tetrachloroethane | 0.16 | Not Detected | 1.1 | Not Detected |
| Propylbenzene | 0.16 | Not Detected | 0.79 | Not Detected |
| 4-Ethyltoluene | 0.16 | Not Detected | 0.79 | Not Detected |
| 1,3,5-Trimethylbenzene | 0.16 | Not Detected | 0.79 | Not Detected |
| 1,2,4-Trimethylbenzene | 0.16 | Not Detected | 0.79 | Not Detected |
| 1,3-Dichlorobenzene | 0.16 | Not Detected | 0.97 | Not Detected |
| 1,4-Dichlorobenzene | 0.16 | Not Detected | 0.97 | Not Detected |
| alpha-Chlorotoluene | 0.16 | Not Detected | 0.83 | Not Detected |
| 1,2-Dichlorobenzene | 0.16 | Not Detected | 0.97 | Not Detected |
| 1,2,4-Trichlorobenzene | 0.80 | Not Detected | 6.0 | Not Detected |
| Hexachlorobutadiene | 0.80 | Not Detected | 8.6 | Not Detected |

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 1,2-Dichloroethane-d4 | 107 | 70-130 |
| Toluene-d8 | 100 | 70-130 |
| 4-Bromofluorobenzene | 98 | 70-130 |



Air Toxics

Client Sample ID: U1 (152934)

Lab ID#: 1506525-03A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|--------------------|
| File Name: | e062912 | Date of Collection: | 6/18/15 3:00:00 PM |
| Dil. Factor: | 1.64 | Date of Analysis: | 6/29/15 06:57 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|----------------------------------|-------------------|---------------|--------------------|----------------|
| Freon 12 | 0.16 | 0.46 | 0.81 | 2.2 |
| Freon 114 | 0.16 | Not Detected | 1.1 | Not Detected |
| Chloromethane | 0.82 | Not Detected | 1.7 | Not Detected |
| Vinyl Chloride | 0.16 | Not Detected | 0.42 | Not Detected |
| 1,3-Butadiene | 0.16 | Not Detected | 0.36 | Not Detected |
| Bromomethane | 0.82 | Not Detected | 3.2 | Not Detected |
| Chloroethane | 0.82 | Not Detected | 2.2 | Not Detected |
| Freon 11 | 0.16 | 0.26 | 0.92 | 1.4 |
| Ethanol | 0.82 | 6.6 | 1.5 | 12 |
| Freon 113 | 0.16 | Not Detected | 1.2 | Not Detected |
| 1,1-Dichloroethene | 0.16 | Not Detected | 0.65 | Not Detected |
| Acetone | 0.82 | 4.8 | 1.9 | 11 |
| 2-Propanol | 0.82 | 0.90 | 2.0 | 2.2 |
| Carbon Disulfide | 0.82 | Not Detected | 2.6 | Not Detected |
| 3-Chloropropene | 0.82 | Not Detected | 2.6 | Not Detected |
| Methylene Chloride | 0.33 | Not Detected | 1.1 | Not Detected |
| Methyl tert-butyl ether | 0.16 | Not Detected | 0.59 | Not Detected |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.65 | Not Detected |
| Hexane | 0.16 | 0.16 | 0.58 | 0.58 |
| 1,1-Dichloroethane | 0.16 | Not Detected | 0.66 | Not Detected |
| 2-Butanone (Methyl Ethyl Ketone) | 0.82 | Not Detected | 2.4 | Not Detected |
| cis-1,2-Dichloroethene | 0.16 | Not Detected | 0.65 | Not Detected |
| Tetrahydrofuran | 0.82 | Not Detected | 2.4 | Not Detected |
| Chloroform | 0.16 | Not Detected | 0.80 | Not Detected |
| 1,1,1-Trichloroethane | 0.16 | Not Detected | 0.89 | Not Detected |
| Cyclohexane | 0.16 | Not Detected | 0.56 | Not Detected |
| Carbon Tetrachloride | 0.16 | Not Detected | 1.0 | Not Detected |
| 2,2,4-Trimethylpentane | 0.82 | Not Detected | 3.8 | Not Detected |
| Benzene | 0.16 | Not Detected | 0.52 | Not Detected |
| 1,2-Dichloroethane | 0.16 | Not Detected | 0.66 | Not Detected |
| Heptane | 0.16 | Not Detected | 0.67 | Not Detected |
| Trichloroethene | 0.16 | Not Detected | 0.88 | Not Detected |
| 1,2-Dichloropropane | 0.16 | Not Detected | 0.76 | Not Detected |
| 1,4-Dioxane | 0.16 | Not Detected | 0.59 | Not Detected |
| Bromodichloromethane | 0.16 | Not Detected | 1.1 | Not Detected |
| cis-1,3-Dichloropropene | 0.16 | Not Detected | 0.74 | Not Detected |
| 4-Methyl-2-pentanone | 0.16 | Not Detected | 0.67 | Not Detected |
| Toluene | 0.16 | 0.27 | 0.62 | 1.0 |
| trans-1,3-Dichloropropene | 0.16 | Not Detected | 0.74 | Not Detected |
| 1,1,2-Trichloroethane | 0.16 | Not Detected | 0.89 | Not Detected |
| Tetrachloroethene | 0.16 | Not Detected | 1.1 | Not Detected |
| 2-Hexanone | 0.82 | Not Detected | 3.4 | Not Detected |



Client Sample ID: U1 (152934)

Lab ID#: 1506525-03A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|--------------------|
| File Name: | e062912 | Date of Collection: | 6/18/15 3:00:00 PM |
| Dil. Factor: | 1.64 | Date of Analysis: | 6/29/15 06:57 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|---------------------------|-------------------|---------------|--------------------|----------------|
| Dibromochloromethane | 0.16 | Not Detected | 1.4 | Not Detected |
| 1,2-Dibromoethane (EDB) | 0.16 | Not Detected | 1.3 | Not Detected |
| Chlorobenzene | 0.16 | Not Detected | 0.76 | Not Detected |
| Ethyl Benzene | 0.16 | Not Detected | 0.71 | Not Detected |
| m,p-Xylene | 0.16 | Not Detected | 0.71 | Not Detected |
| o-Xylene | 0.16 | Not Detected | 0.71 | Not Detected |
| Styrene | 0.16 | Not Detected | 0.70 | Not Detected |
| Bromoform | 0.16 | Not Detected | 1.7 | Not Detected |
| Cumene | 0.16 | Not Detected | 0.81 | Not Detected |
| 1,1,2,2-Tetrachloroethane | 0.16 | Not Detected | 1.1 | Not Detected |
| Propylbenzene | 0.16 | Not Detected | 0.81 | Not Detected |
| 4-Ethyltoluene | 0.16 | Not Detected | 0.81 | Not Detected |
| 1,3,5-Trimethylbenzene | 0.16 | Not Detected | 0.81 | Not Detected |
| 1,2,4-Trimethylbenzene | 0.16 | Not Detected | 0.81 | Not Detected |
| 1,3-Dichlorobenzene | 0.16 | Not Detected | 0.99 | Not Detected |
| 1,4-Dichlorobenzene | 0.16 | Not Detected | 0.99 | Not Detected |
| alpha-Chlorotoluene | 0.16 | Not Detected | 0.85 | Not Detected |
| 1,2-Dichlorobenzene | 0.16 | Not Detected | 0.99 | Not Detected |
| 1,2,4-Trichlorobenzene | 0.82 | Not Detected | 6.1 | Not Detected |
| Hexachlorobutadiene | 0.82 | Not Detected | 8.7 | Not Detected |

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 1,2-Dichloroethane-d4 | 107 | 70-130 |
| Toluene-d8 | 99 | 70-130 |
| 4-Bromofluorobenzene | 99 | 70-130 |



Air Toxics

Client Sample ID: U2 (152935)

Lab ID#: 1506525-04A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|--------------------|
| File Name: | e062913 | Date of Collection: | 6/18/15 3:10:00 PM |
| Dil. Factor: | 1.61 | Date of Analysis: | 6/29/15 08:07 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|----------------------------------|-------------------|---------------|--------------------|----------------|
| Freon 12 | 0.16 | 0.44 | 0.80 | 2.2 |
| Freon 114 | 0.16 | Not Detected | 1.1 | Not Detected |
| Chloromethane | 0.80 | Not Detected | 1.7 | Not Detected |
| Vinyl Chloride | 0.16 | Not Detected | 0.41 | Not Detected |
| 1,3-Butadiene | 0.16 | Not Detected | 0.36 | Not Detected |
| Bromomethane | 0.80 | Not Detected | 3.1 | Not Detected |
| Chloroethane | 0.80 | Not Detected | 2.1 | Not Detected |
| Freon 11 | 0.16 | 0.23 | 0.90 | 1.3 |
| Ethanol | 0.80 | 5.2 | 1.5 | 9.8 |
| Freon 113 | 0.16 | Not Detected | 1.2 | Not Detected |
| 1,1-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |
| Acetone | 0.80 | 4.1 | 1.9 | 9.7 |
| 2-Propanol | 0.80 | 1.4 | 2.0 | 3.4 |
| Carbon Disulfide | 0.80 | Not Detected | 2.5 | Not Detected |
| 3-Chloropropene | 0.80 | Not Detected | 2.5 | Not Detected |
| Methylene Chloride | 0.32 | Not Detected | 1.1 | Not Detected |
| Methyl tert-butyl ether | 0.16 | Not Detected | 0.58 | Not Detected |
| trans-1,2-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |
| Hexane | 0.16 | Not Detected | 0.57 | Not Detected |
| 1,1-Dichloroethane | 0.16 | Not Detected | 0.65 | Not Detected |
| 2-Butanone (Methyl Ethyl Ketone) | 0.80 | Not Detected | 2.4 | Not Detected |
| cis-1,2-Dichloroethene | 0.16 | Not Detected | 0.64 | Not Detected |
| Tetrahydrofuran | 0.80 | Not Detected | 2.4 | Not Detected |
| Chloroform | 0.16 | Not Detected | 0.79 | Not Detected |
| 1,1,1-Trichloroethane | 0.16 | Not Detected | 0.88 | Not Detected |
| Cyclohexane | 0.16 | Not Detected | 0.55 | Not Detected |
| Carbon Tetrachloride | 0.16 | Not Detected | 1.0 | Not Detected |
| 2,2,4-Trimethylpentane | 0.80 | Not Detected | 3.8 | Not Detected |
| Benzene | 0.16 | Not Detected | 0.51 | Not Detected |
| 1,2-Dichloroethane | 0.16 | Not Detected | 0.65 | Not Detected |
| Heptane | 0.16 | 0.17 | 0.66 | 0.70 |
| Trichloroethene | 0.16 | Not Detected | 0.86 | Not Detected |
| 1,2-Dichloropropane | 0.16 | Not Detected | 0.74 | Not Detected |
| 1,4-Dioxane | 0.16 | Not Detected | 0.58 | Not Detected |
| Bromodichloromethane | 0.16 | Not Detected | 1.1 | Not Detected |
| cis-1,3-Dichloropropene | 0.16 | Not Detected | 0.73 | Not Detected |
| 4-Methyl-2-pentanone | 0.16 | Not Detected | 0.66 | Not Detected |
| Toluene | 0.16 | 0.21 | 0.61 | 0.80 |
| trans-1,3-Dichloropropene | 0.16 | Not Detected | 0.73 | Not Detected |
| 1,1,2-Trichloroethane | 0.16 | Not Detected | 0.88 | Not Detected |
| Tetrachloroethene | 0.16 | Not Detected | 1.1 | Not Detected |
| 2-Hexanone | 0.80 | Not Detected | 3.3 | Not Detected |



Air Toxics

Client Sample ID: U2 (152935)

Lab ID#: 1506525-04A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | e062913 | Date of Collection: 6/18/15 3:10:00 PM |
| Dil. Factor: | 1.61 | Date of Analysis: 6/29/15 08:07 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|---------------------------|--------------------------|----------------------|---------------------------|-----------------------|
| Dibromochloromethane | 0.16 | Not Detected | 1.4 | Not Detected |
| 1,2-Dibromoethane (EDB) | 0.16 | Not Detected | 1.2 | Not Detected |
| Chlorobenzene | 0.16 | Not Detected | 0.74 | Not Detected |
| Ethyl Benzene | 0.16 | Not Detected | 0.70 | Not Detected |
| m,p-Xylene | 0.16 | Not Detected | 0.70 | Not Detected |
| o-Xylene | 0.16 | Not Detected | 0.70 | Not Detected |
| Styrene | 0.16 | Not Detected | 0.68 | Not Detected |
| Bromoform | 0.16 | Not Detected | 1.7 | Not Detected |
| Cumene | 0.16 | Not Detected | 0.79 | Not Detected |
| 1,1,2,2-Tetrachloroethane | 0.16 | Not Detected | 1.1 | Not Detected |
| Propylbenzene | 0.16 | Not Detected | 0.79 | Not Detected |
| 4-Ethyltoluene | 0.16 | Not Detected | 0.79 | Not Detected |
| 1,3,5-Trimethylbenzene | 0.16 | Not Detected | 0.79 | Not Detected |
| 1,2,4-Trimethylbenzene | 0.16 | Not Detected | 0.79 | Not Detected |
| 1,3-Dichlorobenzene | 0.16 | Not Detected | 0.97 | Not Detected |
| 1,4-Dichlorobenzene | 0.16 | Not Detected | 0.97 | Not Detected |
| alpha-Chlorotoluene | 0.16 | Not Detected | 0.83 | Not Detected |
| 1,2-Dichlorobenzene | 0.16 | Not Detected | 0.97 | Not Detected |
| 1,2,4-Trichlorobenzene | 0.80 | Not Detected | 6.0 | Not Detected |
| Hexachlorobutadiene | 0.80 | Not Detected | 8.6 | Not Detected |

Container Type: 6 Liter Summa Canister (100% Certified)

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 1,2-Dichloroethane-d4 | 107 | 70-130 |
| Toluene-d8 | 99 | 70-130 |
| 4-Bromofluorobenzene | 98 | 70-130 |



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 1506525-05A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|------------------|
| File Name: | e062907 | Date of Collection: | NA |
| Dil. Factor: | 1.00 | Date of Analysis: | 6/29/15 02:53 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|----------------------------------|-------------------|---------------|--------------------|----------------|
| Freon 12 | 0.10 | Not Detected | 0.49 | Not Detected |
| Freon 114 | 0.10 | Not Detected | 0.70 | Not Detected |
| Chloromethane | 0.50 | Not Detected | 1.0 | Not Detected |
| Vinyl Chloride | 0.10 | Not Detected | 0.26 | Not Detected |
| 1,3-Butadiene | 0.10 | Not Detected | 0.22 | Not Detected |
| Bromomethane | 0.50 | Not Detected | 1.9 | Not Detected |
| Chloroethane | 0.50 | Not Detected | 1.3 | Not Detected |
| Freon 11 | 0.10 | Not Detected | 0.56 | Not Detected |
| Ethanol | 0.50 | Not Detected | 0.94 | Not Detected |
| Freon 113 | 0.10 | Not Detected | 0.77 | Not Detected |
| 1,1-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |
| Acetone | 0.50 | Not Detected | 1.2 | Not Detected |
| 2-Propanol | 0.50 | Not Detected | 1.2 | Not Detected |
| Carbon Disulfide | 0.50 | Not Detected | 1.6 | Not Detected |
| 3-Chloropropene | 0.50 | Not Detected | 1.6 | Not Detected |
| Methylene Chloride | 0.20 | Not Detected | 0.69 | Not Detected |
| Methyl tert-butyl ether | 0.10 | Not Detected | 0.36 | Not Detected |
| trans-1,2-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |
| Hexane | 0.10 | Not Detected | 0.35 | Not Detected |
| 1,1-Dichloroethane | 0.10 | Not Detected | 0.40 | Not Detected |
| 2-Butanone (Methyl Ethyl Ketone) | 0.50 | Not Detected | 1.5 | Not Detected |
| cis-1,2-Dichloroethene | 0.10 | Not Detected | 0.40 | Not Detected |
| Tetrahydrofuran | 0.50 | Not Detected | 1.5 | Not Detected |
| Chloroform | 0.10 | Not Detected | 0.49 | Not Detected |
| 1,1,1-Trichloroethane | 0.10 | Not Detected | 0.54 | Not Detected |
| Cyclohexane | 0.10 | Not Detected | 0.34 | Not Detected |
| Carbon Tetrachloride | 0.10 | Not Detected | 0.63 | Not Detected |
| 2,2,4-Trimethylpentane | 0.50 | Not Detected | 2.3 | Not Detected |
| Benzene | 0.10 | Not Detected | 0.32 | Not Detected |
| 1,2-Dichloroethane | 0.10 | Not Detected | 0.40 | Not Detected |
| Heptane | 0.10 | Not Detected | 0.41 | Not Detected |
| Trichloroethene | 0.10 | Not Detected | 0.54 | Not Detected |
| 1,2-Dichloropropane | 0.10 | Not Detected | 0.46 | Not Detected |
| 1,4-Dioxane | 0.10 | Not Detected | 0.36 | Not Detected |
| Bromodichloromethane | 0.10 | Not Detected | 0.67 | Not Detected |
| cis-1,3-Dichloropropene | 0.10 | Not Detected | 0.45 | Not Detected |
| 4-Methyl-2-pentanone | 0.10 | Not Detected | 0.41 | Not Detected |
| Toluene | 0.10 | Not Detected | 0.38 | Not Detected |
| trans-1,3-Dichloropropene | 0.10 | Not Detected | 0.45 | Not Detected |
| 1,1,2-Trichloroethane | 0.10 | Not Detected | 0.54 | Not Detected |
| Tetrachloroethene | 0.10 | Not Detected | 0.68 | Not Detected |
| 2-Hexanone | 0.50 | Not Detected | 2.0 | Not Detected |



Client Sample ID: Lab Blank

Lab ID#: 1506525-05A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | | |
|--------------|---------|---------------------|------------------|
| File Name: | e062907 | Date of Collection: | NA |
| Dil. Factor: | 1.00 | Date of Analysis: | 6/29/15 02:53 PM |

| Compound | Rpt. Limit (ppbv) | Amount (ppbv) | Rpt. Limit (ug/m3) | Amount (ug/m3) |
|---------------------------|-------------------|---------------|--------------------|----------------|
| Dibromochloromethane | 0.10 | Not Detected | 0.85 | Not Detected |
| 1,2-Dibromoethane (EDB) | 0.10 | Not Detected | 0.77 | Not Detected |
| Chlorobenzene | 0.10 | Not Detected | 0.46 | Not Detected |
| Ethyl Benzene | 0.10 | Not Detected | 0.43 | Not Detected |
| m,p-Xylene | 0.10 | Not Detected | 0.43 | Not Detected |
| o-Xylene | 0.10 | Not Detected | 0.43 | Not Detected |
| Styrene | 0.10 | Not Detected | 0.42 | Not Detected |
| Bromoform | 0.10 | Not Detected | 1.0 | Not Detected |
| Cumene | 0.10 | Not Detected | 0.49 | Not Detected |
| 1,1,2,2-Tetrachloroethane | 0.10 | Not Detected | 0.69 | Not Detected |
| Propylbenzene | 0.10 | Not Detected | 0.49 | Not Detected |
| 4-Ethyltoluene | 0.10 | Not Detected | 0.49 | Not Detected |
| 1,3,5-Trimethylbenzene | 0.10 | Not Detected | 0.49 | Not Detected |
| 1,2,4-Trimethylbenzene | 0.10 | Not Detected | 0.49 | Not Detected |
| 1,3-Dichlorobenzene | 0.10 | Not Detected | 0.60 | Not Detected |
| 1,4-Dichlorobenzene | 0.10 | Not Detected | 0.60 | Not Detected |
| alpha-Chlorotoluene | 0.10 | Not Detected | 0.52 | Not Detected |
| 1,2-Dichlorobenzene | 0.10 | Not Detected | 0.60 | Not Detected |
| 1,2,4-Trichlorobenzene | 0.50 | Not Detected | 3.7 | Not Detected |
| Hexachlorobutadiene | 0.50 | Not Detected | 5.3 | Not Detected |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 1,2-Dichloroethane-d4 | 96 | 70-130 |
| Toluene-d8 | 98 | 70-130 |
| 4-Bromofluorobenzene | 100 | 70-130 |



Air Toxics

Client Sample ID: CCV

Lab ID#: 1506525-06A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|--------------|---------|------------------------------------|
| File Name: | e062903 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 6/29/15 10:54 AM |

| Compound | %Recovery |
|----------------------------------|-----------|
| Freon 12 | 91 |
| Freon 114 | 92 |
| Chloromethane | 89 |
| Vinyl Chloride | 96 |
| 1,3-Butadiene | 86 |
| Bromomethane | 94 |
| Chloroethane | 90 |
| Freon 11 | 88 |
| Ethanol | 86 |
| Freon 113 | 92 |
| 1,1-Dichloroethene | 90 |
| Acetone | 86 |
| 2-Propanol | 93 |
| Carbon Disulfide | 98 |
| 3-Chloropropene | 88 |
| Methylene Chloride | 89 |
| Methyl tert-butyl ether | 97 |
| trans-1,2-Dichloroethene | 86 |
| Hexane | 90 |
| 1,1-Dichloroethane | 96 |
| 2-Butanone (Methyl Ethyl Ketone) | 95 |
| cis-1,2-Dichloroethene | 89 |
| Tetrahydrofuran | 93 |
| Chloroform | 89 |
| 1,1,1-Trichloroethane | 89 |
| Cyclohexane | 88 |
| Carbon Tetrachloride | 85 |
| 2,2,4-Trimethylpentane | 93 |
| Benzene | 90 |
| 1,2-Dichloroethane | 95 |
| Heptane | 84 |
| Trichloroethene | 93 |
| 1,2-Dichloropropane | 93 |
| 1,4-Dioxane | 98 |
| Bromodichloromethane | 88 |
| cis-1,3-Dichloropropene | 92 |
| 4-Methyl-2-pentanone | 91 |
| Toluene | 88 |
| trans-1,3-Dichloropropene | 95 |
| 1,1,2-Trichloroethane | 86 |
| Tetrachloroethene | 95 |
| 2-Hexanone | 96 |

Client Sample ID: CCV

Lab ID#: 1506525-06A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|---------------------|----------------|---|
| File Name: | e062903 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 6/29/15 10:54 AM |

| Compound | %Recovery |
|---------------------------|------------------|
| Dibromochloromethane | 101 |
| 1,2-Dibromoethane (EDB) | 96 |
| Chlorobenzene | 95 |
| Ethyl Benzene | 95 |
| m,p-Xylene | 90 |
| o-Xylene | 96 |
| Styrene | 94 |
| Bromoform | 100 |
| Cumene | 82 |
| 1,1,2,2-Tetrachloroethane | 90 |
| Propylbenzene | 93 |
| 4-Ethyltoluene | 89 |
| 1,3,5-Trimethylbenzene | 76 |
| 1,2,4-Trimethylbenzene | 83 |
| 1,3-Dichlorobenzene | 88 |
| 1,4-Dichlorobenzene | 88 |
| alpha-Chlorotoluene | 84 |
| 1,2-Dichlorobenzene | 85 |
| 1,2,4-Trichlorobenzene | 76 |
| Hexachlorobutadiene | 80 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|------------------|----------------------|
| 1,2-Dichloroethane-d4 | 98 | 70-130 |
| Toluene-d8 | 96 | 70-130 |
| 4-Bromofluorobenzene | 98 | 70-130 |



Air Toxics

Client Sample ID: LCS

Lab ID#: 1506525-07A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|--------------|----------|------------------------------------|
| File Name: | e062904a | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 6/29/15 11:47 AM |

| Compound | %Recovery | Method Limits |
|----------------------------------|-----------|---------------|
| Freon 12 | 121 | 70-130 |
| Freon 114 | 127 | 70-130 |
| Chloromethane | 116 | 70-130 |
| Vinyl Chloride | 126 | 70-130 |
| 1,3-Butadiene | 111 | 70-130 |
| Bromomethane | 116 | 70-130 |
| Chloroethane | 119 | 70-130 |
| Freon 11 | 116 | 70-130 |
| Ethanol | 110 | 70-130 |
| Freon 113 | 117 | 70-130 |
| 1,1-Dichloroethene | 113 | 70-130 |
| Acetone | 115 | 70-130 |
| 2-Propanol | 120 | 70-130 |
| Carbon Disulfide | 98 | 70-130 |
| 3-Chloropropene | 116 | 70-130 |
| Methylene Chloride | 116 | 70-130 |
| Methyl tert-butyl ether | 122 | 70-130 |
| trans-1,2-Dichloroethene | 95 | 70-130 |
| Hexane | 116 | 70-130 |
| 1,1-Dichloroethane | 124 | 70-130 |
| 2-Butanone (Methyl Ethyl Ketone) | 118 | 70-130 |
| cis-1,2-Dichloroethene | 127 | 70-130 |
| Tetrahydrofuran | 121 | 70-130 |
| Chloroform | 114 | 70-130 |
| 1,1,1-Trichloroethane | 115 | 70-130 |
| Cyclohexane | 114 | 70-130 |
| Carbon Tetrachloride | 126 | 70-130 |
| 2,2,4-Trimethylpentane | 121 | 70-130 |
| Benzene | 119 | 70-130 |
| 1,2-Dichloroethane | 130 | 70-130 |
| Heptane | 114 | 70-130 |
| Trichloroethene | 124 | 70-130 |
| 1,2-Dichloropropane | 123 | 70-130 |
| 1,4-Dioxane | 127 | 70-130 |
| Bromodichloromethane | 120 | 70-130 |
| cis-1,3-Dichloropropene | 116 | 70-130 |
| 4-Methyl-2-pentanone | 122 | 70-130 |
| Toluene | 118 | 70-130 |
| trans-1,3-Dichloropropene | 124 | 70-130 |
| 1,1,2-Trichloroethane | 110 | 70-130 |
| Tetrachloroethene | 121 | 70-130 |
| 2-Hexanone | 129 | 70-130 |

Client Sample ID: LCS

Lab ID#: 1506525-07A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|--------------|----------|------------------------------------|
| File Name: | e062904a | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 6/29/15 11:47 AM |

| Compound | %Recovery | Method Limits |
|---------------------------|-----------|---------------|
| Dibromochloromethane | 132 Q | 70-130 |
| 1,2-Dibromoethane (EDB) | 124 | 70-130 |
| Chlorobenzene | 122 | 70-130 |
| Ethyl Benzene | 122 | 70-130 |
| m,p-Xylene | 115 | 70-130 |
| o-Xylene | 125 | 70-130 |
| Styrene | 120 | 70-130 |
| Bromoform | 127 | 70-130 |
| Cumene | 108 | 70-130 |
| 1,1,2,2-Tetrachloroethane | 115 | 70-130 |
| Propylbenzene | 123 | 70-130 |
| 4-Ethyltoluene | 118 | 70-130 |
| 1,3,5-Trimethylbenzene | 101 | 70-130 |
| 1,2,4-Trimethylbenzene | 110 | 70-130 |
| 1,3-Dichlorobenzene | 115 | 70-130 |
| 1,4-Dichlorobenzene | 115 | 70-130 |
| alpha-Chlorotoluene | 117 | 70-130 |
| 1,2-Dichlorobenzene | 115 | 70-130 |
| 1,2,4-Trichlorobenzene | 92 | 70-130 |
| Hexachlorobutadiene | 94 | 70-130 |

Q = Exceeds Quality Control limits.

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 1,2-Dichloroethane-d4 | 100 | 70-130 |
| Toluene-d8 | 98 | 70-130 |
| 4-Bromofluorobenzene | 100 | 70-130 |



Air Toxics

Client Sample ID: LCS D

Lab ID#: 1506525-07AA

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|--------------|---------|------------------------------------|
| File Name: | e062905 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 6/29/15 12:31 PM |

| Compound | %Recovery | Method Limits |
|----------------------------------|-----------|---------------|
| Freon 12 | 126 | 70-130 |
| Freon 114 | 128 | 70-130 |
| Chloromethane | 121 | 70-130 |
| Vinyl Chloride | 129 | 70-130 |
| 1,3-Butadiene | 110 | 70-130 |
| Bromomethane | 123 | 70-130 |
| Chloroethane | 120 | 70-130 |
| Freon 11 | 117 | 70-130 |
| Ethanol | 121 | 70-130 |
| Freon 113 | 120 | 70-130 |
| 1,1-Dichloroethene | 122 | 70-130 |
| Acetone | 113 | 70-130 |
| 2-Propanol | 125 | 70-130 |
| Carbon Disulfide | 96 | 70-130 |
| 3-Chloropropene | 119 | 70-130 |
| Methylene Chloride | 116 | 70-130 |
| Methyl tert-butyl ether | 125 | 70-130 |
| trans-1,2-Dichloroethene | 99 | 70-130 |
| Hexane | 120 | 70-130 |
| 1,1-Dichloroethane | 128 | 70-130 |
| 2-Butanone (Methyl Ethyl Ketone) | 119 | 70-130 |
| cis-1,2-Dichloroethene | 128 | 70-130 |
| Tetrahydrofuran | 127 | 70-130 |
| Chloroform | 116 | 70-130 |
| 1,1,1-Trichloroethane | 118 | 70-130 |
| Cyclohexane | 113 | 70-130 |
| Carbon Tetrachloride | 130 | 70-130 |
| 2,2,4-Trimethylpentane | 119 | 70-130 |
| Benzene | 120 | 70-130 |
| 1,2-Dichloroethane | 124 | 70-130 |
| Heptane | 114 | 70-130 |
| Trichloroethene | 121 | 70-130 |
| 1,2-Dichloropropane | 120 | 70-130 |
| 1,4-Dioxane | 124 | 70-130 |
| Bromodichloromethane | 120 | 70-130 |
| cis-1,3-Dichloropropene | 116 | 70-130 |
| 4-Methyl-2-pentanone | 123 | 70-130 |
| Toluene | 116 | 70-130 |
| trans-1,3-Dichloropropene | 123 | 70-130 |
| 1,1,2-Trichloroethane | 108 | 70-130 |
| Tetrachloroethene | 124 | 70-130 |
| 2-Hexanone | 127 | 70-130 |



Air Toxics

Client Sample ID: LCSD

Lab ID#: 1506525-07AA

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

| | | |
|--------------|---------|------------------------------------|
| File Name: | e062905 | Date of Collection: NA |
| Dil. Factor: | 1.00 | Date of Analysis: 6/29/15 12:31 PM |

| Compound | %Recovery | Method Limits |
|---------------------------|-----------|---------------|
| Dibromochloromethane | 130 | 70-130 |
| 1,2-Dibromoethane (EDB) | 126 | 70-130 |
| Chlorobenzene | 121 | 70-130 |
| Ethyl Benzene | 124 | 70-130 |
| m,p-Xylene | 116 | 70-130 |
| o-Xylene | 125 | 70-130 |
| Styrene | 118 | 70-130 |
| Bromoform | 129 | 70-130 |
| Cumene | 106 | 70-130 |
| 1,1,2,2-Tetrachloroethane | 117 | 70-130 |
| Propylbenzene | 121 | 70-130 |
| 4-Ethyltoluene | 115 | 70-130 |
| 1,3,5-Trimethylbenzene | 97 | 70-130 |
| 1,2,4-Trimethylbenzene | 107 | 70-130 |
| 1,3-Dichlorobenzene | 114 | 70-130 |
| 1,4-Dichlorobenzene | 115 | 70-130 |
| alpha-Chlorotoluene | 118 | 70-130 |
| 1,2-Dichlorobenzene | 112 | 70-130 |
| 1,2,4-Trichlorobenzene | 94 | 70-130 |
| Hexachlorobutadiene | 96 | 70-130 |

Container Type: NA - Not Applicable

| Surrogates | %Recovery | Method Limits |
|-----------------------|-----------|---------------|
| 1,2-Dichloroethane-d4 | 100 | 70-130 |
| Toluene-d8 | 99 | 70-130 |
| 4-Bromofluorobenzene | 97 | 70-130 |