



CHAIN-OF-CUSTODY RECORD

Sample Transportation Notice
 Relinquishing signature on this document indicates that sample is being shipped in compliance with all applicable local, State, Federal, national, and international laws, regulations and ordinances of any kind. Air Toxics Limited assumes no liability with respect to the collection, handling or shipping of these samples. Relinquishing signature also indicates agreement to hold harmless, defend, and indemnify Air Toxics Limited against any claim, demand, or action, of any kind, related to the collection, handling, or shipping of samples. D.O.T. Hotline (800) 467-4922

180 BLUE RAVINE ROAD, SUITE B
 FOLSOM, CA 95630-4719
 (916) 985-1000 FAX (916) 985-1020

Page 1 of 1

Project Manager: Michael Parris
 Collected by: (Print and Sign) Michael Parris
 Company: MO DPR Email: michael.parris@airtoxics.com
 Address: P.O. Box 176 City: Bridgeport State: MO Zip: 65102
 Phone: (573) 526-3918 Fax: _____

Project Info:
 P.O. #: 353P400007
 Project #: _____
 Project Name: Bridgeport LF

Turn Around Time: Normal Rush
 Lab Use Only: Pressurized by: _____ Date: _____
 Pressurization Gas: _____
 specify: N₂ He

Lab I.D.	Field Sample I.D. (Location)	Can #	Date of Collection	Time of Collection	Analyses Requested	Canister Pressure/Vacuum		
						Initial	Final	Receipt Final (psi)
01A	B1 (141208)	34221	11/18/14	1035-1445	To-15	-30	-7	
02A	B2 (141255D)	34336	11/18/14	1045-1440	To-15	-30	-3	
03A	U1 (1412552)	34367	11/18/14	1100-1540	To-15	-30	-7	
04A	U2 (1412553)	34495	11/18/14	1115-1555	To-15	-30	-6.5	

Relinquished by: (signature) [Signature] Date/Time 11/20/14 0745
 Received by: (signature) [Signature] Date/Time 11/20/14 1150
 Relinquished by: (signature) _____ Date/Time _____
 Received by: (signature) _____ Date/Time _____
 Relinquished by: (signature) _____ Date/Time _____
 Received by: (signature) _____ Date/Time _____

Notes:
 Shipped via UPS.
 Tracking # 1Z9727890343709384

Lab Use Only: Shipper Name UPS Air Bill # _____ Temp. (°C) NA Condition Good Custody Seals Intact? Yes No None Work Order # 1411427

12/9/2014
Mr. Dennis Schroeder
Missouri Dept. of Natural Resources
2710 West Main

Jefferson City MO 65109

Project Name: Bridgeton LF
Project #:
Workorder #: 1411427

Dear Mr. Dennis Schroeder

The following report includes the data for the above referenced project for sample(s) received on 11/25/2014 at Air Toxics Ltd.

The data and associated QC analyzed by Modified TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Air Toxics Ltd. for your air analysis needs. Air Toxics Ltd. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Brian Whittaker at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Brian Whittaker
Project Manager

WORK ORDER #: 1411427

Work Order Summary

CLIENT:	Mr. Dennis Schroeder Missouri Dept. of Natural Resources 2710 West Main Jefferson City, MO 65109	BILL TO:	Accounts Payable Missouri Dept. of Natural Resources P.O Box 176 Jefferson City, MO 65102
PHONE:	573-526-4428	P.O. #	3ESP4000007
FAX:	573-526-3350	PROJECT #	Bridgeton LF
DATE RECEIVED:	11/25/2014	CONTACT:	Brian Whittaker
DATE COMPLETED:	12/08/2014		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	D1 (1411208)	Modified TO-15	5.5 "Hg	5.1 psi
02A	D2 (1412551)	Modified TO-15	0.7 psi	5 psi
03A	U1 (1412552)	Modified TO-15	4.9 "Hg	5 psi
04A	U2 (1412553)	Modified TO-15	4.3 "Hg	5 psi
05A	Lab Blank	Modified TO-15	NA	NA
06A	CCV	Modified TO-15	NA	NA
07A	LCS	Modified TO-15	NA	NA
07AA	LCSD	Modified TO-15	NA	NA

CERTIFIED BY: 

 Technical Director

DATE: 12/08/14

Certification numbers: AZ Licensure AZ0775, NJ NELAP - CA016, NY NELAP - 11291,
 TX NELAP - T104704343-14-7, UT NELAP CA009332014-5, VA NELAP - 460197, WA NELAP - C935
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)
 Accreditation number: CA300005, Effective date: 10/18/2014, Expiration date: 10/17/2015.

Eurofins Air Toxics Inc. certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, Inc.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 9563
 (916) 985-1000 . (800) 985-5955 . FAX (916) 985-1020

LABORATORY NARRATIVE
Modified TO-15
Missouri Dept. of Natural Resources
Workorder# 1411427

Four 6 Liter Summa Canister (100% Certified) samples were received on November 25, 2014. The laboratory performed analysis via modified EPA Method TO-15 using GC/MS in the full scan mode.

This workorder was independently validated prior to submittal using 'USEPA National Functional Guidelines' as generally applied to the analysis of volatile organic compounds in air. A rules-based, logic driven, independent validation engine was employed to assess completeness, evaluate pass/fail of relevant project quality control requirements and verification of all quantified amounts.

Method modifications taken to run these samples are summarized in the table below. Specific project requirements may over-ride the ATL modifications.

<i>Requirement</i>	<i>TO-15</i>	<i>ATL Modifications</i>
Initial Calibration	</=30% RSD with 2 compounds allowed out to < 40% RSD	</=30% RSD with 4 compounds allowed out to < 40% RSD
Blank and standards	Zero Air	UHP Nitrogen provides a higher purity gas matrix than zero air

Receiving Notes

Despite the use of a flow controller for sample collection, the final canister vacuum for sample D2 (1412551) was measured at ambient pressure by the laboratory upon sample receipt.

Analytical Notes

All Quality Control Limit exceedances and affected sample results are noted by flags. Each flag is defined at the bottom of this Case Narrative and on each Sample Result Summary page. Target compound non-detects in the samples that are associated with high bias in QC analyses have not been flagged.

Due to the linear calibration range of the instrument, the reporting limit for Freon 12 and alpha-Chlorotoluene was raised from 0.10 ppbv to 0.50 ppbv.

Definition of Data Qualifying Flags

Eight qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue

Summary of Detected Compounds MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: D1 (1411208)

Lab ID#: 1411427-01A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 11	0.16	0.19	0.93	1.0
Ethanol	0.82	1.0 J	1.6	2.0 J
Acetone	0.82	1.5	2.0	3.6
Benzene	0.16	0.18	0.53	0.57

Client Sample ID: D2 (1412551)

Lab ID#: 1411427-02A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 11	0.13	0.18	0.72	1.0
Acetone	0.64	2.2	1.5	5.2
Benzene	0.13	0.13	0.41	0.41

Client Sample ID: U1 (1412552)

Lab ID#: 1411427-03A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 11	0.16	0.19	0.90	1.0
Ethanol	0.80	0.98 J	1.5	1.8 J
Acetone	0.80	2.1	1.9	5.0

Client Sample ID: U2 (1412553)

Lab ID#: 1411427-04A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 11	0.16	0.18	0.88	1.0
Acetone	0.78	1.1	1.8	2.7



Air Toxics

Client Sample ID: D1 (1411208)

Lab ID#: 1411427-01A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112808	Date of Collection:	11/18/14 2:45:00 PM
Dil. Factor:	1.65	Date of Analysis:	11/28/14 10:15 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.82	Not Detected	4.1	Not Detected
Freon 114	0.16	Not Detected	1.2	Not Detected
Chloromethane	0.82	Not Detected	1.7	Not Detected
Vinyl Chloride	0.16	Not Detected	0.42	Not Detected
1,3-Butadiene	0.16	Not Detected	0.36	Not Detected
Bromomethane	0.82	Not Detected	3.2	Not Detected
Chloroethane	0.82	Not Detected	2.2	Not Detected
Freon 11	0.16	0.19	0.93	1.0
Ethanol	0.82	1.0 J	1.6	2.0 J
Freon 113	0.16	Not Detected	1.3	Not Detected
1,1-Dichloroethene	0.16	Not Detected	0.65	Not Detected
Acetone	0.82	1.5	2.0	3.6
2-Propanol	0.82	Not Detected	2.0	Not Detected
Carbon Disulfide	0.82	Not Detected	2.6	Not Detected
3-Chloropropene	0.82	Not Detected	2.6	Not Detected
Methylene Chloride	0.33	Not Detected	1.1	Not Detected
Methyl tert-butyl ether	0.16	Not Detected	0.59	Not Detected
trans-1,2-Dichloroethene	0.16	Not Detected	0.65	Not Detected
Hexane	0.16	Not Detected	0.58	Not Detected
1,1-Dichloroethane	0.16	Not Detected	0.67	Not Detected
2-Butanone (Methyl Ethyl Ketone)	0.82	Not Detected	2.4	Not Detected
cis-1,2-Dichloroethene	0.16	Not Detected	0.65	Not Detected
Tetrahydrofuran	0.82	Not Detected	2.4	Not Detected
Chloroform	0.16	Not Detected	0.80	Not Detected
1,1,1-Trichloroethane	0.16	Not Detected	0.90	Not Detected
Cyclohexane	0.16	Not Detected	0.57	Not Detected
Carbon Tetrachloride	0.16	Not Detected	1.0	Not Detected
2,2,4-Trimethylpentane	0.82	Not Detected	3.8	Not Detected
Benzene	0.16	0.18	0.53	0.57
1,2-Dichloroethane	0.16	Not Detected	0.67	Not Detected
Heptane	0.16	Not Detected	0.68	Not Detected
Trichloroethene	0.16	Not Detected	0.89	Not Detected
1,2-Dichloropropane	0.16	Not Detected	0.76	Not Detected
1,4-Dioxane	0.16	Not Detected	0.59	Not Detected
Bromodichloromethane	0.16	Not Detected	1.1	Not Detected
cis-1,3-Dichloropropene	0.16	Not Detected	0.75	Not Detected
4-Methyl-2-pentanone	0.16	Not Detected	0.68	Not Detected
Toluene	0.16	Not Detected	0.62	Not Detected
trans-1,3-Dichloropropene	0.16	Not Detected	0.75	Not Detected
1,1,2-Trichloroethane	0.16	Not Detected	0.90	Not Detected
Tetrachloroethene	0.16	Not Detected	1.1	Not Detected
2-Hexanone	0.82	Not Detected	3.4	Not Detected



Client Sample ID: D1 (1411208)

Lab ID#: 1411427-01A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112808	Date of Collection:	11/18/14 2:45:00 PM
Dil. Factor:	1.65	Date of Analysis:	11/28/14 10:15 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.16	Not Detected	1.4	Not Detected
1,2-Dibromoethane (EDB)	0.16	Not Detected	1.3	Not Detected
Chlorobenzene	0.16	Not Detected	0.76	Not Detected
Ethyl Benzene	0.16	Not Detected	0.72	Not Detected
m,p-Xylene	0.16	Not Detected	0.72	Not Detected
o-Xylene	0.16	Not Detected	0.72	Not Detected
Styrene	0.16	Not Detected	0.70	Not Detected
Bromoform	0.16	Not Detected	1.7	Not Detected
Cumene	0.16	Not Detected	0.81	Not Detected
1,1,2,2-Tetrachloroethane	0.16	Not Detected	1.1	Not Detected
Propylbenzene	0.16	Not Detected	0.81	Not Detected
4-Ethyltoluene	0.16	Not Detected	0.81	Not Detected
1,3,5-Trimethylbenzene	0.16	Not Detected	0.81	Not Detected
1,2,4-Trimethylbenzene	0.16	Not Detected	0.81	Not Detected
1,3-Dichlorobenzene	0.16	Not Detected	0.99	Not Detected
1,4-Dichlorobenzene	0.16	Not Detected	0.99	Not Detected
alpha-Chlorotoluene	0.82	Not Detected	4.3	Not Detected
1,2-Dichlorobenzene	0.16	Not Detected	0.99	Not Detected
1,2,4-Trichlorobenzene	0.82	Not Detected	6.1	Not Detected
Hexachlorobutadiene	0.82	Not Detected	8.8	Not Detected

J = Estimated value due to bias in the CCV.

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	94	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	86	70-130



Air Toxics

Client Sample ID: D2 (1412551)

Lab ID#: 1411427-02A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112809	Date of Collection:	11/18/14 2:40:00 PM
Dil. Factor:	1.28	Date of Analysis:	11/28/14 10:51 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.64	Not Detected	3.2	Not Detected
Freon 114	0.13	Not Detected	0.89	Not Detected
Chloromethane	0.64	Not Detected	1.3	Not Detected
Vinyl Chloride	0.13	Not Detected	0.33	Not Detected
1,3-Butadiene	0.13	Not Detected	0.28	Not Detected
Bromomethane	0.64	Not Detected	2.5	Not Detected
Chloroethane	0.64	Not Detected	1.7	Not Detected
Freon 11	0.13	0.18	0.72	1.0
Ethanol	0.64	Not Detected	1.2	Not Detected
Freon 113	0.13	Not Detected	0.98	Not Detected
1,1-Dichloroethene	0.13	Not Detected	0.51	Not Detected
Acetone	0.64	2.2	1.5	5.2
2-Propanol	0.64	Not Detected	1.6	Not Detected
Carbon Disulfide	0.64	Not Detected	2.0	Not Detected
3-Chloropropene	0.64	Not Detected	2.0	Not Detected
Methylene Chloride	0.26	Not Detected	0.89	Not Detected
Methyl tert-butyl ether	0.13	Not Detected	0.46	Not Detected
trans-1,2-Dichloroethene	0.13	Not Detected	0.51	Not Detected
Hexane	0.13	Not Detected	0.45	Not Detected
1,1-Dichloroethane	0.13	Not Detected	0.52	Not Detected
2-Butanone (Methyl Ethyl Ketone)	0.64	Not Detected	1.9	Not Detected
cis-1,2-Dichloroethene	0.13	Not Detected	0.51	Not Detected
Tetrahydrofuran	0.64	Not Detected	1.9	Not Detected
Chloroform	0.13	Not Detected	0.62	Not Detected
1,1,1-Trichloroethane	0.13	Not Detected	0.70	Not Detected
Cyclohexane	0.13	Not Detected	0.44	Not Detected
Carbon Tetrachloride	0.13	Not Detected	0.80	Not Detected
2,2,4-Trimethylpentane	0.64	Not Detected	3.0	Not Detected
Benzene	0.13	0.13	0.41	0.41
1,2-Dichloroethane	0.13	Not Detected	0.52	Not Detected
Heptane	0.13	Not Detected	0.52	Not Detected
Trichloroethene	0.13	Not Detected	0.69	Not Detected
1,2-Dichloropropane	0.13	Not Detected	0.59	Not Detected
1,4-Dioxane	0.13	Not Detected	0.46	Not Detected
Bromodichloromethane	0.13	Not Detected	0.86	Not Detected
cis-1,3-Dichloropropene	0.13	Not Detected	0.58	Not Detected
4-Methyl-2-pentanone	0.13	Not Detected	0.52	Not Detected
Toluene	0.13	Not Detected	0.48	Not Detected
trans-1,3-Dichloropropene	0.13	Not Detected	0.58	Not Detected
1,1,2-Trichloroethane	0.13	Not Detected	0.70	Not Detected
Tetrachloroethene	0.13	Not Detected	0.87	Not Detected
2-Hexanone	0.64	Not Detected	2.6	Not Detected



Client Sample ID: D2 (1412551)

Lab ID#: 1411427-02A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112809	Date of Collection:	11/18/14 2:40:00 PM
Dil. Factor:	1.28	Date of Analysis:	11/28/14 10:51 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.13	Not Detected	1.1	Not Detected
1,2-Dibromoethane (EDB)	0.13	Not Detected	0.98	Not Detected
Chlorobenzene	0.13	Not Detected	0.59	Not Detected
Ethyl Benzene	0.13	Not Detected	0.56	Not Detected
m,p-Xylene	0.13	Not Detected	0.56	Not Detected
o-Xylene	0.13	Not Detected	0.56	Not Detected
Styrene	0.13	Not Detected	0.54	Not Detected
Bromoform	0.13	Not Detected	1.3	Not Detected
Cumene	0.13	Not Detected	0.63	Not Detected
1,1,2,2-Tetrachloroethane	0.13	Not Detected	0.88	Not Detected
Propylbenzene	0.13	Not Detected	0.63	Not Detected
4-Ethyltoluene	0.13	Not Detected	0.63	Not Detected
1,3,5-Trimethylbenzene	0.13	Not Detected	0.63	Not Detected
1,2,4-Trimethylbenzene	0.13	Not Detected	0.63	Not Detected
1,3-Dichlorobenzene	0.13	Not Detected	0.77	Not Detected
1,4-Dichlorobenzene	0.13	Not Detected	0.77	Not Detected
alpha-Chlorotoluene	0.64	Not Detected	3.3	Not Detected
1,2-Dichlorobenzene	0.13	Not Detected	0.77	Not Detected
1,2,4-Trichlorobenzene	0.64	Not Detected	4.7	Not Detected
Hexachlorobutadiene	0.64	Not Detected	6.8	Not Detected

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	97	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	86	70-130



Air Toxics

Client Sample ID: U1 (1412552)

Lab ID#: 1411427-03A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112810	Date of Collection:	11/18/14 3:40:00 PM
Dil. Factor:	1.60	Date of Analysis:	11/28/14 11:27 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.80	Not Detected	4.0	Not Detected
Freon 114	0.16	Not Detected	1.1	Not Detected
Chloromethane	0.80	Not Detected	1.6	Not Detected
Vinyl Chloride	0.16	Not Detected	0.41	Not Detected
1,3-Butadiene	0.16	Not Detected	0.35	Not Detected
Bromomethane	0.80	Not Detected	3.1	Not Detected
Chloroethane	0.80	Not Detected	2.1	Not Detected
Freon 11	0.16	0.19	0.90	1.0
Ethanol	0.80	0.98 J	1.5	1.8 J
Freon 113	0.16	Not Detected	1.2	Not Detected
1,1-Dichloroethene	0.16	Not Detected	0.63	Not Detected
Acetone	0.80	2.1	1.9	5.0
2-Propanol	0.80	Not Detected	2.0	Not Detected
Carbon Disulfide	0.80	Not Detected	2.5	Not Detected
3-Chloropropene	0.80	Not Detected	2.5	Not Detected
Methylene Chloride	0.32	Not Detected	1.1	Not Detected
Methyl tert-butyl ether	0.16	Not Detected	0.58	Not Detected
trans-1,2-Dichloroethene	0.16	Not Detected	0.63	Not Detected
Hexane	0.16	Not Detected	0.56	Not Detected
1,1-Dichloroethane	0.16	Not Detected	0.65	Not Detected
2-Butanone (Methyl Ethyl Ketone)	0.80	Not Detected	2.4	Not Detected
cis-1,2-Dichloroethene	0.16	Not Detected	0.63	Not Detected
Tetrahydrofuran	0.80	Not Detected	2.4	Not Detected
Chloroform	0.16	Not Detected	0.78	Not Detected
1,1,1-Trichloroethane	0.16	Not Detected	0.87	Not Detected
Cyclohexane	0.16	Not Detected	0.55	Not Detected
Carbon Tetrachloride	0.16	Not Detected	1.0	Not Detected
2,2,4-Trimethylpentane	0.80	Not Detected	3.7	Not Detected
Benzene	0.16	Not Detected	0.51	Not Detected
1,2-Dichloroethane	0.16	Not Detected	0.65	Not Detected
Heptane	0.16	Not Detected	0.66	Not Detected
Trichloroethene	0.16	Not Detected	0.86	Not Detected
1,2-Dichloropropane	0.16	Not Detected	0.74	Not Detected
1,4-Dioxane	0.16	Not Detected	0.58	Not Detected
Bromodichloromethane	0.16	Not Detected	1.1	Not Detected
cis-1,3-Dichloropropene	0.16	Not Detected	0.73	Not Detected
4-Methyl-2-pentanone	0.16	Not Detected	0.66	Not Detected
Toluene	0.16	Not Detected	0.60	Not Detected
trans-1,3-Dichloropropene	0.16	Not Detected	0.73	Not Detected
1,1,2-Trichloroethane	0.16	Not Detected	0.87	Not Detected
Tetrachloroethene	0.16	Not Detected	1.1	Not Detected
2-Hexanone	0.80	Not Detected	3.3	Not Detected



Client Sample ID: U1 (1412552)

Lab ID#: 1411427-03A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112810	Date of Collection:	11/18/14 3:40:00 PM
Dil. Factor:	1.60	Date of Analysis:	11/28/14 11:27 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.16	Not Detected	1.4	Not Detected
1,2-Dibromoethane (EDB)	0.16	Not Detected	1.2	Not Detected
Chlorobenzene	0.16	Not Detected	0.74	Not Detected
Ethyl Benzene	0.16	Not Detected	0.69	Not Detected
m,p-Xylene	0.16	Not Detected	0.69	Not Detected
o-Xylene	0.16	Not Detected	0.69	Not Detected
Styrene	0.16	Not Detected	0.68	Not Detected
Bromoform	0.16	Not Detected	1.6	Not Detected
Cumene	0.16	Not Detected	0.79	Not Detected
1,1,2,2-Tetrachloroethane	0.16	Not Detected	1.1	Not Detected
Propylbenzene	0.16	Not Detected	0.79	Not Detected
4-Ethyltoluene	0.16	Not Detected	0.79	Not Detected
1,3,5-Trimethylbenzene	0.16	Not Detected	0.79	Not Detected
1,2,4-Trimethylbenzene	0.16	Not Detected	0.79	Not Detected
1,3-Dichlorobenzene	0.16	Not Detected	0.96	Not Detected
1,4-Dichlorobenzene	0.16	Not Detected	0.96	Not Detected
alpha-Chlorotoluene	0.80	Not Detected	4.1	Not Detected
1,2-Dichlorobenzene	0.16	Not Detected	0.96	Not Detected
1,2,4-Trichlorobenzene	0.80	Not Detected	5.9	Not Detected
Hexachlorobutadiene	0.80	Not Detected	8.5	Not Detected

J = Estimated value due to bias in the CCV.

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	94	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	88	70-130



Air Toxics

Client Sample ID: U2 (1412553)

Lab ID#: 1411427-04A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112811	Date of Collection:	11/18/14 3:55:00 PM
Dil. Factor:	1.56	Date of Analysis:	11/28/14 02:34 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.78	Not Detected	3.8	Not Detected
Freon 114	0.16	Not Detected	1.1	Not Detected
Chloromethane	0.78	Not Detected	1.6	Not Detected
Vinyl Chloride	0.16	Not Detected	0.40	Not Detected
1,3-Butadiene	0.16	Not Detected	0.34	Not Detected
Bromomethane	0.78	Not Detected	3.0	Not Detected
Chloroethane	0.78	Not Detected	2.0	Not Detected
Freon 11	0.16	0.18	0.88	1.0
Ethanol	0.78	Not Detected	1.5	Not Detected
Freon 113	0.16	Not Detected	1.2	Not Detected
1,1-Dichloroethene	0.16	Not Detected	0.62	Not Detected
Acetone	0.78	1.1	1.8	2.7
2-Propanol	0.78	Not Detected	1.9	Not Detected
Carbon Disulfide	0.78	Not Detected	2.4	Not Detected
3-Chloropropene	0.78	Not Detected	2.4	Not Detected
Methylene Chloride	0.31	Not Detected	1.1	Not Detected
Methyl tert-butyl ether	0.16	Not Detected	0.56	Not Detected
trans-1,2-Dichloroethene	0.16	Not Detected	0.62	Not Detected
Hexane	0.16	Not Detected	0.55	Not Detected
1,1-Dichloroethane	0.16	Not Detected	0.63	Not Detected
2-Butanone (Methyl Ethyl Ketone)	0.78	Not Detected	2.3	Not Detected
cis-1,2-Dichloroethene	0.16	Not Detected	0.62	Not Detected
Tetrahydrofuran	0.78	Not Detected	2.3	Not Detected
Chloroform	0.16	Not Detected	0.76	Not Detected
1,1,1-Trichloroethane	0.16	Not Detected	0.85	Not Detected
Cyclohexane	0.16	Not Detected	0.54	Not Detected
Carbon Tetrachloride	0.16	Not Detected	0.98	Not Detected
2,2,4-Trimethylpentane	0.78	Not Detected	3.6	Not Detected
Benzene	0.16	Not Detected	0.50	Not Detected
1,2-Dichloroethane	0.16	Not Detected	0.63	Not Detected
Heptane	0.16	Not Detected	0.64	Not Detected
Trichloroethene	0.16	Not Detected	0.84	Not Detected
1,2-Dichloropropane	0.16	Not Detected	0.72	Not Detected
1,4-Dioxane	0.16	Not Detected	0.56	Not Detected
Bromodichloromethane	0.16	Not Detected	1.0	Not Detected
cis-1,3-Dichloropropene	0.16	Not Detected	0.71	Not Detected
4-Methyl-2-pentanone	0.16	Not Detected	0.64	Not Detected
Toluene	0.16	Not Detected	0.59	Not Detected
trans-1,3-Dichloropropene	0.16	Not Detected	0.71	Not Detected
1,1,2-Trichloroethane	0.16	Not Detected	0.85	Not Detected
Tetrachloroethene	0.16	Not Detected	1.0	Not Detected
2-Hexanone	0.78	Not Detected	3.2	Not Detected



Client Sample ID: U2 (1412553)

Lab ID#: 1411427-04A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112811	Date of Collection:	11/18/14 3:55:00 PM
Dil. Factor:	1.56	Date of Analysis:	11/28/14 02:34 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.16	Not Detected	1.3	Not Detected
1,2-Dibromoethane (EDB)	0.16	Not Detected	1.2	Not Detected
Chlorobenzene	0.16	Not Detected	0.72	Not Detected
Ethyl Benzene	0.16	Not Detected	0.68	Not Detected
m,p-Xylene	0.16	Not Detected	0.68	Not Detected
o-Xylene	0.16	Not Detected	0.68	Not Detected
Styrene	0.16	Not Detected	0.66	Not Detected
Bromoform	0.16	Not Detected	1.6	Not Detected
Cumene	0.16	Not Detected	0.77	Not Detected
1,1,2,2-Tetrachloroethane	0.16	Not Detected	1.1	Not Detected
Propylbenzene	0.16	Not Detected	0.77	Not Detected
4-Ethyltoluene	0.16	Not Detected	0.77	Not Detected
1,3,5-Trimethylbenzene	0.16	Not Detected	0.77	Not Detected
1,2,4-Trimethylbenzene	0.16	Not Detected	0.77	Not Detected
1,3-Dichlorobenzene	0.16	Not Detected	0.94	Not Detected
1,4-Dichlorobenzene	0.16	Not Detected	0.94	Not Detected
alpha-Chlorotoluene	0.78	Not Detected	4.0	Not Detected
1,2-Dichlorobenzene	0.16	Not Detected	0.94	Not Detected
1,2,4-Trichlorobenzene	0.78	Not Detected	5.8	Not Detected
Hexachlorobutadiene	0.78	Not Detected	8.3	Not Detected

Container Type: 6 Liter Summa Canister (100% Certified)

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	107	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	90	70-130



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 1411427-05A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112807	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	11/28/14 09:21 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.50	Not Detected	2.5	Not Detected
Freon 114	0.10	Not Detected	0.70	Not Detected
Chloromethane	0.50	Not Detected	1.0	Not Detected
Vinyl Chloride	0.10	Not Detected	0.26	Not Detected
1,3-Butadiene	0.10	Not Detected	0.22	Not Detected
Bromomethane	0.50	Not Detected	1.9	Not Detected
Chloroethane	0.50	Not Detected	1.3	Not Detected
Freon 11	0.10	Not Detected	0.56	Not Detected
Ethanol	0.50	Not Detected	0.94	Not Detected
Freon 113	0.10	Not Detected	0.77	Not Detected
1,1-Dichloroethene	0.10	Not Detected	0.40	Not Detected
Acetone	0.50	Not Detected	1.2	Not Detected
2-Propanol	0.50	Not Detected	1.2	Not Detected
Carbon Disulfide	0.50	Not Detected	1.6	Not Detected
3-Chloropropene	0.50	Not Detected	1.6	Not Detected
Methylene Chloride	0.20	Not Detected	0.69	Not Detected
Methyl tert-butyl ether	0.10	Not Detected	0.36	Not Detected
trans-1,2-Dichloroethene	0.10	Not Detected	0.40	Not Detected
Hexane	0.10	Not Detected	0.35	Not Detected
1,1-Dichloroethane	0.10	Not Detected	0.40	Not Detected
2-Butanone (Methyl Ethyl Ketone)	0.50	Not Detected	1.5	Not Detected
cis-1,2-Dichloroethene	0.10	Not Detected	0.40	Not Detected
Tetrahydrofuran	0.50	Not Detected	1.5	Not Detected
Chloroform	0.10	Not Detected	0.49	Not Detected
1,1,1-Trichloroethane	0.10	Not Detected	0.54	Not Detected
Cyclohexane	0.10	Not Detected	0.34	Not Detected
Carbon Tetrachloride	0.10	Not Detected	0.63	Not Detected
2,2,4-Trimethylpentane	0.50	Not Detected	2.3	Not Detected
Benzene	0.10	Not Detected	0.32	Not Detected
1,2-Dichloroethane	0.10	Not Detected	0.40	Not Detected
Heptane	0.10	Not Detected	0.41	Not Detected
Trichloroethene	0.10	Not Detected	0.54	Not Detected
1,2-Dichloropropane	0.10	Not Detected	0.46	Not Detected
1,4-Dioxane	0.10	Not Detected	0.36	Not Detected
Bromodichloromethane	0.10	Not Detected	0.67	Not Detected
cis-1,3-Dichloropropene	0.10	Not Detected	0.45	Not Detected
4-Methyl-2-pentanone	0.10	Not Detected	0.41	Not Detected
Toluene	0.10	Not Detected	0.38	Not Detected
trans-1,3-Dichloropropene	0.10	Not Detected	0.45	Not Detected
1,1,2-Trichloroethane	0.10	Not Detected	0.54	Not Detected
Tetrachloroethene	0.10	Not Detected	0.68	Not Detected
2-Hexanone	0.50	Not Detected	2.0	Not Detected

Client Sample ID: Lab Blank

Lab ID#: 1411427-05A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112807	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/28/14 09:21 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.10	Not Detected	0.85	Not Detected
1,2-Dibromoethane (EDB)	0.10	Not Detected	0.77	Not Detected
Chlorobenzene	0.10	Not Detected	0.46	Not Detected
Ethyl Benzene	0.10	Not Detected	0.43	Not Detected
m,p-Xylene	0.10	Not Detected	0.43	Not Detected
o-Xylene	0.10	Not Detected	0.43	Not Detected
Styrene	0.10	Not Detected	0.42	Not Detected
Bromoform	0.10	Not Detected	1.0	Not Detected
Cumene	0.10	Not Detected	0.49	Not Detected
1,1,2,2-Tetrachloroethane	0.10	Not Detected	0.69	Not Detected
Propylbenzene	0.10	Not Detected	0.49	Not Detected
4-Ethyltoluene	0.10	Not Detected	0.49	Not Detected
1,3,5-Trimethylbenzene	0.10	Not Detected	0.49	Not Detected
1,2,4-Trimethylbenzene	0.10	Not Detected	0.49	Not Detected
1,3-Dichlorobenzene	0.10	Not Detected	0.60	Not Detected
1,4-Dichlorobenzene	0.10	Not Detected	0.60	Not Detected
alpha-Chlorotoluene	0.50	Not Detected	2.6	Not Detected
1,2-Dichlorobenzene	0.10	Not Detected	0.60	Not Detected
1,2,4-Trichlorobenzene	0.50	Not Detected	3.7	Not Detected
Hexachlorobutadiene	0.50	Not Detected	5.3	Not Detected

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	96	70-130
Toluene-d8	98	70-130
4-Bromofluorobenzene	83	70-130



Air Toxics

Client Sample ID: CCV

Lab ID#: 1411427-06A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112804	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/28/14 07:08 AM

Compound	%Recovery
Freon 12	99
Freon 114	95
Chloromethane	102
Vinyl Chloride	108
1,3-Butadiene	108
Bromomethane	108
Chloroethane	106
Freon 11	95
Ethanol	140 Q
Freon 113	92
1,1-Dichloroethene	98
Acetone	104
2-Propanol	107
Carbon Disulfide	108
3-Chloropropene	110
Methylene Chloride	102
Methyl tert-butyl ether	103
trans-1,2-Dichloroethene	107
Hexane	102
1,1-Dichloroethane	99
2-Butanone (Methyl Ethyl Ketone)	105
cis-1,2-Dichloroethene	102
Tetrahydrofuran	104
Chloroform	97
1,1,1-Trichloroethane	94
Cyclohexane	101
Carbon Tetrachloride	94
2,2,4-Trimethylpentane	102
Benzene	103
1,2-Dichloroethane	95
Heptane	107
Trichloroethene	98
1,2-Dichloropropane	107
1,4-Dioxane	102
Bromodichloromethane	102
cis-1,3-Dichloropropene	111
4-Methyl-2-pentanone	108
Toluene	104
trans-1,3-Dichloropropene	113
1,1,2-Trichloroethane	110
Tetrachloroethene	108
2-Hexanone	110



Air Toxics

Client Sample ID: CCV

Lab ID#: 1411427-06A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112804	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/28/14 07:08 AM

Compound	%Recovery
Dibromochloromethane	102
1,2-Dibromoethane (EDB)	110
Chlorobenzene	109
Ethyl Benzene	117
m,p-Xylene	116
o-Xylene	123
Styrene	114
Bromoform	108
Cumene	118
1,1,2,2-Tetrachloroethane	112
Propylbenzene	124
4-Ethyltoluene	119
1,3,5-Trimethylbenzene	134 Q
1,2,4-Trimethylbenzene	146 Q
1,3-Dichlorobenzene	121
1,4-Dichlorobenzene	115
alpha-Chlorotoluene	116
1,2-Dichlorobenzene	118
1,2,4-Trichlorobenzene	136 Q
Hexachlorobutadiene	124

Q = Exceeds Quality Control limits.

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	91	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	104	70-130



Air Toxics

Client Sample ID: LCS

Lab ID#: 1411427-07A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112805	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/28/14 07:52 AM

Compound	%Recovery	Method Limits
Freon 12	101	70-130
Freon 114	97	70-130
Chloromethane	104	70-130
Vinyl Chloride	112	70-130
1,3-Butadiene	106	70-130
Bromomethane	111	70-130
Chloroethane	111	70-130
Freon 11	98	70-130
Ethanol	152 Q	70-130
Freon 113	97	70-130
1,1-Dichloroethene	108	70-130
Acetone	104	70-130
2-Propanol	119	70-130
Carbon Disulfide	105	70-130
3-Chloropropene	104	70-130
Methylene Chloride	108	70-130
Methyl tert-butyl ether	101	70-130
trans-1,2-Dichloroethene	104	70-130
Hexane	103	70-130
1,1-Dichloroethane	102	70-130
2-Butanone (Methyl Ethyl Ketone)	112	70-130
cis-1,2-Dichloroethene	107	70-130
Tetrahydrofuran	109	70-130
Chloroform	99	70-130
1,1,1-Trichloroethane	96	70-130
Cyclohexane	102	70-130
Carbon Tetrachloride	65 Q	70-130
2,2,4-Trimethylpentane	99	70-130
Benzene	102	70-130
1,2-Dichloroethane	96	70-130
Heptane	104	70-130
Trichloroethene	96	70-130
1,2-Dichloropropane	103	70-130
1,4-Dioxane	106	70-130
Bromodichloromethane	98	70-130
cis-1,3-Dichloropropene	114	70-130
4-Methyl-2-pentanone	110	70-130
Toluene	101	70-130
trans-1,3-Dichloropropene	106	70-130
1,1,2-Trichloroethane	104	70-130
Tetrachloroethene	103	70-130
2-Hexanone	111	70-130

Client Sample ID: LCS

Lab ID#: 1411427-07A

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112805	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/28/14 07:52 AM

Compound	%Recovery	Method Limits
Dibromochloromethane	97	70-130
1,2-Dibromoethane (EDB)	105	70-130
Chlorobenzene	105	70-130
Ethyl Benzene	109	70-130
m,p-Xylene	111	70-130
o-Xylene	116	70-130
Styrene	118	70-130
Bromoform	100	70-130
Cumene	115	70-130
1,1,2,2-Tetrachloroethane	106	70-130
Propylbenzene	124	70-130
4-Ethyltoluene	121	70-130
1,3,5-Trimethylbenzene	147 Q	70-130
1,2,4-Trimethylbenzene	155 Q	70-130
1,3-Dichlorobenzene	117	70-130
1,4-Dichlorobenzene	112	70-130
alpha-Chlorotoluene	180 Q	70-130
1,2-Dichlorobenzene	121	70-130
1,2,4-Trichlorobenzene	136 Q	70-130
Hexachlorobutadiene	119	70-130

Q = Exceeds Quality Control limits.

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	94	70-130
Toluene-d8	99	70-130
4-Bromofluorobenzene	96	70-130



Air Toxics

Client Sample ID: LCS D

Lab ID#: 1411427-07AA

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112806	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	11/28/14 08:27 AM

Compound	%Recovery	Method Limits
Freon 12	99	70-130
Freon 114	94	70-130
Chloromethane	103	70-130
Vinyl Chloride	111	70-130
1,3-Butadiene	104	70-130
Bromomethane	106	70-130
Chloroethane	107	70-130
Freon 11	96	70-130
Ethanol	144 Q	70-130
Freon 113	96	70-130
1,1-Dichloroethene	100	70-130
Acetone	100	70-130
2-Propanol	114	70-130
Carbon Disulfide	100	70-130
3-Chloropropene	99	70-130
Methylene Chloride	104	70-130
Methyl tert-butyl ether	99	70-130
trans-1,2-Dichloroethene	97	70-130
Hexane	100	70-130
1,1-Dichloroethane	100	70-130
2-Butanone (Methyl Ethyl Ketone)	107	70-130
cis-1,2-Dichloroethene	102	70-130
Tetrahydrofuran	105	70-130
Chloroform	96	70-130
1,1,1-Trichloroethane	92	70-130
Cyclohexane	98	70-130
Carbon Tetrachloride	59 Q	70-130
2,2,4-Trimethylpentane	96	70-130
Benzene	101	70-130
1,2-Dichloroethane	95	70-130
Heptane	100	70-130
Trichloroethene	96	70-130
1,2-Dichloropropane	104	70-130
1,4-Dioxane	106	70-130
Bromodichloromethane	96	70-130
cis-1,3-Dichloropropene	113	70-130
4-Methyl-2-pentanone	108	70-130
Toluene	100	70-130
trans-1,3-Dichloropropene	101	70-130
1,1,2-Trichloroethane	105	70-130
Tetrachloroethene	102	70-130
2-Hexanone	111	70-130

Client Sample ID: LCSD

Lab ID#: 1411427-07AA

MODIFIED EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	v112806	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 11/28/14 08:27 AM

Compound	%Recovery	Method Limits
Dibromochloromethane	95	70-130
1,2-Dibromoethane (EDB)	102	70-130
Chlorobenzene	101	70-130
Ethyl Benzene	104	70-130
m,p-Xylene	110	70-130
o-Xylene	115	70-130
Styrene	115	70-130
Bromoform	98	70-130
Cumene	113	70-130
1,1,2,2-Tetrachloroethane	109	70-130
Propylbenzene	119	70-130
4-Ethyltoluene	119	70-130
1,3,5-Trimethylbenzene	142 Q	70-130
1,2,4-Trimethylbenzene	151 Q	70-130
1,3-Dichlorobenzene	113	70-130
1,4-Dichlorobenzene	110	70-130
alpha-Chlorotoluene	173 Q	70-130
1,2-Dichlorobenzene	114	70-130
1,2,4-Trichlorobenzene	132 Q	70-130
Hexachlorobutadiene	114	70-130

Q = Exceeds Quality Control limits.

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	91	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	97	70-130